

**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE SUPERIOR</b>							
1082	Île Parisienne	On SW. extremity of island. 46 38 42.9 84 43 26.5	FI W	10s	16.1	..... White hexagonal tower, red upper portion. 16.6	Flash 1 s; eclipse 9 s. Seasonal.  <b>Chart:14884(U.S.)</b>
1083	Goulais Bay	On point. 46 41 46.3 84 31 22.9	FI W	4s	11.7	..... Cylindrical mast, red and white rectangular daymark, red triangle in centre. 5.8	Seasonal.  <b>Chart:2315</b>
1084	Maple Island	On W. side of island. 46 46 07.7 84 34 51.9	FI W	4s	9.5	..... Square tower, red and white rectangular daymark, red triangle in centre. 9.7	Seasonal.  <b>Chart:14962(U.S.)</b>
1087	Coppermine Point	On extremity of point. 46 59 02.8 84 47 14.7	FI W	4s	14.4	..... Cylindrical mast, red and white rectangular daymark. 5.5	Seasonal.  <b>Chart:2307</b>
1088	Mamainse Harbour <b>Racon - - (M) X &amp; S Band</b>	On N. point of largest island off Mamainse Point. 47 02 15.1 84 47 11.5	F R	.....	11.3	..... Red and white cylindrical tower, red and white triangular daymark. 9.1	Seasonal.  <b>Chart:2315</b>
1089	Montréal Point	On high bluff on point at Montréal River entrance. 47 14 27.4 84 39 02.4	FI W	10s	39.3	..... Cylindrical mast, red and white rectangular daymark. 8.1	Flash 1 s; eclipse 9 s. Seasonal.  <b>Chart:2307</b>
1089.5	Sinclair Island	SW. side of island. 47 22 29.6 84 42 33.2	FI W	4s	16.2	..... Cylindrical mast, red and white rectangular daymark. 5.5	Seasonal.  <b>Chart:2315</b>
1090	Rowe Island	At NE. tip of island. 47 26 25 84 47 36	FI W	4s	8.5	..... Cylindrical mast, red and white rectangular daymark, red triangle in centre. 6.5	Seasonal.  <b>Chart:2307</b>
1091	Gargantua	On summit of Gargantua Island. 47 33 29.6 84 57 48.9	FI W	4s	24.0	..... Cylindrical mast, red and white rectangular daymark. 5.3	Seasonal.  <b>Chart:2315</b>
1092	Hursley Island	47 35 46 85 02 33	FI W	4s	13.6	..... Cylindrical mast, red and white rectangular daymark. 5.5	Seasonal.  <b>Chart:2307</b>
1092.5	Michipicoten River Entrance	47 55 59.6 84 51 06.8	Iso W	4s	5.7	..... Cylindrical mast.	Seasonal.  <b>Chart:2315</b>

**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	------------------	--	---------------------------------

**LAKE SUPERIOR**

1093	Michipicoten Harbour	On SE. extremity of Perkwakwia Point. 47 56 32.9 84 54 26.7	FI W	10s	26.8	..... Square tower. 12.7	Flash 1 s; eclipse 9 s. Seasonal.  <b>Horn</b> - Blast 3 s; sil; 3 s; blast 3 s; sil. 51 s. Horn points 210°.  Mariners requiring horn to be turned on can activate it clicking radio mike five times within a five (5) second window on channel 19 - 156.95 VHF. Horn can be activated with 1 watt power at 3 NM range. Horn will stay activated for 30 minutes and can be reactivated as required.  <b>Chart:2315</b>
1094	Michipicoten Harbour range	On shore, N. of inner end of wharf. 47 57 41.9 84 54 04.3	F R	.....	12.6	..... Mast.	Lights in line lead to Commercial pier. Maintained by Algoma Central Railway. Seasonal.
1095		355°30' 86.5m from front.	F R	.....	27.1	..... Mast.	Lights in line lead to Commercial pier. Maintained by Algoma Central Railway. Seasonal.  <b>Chart:2315</b>
1096	Caribou Island	On small island SW. of Caribou Island. 47 20 23 85 49 32	FI W	10s	30.2	..... White hexagonal tower.	Flash 1 s; eclipse 9 s. Seasonal.  <b>Chart:2310</b>
<b>Michipicoten Island</b>							
1097	Michipicoten Island	On NE. extremity of island. 47 45 13.6 85 35 48.6	FI W	10s	25.6	..... White hexagonal tower. 24.3	Flash 1 s; eclipse 9 s. Seasonal.  <b>Chart:2309</b>
1098	Davieaux Island	On summit of island, S. of Québec Harbour, Michipicoten. 47 41 40.9 85 48 40.6	FI W	20s	39.3	..... White hexagonal tower.	Flash 0.5 s; eclipse 19.5 s. Seasonal.  <b>Horn</b> - Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s.  Mariners requiring horn to be turned on can activate it clicking radio mike five times within a five (5) second window on channel 19 - 156.95 VHF. Horn can be activated with 1 watt power at 3 NM range. Horn will stay activated for 30 minutes and can be reactivated as required.  <b>Chart:2315</b>

**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE SUPERIOR</b>									
1099	Québec Harbour range	On N. shore of harbour. 47 43 00.5 85 47 54.3	F	R	.....	6.4	.....	Skeleton tower, white daymark, orange vertical stripe.	Visible in line of range. Seasonal.
1100		000°51' 214m from front.	F	R	.....	20.1	.....	Square skeleton tower, white daymark, orange vertical stripe.	Visible in line of range. Seasonal.
1101	Michipicoten Island, West End	On small island, SW. of Cotton Cove. 47 43 07.1 85 57 21.7	Fl	W	4s	9.1	.....	Cylindrical mast, red and white rectangular daymark. 5.9	Seasonal.
<b>Chart:2315</b>									
<b>Chart:2308</b>									
1102	Otter Island	On NW. extremity of island. 48 06 42.2 86 04 00.1	Fl	W	10s	29.6	.....	White hexagonal tower. 6.3	Flash 1 s; eclipse 9 s. Seasonal.
<b>Chart:2308</b>									
1106	Hawkins Island	SW. of island. 48 43 10 86 25 54	Fl	W	4s	27.1	.....	Skeleton tower, white slatwork daymark. 12.8	Seasonal.
<b>Chart:2306</b>									
1107	Skin Island	On SW. corner of island. 48 43 41.8 86 23 40.8	Fl	W	4s	13.4	.....	Cylindrical mast, red and white rectangular daymark. 4.9	Seasonal.
<b>Chart:2306</b>									
1108	<i>Slate Island ODAS light buoy 45136</i>	48 32 06 86 57 12	<i>Fl(5)</i>	<i>Y</i>	<i>20s</i>	.....	.....	<i>Yellow, marked "45136".</i>	<i>Maintained by Environment Canada. Winter spar. Seasonal.</i>
<b>Chart:2303</b>									
1110	Jackfish Bay	On SW. extremity of St. Patrick Island. 48 47 18.4 86 58 55	Fl	W	4s	12.5	.....	Cylindrical mast, red and white rectangular daymark. 5.3	Seasonal.
<b>Chart:2305</b>									
1111	Slate Islands	On S. extremity of Patterson Island. 48 37 16 86 59 45	Fl(2)	W	15s	68.3	.....	White octagonal tower. 10.5	Flash 0.5s; eclipse 4.5 s; flash 0.5.; eclipse 9.5 s. Seasonal.
<b>Chart:2303</b>									
1111.1	Terrace Bay	48 46 08 87 07 14	Fl	W	4s	4.9	.....	White cylindrical mast. 4.8	Privately maintained by the Township of Terrace Bay. Seasonal.
<b>Chart:2303</b>									
1112	Rosspoint	On wharf. 48 50 00.9 87 31 11	F	R	.....	4.9	.....	Cylindrical mast. 3.7	Seasonal.
<b>Chart:2312</b>									

**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE SUPERIOR</b>							
1113	Rosspoint Harbour Entrance	On small island at entrance to harbour. 48 49 30.2 87 31 23.7	FI W	4s	11.3	..... Cylindrical mast, red and white rectangular daymark. 5.6	Seasonal.  <b>Chart:2312</b>
1114	Rosspoint Point	On point. 48 49 29.9 87 32 51.9	FI W	4s	8.6	5 Cylindrical mast, red and white rectangular daymark. 6.5	Seasonal.  <b>Chart:2312 Edn 01/10(D09-050)</b>
<b>Nipigon Bay</b>							
1117	Battle Island	On W. end of island. 48 45 06.4 87 33 26	FI(3) W	24s	36.0	..... White octagonal tower. 13.1	Flash; eclipse 4 s; flash; eclipse 4 s; flash; eclipse 16 s. Seasonal.  <b>Chart:2312</b>
1120	Crichton Island	At SE. end of island. 48 57 07.5 88 06 16.4	FI W	4s	8.1	5 Cylindrical mast, red and white rectangular daymark. 4.9	Seasonal.  <b>Chart:2312 Edn 01/10(D09-049)</b>
1121	Burnt Island	48 54 57.5 88 11 46.2	FI W	4s	19.0	..... Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.  <b>Chart:2312</b>
1124	Nipigon Strait range	48 41 56.4 88 06 03.5	F R	.....	8.3	..... Cylindrical mast, white daymark, orange vertical stripe. 6.3	Seasonal.
1125		013°11' 83.2m from front.	F R	.....	10.4	..... Cylindrical mast, white daymark, orange vertical stripe. 6.3	Seasonal.  <b>Chart:2312</b>
1126	Lamb Island	Centre of island. 48 36 12.4 88 08 34.5	FI W	5s	30.2	..... Tower. 13.6	Flash every 5 s. Seasonal.  <b>Chart:2312</b>
1127	Shaganash	On W. end of island No. 10, W. of Shaganash Island. 48 26 10 88 28 50	FI W	4s	11.0	..... White tower.	Seasonal.  <b>Chart:2302</b>
1128	Point Porphyry	On SW. extremity of island, entrance to Black Bay. 48 20 24 88 38 54	FI W	10s	25.0	..... White skeleton tower. 18.3	Flash 1 s; eclipse 9 s. Seasonal.  <b>Chart:2301</b>
1129	Trowbridge Island	On summit of island. 48 17 34 88 52 22	FI W	5s	34.7	..... White octagonal tower. 11.5	Flash every 5 s. Seasonal.  <b>Chart:2311</b>

**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE SUPERIOR</b>							
1130	Angus Island	Near N. end of island. 48 14 09.5 89 00 23.5	Fl W	10s	24.7	Skeleton tower. 15.9	Flash 1 s; eclipse 9 s. Seasonal.
							<b>Chart:2311</b>
1131	Thunder Cape	W. side of cape. 48 18 07 88 56 19	Fl W	4s	10.7	Cylindrical mast, red and white rectangular daymark. 6.5	Seasonal.
							<b>Chart:2311</b>
1132	Hare Island light buoy A2	W. of Thunder Cape. 48 17 54 88 59 12	Fl R	4s	.....	Red spar, marked "A2".	Seasonal. (In place Year round.)
							<b>Chart:2311</b>
1133	Welcome Island	On NE. extremity of the eastern island. 48 22 10 89 07 14	Fl W	10s	.....	Skeleton tower.	Flash 1 s; eclipse 9 s. Seasonal.
							<b>Chart:2314</b>
<b>Thunder Bay</b>							
1135	Mission Channel Approach light buoy AA4	48 21 14.5 89 10 33.9	Fl R	4s	.....	Red spar, marked "AA4".	Seasonal. (In place Year round.)
							<b>Chart:2314</b>
1136	Mission Channel Entrance	At outer corner of breakwater. 48 21 00.5 89 12 04	Fl G	4s	13.4	White square tower, red upper portion. 7.6.	Flash 0.5 s; eclipse 3.5 s. Seasonal.
							<b>Chart:2314</b>
1137	Mission Channel light buoy A8	On N. side of channel at entrance. 48 21 05.2 89 12 01.2	Fl R	4s	.....	Red spar, marked "A8".	Seasonal. (In place Year round.)
							<b>Chart:2314</b>
1138	Mission River Entrance Breakwater	On inner end of breakwater. 48 21 14 89 13 01	Fl G	4s	6.4	Cylindrical mast, red and white rectangular daymark, green square in centre. 4.9	Flash 0.5 s; eclipse 3.5 s. Seasonal.
							<b>Chart:2314</b>
1139	Mission Channel range	At mouth of Mission River. 48 21 25 89 13 33	F R	.....	11.3	Cylindrical mast, white daymark, red vertical stripe. 9.1	Visible in line of range. Seasonal.
1140		289°05' 259.1m from front.	F R	.....	17.1	Square skeleton tower, white daymark, red vertical stripe. 13.7	Seasonal.
							<b>Chart:2314</b>
1141	Old Dumping Ground Shoal light buoy P2	NE. of McKellar Island. 48 23 08.5 89 10 41.7	Fl R	4s	.....	Red spar, marked "P2".	Seasonal. (In place Year round.)
							<b>Chart:2314</b>

**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE SUPERIOR</b>								
1143.3	Kaministiquia River Entrance light buoy D1	E. side of river entrance. 48 23 45.5 89 11 57.2	Fl	G	4s	.....	Green spar, marked "D1".	Seasonal. (In place Year round.)
								<b>Chart:2314</b>
1144	Kaministiquia River Entrance	On breakwater at N. side of river entrance. 48 23 53 89 12 00	Fl	R	10s	6.7	Mast on a building.	Flash 4 s; eclipse 6 s. Emergency light. Floodlit. Seasonal.
								<b>Chart:2314</b>
1144.1	Kaministiquia River Terminal Entrance light buoy D7	48 23 35.5 89 12 39.2	Q	G	1s	.....	Green spar, marked "D7".	Seasonal. (In place Year round.)
								<b>Chart:2314</b>
1144.3	Kaministiquia River Entrance Inner	N. side of Old Elevator wharf. 48 23 37.5 89 12 54.5	Fl	R	5s	7.7	Cylindrical mast, red and white rectangular daymark. 6.1	Flash 1 s; eclipse 4 s. Seasonal.
								<b>Chart:2314</b>
1144.4	Kaministiquia River Entrance South	48 23 32 89 12 50	F	G	.....	4.5	Mast.	Privately maintained. Year round.
								<b>Chart:2314</b>
1145	Kaministiquia River	On S. bank of river. 48 21 43 89 15 22.4	Iso	G	8s	12.9	Cylindrical mast, red and white rectangular daymark. 6.2	Seasonal.
								<b>Chart:2314</b>
1146	Kaministiquia River Water Mains Crossing North	On N. side of river. 48 21 47.9 89 15 31.7	Iso	R	8s	10.1	Cylindrical mast. 6.3	Visible from 285° through N. and E. to 105°. Seasonal.
								<b>Chart:2314</b>
1147	Kaministiquia River Water Mains Crossing South	On S. side of river. 48 21 43.3 89 15 35.4	Iso	G	8s	7.9	Cylindrical mast, red and white rectangular daymark. 6.2	Seasonal.
								<b>Chart:2314</b>
1150	Thunder Bay South Entrance, North	On N. side of S. entrance to harbour. 48 24 43.5 89 12 21	Fl	R	4s	9.4	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 6.1	Seasonal.
								<b>Chart:2314</b>
1150.3	Thunder Bay South Entrance, South	On breakwater, S. side of S. entrance. 48 24 38 89 12 18	Fl	G	5s	8.2	Mast on building.	Flash 1 s; eclipse 4 s. Floodlit. Seasonal.
								<b>Chart:2314</b>
1151	Thunder Bay Central Entrance, South	On breakwater, S. side of main entrance. 48 25 54 89 11 52	Fl	G	4s	7.0	Cylindrical mast, red and white rectangular daymark, green square in centre. 5.1	Floodlit. Seasonal.
								<b>Chart:2314</b>

**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE SUPERIOR</b>							
1152	<b>Thunder Bay Main</b>	On end of breakwater, N. side of Central entrance. 48 25 58 89 11 45	FI R	5s	14.9	16 White square tower. 9.4	Flash every 5 s. Floodlit. Seasonal.  <b>Horn</b> - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s.  Mariners requiring horn to be turned on can activate it clicking radio mike five times within a five (5) second window on channel 19 - 156.95 VHF. Horn can be activated with 1 watt power at 3 NM range. Horn will stay activated for 30 minutes and can be reactivated as required.  <b>Chart:2314</b>
1153	<i>Thunder Bay light buoy E3</i>	<i>W. of main entrance. 48 25 56 89 12 14.3</i>	Q G	1s	.....	..... <i>Green spar, marked "E3".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2314</b>
1156	Thunder Bay North Entrance South	Near N. end of S. breakwater. 48 26 38 89 10 38	FI G	4s	9.4	..... Mast on a building.	Floodlit. Seasonal.  <b>Chart:2314</b>
1157	Thunder Bay North Entrance North	Near SW. end of N. breakwater. 48 26 42 89 10 32	FI R	4s	8.5	..... Cylindrical mast, red and white rectangular daymark, red triangle in centre.	Floodlit. Seasonal.  <b>Chart:2314</b>
1158	Pie Island	On point of island. 48 13 46 89 10 26	FI W	4s	8.3	..... Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.  <b>Chart:2311</b>
1159	Mink Point	On point. 48 08 22 89 18 10	FI W	4s	9.1	..... Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.  <b>Chart:2311</b>
1160	Jarvis Rock	W. side of Spar Channel. 48 06 10 89 17 35	FI W	4s	12.2	..... Cylindrical mast, red and white rectangular daymark.	Seasonal.  <b>Chart:2311</b>
1161	Victoria Island	Extremity of point at NW. end of island. 48 04 53 89 21 37	FI W	4s	18.0	..... Square tower, two red and white rectangular daymarks.	Visible from 022° through E. and S. to 241°. Seasonal.  <b>Chart:2311</b>