

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
LAKE ONTARIO									
Kingston Harbour									
403.4	Kingston Ferry Terminal	NE. corner of wharf. 44 13 56.1 76 28 33.2	F	Y	8.9	8	Cylindrical mast. 6.9	Privately maintained by Ministry of Transportation - Kingston. Year round.
Chart:2017									
405.5	Kingston Harbour Breakwater	On extreme NE. end of breakwater. 44 13 45.5 76 28 40.2	Fl	G	4s	6.5	3	White mast. 4.9	Seasonal.
Chart:2017									
405.6	Point Frederick Shoal lighted spar buoy KH2	44 13 25 76 28 17.5	Fl	R	4s	Red spar, marked "KH2".	Seasonal. (In place Year round.)
Chart:2017									
405.8	Confederation Marina	44 13 34.7 76 28 37.7	Iso	G	4s	8.5	8	White cylindrical tower, green upper portion. 5.2	Year round.
Chart:2017									
406.1	Kingston Yacht Club East	44 13 20.8 76 29 08.8	F	R	11.9	Cylindrical mast. 9.8	Privately maintained. Seasonal.
Chart:2017									
406.2	Kingston Yacht Club Centre East	44 13 20.3 76 29 09.4	F	R	9.3	Cylindrical mast. 7.0	Privately maintained. Seasonal.
Chart:2017									
406.3	Kingston Yacht Club Centre West	44 13 20.1 76 29 10.6	F	R	9.0	Cylindrical mast. 6.8	Privately maintained. Seasonal.
Chart:2017									
406.4	Kingston Yacht Club West	44 13 20.2 76 29 11.8	F	R	8.8	Cylindrical mast. 6.8	Privately maintained. Seasonal.
Chart:2017									
407	Myles Shoal lighted spar buoy K1	N. side of shoal. 44 12 50 76 29 12.8	Fl	G	4s	Green spar, marked "K1".	Seasonal. (In place Year round.)
Chart:2017									
407.5	Kingston Public Wharf	44 13 14.3 76 30 06.7	F	R	6.2	Black cylindrical mast.	Privately maintained by the Kingston Public Utilities. Year round.
Chart:2017									
409	Penitentiary Shoal lighted spar buoy K3	N. side of shoal. 44 12 39.5 76 30 39.5	Fl	G	4s	Green spar, marked "K3".	Seasonal. (In place Year round.)
Chart:2017									
410	Portsmouth Wharf	44 13 00.4 76 30 53.9	Fl	G	4s	8.9	7	White cylindrical mast, green upper portion. 6.2	Seasonal.
Chart:2017									

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
LAKE ONTARIO							
411	Cataraqi Bay South Breakwater	On E. end of southerly breakwater. 44 12 46.2 76 32 10	Fl G	4s	2.5	Skeleton mast. Privately maintained. Year round. Chart:2017
411.5	Cataraqi Bay Inside Breakwater	On S. end of inside breakwater. 44 12 53.6 76 32 14.8	Fl R	4s	3.8	Cylindrical mast. Privately maintained. Year round. Chart:2017
412	Carruthers Point Sector	On point. 44 12 29.7 76 32 58.5	F R W G	7.4	10.1	White cylindrical tower, orange triangular daymark. 8.8 Green from 041° to 045°15'; white from 045°15' to 046°45'; red from 046°45' to 051°. White sector indicates preferred channel. Seasonal. Chart:2017
415	Snake Island lighted spar buoy K5	NW. of island. 44 11 58 76 32 51	Fl G	4s	Green spar, marked "K5". Seasonal. (In place Year round.) Chart:2017
416	Salmon Island South Shoal lighted spar buoy K8	44 11 20 76 35 01	Fl R	4s	Red spar, marked "K8". Seasonal. (In place Year round.) Chart:2017
417	Melville Shoal Southwest lighted spar buoy K9	44 10 11.2 76 35 51.8	Fl G	4s	Green spar, marked "K9". Seasonal. (In place Year round.) Chart:2018
418	Salmon Island lighted spar buoy KN3	NE. end of island. 44 12 02.3 76 35 25.2	Fl G	4s	Green spar, marked "KN3". Seasonal. (In place Year round.) Chart:2017
419 H2864	Nine Mile Point	SW. point, Simcoe Island. 44 09 05.7 76 33 21.2	LFl W	10s	15.1	13	White cylindrical tower, red upper portion. 14.6 Flash 2 s; eclipse 8 s. Seasonal. Chart:2017
420	Emeric Point lighted spar buoy K10	SE. of point. 44 06 02.5 76 38 53.5	Fl R	4s	Red spar, marked "K10". Seasonal. (In place Year round.) Chart:2018
421	Pigeon Island	SW. of Wolfe Island. 44 03 59.4 76 32 59.3	Fl W	4s	21.1	6	White square skeleton tower, red upper portion. 20.4 Seasonal. Chart:2017
422	South Charity Shoal lighted spar buoy M6	Off SW. extremity of shoal. 44 01 15.2 76 30 48.9	Fl R	4s	Red spar, marked "M6". Seasonal. (In place Year round.) Chart:2064
422.5	South Charity Shoal lighted spar buoy M7	S. of Pigeon Island. 43 59 02 76 32 28.9	Fl G	4s	Green spar, marked "M7". Seasonal. (In place Year round.) Chart:2064

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
LAKE ONTARIO								
423	<i>The Ducks lighted spar buoy MM2</i>	<i>SE. of Main Duck Island.</i> 43 54 33.2 76 35 41	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>Red spar, marked "MM2".</i>	<i>Seasonal.</i> <i>(In place Year round.)</i>
								Chart:2064
424	Main Duck Island	On W. extremity of island. 43 55 52.1 76 38 18.4	Fl	W	6 s	23.6	11 White octagonal tower, red upper portion. 24.8	Flash 1.5 s; eclipse 4.5 s. Seasonal.
								Chart:2064
424.1	Main Duck Island (Schoolhouse Bay) range	43 55 26.6 76 36 58.7	Iso	W	2s	6.6	5 White skeleton tower, orange daymark, black vertical stripe. 5.6	Visible in line of range. Seasonal.
424.2		232°06' 111.5m from front.	F	W	8.6	5 White skeleton tower, orange daymark, black vertical stripe. 7.2	Visible in line of range. Seasonal.
								Chart:2064
425	<i>Main Duck Island lighted spar buoy M9</i>	<i>W. of island.</i> 43 55 01.2 76 40 31	<i>Fl</i>	<i>G</i>	<i>4s</i>	<i>Green spar, marked "M9".</i>	<i>Seasonal.</i> <i>(In place Year round.)</i>
								Chart:2064
426	<i>Psyche Shoal lighted spar buoy M10</i>	<i>On S. side of shoal.</i> 43 55 18.2 76 43 06	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>Red spar, marked "M10".</i>	<i>Seasonal.</i> <i>(In place Year round.)</i>
								Chart:2064
426.5	<i>William Shoal lighted spar buoy K11</i>	<i>SW. corner of shoal.</i> 43 55 29.2 76 47 46	<i>Fl</i>	<i>G</i>	<i>4s</i>	<i>Green spar, marked "K11".</i>	<i>Seasonal.</i> <i>(In place Year round.)</i>
								Chart:2064
427	False Ducks	E. point of Swetman Island. 43 56 52.3 76 47 55	Fl	R	4s	21.8	8 Hexagonal tower, red and white horizontal bands. 19.0	Seasonal.
								Chart:2064
427.3	<i>False Ducks Bank lighted spar buoy K12</i>	<i>SE. edge of bank.</i> 43 56 02 76 48 38	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>Red spar, marked "K12".</i>	<i>Seasonal.</i> <i>(In place Year round.)</i>
								Chart:2064
428	<i>Traverse Shoal lighted spar buoy K14</i>	<i>S. of shoal.</i> 43 54 14.2 76 50 47	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>Red spar, marked "K14".</i>	<i>Seasonal.</i> <i>(In place Year round.)</i>
								Chart:2064
429	Prince Edward Point	On point. 43 56 14.1 76 51 32.5	Iso	W	2s	14.4	5 White skeleton tower. 13.0	Seasonal.
								Chart:2064
North Channel								
430	Brother Islands	N. side of island. 44 12 26.2 76 37 47.1	Fl	G	4s	19.2	4 White skeleton tower, white triangular daymark. 17.2	Seasonal.
								Chart:2017

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
LAKE ONTARIO									
430.2	Brother Islands West	NE. corner of westerly island. 44 12 27.6 76 38 16	Q	G	1s	6.3	3	White cylindrical tower, green upper portion. 5.2	Seasonal. Chart:2018
431	Nicholsons Point	On point. 44 12 22 76 41 07.1	Fl	R	4s	10.9	5	White cylindrical tower, red upper portion. 9.7	Seasonal. Chart:2018
432	Millhaven East	44 12 14 76 42 31.4	Fl	W	4s	5.9	Mast.	Privately maintained. Seasonal. Chart:2018
432.5	Millhaven Ferry Dock	Ferry for Amherst Island. 44 11 33.7 76 44 26.9	F	R	Privately maintained. Seasonal. (In place Year round.) Chart:2018 Edn 01/10(B09-123)
434.5	Bath Point lighted spar buoy KN8	S. of point. 44 10 39.2 76 46 05.8	Fl	R	4s	Red spar, marked "KN8".	Seasonal. (In place Year round.) Chart:2018
435	Upper Gap South Entrance lighted spar buoy KM2	44 04 12 76 47 24	Fl	R	4s	Red spar, marked "KM2".	Seasonal. (In place Year round.) Chart:2018
436	Bluff Point lighted spar buoy KM4	S. of point. 44 06 40 76 48 22	Fl	R	4s	Red spar, marked "KM4".	Seasonal. (In place Year round.) Chart:2018
437	Upper Gap lighted spar buoy KM5	44 07 12 76 48 56	Fl	G	4s	Green spar, marked "KM5".	Seasonal. (In place Year round.) Chart:2018
438	Pig Point	W. end of Amherst Island. 44 07 40.9 76 48 44.5	Fl	R	4s	10.5	6	White cylindrical tower, red upper portion. 8.7	Seasonal. Chart:2018
Bay of Quinte									
440	Adolphus Reach	N. shore of reach. 44 03 49.5 76 58 09.6	Fl	R	4s	10.2	10	White cylindrical tower, red upper portion. 8.6	Seasonal. Chart:2006
441	Keith Shoal lighted spar buoy Q1	NE. side of shoal. 44 02 42 76 59 38.5	Fl	G	4s	Green spar, marked "Q1".	Seasonal. (In place Year round.) Chart:2006
441.1	Youngs Point Ferry Dock	On the breakwater entrance to dock. 44 02 51.4 77 03 03.9	F	Y	Cylindrical mast.	Privately maintained. Seasonal. (In place Year round.) Chart:2006 Edn 01/10(B09-122)

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position	Light Characteristics		Focal Height in m. above water	Nominal Range	Description	Remarks
		----- Latitude N. Longitude W.						

LAKE ONTARIO

441.2	Glenora Ferry Dock	On the breakwater entrance to dock. 44 02 30.9 77 03 31.7	Fl	Y	3s	Cylindrical mast.	Flash 1 s; eclipse 2 s. Privately maintained. Seasonal. (In place Year round.)	Chart:2006 Edn 01/10(B09-121)
443	Glenora lighted spar buoy Q3	NW. of Glenora. 44 02 43.2 77 04 03.5	Fl	G	4s	Green spar, marked "Q3".	Seasonal. (In place Year round.)	Chart:2006
444	Trumpour Point lighted spar buoy Q	W. of point. 44 04 00 77 05 30	Mo(A)	W	6s	Red and white vertically striped spar, marked "Q".	Seasonal. (In place Year round.)	Chart:2006
447	Picton Outer lighted spar buoy QP5	E. side of channel. 44 01 08.7 77 07 47	Fl	G	4s	Green spar, marked "QP5".	Seasonal. (In place Year round.)	Chart:2006
448	Picton Inner lighted spar buoy QP8	W. side of channel. 44 01 01 77 07 50.3	Fl	R	4s	Red spar, marked "QP8".	Seasonal. (In place Year round.)	Chart:2006
448.5	Picton lighted spar buoy QP9	44 00 57.2 77 07 50	Fl	G	4s	Green spar, marked "QP9".	Seasonal. (In place Year round.)	Chart:2006
448.6	Picton Harbour lighted spar buoy QP13	44 00 47.3 77 08 01.7	Fl	G	4s	Green spar, marked "QP13".	Seasonal. (In place Year round.)	Chart:2006
449	Catalaque Shoal lighted spar buoy Q11	Off shoal. 44 09 13.8 77 03 31.2	Fl	G	4s	Green spar, marked "Q11".	Seasonal. (In place Year round.)	Chart:2006
450	Shermans Point	On point. 44 06 21 77 04 04.2	Fl	R	4s	8.5	4	White cylindrical tower, red upper portion. 7.4	Seasonal.	Chart:2006
451	Foresters Island lighted spar buoy Q13	Off E. point of island. 44 10 41.5 77 03 05.5	Fl	G	4s	Green spar, marked "Q13".	Seasonal. (In place Year round.)	Chart:2006
452	Foresters Island lighted spar buoy Q17	N. of island. 44 11 05 77 03 25.5	Fl	G	4s	Green spar, marked "Q17".	Seasonal. (In place Year round.)	Chart:2006
Telegraph Narrows										
457	East Entrance lighted spar buoy Q22	N. side of E. entrance. 44 09 58.2 77 06 11.5	Fl	R	4s	Red spar, marked "Q22".	Seasonal. (In place Year round.)	Chart:2069

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
LAKE ONTARIO							
459	Telegraph Island	On pier N. side of island. 44 09 47.8 77 07 19.2	Fl W	4s	9.7	5	White cylindrical tower, green upper portion. 8.7 Chart:2069
462	West Entrance lighted spar buoy Q40	W. end of Telegraph Narrows. 44 09 48.2 77 07 35	Fl R	4s	Red spar, marked "Q40". Seasonal. (In place Year round.) Chart:2069
Bay of Quinte							
462.5	Sucker Creek lighted spar buoy Q42	S. entrance to creek. 44 09 28.2 77 08 31	Fl R	4s	Red spar, marked "Q42". Seasonal. (In place Year round.) Chart:2007
463	North Port Shoal lighted spar buoy Q43	On N. edge of shoal. 44 08 57.3 77 11 39.5	Fl G	4s	Green spar, marked "Q43". Seasonal. (In place Year round.) Chart:2007
464	Trident Point lighted spar buoy Q46	44 08 53 77 13 36	Fl R	4s	Red spar, marked "Q46". Seasonal. (In place Year round.) Chart:2007
465.3	Big Island (Baycrest Marina)	On outer end of wharf. 44 08 05 77 13 52.6	Al	R-G	3.0	Mast. Privately maintained. Seasonal. Chart:2007
467	Minnie Blakely Shoal lighted spar buoy Q52	S. of shoal. 44 08 59 77 17 54	Fl R	4s	Red spar, marked "Q52". Seasonal. (In place Year round.) Chart:2007
468	Massasauga Point lighted spar buoy Q53	Off Rush Bar, W. of point. 44 08 57.4 77 19 13	Fl G	4s	Green spar, marked "Q53". Seasonal. (In place Year round.) Chart:2007
469	Belleville Harbour lighted spar buoy Q54	E. side of entrance to Belleville wharf. 44 08 57.9 77 22 22	Fl R	4s	Red spar, marked "Q54". Seasonal. (In place Year round.) Chart:2011
470	Belleville	44 09 11.6 77 22 32.2	Iso G	2s	9.0	6	White cylindrical tower, green upper portion. 7.0 Chart:2011
470.1	Norris Whitney Bridge North	44 08 53.7 77 23 13.7	F R	On bridge. Maintained by the Ontario Ministry of Transportation and Communications. Year round. Chart:2011

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description	Remarks	
		Latitude N.	Longitude W.							Height in meters above ground
LAKE ONTARIO										
470.12	Norris Whitney Bridge South	44 08 52.2 77 23 13.2	F G	On bridge.	Maintained by the Ontario Ministry of Transportation and Communications. Year round.	Chart:2011	
470.13	Norris Whitney Bridge Northwest	44 08 53.6 77 23 14.3	F R	On bridge.	Maintained by the Ontario Ministry of Transportation and Communications. Year round.	Chart:2011	
470.14	Norris Whitney Bridge Southwest	44 08 52.1 77 23 13.8	F G	On bridge.	Maintained by the Ontario Ministry of Transportation and Communications. Year round.	Chart:2011	
470.2	Belleville Yacht Club East Breakwater	44 09 23.2 77 23 02.8	Fl R	4s	Mast, red and white triangular daymark.	Maintained by Morch Marine. Seasonal.	Chart:2011	
470.4	Belleville Yacht Club East Breakwater North	44 09 24.6 77 23 01.2	Fl Y	4s	Mast.	Maintained by Morch Marine. Seasonal.	Chart:2011	
470.6	Belleville Yacht Club West Breakwater North	44 09 24.2 77 23 04.7	Fl G	4s	Mast, green, white and black square daymark.	Maintained by Morch Marine. Seasonal.	Chart:2011	
470.8	Belleville Yacht Club West Breakwater	44 09 22.9 77 23 06.5	Fl Y	4s	Mast.	Maintained by Morch Marine. Seasonal.	Chart:2011	
471	Anderson Shoal lighted spar buoy Q57	44 07 44 77 25 29.5	Fl G	4s	Green spar, marked "Q57".	Seasonal. (In place Year round.)	Chart:2069	
471.8	Narrows Shoal East I lighted spar buoy Q59	E. end of narrows. 44 06 39.3 77 29 28	Fl G	4s	Green spar, marked "Q59".	Seasonal. (In place Year round.)	Chart:2069	
472	Narrows Shoal	On N. side of channel. 44 06 31.4 77 29 55.6	Fl R	4s	9.6	3	White cylindrical tower, red upper portion. 7.9	Seasonal.	Chart:2069	
473	Narrows Shoal lighted spar buoy Q61	W. end of approach to narrows. 44 06 24.9 77 30 06.8	Fl G	4s	Green spar, marked "Q61".	Seasonal. (In place Year round.)	Chart:2069	
473.5	Trenton	44 06 16.2 77 31 29.1	Fl G	4s	2.4	Black mast.	Maintained by the Department of National Defence at Trenton. Seasonal.	Chart:2069	

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
LAKE ONTARIO							
474	Trenton East Bifurcation lighted spar buoy QTB	44 05 53.7 77 30 54.1	Fl G (2+1)	6s	Green, red and green spar, marked "QTB".	Seasonal. (In place Year round.) Chart:2069
475	Onderdonk Point lighted spar buoy QT16	W. of the point. 44 04 48.7 77 32 29.1	Fl R	4s	Red spar, marked "QT16".	Seasonal. (In place Year round.) Chart:2069
476	Trenton Approach lighted spar buoy Q72	44 05 36.2 77 32 49.6	Fl R	4s	Red spar, marked "Q72".	Seasonal. (In place Year round.) Chart:2069
477	Trenton lighted spar buoy Q74	44 05 40.7 77 33 30.6	Fl R	4s	Red spar, marked "Q74".	Seasonal. (In place Year round.) Chart:2069
479	Trent River Entrance North Cardinal lighted spar buoy QT	44 05 43.2 77 34 03.1	Q W	1s	Black and yellow spar, marked "QT".	Seasonal (In place Year round.) Chart:2069
486	Brighton 3	W. of canal piers. 44 01 27.9 77 42 07.7	Fl R	4s	9.9	4 White cylindrical tower, red upper portion. 7.3	Seasonal. Chart:2059
487	Brighton range	No. 2, SE. of Brighton. 44 01 07.2 77 43 16.1	Iso W	2s	9.4	5 White cylindrical tower, orange triangular daymark, black vertical stripe. 7.2	Seasonal.
488		295°04' 797.7m from front.	F R	20.9	7 White skeleton tower, orange triangular daymark, black vertical stripe. 18.0	Visible in line of range. Seasonal. Chart:2059
489	Salt Reef	W. of reef. 44 00 19 77 40 58.4	Fl R	4s	9.4	4 White cylindrical tower, red upper portion. 7.7	Seasonal. Chart:2059
489.5	Prince Edward Point ODAS light buoy	43 47 26.9 76 52 25.3	F(5) Y	20s	Yellow.	Seasonal. Chart:2060
490	Point Petre	E. of point. 43 50 22.1 77 09 10.1	LFl W	10s	21.7	11 White cylindrical tower, red horizontal bands. 19.3	Flash 2 s; eclipse 8 s. Seasonal. Chart:2060
490.5	Wellington West Breakwater	43 56 50.7 77 20 18.2	Fl G	4s	8.7	3 White cylindrical tower, green upper portion. 6.1	Seasonal. Chart:2060

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
LAKE ONTARIO							
491	Scotch Bonnet Island	On small island, SW. of Nicholson Island. 43 53 58.2 77 32 32.8	Fl W 4s	22.9	4	White skeleton tower. 19.1	Seasonal. Chart:2059
491.8	<i>Presqu'île Point lighted spar buoy P</i>	<i>E. of point. 43 59 57.2 77 39 47.1</i>	<i>Mo(A) W 6s</i>	<i>.....</i>	<i>.....</i>	<i>Red and white vertical striped spar, marked "P".</i>	<i>Year round. (Seasonally maintained.)</i> Chart:2021 Edn 01/10(B09-024)
492	Presqu'île Point	E. point of peninsula. 43 59 52.2 77 40 32	F R	23.5	11	White octagonal tower, red upper portion. 20.7	Seasonal. Chart:2059
492.2	Proctor Point	S. end of island. 43 58 20.9 77 44 45.1	Fl R 4s	12.1	4	White cylindrical tower, red upper portion. 9.4	Seasonal. Chart:2059
492.4	Ogden Point	Off Colborne. 43 58 28.9 77 52 31.7	Fl R 5s	18.2	Mast. 9.2	Flash 1 s; eclipse 4 s. Privately maintained. Year round. Chart:2059
492.6	Wicklow Beach	43 58 27.6 77 57 30.7	F Y	6.9	Square mast. 4.0	Privately maintained. Seasonal. Chart:2059
Cobourg							
493	Cobourg East Pierhead	On outer end of E. pier. 43 57 08.5 78 09 52.6	Iso R 2s	15.0	5	White tower, red upper portion. 12.2	Maintained by the Town of Cobourg. Seasonal. Chart:2059
494	Cobourg West Pierhead	On E. extremity of breakwater. 43 57 06.4 78 09 53.5	Fl G 4s	8.8	3	White cylindrical tower, green upper portion. 3.7	Maintained by the Town of Cobourg. Seasonal. Chart:2059
496.5	Cobourg Harbour "T" Pier	43 57 21.8 78 09 55.2	Fl W 4s	5.5	White cylindrical tower, red upper portion. 3.7	Maintained by the Town of Cobourg. Seasonal. Chart:2054
497.5	<i>Peter Rock South Cardinal lighted spar buoy MN</i>	<i>43 56 05.3 78 13 48.9</i>	<i>Q(6) +LFI W</i>	<i>15s</i>	<i>.....</i>	<i>Yellow and black spar, marked "MN".</i>	<i>Year round. (Seasonally maintained.)</i> Chart:2058 Edn 01/10(B09-025)
498	Port Hope	On S. end of E. breakwater. 43 56 25 78 17 25.9	Fl R 4s	8.5	4	White cylindrical tower, red upper portion. 7.2	Seasonal. Chart:2053

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
LAKE ONTARIO							
499	Port Hope West Pier light	On outer end of W. breakwater. 43 56 24.2 78 17 28.5	Fl G	4s	8.8 5	White cylindrical tower, green upper portion. 6.1	Seasonal. Chart:2053
500.5	Port Hope Yacht	43 56 31.4 78 17 29.5	Q Y	1s	11.3	On building.	Privately maintained by the Port Hope Yacht Club. Year round. Chart:2053
500.8	Newcastle Entrance	43 53 43.4 78 34 33.4	F G	6.2	White cylindrical tower, green upper portion.	Privately maintained by Newcastle Marina. Seasonal. Chart:2058 Edn 05/11(B11-006)
501	Port Darlington	On outer end of W. breakwater. 43 53 07.6 78 39 51.6	Fl G	4s	9.4 6	White cylindrical tower, green upper portion. 7.0	Seasonal. Chart:2058
501.2	Oshawa Harbour lighted spar buoy MV4	43 51 44.1 78 49 09	Fl R	4s	Red spar, marked "MV4".	Year round. (Seasonally maintained.) Chart:2050 Edn 01/10(B09-026)
502	Oshawa Harbour range	On outer end of W. pier. 43 51 50.9 78 49 20.8	Iso G	4s	10.6 8	White cylindrical tower, green upper portion, orange triangular daymark, black vertical stripe. 8.6	Seasonal.
503		327°18' 319.1m from front.	F G	18.0 10	White skeleton tower, orange triangular daymark, black vertical stripe. 16.0	Seasonal. Chart:2050
503.1	Oshawa Harbour light buoy MV8	43 51 52.4 78 49 17.5	Fl R	4s	Red spar, marked "MV8".	Privately maintained by Oshawa Harbour Commission. Year round. Chart:2050
503.3	Oshawa Harbour light buoy MV12	43 51 57.6 78 49 21.2	Fl R	4s	Red spar, marked "MV12".	Privately maintained by Oshawa Harbour Commission. Year round. Chart:2050
503.4	Oshawa Harbour East	43 51 52.8 78 49 16.9	Iso R	2s	3.7	White mast.	Privately maintained by the Oshawa Harbour Commission. Seasonal. Chart:2050
504	Whitby Harbour East Pierhead	On outer end of E. pier. 43 50 59.8 78 55 38.3	Iso R	2s	10.2 6	White cylindrical tower, orange triangular daymark, black vertical stripe. 6.5	Seasonal. Chart:2049

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
LAKE ONTARIO									
505	Whitby West Breakwater	On S. end of W. breakwater. 43 50 56.2 78 55 41.9	Fl	G	4s	7.0	4	Mast, green, white and black square daymark. 4.0	Seasonal. Chart:2049
505.4	Whitby Inner Harbour	On breakwater extension. 43 51 09.5 78 56 00	Fl	G	4s	6.7	3	White cylindrical tower, green upper portion. 4.3	Seasonal. Chart:2049
505.5	Ajax ODAS light buoy 45159	S. of Richardson Point. 43 46 00 78 59 06	Fl(5)	Y	20s	Yellow, marked "45159."	Privately maintained. Seasonal. Chart:2077 Edn 07/09(B09-065)
505.51	Ajax Groyne SE	On SE. side of entrance. 43 48 22 79 04 11.2	F	R	Privately maintained. Seasonal. Chart:2055 Edn 11/09(B09-109)
505.52	Ajax Groyne SW	On SW. side of entrance. 43 48 22.8 79 04 15.7	F	R	Privately maintained. Seasonal. Chart:2055 Edn 11/09(B09-108)
506	Frenchman's Bay Entrance East	43 48 38.7 79 05 09	Iso	R	4s	7.5	6	White cylindrical tower, red upper portion. 5.0	Seasonal. Chart:2055
506.5	Frenchman's Bay Entrance West	43 48 38.5 79 05 10	F	G	7.5	5	White cylindrical tower, green upper portion. 5.1	Seasonal. Chart:2055
507	Bluffers Park	43 42 26.5 79 13 34.2	F	R	9.1	11	White cylindrical tower, red upper portion. 6.7	Seasonal. Chart:2077
Toronto Harbour									
508	Toronto Harbour Outer Approach lighted spar buoy T1	W. side of approach. 43 36 38.5 79 21 00.8	Fl	G	4s	Green spar, marked "T1".	Year round. (Seasonally maintained.) Chart:2085 Edn 01/10(B09-027)
509	Toronto Harbour Outer Approach lighted spar buoy T2	E. side of approach. 43 36 39.7 79 20 46.8	Fl	R	4s	Red spar, marked "T2".	Year round. (Seasonally maintained.) Chart:2085 Edn 01/10(B09-028)
509.1	Toronto East Harbour Headland	43 37 03.6 79 19 26.2	Fl	R	4s	6.8	Red cylindrical mast. 4.1	Maintained by the Toronto Port Authority. Year round. Chart:2085

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
LAKE ONTARIO							
509.2	Toronto Harbour Aquatic Park	S. end of park. (East Gap). 43 36 48.7 79 20 36.3	Fl R	10s	22.0	13	White hexagonal tower, red upper portion. 12.0 Emergency light. Maintained by the Toronto Port Authority. Seasonal.
Chart:2085 Edn 10/09(B09-075)							
509.25	East Headland North	NW. point of Outer Harbour. 43 37 19.1 79 20 39.3	Q R	1s	6.7	Red cylindrical mast. 3.9 Maintained by the Toronto Port Authority. Seasonal.
Chart:2085							
509.35	Toronto Outer Harbour Keep-Out light buoy	Marking hull of sunken vessel at Outer Harbour east headland. 43 37 45.2 79 20 23.4	Fl Y	4s	White and orange. Maintained by the Toronto Port Authority. Seasonal.
Chart:2085 Edn 09/10(B10-021)							
509.4	Main Harbour Channel lighted spar buoy T4	43 37 28.2 79 20 44.5	Fl R	4s	Red spar, marked "T4". Year round. (Seasonally maintained.)
Chart:2085 Edn 01/10(B09-029)							
509.45	Main Harbour Channel light buoy T5	43 37 42.9 79 20 51.9	Q G	1s	Green, marked "T5". Maintained by the Toronto Port Authority. Winter spar. Seasonal.
Chart:2085							
509.5	Toronto Harbour lighted spar buoy T8	43 37 54.2 79 20 48.8	Fl R	4s	Red spar, marked "T8". Year round. (Seasonally maintained.)
Chart:2085 Edn 01/10(B09-030)							
509.6	Outer Harbour lighted spar buoy T7	43 37 51.5 79 20 56.4	Q G	1s	Green spar, marked "T7". Year round. (Seasonally maintained.)
Chart:2085 Edn 01/10(B09-031)							
509.61	Toronto East Gap	W. side of Toronto East Gap. 43 37 44.7 79 20 59.4	Fl G	4s	4.7	Cylindrical mast. 3.0 Privately maintained. Seasonal.
Chart:2085							
509.7	Toronto Main Harbour Channel range	43 38 05.4 79 20 49.2	Iso R	4s	8.6	8	White cylindrical tower, orange triangular daymark, black vertical stripe. 7.0 Visible in line of range. Seasonal.
509.8		002°15' 140.3m from front.	Iso R	4s	12.9	8	On building, orange triangular daymark, black vertical stripe. 10.9 Visible in line of range. Seasonal.
Chart:2085							

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
LAKE ONTARIO							
510	Toronto Harbour Berth 523	43 38 01 79 20 53.1	Q R	1s	3.5 White cylindrical mast. 1.5	Maintained by the Toronto Port Authority. Year round. Chart:2085
511	Gibraltar Point lighted spar buoy TE18	SW. of point. 43 36 19.2 79 23 30.3	Fl R	4s Red spar, marked "TE18".	Year round. (Seasonally maintained.) Chart:2085 Edn 01/10(B09-032)
513	West Entrance light buoy T	West of Toronto Island 43 37 14.2 79 25 13.3	Mo(A) W	6s Red and white vertical stripes, marked "T".	Maintained by Toronto Port Authority. Winter spar. Seasonal. Chart:2085
513.1	Toronto Harbour Bifurcation light buoy TAB	43 37 34.6 79 24 45.4	Fl G (2+1)	6s Green, red and green, marked "TAB".	Maintained by the Toronto Port Authority. Seasonal. (In place Year round.) Chart:2085 Edn 05/11(B11-004)
513.2	Toronto Harbour Bifurcation light buoy TCB	43 37 46.9 79 24 18.7	Fl G (2+1)	6s Green, red and green, marked "TCB".	Maintained by the Toronto Port Authority. Seasonal. (In place Year round.) Chart:2085 Edn 05/11(B11-005)
513.5	Western Gap Keep Out light buoy WKO-7	West of Toronto Island. 43 37 38.2 79 24 27.3	Fl Y	4s White and orange, marked "WKO-7".	Maintained by the Toronto Port Authority. Seasonal. Chart:2085
513.65	Western Gap Information light buoy WKO-11	West of Toronto Island. 43 37 46.5 79 24 18.5	Fl Y	4s White and orange, marked "WKO-11".	Maintained by Toronto Port Authority. Seasonal. Chart:2085
513.7	Western Gap Information light buoy WKO-12	West of Toronto Island. 43 37 34.1 79 24 45.1	Fl Y	4s White and orange, marked "WKO-12".	Maintained by Toronto Port Authority. Seasonal. Chart:2085
515	West Entrance light buoy TT3	N. side of Western Gap entrance. 43 37 40.2 79 24 28.8	Fl G	4s Green, marked "TT3".	Maintained by Toronto Port Authority. Winter spar. Seasonal. Chart:2085
517.15	Inner Harbour Information light buoy EKO-15	East of airport. 43 37 59.1 79 22 49.6	Fl Y	4s White and orange, marked "EKO-15".	Maintained by Toronto Port Authority. Seasonal. Chart:2085

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
LAKE ONTARIO							
517.16	Inner Harbour Information light buoy EKO-16	East of airport. 43 38 07 79 22 55.7	Fl Y 4s	White and orange, marked "EKO-16".	Maintained by Toronto Port Authority. Seasonal. Chart:2085
517.6	Light buoy TT11	43 38 09.8 79 23 34.4	Fl G 4s	Green, marked "TT11".	Maintained by the Toronto Port Authority. Winter spar. Seasonal. Chart:2085
518.1	Light buoy TT12	43 38 05.3 79 23 27.8	Fl R 4s	Red, marked "TT12".	Maintained by the Toronto Port Authority. Winter spar. Seasonal. Chart:2085
518.5	Light buoy TT13	43 38 12.2 79 23 10	Fl G 4s	Green, marked "TT13".	Maintained by the Toronto Port Authority. Winter spar. Seasonal. Chart:2085
518.6	Light buoy TT14	43 38 09.8 79 22 43.2	Q R 1s	Red, marked "TT14".	Maintained by the Toronto Port Authority. Winter spar. Seasonal. Chart:2085
518.7	Toronto Harbour light and bell buoy TF1	43 37 33.7 79 22 35.3	Fl G 4s	Green, marked "TF1".	Maintained by the Toronto Parks and Property Department. Winter spar. Seasonal. Chart:2085
518.8	Inner Harbour light buoy TF2	43 37 32.2 79 22 40.3	Fl R 4s	Red, marked "TF2".	Maintained by the Toronto Parks and Property Department. Winter spar. Seasonal. Chart:2085
519	Royal Canadian Yacht Club Fog Signal	On wharf. 43 37 30.4 79 22 12.6	Horn - Blast 4 s; sil. 26 s. Maintained by the Toronto Port Authority. Seasonal. Chart:2085
519.4	Ship Channel South Entrance	S. side of entrance. 43 38 17.3 79 21 11.8	Fl R 4s	4.2	Block. 2.2	Maintained by the Toronto Port Authority. Seasonal. Chart:2085
519.5	Inner Harbour light buoy T13	43 38 08.1 79 21 15.6	Q G 1s	Green, marked "T13".	Maintained by the Toronto Port Authority. Winter spar. Seasonal. Chart:2085

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
LAKE ONTARIO							
519.6	Humber Park	43 36 43.5 79 28 45	Fl R 4s	10.3	5	White cylindrical tower, red upper portion. 6.0	Seasonal. Chart:2085 Edn 02/11(B11-002)
519.8	Lakefront Promenade	On breakwater. 43 33 48.7 79 33 20.7	Q R 1s	9.6	4	White cylindrical tower, red upper portion. 4.8	Year round. Chart:2086
521	Port Credit East Breakwater	On outer end of E. breakwater. 43 32 54.8 79 34 28.9	Fl R 4s	9.7	4	Red mast. 6.7	Seasonal. Chart:2048
522	Port Credit West Breakwater	On outer end of W. breakwater. 43 32 53.3 79 34 35.5	Fl G 4s	7.6	4	Green mast. 5.0	Seasonal. Chart:2048
523	Port Credit East Breakwater Extension	43 32 50.9 79 34 35	Q R 1s	11.2	4	White cylindrical tower, red upper portion. 5.0	Year round. Chart:2048
525	Port Credit Inner Harbour	43 32 53.6 79 34 49.5	Fl R 4s	7.0	4	Red mast. 5.0	Seasonal. Chart:2048
525.5	Port Credit Inner Channel	43 33 01.5 79 35 12	Fl W 4s	19.0	White tower, red upper portion.	Visible from 235° through W. to 307°. Maintained by the City of Mississauga. Year round. Chart:2048
526	Clarkson Refinery Dock range	On outer end of wharf.	F R	4.9	Privately maintained. Seasonal.
		43 29 34.2 79 36 09.7	F G	10.4	Whistle – Maintained privately when vessel expected.
527		338°04' 200.1m from front.	F G	13.1	Privately maintained. Seasonal. Chart:2077
527.5	Clarkson	43 28 59.7 79 36 33.9	Fl R 1.5s	8.0	Black mast.	Flash 1 s; eclipse 0.5 s. Maintained by the St. Lawrence Cement Co. Seasonal. Chart:2077

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
LAKE ONTARIO							
528	Oakville	On S. end of E. pier. 43 26 22 79 39 55.6	Iso R 2s	11.6	5	White cylindrical tower, red upper portion. 7.6	Seasonal. Chart:2077 Edn 01/10(B09-125)
528.5	Lake Ontario Grimsby ODAS light buoy 45139	43 15 32.3 79 32 19.3	Fl(5) Y	20s	Yellow, marked "45139."	Maintained by Environment Canada. Year round. Chart:2077 Edn 11/09(B09-106)
529	Bronte Outer	43 23 34.8 79 42 10.9	Iso R 4s	10.3	5	White cylindrical tower, red upper portion. 6.8	Seasonal. Chart:2086 Edn 01/10(B09-124)
530	Bronte	On N. pier near its outer end. 43 23 34.3 79 42 21.1	Fl R 4s	10.2	4	White cylindrical tower, red upper portion. 8.1	Seasonal. Chart:2070
531	Canada Shell Wharf	On outer end of wharf. 43 22 16.4 79 42 45.2	Fl R 4s	5.5	Structure.	Privately maintained. Seasonal. Chart:2086
533	Burlington Canal North Pier Outer	On E. end of N. pier. 43 18 06.4 79 47 28.2	Fl R 4s	9.1	3	White cylindrical tower, red upper portion. 7.0	Seasonal. Chart:2067
534	Burlington Canal North Pier Inner	On W. end of N. pier. 43 17 51.2 79 47 58.1	Fl R 4s	9.7	3	White cylindrical tower, red upper portion. 7.0	Seasonal. Chart:2067
535	Burlington Canal South Pier Outer	On E end of S. pier. 43 18 03.6 79 47 25.7	Iso Y 6s	14.5	10	White square tower. 13.0	Seasonal. Chart:2067
537.2	Hamilton Harbour light buoy 1	Entrance to Burlington Canal. 43 17 40.9 79 48 09.6	Fl G 4s	Green, marked "1".	Privately maintained. Seasonal. Chart:2067
537.4	Burlington Breakwater South	On S. end of breakwater. 43 17 47.5 79 48 11.5	Q W 1s	4.9	Cylindrical mast.	Maintained by Canada Centre for Inland Waters. Seasonal. Chart:2067
537.5	Hamilton Harbour light buoy	43 16 22 79 52 10.8	Fl G 4s	Green.	Privately maintained by Hamilton Harbour Commission. Seasonal. Chart:2067

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
LAKE ONTARIO							
537.6	Burlington Breakwater North	On N. end of breakwater. 43 18 01.4 79 48 20.8	Q W	1s	4.9	Cylindrical mast. Maintained by Canada Centre for Inland Waters. Seasonal. Chart:2067
537.7	Hamilton Harbour Pier 25	43 16 22.3 79 47 11.2	Fl G	4s	3.0	Mast. Maintained by Hamilton Harbour Commission. Seasonal. Chart:2067
537.71	Hamilton Harbour Pier 23	43 16 09.5 79 47 12.4	Fl R	4s	4.3	White cylindrical mast. Maintained by Hamilton Harbour Commission. Seasonal. Chart:2067
537.722	Hamilton Harbour Pier 22 Middle North lighted spar buoy	43 16 27.8 79 47 31.5	Fl R	4s	Red spar. <i>Privately maintained.</i> Seasonal. Chart:2067
537.724	Hamilton Harbour Pier 22 South lighted spar buoy	43 16 18 79 47 20.3	Fl R	4s	Red spar. <i>Privately maintained.</i> Seasonal. Chart:2067
537.73	Hamilton Harbour Pier 27	North end of pier. 43 17 01 79 47 38.6	Fl G	4s	White cylindrical mast. Maintained by Hamilton Harbour Commission. Seasonal. Chart:2067
537.8	Van Wagners Beach	Centre of research platform. 43 16 13.3 79 45 33.3	Fl(5) Y	20s	10.1	Yellow tower. 5 Flashes every 20 s. <i>Privately maintained.</i> Year round. Chart:2067
537.85	Stoney Creek	43 14 12 79 41 36	Fl G	4s	6.0	Mast. <i>Privately maintained.</i> Seasonal. Chart:2077
537.88	Fifty Mile Point West Breakwater	On W. breakwater. 43 13 34.3 79 37 22.6	Fl R	4s	3.0	White cylindrical mast, red and white triangular daymark. Maintained by Hamilton Conservation Authority. Seasonal. Chart:2077 Edn 10/10(B10-029)
537.9	Fifty Mile Point	43 13 34.7 79 37 20.2	F G	10.9	3	White cylindrical tower, green upper portion. 7.3 Maintained by Hamilton Conservation Authority. Seasonal. Chart:2077 Edn 10/10(B10-028)
538	Grimsby Breakwater	Seaward end of E. breakwater. 43 12 16.9 79 33 01.4	Fl G	4s	9.3	5	White cylindrical tower, green upper portion. 7.2 Seasonal. Chart:2077

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position		Light Characteristics			Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.						Height in meters above ground	Fog Signals		

LAKE ONTARIO

538.2	Grimsby Small Arms Range light buoy WY	43 14 44.6 79 36 08.6	Fl	Y	4s	Yellow, marked "WY".	Maintained by DND. Seasonal.	Chart:2077
538.3	Grimsby Small Arms Range light buoy WT	43 14 29.1 79 35 29.4	Fl	Y	4s	Yellow, marked "WT".	Maintained by DND. Seasonal.	Chart:2077
538.5	Jordan Harbour	43 11 11.5 79 22 11.2	Iso	G	2s	9.1	White cylindrical tower, green upper portion.	Maintained by Beacon Motor Inn. Seasonal.	Chart:2077
539	Port Dalhousie	Near outer end of E. pier. 43 12 39.8 79 15 48.3	Iso	W	4s	13.3	6	White square tower, green upper and lower portions. 13.0	Seasonal.	Chart:2044
540.5	Port Dalhousie Marina	On outer end of breakwater. 43 12 33.5 79 15 32.9	Fl	R	4s	9.0	4	White cylindrical tower, red upper portion. 5.9	Seasonal.	Chart:2044

NOTE: For Port Weller Aids see "Welland Canal".

544.6	St. Catharines Outer	43 14 39.6 79 12 27.5	Iso	R	2s	8.6	5	White cylindrical tower, red upper portion. 4.8	Seasonal.	Chart:2042 Edn 03/12(B12-001)
544.7	St. Catharines Breakwater	Outer end of marina breakwater. 43 13 51.2 79 12 39.3	Fl	R	4s	13.0	3	White cylindrical tower, red upper portion. 10.6	Seasonal.	Chart:2042
545	Niagara Bar light buoy 2 (U.S.)	NE. of bar. 43 19 02.4 79 04 14.1	Fl	R	4s	Red, marked "2".	Winter spar. Seasonal.	Chart:2043
547	Niagara light and bell buoy 3 (U.S.)	NW. of Fort Niagara. 43 16 24.3 79 04 30.8	Fl	G	4s	Green, marked "3".	Winter spar. Seasonal.	Chart:2043
548.5	Fort Niagara (U.S.)	On E. band of river. 43 15 43 79 03 50	Oc	W	4s	24.4	13	Octagonal tower, yellow upper portion.	Year round.	Chart:2043
549	Niagara River range	On Canada Steamship Lines wharf. 43 15 19.5 79 03 43	F	R	10.3	11	White tower, red upper portion. 10.4	Visible in line of range. Seasonal.	
550		149°19' 211.2m from front.	F	R	14.3	11	White tower, red upper portion. 13.8	Visible in line of range. Seasonal.	Chart:2043

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	------------------	--	---------------------------------

LAKE ONTARIO

551	Chippawa	N. side of Welland River entrance. 43 03 48 79 02 52	Iso R	2s	4.9 Mast.	Privately maintained by Hydro- Electric Power Commission of Ontario. Year round.
-----	----------	---	-------	----	-----	-------------	---

Chart:14832(U.S.)