



Chart no. 1310

1310 - Section A-B - New Edition - 07-JUN-2019 - NAD 1983

22-DEC-2023 LNM/D. 17-NOV-2023

Add depth of 1,2 metres 45°42'11.1"N 073°29'00.0"W
(See Chart 1, I10)

DFO(6410956-01)

22-DEC-2023 LNM/D. 17-NOV-2023

Add depth of 2,1 metres 45°42'12.1"N 073°29'01.8"W
(See Chart 1, I10)

DFO(6410956-02)

22-DEC-2023 LNM/D. 17-NOV-2023

Add depth of 1,6 metres 45°42'17.1"N 073°29'00.5"W
(See Chart 1, I10)

DFO(6410956-05)

09-JUN-2023

Delete pipeline

(See Chart 1, L41.1)

This notice affects Electronic Navigational Chart:
CA579001

LNM/D. 07-APR-2023

between 45°43'05.8"N 073°25'50.4"W
and 45°43'03.7"N 073°25'46.3"W

DFO(6410824-01)

09-JUN-2023

Add pipeline

(See Chart 1, L43)

This notice affects Electronic Navigational Chart:
CA579001

LNM/D. 07-APR-2023

between 45°43'03.7"N 073°25'46.3"W
and 45°43'05.4"N 073°25'49.3"W

DFO(6410824-02)

09-JUN-2023

Add crib with depth of 4.5 metres

(See Chart 1, L43)

This notice affects Electronic Navigational Chart: CA479155,
CA579001

LNM/D. 07-APR-2023

45°43'05.5"N 073°25'49.6"W

DFO(6410824-04)

07-APR-2023

LNM/D. 02-SEP-2022



Chart no. 1310

Replace yellow anchorage spar buoy, marked PATC with
a yellow anchorage lighted spar buoy Fl Y,
marked PATC (See Chart No. 1, Qh)
This notice affects Electronic Navigational
Chart: CA579001

45°38'26.6"N 073°28'37.3"W
(Q2022059) LL(2349.2) DFO(6410729-01)

07-APR-2023

Delete depth of 6.8 metres
(See Chart 1, I10)

This notice affects Electronic Navigational Chart: CA579001

LNМ/D. 02-SEP-2022
45°38'06.2"N 073°29'15.9"W

DFO(6410800-01)

07-APR-2023

Add depth of 5.7 metres
(See Chart 1, I10)

This notice affects Electronic Navigational Chart: CA579001

LNМ/D. 02-SEP-2022
45°38'06.9"N 073°29'15.3"W

DFO(6410800-02)

02-SEP-2022

Delete limits of maintained area
(See Chart No. 1, I20)

This notice affects Electronic Navigational Chart:
CA579001

LNМ/D. 22-JUL-2022
between 45°37'57.8"N 073°29'25.8"W
and 45°37'59.1"N 073°29'24.4"W

DFO(6410617-01)

02-SEP-2022

Add limits of maintained area
(See Chart No. 1, I20)

This notice affects Electronic Navigational Chart:
CA579001

LNМ/D. 22-JUL-2022
between 45°37'57.5"N 073°29'25.4"W
and 45°37'59.4"N 073°29'23.4"W

DFO(6410617-02)

02-SEP-2022

Add limits of maintained area
(See Chart No. 1, I20)

This notice affects Electronic Navigational Chart:
CA579001

LNМ/D. 22-JUL-2022
between 45°37'48.8"N 073°29'34.6"W
and 45°37'46.6"N 073°29'27.7"W

DFO(6410617-03)

02-SEP-2022

LNМ/D. 22-JUL-2022



Chart no. 1310

Add maintained depth of 10,8 m
(See Chart No. 1, I23)

45°37'52.5"N 073°29'27.0"W

DFO(6410617-04)

This notice affects Electronic Navigational Chart: CA579001

02-SEP-2022

Delete depth of 7 metres 0 decimetres
(See Chart No. 1, I10)

LNМ/D. 22-JUL-2022

45°42'06.3"N 073°26'46.0"W

This notice affects Electronic Navigational Chart: CA579001

DFO(6410617-05)

02-SEP-2022

Add depth of 6 metres 3 decimetres
(See Chart No. 1, I10)

LNМ/D. 22-JUL-2022

45°42'06.9"N 073°26'46.0"W

This notice affects Electronic Navigational Chart: CA579001

DFO(6410617-06)

21-JAN-2022

Amend 9,1 m to read 10,7 m
(See Chart No. 1, I23)

LNМ/D. 05-FEB-2021

45°36'55.3"N 073°30'16.6"W

This notice affects Electronic Navigational Chart: CA579001

DFO(6410580-01)

05-FEB-2021

Replace yellow anchorage spar buoy, marked PATE with a yellow
anchorage lighted spar buoy Fl Y, marked PATE
(See Chart No. 1, Q1)

LNМ/D. 02-OCT-2020

45°38'03.1"N 073°28'52.8"W

(Q2020140) DFO(6410433-01)

This notice affects Electronic Navigational Chart:
CA579001

05-FEB-2021

Amend F G 18m14M to read F G 18m11M against light
(See Chart No. 1, P16)

LNМ/D. 02-OCT-2020

45°41'02.7"N 073°27'36.5"W

This notice affects Electronic Navigational Chart: *(Q2020164) LL(2336) DFO(6410466-01)*
CA479155, CA579001

05-FEB-2021

Amend F G 12m8M to read F G 12m11M against light
(See Chart No. 1, P16)

LNМ/D. 02-OCT-2020

45°41'06.8"N 073°27'32.7"W

This notice affects Electronic Navigational Chart: *(Q2020165) LL(2335) DFO(6410467-01)*
CA479155, CA579001



Chart no. 1310

02-OCT-2020

LNМ/D. 08-NOV-2019

Add sounding of 6 metres 1 decimetre
(See Chart No. 1, I10)

45°37'47.8"N 073°29'08.8"W

DFO(6410449-01)

This notice affects Electronic Navigational Chart: CA579001

02-OCT-2020

LNМ/D. 08-NOV-2019

Add sounding of 6 metres 2 decimetres
(See Chart No. 1, I10)

45°38'13.8"N 073°29'10.6"W

DFO(6410449-02)

This notice affects Electronic Navigational Chart: CA579001

1310 - Section B-C - New Edition - 07-JUN-2019 - NAD 1983

22-DEC-2023

LNМ/D. 17-NOV-2023

Replace red starboard hand conical buoy, marked
MT60, with a red starboard hand lighted
conical buoy, Fl R, marked MT60
(See Chart 1, Qb)

45°34'59.1"N 073°28'33.6"W

(Q2023040) LL(2365.75) DFO(6410841-02)

This notice affects Electronic Navigational
Chart: CA579080

22-DEC-2023

LNМ/D. 17-NOV-2023

Replace green port hand can buoy, marked MT59 with
a green port hand lighted can buoy, Fl G,
marked MT59
(See Chart 1, Qc)

45°34'57.6"N 073°28'30.5"W

(Q2023041) LL(2365.73) DFO(6410842-01)

22-DEC-2023

LNМ/D. 17-NOV-2023

Delete depth of 8 metres 7 decimetres
(See Chart 1, I10)

45°31'56.8"N 073°32'03.0"W

DFO(6410940-01)

22-DEC-2023

LNМ/D. 17-NOV-2023

Add depth of 8 metres 4 decimetres
(See Chart 1, I10)

45°31'56.8"N 073°32'03.0"W

DFO(6410940-02)

17-NOV-2023

LNМ/D. 14-JUL-2023



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 1310

Delete depth of 6.8 metres (See Chart 1, I10) 45°38'06.2"N 073°29'15.9"W

DFO(6410951-01)

17-NOV-2023

LNM/D. 14-JUL-2023

Add depth of 5.7 metres (See Chart 1, I10) 45°38'06.9"N 073°29'15.3"W

DFO(6410951-02)

14-JUL-2023

LNM/D. 09-JUN-2023

Add berth 35

45°31'55.7"N 073°32'30.0"W

(See Chart 1, F19.1)

This notice affects Electronic Navigational Chart: CA579080

DFO(6410825-01)

02-SEP-2022

LNM/D. 22-JUL-2022

Delete depth of 9 metres 2 decimetres

45°36'29.9"N 073°30'23.3"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA579080

DFO(6410573-01)

02-SEP-2022

LNM/D. 22-JUL-2022

Add depth of 8 metres 9 decimetres

45°36'30.1"N 073°30'23.3"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA579080

DFO(6410573-02)

02-SEP-2022

LNM/D. 22-JUL-2022

Delete limits of maintained area

between 45°37'57.8"N 073°29'25.8"W

(See Chart No. 1, I20)

and 45°37'59.1"N 073°29'24.4"W

This notice affects Electronic Navigational Chart:
CA579001

DFO(6410617-01)

02-SEP-2022

LNM/D. 22-JUL-2022

Add limits of maintained area

between 45°37'57.5"N 073°29'25.4"W

(See Chart No. 1, I20)

and 45°37'59.4"N 073°29'23.4"W

This notice affects Electronic Navigational Chart:
CA579001

DFO(6410617-02)

02-SEP-2022

LNM/D. 22-JUL-2022



Chart no. 1310

Add limits of maintained area
(See Chart No. 1, I20)

between 45°37'48.8"N 073°29'34.6"W
and 45°37'46.6"N 073°29'27.7"W

This notice affects Electronic Navigational Chart:
CA579001

DFO(6410617-03)

02-SEP-2022

Add maintained depth of 10,8 m
(See Chart No. 1, I23)

LNM/D. 22-JUL-2022
45°37'52.5"N 073°29'26.7"W

DFO(6410617-04)

This notice affects Electronic Navigational Chart: CA579001

02-SEP-2022

Amend maintained depth of 10,7 m to read 10,8 m (See Chart No. 1, I23)

LNM/D. 22-JUL-2022
45°33'54.8"N 073°30'53.6"W

This notice affects Electronic Navigational Chart: CA579080

DFO(6410618-01)

02-SEP-2022

Add crib with depth of 6 metres 0 decimetres
(See Chart No. 1, Fb,Ka)

LNM/D. 22-JUL-2022
45°35'02.7"N 073°29'52.5"W

This notice affects Electronic Navigational Chart: CA579080

DFO(6410618-02)

02-SEP-2022

Delete seaplane landing area
(See Chart No. 1, N13)

This notice affects Electronic Navigational Chart:
CA579080

LNM/D. 22-JUL-2022
joining 45°31'15.5"N 073°32'26.5"W
45°31'15.4"N 073°32'24.4"W
45°30'50.2"N 073°32'26.5"W
and 45°30'50.3"N 073°32'28.6"W

DFO(6410618-03)

02-SEP-2022

Delete seaplane landing area
(See Chart No. 1, N13)

This notice affects Electronic Navigational Chart:
CA579080

LNM/D. 22-JUL-2022
joining 45°31'19.5"N 073°32'24.1"W
45°31'19.6"N 073°32'26.2"W
45°31'31.1"N 073°32'25.2"W
45°32'02.1"N 073°31'59.4"W
45°32'01.4"N 073°31'57.7"W
and 45°31'30.9"N 073°32'23.1"W

DFO(6410618-04)

02-SEP-2022

LNM/D. 22-JUL-2022



Chart no. 1310

Add limits of maintained area (See Chart No. 1, I20)

between 45°36'35.9"N 073°30'20.5"W
and 45°36'32.0"N 073°30'14.5"W

This notice affects Electronic Navigational Chart:
CA579080

DFO(6410619-01)

02-SEP-2022

Add maintained depth of 10,8 m
(See Chart No. 1, I23)

LNМ/D. 22-JUL-2022
45°36'01.5"N 073°30'20.0"W

DFO(6410619-02)

This notice affects Electronic Navigational Chart: CA579080

22-JUL-2022

Amend FG30m17M to read FG30m13M against the rear
leading light (See Chart no 1, P16)

LNМ/D. 21-JAN-2022
45°35'32.1"N 073°30'50.1"W

This notice affects Electronic Navigational Chart:
CA579080

(Q2022025) LL(2360) DFO(6410679-01)

22-JUL-2022

Amend FG15m17M to read FG15m13M against the front
leading light (See Chart no 1, P16)

LNМ/D. 21-JAN-2022
45°35'50.6"N 073°30'37.9"W

This notice affects Electronic Navigational Chart:
CA579080

(Q2022026) LL(2359) DFO(6410680-01)

21-JAN-2022

Amend 9,1 m to read 10,7 m
(See Chart No. 1, I23)

LNМ/D. 05-FEB-2021
45°36'55.3"N 073°30'16.6"W

This notice affects Electronic Navigational Chart: CA579001

DFO(6410580-01)

05-FEB-2021

Replace yellow anchorage spar buoy, marked PATE with a yellow
anchorage lighted spar buoy Fl Y, marked PATE
(See Chart No. 1, QI)

LNМ/D. 02-OCT-2020
45°38'03.1"N 073°28'52.8"W
(Q2020140) DFO(6410433-01)

This notice affects Electronic Navigational Chart:
CA579001

02-OCT-2020

LNМ/D. 08-NOV-2019



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 1310

Add sounding of 6 metres 1 decimetre
(See Chart No. 1, I10)

45°37'47.8"N 073°29'08.8"W

DFO(6410449-01)

This notice affects Electronic Navigational Chart: CA579001

08-NOV-2019

LNМ/D. 11-OCT-2019

Amend vertical clearance of 67 metres, to read 64 metres
(See Chart No. 1, D22)

45°29'49.6"N 073°30'59.9"W

DFO(6410208-01)

This notice affects Electronic Navigational Chart: CA579080

08-NOV-2019

LNМ/D. 11-OCT-2019

Amend vertical clearance of 31 metres, to read 25 metres
(See Chart No. 1, D22)

45°29'40.0"N 073°31'29.8"W

DFO(6410208-02)

This notice affects Electronic Navigational Chart: CA579080

08-NOV-2019

LNМ/D. 11-OCT-2019

Amend vertical clearance of 16 metres, to read 14 metres
(See Chart No. 1, D22)

45°29'28.7"N 073°32'03.3"W

DFO(6410208-03)

This notice affects Electronic Navigational Chart: CA579080

11-OCT-2019

LNМ/D. 02-AUG-2019

Affix patch

45°33'32.0"N 073°31'15.0"W

[PDF](#)

This notice affects Electronic Navigational Chart: CA579080

DFO(6410198-01)

02-AUG-2019

Add footbridge with vertical clearance of 5.9 metres
(See Chart No. 1, D20.2, D22)

between 45°36'15.6"N 073°27'54.8"W
and 45°36'12.2"N 073°27'51.7"W

This notice affects Electronic Navigational Chart:
CA579080

DFO(6410188-01)