



## Chart no. 2202

### 2202 - Port Severn to/à Penetang Harbour - Sheet/Feuille 1 - New Edition - 05-JAN-2007 - NAD 1983

**31-JAN-2025**

LNМ/D. 29-NOV-2024

Delete light, marked Iso  
(See Chart 1, P1)

44°52'36.0"N 079°53'04.4"W

(D2024095) LL(864) DFO(6605390-01)

**31-JAN-2025**

LNМ/D. 29-NOV-2024

Add sector light with alternating boundaries F RWG  
Visible through an arc of 5.5°, red from 266° to 268°,  
white from 268° to 269.5°, and green from 269.5° to  
271.5°  
(See Chart 1, P30.3)

44°52'36.0"N 079°53'04.4"W

(D2024095) LL(864) DFO(6605390-02)

**29-NOV-2024**

LNМ/D. 01-NOV-2024

Delete rear leading beacon with leading line and bearing 088° -  
268°  
(See Chart 1, Q120)

44°52'36.8"N 079°52'29.1"W

(D2024093) DFO(6605371-01)

This notice affects Electronic Navigational Chart: CA273097

**01-NOV-2024**

LNМ/D. 07-JUN-2024

Add submarine cable  
(See Chart 1, L30.1)  
This notice affects Electronic Navigational Chart:  
CA273097

between 44°51'06.0"N 079°51'49.5"W  
and 44°51'17.0"N 079°51'36.4"W

DFO(6605361-01)

**07-JUN-2024**

LNМ/D. 12-JAN-2024

Amend red starboard hand spar buoy M14 to read red  
starboard hand lighted spar buoy Fl R, marked  
M14  
(See Chart 1, Qb)

44°49'22.7"N 079°52'44.3"W

(D2024040) LL(862.1) DFO(6605265-01)

This notice affects Electronic Navigational Chart:  
CA473297

**07-JUN-2024**

LNМ/D. 12-JAN-2024

Reposition red starboard hand lighted spar buoy Fl R, marked  
M14  
(See Chart 1, Qb)  
This notice affects Electronic Navigational Chart:  
CA473297

from 44°49'22.7"N 079°52'44.3"W  
to 44°49'22.0"N 079°52'44.1"W

DFO(6605265-02)



## Chart no. 2202

### 07-JUN-2024

LNМ/D. 12-JAN-2024

Amend green port hand spar buoy M15 to read green port  
hand lighted spar buoy Fl G, marked M15  
(See Chart 1, Qc)

44°48'24.9"N 079°51'52.7"W

(D2024041) LL(863.5) DFO(6605266-01)

This notice affects Electronic Navigational Chart:  
CA473297

### 07-JUN-2024

LNМ/D. 12-JAN-2024

Reposition green port hand lighted spar buoy Fl G, marked M15  
(See Chart 1, Qc)  
This notice affects Electronic Navigational Chart:  
CA473297

from 44°48'24.8"N 079°51'52.7"W  
to 44°48'24.7"N 079°51'54.7"W

DFO(6605266-02)

### 12-JAN-2024

LNМ/D. 28-JUL-2023

Amend Oc(3) R 10s to read Mo(D) R 10s against light  
(See Chart 1, P16)

44°48'29.2"N 079°52'29.7"W

This notice affects Electronic Navigational Chart: CA473297

DFO(6605191-01)

### 14-OCT-2022

LNМ/D. 05-AUG-2022

Add Stump with drying height of 1 foot Rep (2022)  
(See Chart 1, K43.1)

44°46'19.6"N 079°49'40.5"W

This notice affects Electronic Navigational Chart: CA473297

DFO(6604891-01)

### 01-APR-2022

LNМ/D. 13-JUL-2018

Add wreck, least depth unknown, dangerous to surface navigation  
(See Chart No. 1, K28)

44°48'12.0"N 079°47'12.0"W

This notice affects Electronic Navigational Chart: CA473271

DFO(6604776-01)

### 01-APR-2022

LNМ/D. 13-JUL-2018

Delete depth of 3 feet  
(See Chart No. 1, I10)

44°48'12.3"N 079°47'11.0"W

DFO(6604776-03)

### 13-JUL-2018

LNМ/D. 05-JUN-2015

Add underwater rock of unknown depth, dangerous to surface  
navigation, Rep (2018)  
(See Chart No. 1, K13)

44°45'20.4"N 079°47'48.0"W

DFO(6604426-01)

This notice affects Electronic Navigational Chart: CA473271



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 2202

### 15-FEB-2013

Add underwater rock of unknown depth, dangerous to surface navigation  
(See Chart No. 1, K13)

LNМ/D. 01-JUN-2012

44°52'01.0"N 079°50'42.0"W

*DFO(6603847-01)*

### 26-DEC-2008

Amend legend F to read Iso against light

LNМ/D. 12-DEC-2008

44°52'36.0"N 079°53'04.4"W

*(D2008046) LL(864) DFO(6603351-01)*

This notice affects Electronic Navigational Chart:  
CA473297

### 12-DEC-2008

Replace rear range/leading light F with rear range/leading beacon  
(See Chart No. 1, P20.2 and Q120)

LNМ/D. 05-DEC-2008

44°52'37.0"N 079°52'30.0"W

*(D2008032) LL(865) DFO(6603317-01)*

This notice affects Electronic Navigational Chart:  
CA473297

### 30-NOV-2007

Replace green port hand lighted spar buoy Fl G, marked MN7 with green port hand spar buoy, marked MN7.  
(See Chart No. 1, Qg)

LNМ/D. 28-SEP-2007

44°52'05.5"N 079°50'44.0"W

*DFO(6603029-01)*

This notice affects Electronic Navigational Chart: CA473297

### 28-SEP-2007

Replace depth of 1 foot with drying height of 1 foot  
(See Chart No. 1 I10 and I15)

LNМ/D. 14-SEP-2007

44°50'22.0"N 079°54'05.5"W

*DFO(6603010-01)*

### 28-SEP-2007

Replace depth of 1 foot with drying height of 1 foot  
(See Chart No. 1 I10 and I15)

LNМ/D. 14-SEP-2007

44°50'25.0"N 079°49'27.0"W

*DFO(6603010-02)*



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 2202

**28-SEP-2007**

LNM/D. 14-SEP-2007

Replace depth of 1 foot with drying height of 1 foot 44°45'18.0"N 079°46'58.0"W  
(See Chart No. 1 I10 and I15)

*DFO(6603010-03)*

**31-AUG-2007**

Delete private white and orange hazard spar buoy  
(See Chart No. 1 Qs)

44°45'23.7"N 079°51'54.8"W

*DFO(6603002-01)*

This notice affects Electronic Navigational Chart: CA473297

**31-AUG-2007**

Delete submerged pipeline, PWI  
(See Chart No. 1 Lb)

between 44°45'19.0"N 079°52'05.0"W  
and 44°45'22.5"N 079°51'57.0"W

*DFO(6603002-02)*

This notice affects Electronic Navigational Chart:  
CA473297

## **2202 - Port Severn to/à Tomahawk Island - Sheet/Feuille 1 - New Edition - 05-JAN-2007 - NAD 1983**

**28-JUL-2023**

LNM/D. 14-OCT-2022

Reposition red starboard hand spar buoy, marked C96/2 from 44°52'22.9"N 079°49'25.5"W  
(See Chart 1, Qb) to 44°52'23.9"N 079°49'24.7"W

*(D2023020) DFO(6605091-01)*

**01-APR-2022**

LNM/D. 13-JUL-2018

Add wreck, least depth unknown, dangerous to surface navigation 44°48'12.0"N 079°47'12.0"W  
(See Chart No. 1, K28)

This notice affects Electronic Navigational Chart: CA473271

*DFO(6604776-01)*

**01-APR-2022**

LNM/D. 13-JUL-2018

Delete depth of 7 feet 44°48'10.7"N 079°47'12.7"W  
(See Chart No. 1, I10)

*DFO(6604776-02)*



**Chart no. 2202**

**13-JUL-2018**

LNM/D. 05-JUN-2015

Delete yellow cautionary can buoy, marked A 44°47'07.8"N 079°44'02.8"W

*(D2018002) DFO(6604402-01)*

**13-JUL-2018**

LNM/D. 05-JUN-2015

Delete yellow cautionary can buoy, marked B 44°47'36.3"N 079°47'55.8"W

*(D2018003) DFO(6604403-01)*

**13-JUL-2018**

LNM/D. 05-JUN-2015

Delete yellow cautionary can buoy, marked C 44°48'52.7"N 079°47'54.3"W

*(D2018004) DFO(6604404-01)*

**13-JUL-2018**

LNM/D. 05-JUN-2015

Delete yellow cautionary can buoy, marked D 44°50'51.8"N 079°49'03.0"W

*(D2018005) DFO(6604405-01)*

**13-JUL-2018**

LNM/D. 05-JUN-2015

Delete white and orange information can buoy, marked LOW 44°47'10.0"N 079°44'02.4"W  
WATER

*(D2018006) DFO(6604406-01)*

**13-JUL-2018**

LNM/D. 05-JUN-2015

Delete white and orange information spar buoy, marked LOW 44°47'20.4"N 079°43'46.8"W  
WATER

*(D2018007) DFO(6604407-01)*

**13-JUL-2018**

LNM/D. 05-JUN-2015

Delete white and orange information can buoy, marked LOW 44°48'56.0"N 079°47'52.3"W  
WATER

*(D2018008) DFO(6604408-01)*

**13-JUL-2018**

LNM/D. 05-JUN-2015



### Chart no. 2202

Delete white and orange information can buoy, marked LOW WATER 44°47'35.4"N 079°47'55.8"W

*(D2018009) DFO(6604409-01)*

#### 13-JUL-2018

LNM/D. 05-JUN-2015

Delete white and orange information can buoy, marked LOW WATER 44°50'51.2"N 079°49'02.0"W

*(D2018010) DFO(6604410-01)*

#### 13-JUL-2018

LNM/D. 05-JUN-2015

Add submarine power cable  
(See Chart No. 1, L31.1)

joining 44°55'04.0"N 079°50'20.1"W

44°55'04.2"N 079°50'18.3"W

This notice affects Electronic Navigational Chart:

44°55'04.7"N 079°50'13.4"W

CA473297

and 44°55'06.0"N 079°50'07.5"W

*DFO(6604419-01)*

#### 05-JUN-2015

LNM/D. 27-SEP-2013

Replace green port hand spar buoy, marked C9/3 with  
green port hand spar buoy, marked C9  
(See Chart No. 1, QG)

44°47'57.2"N 079°43'23.8"W

*(D2015001) LL(8047.9) DFO(6604096-02)*

#### 28-JUN-2013

LNM/D. 21-JUN-2013

Add white and orange information spar buoy, marked LOW WATER 44°47'20.4"N 079°43'46.8"W  
(See Chart No. 1, Qp)

*DFO(6603886-01)*

#### 15-FEB-2013

LNM/D. 01-JUN-2012

Add underwater rock of unknown depth, dangerous to surface  
navigation  
(See Chart No. 1, K13)

44°52'01.0"N 079°50'42.0"W

*DFO(6603847-01)*

#### 15-FEB-2013

LNM/D. 01-JUN-2012

Add islet with drying height of 1 foot 44°52'22.2"N 079°50'31.1"W  
(See Chart No. 1, K11)

*DFO(6603847-02)*

#### 15-FEB-2013

LNM/D. 01-JUN-2012



**Chart no. 2202**

Delete depth of 3 feet      44°52'21.7"N 079°50'31.0"W  
(See Chart No. 1, I10)

*DFO(6603847-03)*

**01-JUN-2012**

LNM/D. 09-JAN-2009

Add white and orange information can buoy, marked LOW WATER 44°52'15.9"N 079°49'50.5"W  
(See Chart No. 1, Qp)

*DFO(6603773-01)*

**01-JUN-2012**

LNM/D. 09-JAN-2009

Add white and orange information can buoy, marked LOW WATER 44°52'23.5"N 079°50'37.4"W  
(See Chart No. 1, Qp)

*DFO(6603773-02)*

**01-JUN-2012**

LNM/D. 09-JAN-2009

Add white and orange information can buoy, marked LOW WATER 44°47'10.0"N 079°44'02.4"W  
(See Chart No. 1, Qp)

*DFO(6603773-03)*

**01-JUN-2012**

LNM/D. 09-JAN-2009

Add white and orange information can buoy, marked LOW WATER 44°47'35.4"N 079°47'55.8"W  
(See Chart No. 1, Qp)

*DFO(6603773-04)*

**01-JUN-2012**

LNM/D. 09-JAN-2009

Add white and orange information can buoy, marked LOW WATER 44°48'56.0"N 079°47'52.3"W  
(See Chart No. 1, Qp)

*DFO(6603773-05)*

**01-JUN-2012**

LNM/D. 09-JAN-2009

Add white and orange information can buoy, marked LOW WATER 44°50'51.2"N 079°49'02.0"W  
(See Chart No. 1, Qp)

*DFO(6603773-06)*

**01-JUN-2012**

LNM/D. 09-JAN-2009

Add yellow cautionary can buoy, marked A 44°47'09.8"N 079°44'02.8"W  
(See Chart No. 1, Qm)

*DFO(6603774-01)*



### Chart no. 2202

**01-JUN-2012**

LNM/D. 09-JAN-2009

Add yellow cautionary can buoy, marked B 44°47'36.3"N 079°47'55.8"W  
(See Chart No. 1, Qm)

*DFO(6603774-02)*

**01-JUN-2012**

LNM/D. 09-JAN-2009

Add yellow cautionary can buoy, marked C 44°48'52.7"N 079°47'54.3"W  
(See Chart No. 1, Qm)

*DFO(6603774-03)*

**01-JUN-2012**

LNM/D. 09-JAN-2009

Add yellow cautionary can buoy, marked D 44°50'51.8"N 079°49'03.0"W  
(See Chart No. 1, Qm)

*DFO(6603774-04)*

**09-JAN-2009**

LNM/D. 26-DEC-2008

Replace green port hand spar buoy, marked C95/1 with green port  
hand spar buoy, marked C95/3. 44°53'03.8"N 079°49'53.4"W

*DFO(6603355-01)*

**05-DEC-2008**

LNM/D. 27-JUN-2008

Delete port hand daybeacon 44°53'03.5"N 079°49'54.0"W  
(See Chart No. 1, Qt)

*(D2008029) DFO(6603327-01)*

**05-DEC-2008**

LNM/D. 27-JUN-2008

Add green port hand spar buoy, marked C95/1 44°53'03.8"N 079°49'53.4"W  
(See Chart No. 1, Qg)

*(D2008030) DFO(6603328-01)*

### 2202 - Potato Island Channel - Sheet/Feuille 1 - New Edition - 05-JAN-2007 - NAD 1983

**14-OCT-2022**

LNM/D. 05-AUG-2022

Reposition green port hand can buoy, marked C31/5 from 44°47'16.4"N 079°45'31.7"W  
(See Chart 1, Qc) to 44°47'16.6"N 079°45'31.5"W

*(D2022032) DFO(6604942-01)*





Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 2202

**14-OCT-2022**

LNM/D. 05-AUG-2022

Add red starboard hand conical buoy, marked C32/2 (See Chart 1, Qb)

44°47'17.1"N 079°45'32.2"W

(D2022033) DFO(6604943-01)

## 2202 - Tomahawk Island to/à Twelve Mile Bay - Sheet/Feuille 2 - New Edition - 05-JAN-2007 - NAD 1983

**08-APR-2022**

LNM/D. 01-APR-2022

Delete port hand day beacon 44°58'53.6"N 079°56'55.5"W  
(See Chart No. 1, Qt)

(D2022009T) DFO(6604845-01)

**08-APR-2022**

LNM/D. 01-APR-2022

Add green port hand spar buoy, marked CD1/5 44°58'53.5"N 079°56'55.1"W  
(See Chart No. 1, Qg)

DFO(6604845-02)

**13-JUL-2018**

LNM/D. 05-JUN-2015

Add submarine power cable  
(See Chart No. 1, L31.1)  
This notice affects Electronic Navigational Chart:  
CA473297

joining 44°55'04.0"N 079°50'20.1"W  
44°55'04.2"N 079°50'18.3"W  
44°55'04.7"N 079°50'13.4"W  
and 44°55'06.0"N 079°50'07.5"W

DFO(6604419-01)

**27-SEP-2013**

LNM/D. 28-JUN-2013

Add underwater rock of unknown depth, dangerous to surface  
navigation, Rep (2013)  
(See Chart No. 1, K13)

44°56'03.0"N 079°51'45.0"W

DFO(6603914-01)

**21-JUN-2013**

LNM/D. 14-JUN-2013

Add rock with known depth of 4 feet Rep (2013) dangerous to surface  
navigation  
(See Chart No. 1, K14.2 & I13.2)

44°56'47.0"N 079°51'47.9"W

DFO(6603882-01)

**27-JUN-2008**

LNM/D. 30-NOV-2007



**Chart no. 2202**

Add submarine cable joining 45°06'04.0"N 080°05'19.0"W  
(See Chart No. 1, L30.1) 45°06'02.7"N 080°05'15.0"W  
45°06'02.0"N 080°05'13.0"W  
45°06'01.2"N 080°05'10.2"W  
45°05'59.0"N 080°04'59.2"W  
45°05'59.0"N 080°04'48.0"W  
and 45°05'58.0"N 080°04'44.5"W

*DFO(6603207-01)*

**2202 - Twelve Mile Bay to/à Rose Island - Sheet/Feuille 3 - New Edition - 05-JAN-2007 - NAD 1983**

**14-OCT-2022**

LNM/D. 05-AUG-2022

Add green port hand spar buoy, marked CM3 45°10'37.2"N 080°06'43.2"W  
(See Chart 1, Qc)

*(D2022026) DFO(6604891-02)*

**05-AUG-2022**

LNM/D. 08-JUL-2022

Add depth of 6 feet 45°14'56.8"N 080°13'47.9"W  
(See Chart No. 1, I10)

*DFO(6604883-01)*

**05-AUG-2022**

LNM/D. 08-JUL-2022

Delete depth of 13 feet 45°08'53.7"N 080°05'02.2"W  
(See Chart No. 1, I10)

*DFO(6604883-02)*

**05-AUG-2022**

LNM/D. 08-JUL-2022

Delete depth of 6 feet 45°08'52.0"N 080°04'59.0"W  
(See Chart No. 1, I10)

*DFO(6604883-03)*

**05-AUG-2022**

LNM/D. 08-JUL-2022

Add depth of 6 feet 45°08'53.2"N 080°05'00.9"W  
(See Chart No. 1, I10)

*DFO(6604883-04)*

**05-AUG-2022**

LNM/D. 08-JUL-2022





Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 2202

Delete port hand daybeacon  
(See Chart No. 1, Qt)

45°19'14.5"N 080°02'45.6"W

This notice affects Electronic Navigational Chart: CA573308 (D2022019) DFO(6604870-01)

### 08-JUL-2022

LNM/D. 08-APR-2022

Add green port hand spar buoy, marked CR1  
(See Chart No. 1, Qg)

45°19'14.1"N 080°02'43.0"W

This notice affects Electronic Navigational Chart: CA573308 (D2022020) DFO(6604871-01)

## 2202 - Moon Island and surrounding areas/et les régions avoisinantes - Sheet/Feuille 5 - New Edition - 05-JAN-2007 - NAD 1983

### 14-JUN-2013

LNM/D. 15-FEB-2013

Add sounding of 2 feet, Rep (2012) 45°08'52.8"N 080°03'27.0"W  
(See Chart No. 1, I10)

*DFO(6603873-02)*

### 14-SEP-2007

LNM/D. 07-SEP-2007

Add dangerous underwater rock with depth of 4 feet 45°07'31.5"N 080°01'48.9"W  
(See Chart No. 1 K14)

*DFO(6603004-01)*