



**Chart no. 2235**

**2235 - Cape Hurd to à Lonely Island - New Edition - 24-SEP-1999 - NAD 1983**

**09-JUN-2000**

LNM/D. 31-DEC-1999

Delete dangerous underwater rock of 6 ft or less 45°25'46.2"N 081°27'52.8"W  
On certain copies.

*DFO(6500289-01)*

**09-JUN-2000**

LNM/D. 31-DEC-1999

Add depth of 3 ft Rep (1998) 45°25'46.2"N 081°27'52.8"W  
On certain copies.

*DFO(6500289-02)*

**03-MAY-2002**

LNM/D. 07-SEP-2001

Amend Fog Sig 30s to read Fog Sig 30s (MAN) 45°33'28.2"N 082°00'47.9"W

*(D97-049) DFO(6600154-01)*

**03-MAY-2002**

LNM/D. 07-SEP-2001

Add note bottom right margin of chart below "CAUTION / AVERTISSEMENT" note

MANUAL FOG  
SIGNAL

*(D97-049) DFO(6600154-03)*

Fog signal is  
activated by keying  
radio mike, channel  
19 VHF (156.950  
MHz), 5 times within  
5 seconds. Horn will  
stay active for 30  
minutes.

SIGNAL DE BRUME  
MANUEL

Le signal de brume  
est déclenché en  
actionnant l'émetteur  
de la radio VHF, voie  
19 (156.950 MHz) à 5  
reprises en moins de  
5 secondes. Le cornet  
fonctionnera pendant  
30 minutes.



### Chart no. 2235

**03-JAN-2003**

LNM/D. 03-MAY-2002

Delete green, port hand can buoy, marked T1 45°21'37.5"N 081°45'48.0"W

*(D2002026) DFO(6600586-01)*

**03-JAN-2003**

LNM/D. 03-MAY-2002

Add green, port hand spar buoy, marked T1 45°21'34.3"N 081°45'53.3"W

*(D2002026) DFO(6600586-02)*

**20-FEB-2004**

LNM/D. 19-DEC-2003

Replace green port hand pillar light buoy FIG, marked J3  
with green port hand spar buoy, marked J3

45°23'28.0"N 081°46'31.2"W

*(D2003137) LL(803) DFO(6601076-01)*

**19-DEC-2003**

LNM/D. 03-JAN-2003

Delete red and white fairway pillar light buoy Mo (A), BELL,  
marked T

45°19'54.0"N 081°50'56.0"W

*(D2003140) LL(801) DFO(6601079-01)*

**10-NOV-2000**

LNM/D. 09-JUN-2000

Delete depth of 2 feet 45°32'20.0"N 081°22'55.0"W

*DFO(6601314-01)*

**10-NOV-2000**

LNM/D. 09-JUN-2000

Add depth of 207 feet 45°32'20.0"N 081°22'55.0"W

*DFO(6601314-02)*

**07-SEP-2001**

LNM/D. 10-NOV-2000

Amend legend F G to read Iso G 4s 34 ft against light

45°15'45.6"N 081°39'55.4"W

*(D2001-092) LL(814) DFO(6601654-01)*

**28-JAN-2005**

LNM/D. 07-JAN-2005



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 2235

Amend legend Fl 15s 79ft 14M to read Fl 10s 79ft 9M  
against light

45°14'42.0"N 081°17'32.0"W

*(D2004067) LL(826) DFO(6602139-01)*

This notice affects Electronic Navigational Chart:  
CA273097, CA373281

### 07-JAN-2005

LNМ/D. 20-FEB-2004

Replace red and white fairway spar buoy, marked TE, with green  
port hand spar buoy, marked TE1

45°13'31.8"N 081°44'07.8"W

*(D2004124) DFO(6602142-01)*

This notice affects Electronic Navigational Chart:  
CA373281

### 25-APR-2008

LNМ/D. 28-JAN-2005

Amend legend Fl R 4s 48ft to read Fl R against light

45°23'35.5"N 081°45'58.6"W

*(D2008015) LL(804) DFO(6603191-01)*

This notice affects Electronic Navigational Chart:  
CA273097

### 29-JAN-2010

LNМ/D. 25-APR-2008

Amend legend 2 Lts F to read F 51ft against light  
(See Chart No.1, P16)

45°17'31.0"N 081°41'14.0"W

*(D2009043) LL(818) DFO(6603557-01)*

This notice affects Electronic Navigational Chart:  
CA373281, CA573005

### 29-JAN-2010

LNМ/D. 25-APR-2008

Add legend Fl 53ft against light  
(See Chart No.1, P16)

45°17'31.0"N 081°41'14.0"W

*(D2009043) LL(818) DFO(6603557-02)*

This notice affects Electronic Navigational Chart:  
CA373281, CA573005

### 29-JAN-2010

LNМ/D. 25-APR-2008



### Chart no. 2235

Amend legend F 91ft 15M to read Fl 10s 91ft 8M against  
light  
(See Chart No.1, P16)

45°18'24.5"N 081°36'50.0"W

(D2009044) LL(819) DFO(6603558-01)

This notice affects Electronic Navigational Chart:  
CA273097, CA373281

#### 03-DEC-2010

LNМ/D. 29-JAN-2010

Replace green, red and green port bifurcation lighted pillar  
buoy Fl (2+1)G, marked TD with green, red and  
green port bifurcation spar buoy, marked TD  
(See Chart No. 1, Qj)

45°18'54.5"N 081°38'08.0"W

(D2010004) LL(820) DFO(6603640-01)

This notice affects Electronic Navigational Chart:  
CA373281

#### 03-DEC-2010

LNМ/D. 29-JAN-2010

Replace green port hand lighted pillar buoy FlG, marked T3  
with green port hand spar buoy, marked T3  
(See Chart No. 1, Qg)

45°18'14.0"N 081°34'43.0"W

(D2010005) LL(821) DFO(6603641-01)

This notice affects Electronic Navigational Chart:  
CA373281

#### 02-JAN-2015

LNМ/D. 03-DEC-2010

Add rock awash at chart datum, Rep (2014)  
(See Chart No. 1, K12)

45°17'24.3"N 081°43'17.2"W

This notice affects Electronic Navigational Chart: CA573005

DFO(6604079-01)

#### 17-APR-2015

LNМ/D. 02-JAN-2015

Add radar reflector to buoy marked "J2"  
(See Chart No. 1, S4)

45°22'05.8"N 081°47'51.0"W

This notice affects Electronic Navigational Chart: CA373281

DFO(6604093-06)

#### 01-MAY-2015

LNМ/D. 17-APR-2015

Add sounding of 16 feet

45°32'26.6"N 082°01'02.2"W

This notice affects Electronic Navigational Chart: CA373281

DFO(6604094-01)



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 2235

**09-OCT-2015**

Add depth of 18 feet

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA373281

LNМ/D. 01-MAY-2015

45°28'35.0"N 081°50'44.1"W

*DFO(6604130-01)*

**09-OCT-2015**

Add depth of 28 feet

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA273097,  
CA373281

LNМ/D. 01-MAY-2015

45°27'44.1"N 081°51'30.3"W

*DFO(6604130-02)*

**09-OCT-2015**

Add depth of 19 feet

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA273097,  
CA373281

LNМ/D. 01-MAY-2015

45°25'26.8"N 081°49'01.2"W

*DFO(6604130-03)*

**09-OCT-2015**

Add depth of 6 feet

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA373281

LNМ/D. 01-MAY-2015

45°16'23.4"N 081°43'48.2"W

*DFO(6604130-04)*

**09-OCT-2015**

Add depth of 2 feet

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA273097,  
CA373281

LNМ/D. 01-MAY-2015

45°24'44.8"N 081°47'10.6"W

*DFO(6604130-05)*

**09-OCT-2015**

Add depth of 32 feet

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA373281

LNМ/D. 01-MAY-2015

45°23'41.9"N 081°46'53.7"W

*DFO(6604130-06)*

**09-OCT-2015**

Add depth of 21 feet

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA273097,  
CA373281

LNМ/D. 01-MAY-2015

45°23'47.4"N 081°47'43.9"W

*DFO(6604130-07)*



### Chart no. 2235

#### 09-OCT-2015

Delete depth of 10 feet

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA373281

LNM/D. 01-MAY-2015  
45°16'23.4"N 081°43'48.0"W

*DFO(6604130-08)*

#### 09-OCT-2015

Delete depth of 48 feet

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA373281

LNM/D. 01-MAY-2015  
45°27'48.2"N 081°52'08.4"W

*DFO(6604130-09)*

#### 09-OCT-2015

Add depth of 38 feet

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA273097,  
CA373281

LNM/D. 01-MAY-2015  
45°27'48.4"N 081°52'14.1"W

*DFO(6604130-10)*

#### 28-AUG-2020

Amend Fl 10s 79ft 9M to read Fl 10s 82ft 10M against light

(See Chart No. 1, P16)

This notice affects Electronic Navigational Chart: (D2020010) LL(826) DFO(6604651-01)  
CA273097, CA373281

LNM/D. 09-OCT-2015  
45°14'42.8"N 081°17'31.1"W