



## Chart no. 2242

### 2242 - Giants Tomb Island to à Franklin Island - New Chart - 07-JAN-2005 - NAD 1983

#### 28-JUL-2023

LNLM/D. 05-AUG-2022

Add subsurface Ocean Data Acquisition system (ODAS) with known depth of 2 metres (See Chart 1, L25)

45°12'30.6"N 080°32'29.8"W

This notice affects Electronic Navigational Chart: CA273097,  
CA373311

*DFO(6605082-01)*

#### 05-AUG-2022

LNLM/D. 03-SEP-2021

Delete depth of 2 metres  
(See Chart No. 1, I10)

45°25'01.9"N 080°26'08.2"W

This notice affects Electronic Navigational Chart: CA373311

*DFO(6604876-01)*

#### 05-AUG-2022

LNLM/D. 03-SEP-2021

Add obstruction with known depth of 1.8 metres  
(See Chart No. 1, K41)

45°25'01.2"N 080°26'13.9"W

This notice affects Electronic Navigational Chart: CA373311

*DFO(6604876-02)*

#### 05-AUG-2022

LNLM/D. 03-SEP-2021

Delete Rep (2021) against obstruction  
(See Chart No. 1, K41)

45°24'00.8"N 080°32'20.0"W

This notice affects Electronic Navigational Chart: CA373311

*DFO(6604876-03)*

#### 05-AUG-2022

LNLM/D. 03-SEP-2021

Delete Rep (2021) against obstruction 45°24'41.6"N 080°29'03.5"W  
(See Chart No. 1, K41)

*DFO(6604876-04)*

#### 03-SEP-2021

LNLM/D. 01-JUL-2016

Add obstruction with known depth of 5.8 metres  
(See Chart No. 1, K41)

45°24'44.6"N 080°29'20.2"W

This notice affects Electronic Navigational Chart: CA373311

*DFO(6604795-09)*

#### 03-SEP-2021

LNLM/D. 01-JUL-2016

Add obstruction with known depth of 5.9 metres  
(See Chart No. 1, K41)

45°24'00.9"N 080°32'37.3"W

This notice affects Electronic Navigational Chart: CA373311

*DFO(6604795-14)*



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 2242

**01-JUL-2016**

Amend light characteristics Fl 7s 20m to read Fl 10s 19m  
against light  
(See Chart No. 1, P16)

LNM/D. 20-AUG-2010

45°21'36.4"N 080°24'28.8"W

*(D2016003) LL(906) DFO(6604213-03)*

This notice affects Electronic Navigational Chart:  
CA373311

**20-AUG-2010**

Delete front leading beacon 45°17'07.0"N 080°13'54.0"W  
(See Chart No.1, Q120)

LNM/D. 15-DEC-2006

*DFO(6603611-01)*

**20-AUG-2010**

Delete rear leading beacon with leading line and bearing 182½° -  
002½°  
(See Chart No.1, Q120)

LNM/D. 15-DEC-2006

45°17'07.0"N 080°13'54.0"W

*DFO(6603611-02)*

**15-DEC-2006**

Add red starboard hand spar buoy, marked GBH2

LNM/D. 23-JUN-2006

45°05'35.8"N 080°08'53.8"W

*(D2006061) DFO(6602841-01)*

This notice affects Electronic Navigational Chart: CA373311

**15-DEC-2006**

Add red starboard hand spar buoy, marked GBH4

LNM/D. 23-JUN-2006

45°07'33.9"N 080°10'19.0"W

*(D2006062) DFO(6602842-01)*

This notice affects Electronic Navigational Chart: CA373311

**23-JUN-2006**

Amend legend Fl 7s 20m 19M to read Fl 7s 20m against light 45°21'36.3"N 080°24'28.5"W

LNM/D. 17-FEB-2006

*LL(906) DFO(6602530-01)*

**17-FEB-2006**

LNM/D. 03-FEB-2006



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 2242

Replace red and white fairway spar buoy, marked CS with green port hand spar buoy, marked CS1.

45°10'08.8"N 080°12'37.7"W

*(D2005070) DFO(6602589-01)*

This notice affects Electronic Navigational Chart:  
CA373311

### 03-FEB-2006

Amend legend Fl 5s 18m 21M to read Fl 10s 18m against light

LNМ/D. 03-JUN-2005

44°54'56.6"N 080°09'52.3"W

*(D2005087) LL(857) DFO(6602602-01)*

### 03-JUN-2005

Delete radar transponder beacon Racon against light

LNМ/D. 08-APR-2005

45°21'36.3"N 080°24'28.5"W

*(D2005031) LL(906) DFO(6602356-01)*

This notice affects Electronic Navigational Chart:  
CA273097, CA573283

### 08-APR-2005

Delete legend Tr Aband against tower

45°19'54.0"N 080°15'30.0"W

*DFO(6602292-05)*

This notice affects Electronic Navigational Chart: CA573284

### 08-APR-2005

Add legend Tr against tower

45°19'54.0"N 080°15'30.0"W

*DFO(6602292-06)*

This notice affects Electronic Navigational Chart: CA573284