



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 3000

### 3000 - Juan de Fuca Strait to/à Dixon Entrance - New Edition - 20-JAN-1989 - NAD 1927

**05-JAN-2024**

LNM/D. 08-DEC-2023

Delete yellow traffic separation scheme lighted pillar whistle buoy,  
marked J with magenta circle and legend Racon/AIS  
(See Chart 1, Q61)

48°29'44.0"N 125°00'10.0"W

*DFO(6204797-03)*

**05-JAN-2024**

LNM/D. 08-DEC-2023

Add Virtual Aid to Navigation 48°29'35.0"N 125°00'00.0"W  
(See Chart 1, S18.1)

*DFO(6204797-04)*

**08-DEC-2023**

LNM/D. 17-NOV-2023

Delete subsurface Ocean Data Acquisition system (ODAS) with known  
depth of 1440 fathoms (See Chart 1, L25)

47°33'42.6"N 127°36'19.1"W

*DFO(6204824-01)*

**08-DEC-2023**

LNM/D. 17-NOV-2023

Delete subsurface Ocean Data Acquisition system (ODAS) with known  
depth of 1416 fathoms (See Chart 1, L25)

48°32'47.7"N 127°04'51.6"W

*DFO(6204832-01)*

**08-DEC-2023**

LNM/D. 17-NOV-2023

Delete subsurface Ocean Data Acquisition system (ODAS) with known  
depth of 1170 fathoms (See Chart 1, L25)

48°39'07.5"N 127°02'57.7"W

*DFO(6204832-02)*

**08-DEC-2023**

LNM/D. 17-NOV-2023

Delete subsurface Ocean Data Acquisition system (ODAS) with known  
depth of 834 fathoms (See Chart 1, L25)

48°36'24.4"N 126°49'26.2"W

This notice affects Electronic Navigational Chart: CA370203

*DFO(6204832-03)*

**08-DEC-2023**

LNM/D. 17-NOV-2023

Delete subsurface Ocean Data Acquisition system (ODAS) with known  
depth of 1244 fathoms (See Chart 1, L25)

48°31'14.6"N 126°51'51.7"W

*DFO(6204832-04)*

**08-DEC-2023**

LNM/D. 17-NOV-2023



### Chart no. 3000

Delete subsurface Ocean Data Acquisition system (ODAS) with known depth of 1251 fathoms (See Chart 1, L25) 48°35'11.6"N 126°57'21.6"W

*DFO(6204832-05)*

#### 08-DEC-2023

LNM/D. 17-NOV-2023

Delete subsurface Ocean Data Acquisition system (ODAS) with known depth of 727 fathoms (See Chart 1, L25) 48°36'23.5"N 126°40'14.0"W

This notice affects Electronic Navigational Chart: CA370203

*DFO(6204832-07)*

#### 08-DEC-2023

LNM/D. 17-NOV-2023

Delete subsurface Ocean Data Acquisition system (ODAS) with known depth of 755 fathoms (See Chart 1, L25) 48°47'01.6"N 126°52'55.7"W

This notice affects Electronic Navigational Chart: CA370208

*DFO(6204832-12)*

#### 17-NOV-2023

LNM/D. 07-JUL-2023

Add Environmentally Sensitive Sea Area with label "Scott Islands Protected Marine Wildlife Area/Zone de protection marine de faune des îles Scott" (See Chart 1, N22) joining 50°50'38.3"N 128°10'34.4"W

51°15'06.0"N 128°36'40.0"W

51°14'34.9"N 128°55'40.0"W

51°06'05.3"N 130°08'20.6"W

50°24'20.3"N 130°00'31.9"W

50°09'50.0"N 129°21'02.5"W

50°20'46.2"N 128°45'26.9"W

and 50°41'33.5"N 128°22'37.3"W

*DFO(6204818-01)*

#### 07-JUL-2023

LNM/D. 05-MAY-2023

Replace depth of 14 fathoms with depth of 13 fathoms 53°18'13.0"N 135°39'19.5"W (See Chart 1, I10)

*DFO(6204777-01)*

#### 05-MAY-2023

LNM/D. 31-MAR-2023

Delete private yellow ODAS/SADO lighted super-buoy Fl (5) Y20s (See Chart 1, Q58) 49°21'10.3"N 126°36'27.0"W

This notice affects Electronic Navigational Chart: CA370208

*DFO(6204763-01)*

#### 31-MAR-2023

LNM/D. 06-JAN-2023

Amend Queen Charlotte City to read Village of Daajing Giids 53°16'43.0"N 132°10'36.0"W

*DFO(6204727-01)*



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 3000

**06-JAN-2023**

LNM/D. 25-NOV-2022

Reposition yellow ODAS/SADO lighted super-buoy Fl(4) Y 20s,  
marked 46419  
(See Chart 1, Q58)

from 48°47'50.6"N 129°36'11.7"W  
to 48°48'58.0"N 129°36'49.0"W

*DFO(6204680-01)*

**06-JAN-2023**

LNM/D. 25-NOV-2022

Add Split Seamount 47°39'01.0"N 128°58'54.5"W

*DFO(6204688-01)*

**06-JAN-2023**

LNM/D. 25-NOV-2022

Add Endeavour Seamount 48°18'34.2"N 128°59'08.0"W

*DFO(6204688-02)*

**06-JAN-2023**

LNM/D. 25-NOV-2022

Replace Heckle Seamount with Heckle Seamount Chain 48°25'24.0"N 130°17'12.5"W

*DFO(6204688-03)*

**06-JAN-2023**

LNM/D. 25-NOV-2022

Replace Heck Seamount with Heck Seamount Chain 48°24'42.0"N 129°36'36.5"W

*DFO(6204688-04)*

**06-JAN-2023**

LNM/D. 25-NOV-2022

Add Unexploded Ordnance/Explosifs non-éclatés 48°36'36.6"N 127°06'10.0"W

*DFO(6204690-01)*

**06-JAN-2023**

LNM/D. 25-NOV-2022

Add obstruction with known depth of 1103 fathoms 48°36'36.6"N 127°03'03.9"W  
(See Chart 1, K41)

*DFO(6204690-02)*

**06-JAN-2023**

LNM/D. 25-NOV-2022



**Chart no. 3000**

Add Moser Seamount 49°29'01.0"N 136°54'54.5"W

*DFO(6204692-01)*

**06-JAN-2023** LNM/D. 25-NOV-2022

Add Moore Seamount 48°48'14.7"N 136°03'41.9"W

*DFO(6204692-02)*

**06-JAN-2023** LNM/D. 25-NOV-2022

Add Tucker Seamount 49°48'37.3"N 133°35'51.5"W

*DFO(6204692-03)*

**06-JAN-2023** LNM/D. 25-NOV-2022

Add Forster Seamount 48°57'23.0"N 133°49'19.9"W

*DFO(6204692-04)*

**06-JAN-2023** LNM/D. 25-NOV-2022

Add Seminole Seamount 49°46'32.2"N 129°41'00.2"W

*DFO(6204693-01)*

**06-JAN-2023** LNM/D. 25-NOV-2022

Add Oglala Seamount 50°18'32.3"N 131°24'03.2"W

*DFO(6204693-02)*

**06-JAN-2023** LNM/D. 25-NOV-2022

Add Tuzo Wilson Seamounts 51°27'34.1"N 130°59'10.6"W

*DFO(6204693-03)*

**06-JAN-2023** LNM/D. 25-NOV-2022

Add Scott Seamount Chain 50°43'27.7"N 131°21'56.3"W

*DFO(6204693-04)*



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 3000

**06-JAN-2023**

LNМ/D. 25-NOV-2022

Reposition Dellwood Seamount Chain from 50°34'01.0"N 130°45'01.5"W  
to 50°49'01.0"N 130°48'09.5"W

*DFO(6204693-05)*

**06-JAN-2023**

LNМ/D. 25-NOV-2022

Add Denson Seamount 54°03'53.6"N 137°08'56.3"W

*DFO(6204694-01)*

**06-JAN-2023**

LNМ/D. 25-NOV-2022

Add Graham Seamount 53°13'30.9"N 134°26'24.7"W

*DFO(6204694-02)*

**06-JAN-2023**

LNМ/D. 25-NOV-2022

Add Oshawa Seamount 52°17'23.0"N 134°02'36.1"W

*DFO(6204694-03)*

**06-JAN-2023**

LNМ/D. 25-NOV-2022

Add Davidson Seamount 53°43'05.9"N 136°25'08.7"W

*DFO(6204694-04)*

**06-JAN-2023**

LNМ/D. 25-NOV-2022

Add subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 727 fathoms (See Chart 1, L25)  
This notice affects Electronic Navigational Chart: CA370203

48°36'23.5"N 126°40'14.0"W

*DFO(6204696-01)*

**06-JAN-2023**

LNМ/D. 25-NOV-2022

Add subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 834 fathoms (See Chart 1, L25)  
This notice affects Electronic Navigational Chart: CA370203

48°36'24.4"N 126°49'26.2"W

*DFO(6204696-02)*

**06-JAN-2023**

LNМ/D. 25-NOV-2022



### Chart no. 3000

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 755 fathoms (See Chart 1, L25) This notice affects Electronic Navigational Chart: CA370208	48°47'01.6"N 126°52'55.7"W <i>DFO(6204696-06)</i>
<b>06-JAN-2023</b> Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 1244 fathoms (See Chart 1, L25)	LNМ/D. 25-NOV-2022 48°31'14.6"N 126°51'51.7"W <i>DFO(6204696-07)</i>
<b>06-JAN-2023</b> Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 1416 fathoms (See Chart 1, L25)	LNМ/D. 25-NOV-2022 48°32'47.7"N 127°04'51.6"W <i>DFO(6204696-08)</i>
<b>06-JAN-2023</b> Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 1251 fathoms (See Chart 1, L25)	LNМ/D. 25-NOV-2022 48°35'11.6"N 126°57'21.6"W <i>DFO(6204696-09)</i>
<b>06-JAN-2023</b> Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 1170 fathoms (See Chart 1, L25)	LNМ/D. 25-NOV-2022 48°39'07.5"N 127°02'57.7"W <i>DFO(6204696-10)</i>
<b>25-NOV-2022</b> Delete yellow ODAS/SADO lighted super-buoy Fl (5) Y, marked 46204 52°25'31.0"N 129°47'24.5"W (See Chart 1, Q58)	LNМ/D. 07-OCT-2022 <i>DFO(6204669-01)</i>
<b>25-NOV-2022</b> Add yellow ODAS/SADO lighted super-buoy Fl (5) Y, marked 46204 51°23'31.6"N 128°45'55.1"W (See Chart 1, Q58)	LNМ/D. 07-OCT-2022 <i>DFO(6204669-02)</i>
<b>07-OCT-2022</b> Delete yellow ODAS/SADO lighted super-buoy Fl (5) Y, marked 46204 (See Chart 1, Q58)	LNМ/D. 01-JUL-2022 51°22'43.8"N 128°44'47.1"W <i>LL(PAC582.5) DFO(6204644-01)</i>



### Chart no. 3000

**07-OCT-2022**

Delete yellow ODAS/SADO lighted super-buoy Fl (5) Y, marked  
46185  
(See Chart 1, Q58)

LNМ/D. 01-JUL-2022

52°25'01.0"N 129°48'54.5"W

*LL(PAC621.5) DFO(6204644-02)*

**07-OCT-2022**

Add yellow ODAS/SADO lighted super-buoy Fl (5) Y, marked  
46204  
(See Chart 1, Q58)

LNМ/D. 01-JUL-2022

52°25'31.0"N 129°47'24.5"W

*LL(PAC582.5) DFO(6204644-03)*

**07-OCT-2022**

Add yellow ODAS/SADO lighted super-buoy Fl (5) Y, marked  
46185  
(See Chart 1, Q58)

LNМ/D. 01-JUL-2022

52°31'40.0"N 130°05'08.3"W

*LL(PAC621.5) DFO(6204644-04)*

**01-JUL-2022**

Add wreck least depth unknown, marked PA  
(See Chart No. 1, K29, B7)

LNМ/D. 08-APR-2022

50°36'01.0"N 130°46'54.5"W

This notice affects Electronic Navigational Chart: CA270388

*DFO(6204617-01)*

**08-APR-2022**

Add HECKLE SEAMOUNT 48°28'03.9"N 130°08'42.3"W

LNМ/D. 04-MAR-2022

*DFO(6204588-01)*

**04-MAR-2022**

LNМ/D. 17-DEC-2021



**Chart no. 3000**

Add submarine cable joining 48°46'33.3"N 125°21'28.4"W  
(See Chart No. 1, L30.1) 48°41'03.5"N 125°51'39.1"W  
48°29'25.5"N 126°10'07.5"W  
48°21'30.6"N 126°29'43.0"W  
48°15'21.7"N 126°38'37.6"W  
48°11'19.3"N 126°51'46.9"W  
48°04'28.9"N 126°59'33.6"W  
47°50'57.3"N 128°05'07.2"W  
47°10'35.8"N 128°44'29.0"W  
47°14'51.2"N 129°35'49.8"W  
46°56'51.3"N 130°22'24.7"W  
47°16'31.3"N 131°18'11.2"W  
47°24'42.0"N 133°21'22.9"W  
48°36'49.0"N 138°40'05.7"W  
and 48°33'33.8"N 138°59'54.5"W

*DFO(6204547-01)*

**17-DEC-2021**

LNM/D. 11-JUN-2021

Amend Voluntary Protection Zone note to read A Voluntary Protection Zone for shipping is in effect on the West Coast of Haida Gwaii. Within this zone, commercial vessels of 500 gross tons or greater shall observe a minimum distance of 50 nautical miles offshore when transiting, with a few exceptions. For additional information, see monthly notice to mariners or haidagwaii-vpz.ca. 54°00'00.0"N 126°00'00.0"W  
*DFO(6204520-01)*  
Une zone de protection volontaire pour la navigation est en vigueur sur la côte ouest de Haida Gwaii. Dans cette zone, les navires commerciaux de 500 tonnes brutes ou plus doivent observer une distance minimale de 50 milles marins de la côte lorsqu'ils transitent, à quelques exceptions. Pour en savoir plus, consultez l'Avis aux navigateurs mensuel ou le site web haidagwaii-vpz.ca.  
(See Chart No. 1, A14)

**11-JUN-2021**

LNM/D. 23-APR-2021

Add subsurface Ocean Data Acquisition system (ODAS) with known depth of 1269 fathoms (See Chart No. 1, L25) 47°53'38.6"N 129°12'01.0"W  
*DFO(6204451-01)*

**11-JUN-2021**

LNM/D. 23-APR-2021

Add subsurface Ocean Data Acquisition system (ODAS) with known depth of 1443 fathoms (See Chart No. 1, L25) 47°40'12.2"N 127°35'30.6"W  
*DFO(6204452-01)*





Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 3000

**11-JUN-2021**

LNM/D. 23-APR-2021

Add submarine cable (See Chart No. 1, L30.1) between 47°44'32.4"N 127°43'45.4"W  
and 47°40'12.2"N 127°35'30.6"W

*DFO(6204452-02)*

**23-APR-2021**

LNM/D. 26-FEB-2021

Delete yellow ODAS/SADO lighted pillar buoy Fl (5) Y 20s, marked  
Priv (See Chart No. 1, Q58)

49°00'11.0"N 125°42'10.6"W

This notice affects Electronic Navigational Chart: CA270389,  
CA370203

*DFO(6204432-01)*

**26-FEB-2021**

LNM/D. 06-NOV-2020

Add VOLUNTARY PROTECTION ZONE A Trial Voluntary Protection  
Zone for Shipping on the West Coast of Haida Gwaii is in effect  
from September 1, 2020 through October 31, 2021. Commercial  
vessels of 500 gross tonnage or greater shall observe a minimum  
distance of 50 nautical miles offshore when transiting with a few  
exceptions. For additional information, see monthly Notice to  
Mariners or haidagwaii-vpz.ca. ZONE DE PROTECTION  
VOLONTAIRE Une zone de protection volontaire pour le  
transport sur la côte ouest de l'archipel Haida Gwaii sera  
instaurée du 1er septembre 2020 au 31 octobre 2021 dans le  
cadre d'un essai. Dans cette zone, les bâtiments commerciaux de  
500 tonneaux (jauge brute) ou plus doivent se trouver à au moins  
50 mille marins de la côte lorsqu'ils transitent le long de la côte  
ouest de l'archipel Haida Gwaii, à quelques exemptions près.  
Pour en savoir plus sur le projet de zone de protection volontaire,  
consultez l'Avis aux navigateurs mensuel ou le site haidagwaii-  
vpz.ca.

54°11'00.0"N 126°00'00.0"W

*DFO(6204420-01)*

This notice affects Electronic Navigational Chart: CA270390

**06-NOV-2020**

LNM/D. 24-JUL-2020

Reposition yellow ODAS/SADO lighted pillar buoy Fl (5) Y,  
marked 46132  
(See Chart No. 1, Q58)

from 49°44'18.5"N 127°55'52.3"W  
to 49°46'32.2"N 127°53'14.7"W

This notice affects Electronic Navigational  
Chart: CA270389, CA370424

*(P2020039) LL(87.5) DFO(6204348-01)*

**06-NOV-2020**

LNM/D. 24-JUL-2020



### Chart no. 3000

Amend yellow ODAS/SADO lighted pillar buoy Fl (5) Y, marked 46132 to read yellow ODAS/SADO lighted pillar buoy Fl (5) Y 20s, marked 46132  
(See Chart No. 1, Q58)  
This notice affects Electronic Navigational Chart: CA270389, CA370424

49°46'32.2"N 127°53'14.7"W

*DFO(6204348-02)*

#### 24-JUL-2020

Replace QUEEN CHARLOTTE ISLANDS/ÎLES DE LA REINE-CHARLOTTE with HAIDA GWAIH  
This notice affects Electronic Navigational Chart: CA270390

LNLM/D. 03-APR-2020

53°03'35.0"N 132°48'08.0"W

*DFO(6204340-01)*

#### 03-APR-2020

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 764 fathoms  
(See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA270389

LNLM/D. 03-JAN-2020

48°43'24.4"N 126°51'24.8"W

*DFO(6204255-01)*

#### 03-APR-2020

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 1400 fathoms (See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA270389

LNLM/D. 03-JAN-2020

48°33'58.7"N 127°11'46.5"W

*DFO(6204255-06)*

#### 03-APR-2020

Reposition yellow ODAS/SADO lighted pillar buoy Fl (5) Y20s, marked Priv  
(See Chart No. 1, Q58)  
This notice affects Electronic Navigational Chart: CA270389, CA370203

LNLM/D. 03-JAN-2020

from 48°57'43.0"N 125°36'42.0"W  
to 49°00'10.8"N 125°42'11.9"W

*(P2020007) LL(134.5) DFO(6204268-01)*

#### 03-APR-2020

LNLM/D. 03-JAN-2020



**Chart no. 3000**

Add OIL TANKER MORATORIUM/ VOLUNTARY TANKER  
EXCLUSION ZONE

53°15'00.0"N 126°00'00.0"W

*DFO(6204274-02)*

The Oil Tanker Moratorium Act contains restrictions for certain commercial vessels transiting along the BC coast from the northern tip of Vancouver Island to the Canada/United States border in the north. The Pacific States/British Columbia Oil Spill Task Force endorses voluntary measures and minimum distances from shore for certain commercial vessels transiting the West Coast. For additional information, see Sailing Directions, PAC 200.

MORATOIRE SUR LES PÉTROLIERS / ZONE D'EXCLUSION  
VOLONTAIRE DES PÉTROLIERS

La Loi sur le moratoire relatif aux pétroliers précise des restrictions pour certains navires commerciaux le long de la côte de la Colombie-Britannique entre la pointe nord de l'île de Vancouver jusqu'à la frontière entre le Canada et les États-Unis au nord. Le groupe de travail sur les déversements d'hydrocarbures des États du Pacifique /de la Colombie-Britannique approuve des mesures volontaires et des distances minimales par rapport à la côte pour certains navires commerciaux transitant sur la côte ouest. Pour plus de renseignements, consulter les Instructions nautiques, PAC 200.

This notice affects Electronic Navigational Chart: CA270390

**03-JAN-2020**

LNM/D. 27-SEP-2019

Reposition yellow ODAS/SADO lighted pillar buoy Fl  
(4) Y 20s, marked 46419  
(See Chart No. 1, Q58)

from 48°46'08.0"N 129°38'06.0"W  
to 48°47'49.0"N 129°36'18.0"W

This notice affects Electronic Navigational Chart: CA270389 *(USCG:District 13 40/19) DFO(6204226-01)*

**27-SEP-2019**

LNM/D. 28-DEC-2018

Amend Q with RACON to read Iso 1s with RACON against light 53°40'25.1"N 130°24'37.2"W  
(See Chart No. 1, P1, S3.1)

*LL(742.5) DFO(6204097-01)*

**27-SEP-2019**

LNM/D. 28-DEC-2018

Add yellow lighted spherical buoy Fl Y, marked ODAS/SADO  
(See Chart No. 1, Q58)

49°54'01.0"N 134°24'19.7"W

This notice affects Electronic Navigational Chart: CA270388

*DFO(6204170-01)*



## Chart no. 3000

**28-DEC-2018**

LNM/D. 14-SEP-2018

Add light Q with RACON

53°40'25.1"N 130°24'37.2"W

(See Chart No. 1, P1, S3.1)

This notice affects Electronic Navigational Chart:  
CA270390, CA370441, CA470658

(P2018135) LL(742.5) DFO(6203932-01)

**14-SEP-2018**

LNM/D. 01-JUN-2018

Affix patch 48°30'00.0"N 127°00'00.0"W

[PDF](#)

DFO(6203836-01)

**01-JUN-2018**

LNM/D. 04-MAY-2018

Add firing practice area with label W-237-C joining 48°08'59.0"N 125°56'05.0"W

(See Chart No. 1, N30)

48°08'59.0"N 126°15'00.0"W

47°00'00.0"N 126°15'00.0"W

47°00'00.0"N 125°28'03.0"W

and 48°08'59.0"N 125°56'05.0"W

DFO(6203788-01)

**01-JUN-2018**

LNM/D. 04-MAY-2018

Add firing practice area with label W-237-E joining 48°20'00.0"N 128°00'00.0"W

(See Chart No. 1, N30)

48°08'59.0"N 127°54'44.0"W

48°08'59.0"N 125°05'00.0"W

48°29'37.0"N 125°09'01.0"W

and 48°20'00.0"N 128°00'00.0"W

DFO(6203788-02)

**01-JUN-2018**

LNM/D. 04-MAY-2018

Add firing practice area with label W-237-F joining 48°08'59.0"N 127°54'44.0"W

(See Chart No. 1, N30)

47°00'00.0"N 127°22'26.0"W

47°00'00.0"N 126°15'00.0"W

48°08'59.0"N 126°15'00.0"W

and 48°08'59.0"N 127°54'44.0"W

DFO(6203788-03)

**01-JUN-2018**

LNM/D. 04-MAY-2018



### Chart no. 3000

Add firing practice area with label W-237-H joining 48°21'02.0"N 130°00'00.0"W  
(See Chart No. 1, N30) 47°00'00.0"N 129°00'00.0"W  
47°00'00.0"N 127°22'26.0"W  
48°20'00.0"N 128°00'00.0"W  
and 48°21'02.0"N 130°00'00.0"W

*DFO(6203788-04)*

#### 01-JUN-2018

LNM/D. 04-MAY-2018

Add firing practice area with label W-237-J joining 46°20'00.0"N 127°04'38.0"W  
(See Chart No. 1, N30) 47°00'00.0"N 127°22'26.0"W  
47°00'00.0"N 129°00'00.0"W  
and 46°20'00.0"N 128°31'23.5"W

*DFO(6203788-05)*

#### 01-JUN-2018

LNM/D. 04-MAY-2018

Add firing practice area with label W-237-G joining 46°20'00.0"N 127°04'38.0"W  
(See Chart No. 1, N30) 47°00'00.0"N 127°22'26.0"W  
47°00'00.0"N 126°15'00.0"W  
and 46°20'00.0"N 126°15'00.0"W

*DFO(6203788-06)*

#### 01-JUN-2018

LNM/D. 04-MAY-2018

Add firing practice area with label W-237-D joining 46°20'00.0"N 125°44'21.5"W  
(See Chart No. 1, N30) 46°32'00.0"N 125°18'00.0"W  
46°53'24.0"N 125°06'47.0"W  
46°49'59.0"N 125°24'05.0"W  
47°00'00.0"N 125°28'03.0"W  
47°00'00.0"N 126°15'00.0"W  
and 46°20'00.0"N 126°15'00.0"W

*DFO(6203788-07)*

#### 04-MAY-2018

LNM/D. 02-FEB-2018

Amend yellow ODAS/SADO lighted super-buoy Fl(5) Y, marked 46145 54°23'08.3"N 132°25'39.9"W  
to read yellow ODAS/SADO lighted super-buoy Fl(5) Y 20s,  
marked 46145 *LL(801) DFO(6203727-02)*

(See Chart No. 1, Q58)

This notice affects Electronic Navigational Chart: CA270390,  
CA370190



**Chart no. 3000**

**02-FEB-2018**

LNM/D. 22-DEC-2017

Add light

52°57'16.0"N 129°18'29.6"W

(See Chart No. 1, P1)

*(P2017097) LL(630.2) DFO(6203611-02)*

**22-DEC-2017**

LNM/D. 21-APR-2017

Add light with RACON

52°51'36.9"N 129°20'50.7"W

(See Chart No. 1, P1, S3.1)

This notice affects Electronic Navigational Chart:

*(P2017076) LL(628.5) DFO(6203595-01)*

CA270724, CA470730

**21-APR-2017**

LNM/D. 07-APR-2017

Add restricted area with label "Hecate Strait and Queen  
Charlotte Sound Glass Sponge Reefs Marine Protected  
Area/Zone de protection marine des récifs d'éponges  
siliceuses du détroit d'Hécate et du bassin de la Reine-  
Charlotte"

joining 53°11'52.9"N 130°19'47.2"W

53°09'22.0"N 130°18'53.0"W

53°02'54.5"N 130°25'16.2"W

53°03'06.9"N 130°30'35.6"W

53°07'17.8"N 130°42'03.2"W

53°07'44.5"N 130°46'26.5"W

53°13'28.7"N 130°47'28.7"W

53°19'20.0"N 130°54'24.2"W

53°24'05.4"N 130°48'37.8"W

53°23'40.7"N 130°42'52.2"W

53°18'42.5"N 130°38'09.3"W

53°15'20.6"N 130°33'01.3"W

and 53°11'52.9"N 130°19'47.2"W

This notice affects Electronic Navigational Chart:

CA270724, CA370440

*DFO(6203461-01)*

**21-APR-2017**

LNM/D. 07-APR-2017

Add restricted area with label "Hecate Strait and Queen  
Charlotte Sound Glass Sponge Reefs Marine Protected  
Area/Zone de protection marine des récifs d'éponges  
siliceuses du détroit d'Hécate et du bassin de la Reine-  
Charlotte"

joining 52°00'24.4"N 129°14'12.6"W

51°55'50.5"N 129°18'13.8"W

51°51'32.5"N 129°36'37.4"W

51°53'00.7"N 129°44'03.4"W

52°05'14.1"N 129°36'14.1"W

52°08'46.0"N 129°33'33.5"W

52°15'42.6"N 129°44'12.3"W

52°29'35.4"N 129°52'32.7"W

52°32'05.4"N 129°53'06.2"W

52°34'05.6"N 129°47'51.4"W

52°25'42.7"N 129°35'12.2"W

52°20'02.8"N 129°29'51.7"W

52°09'52.3"N 129°25'29.5"W

and 52°00'24.4"N 129°14'12.6"W

This notice affects Electronic Navigational Chart:

CA270084, CA270724

*DFO(6203461-02)*



## Chart no. 3000

**21-APR-2017**

LNM/D. 07-APR-2017

Add restricted area with label "Hecate Strait and Queen Charlotte Sound Glass Sponge Reefs Marine Protected Area/Zone de protection marine des récifs d'éponges siliceuses du détroit d'Hécate et du bassin de la Reine-Charlotte"  
(See Chart No. 1, N2.1)

joining 51°24'44.2"N 128°47'58.3"W  
51°18'32.5"N 128°40'35.6"W  
51°14'57.6"N 128°47'01.2"W  
51°14'33.9"N 128°55'45.5"W  
51°17'42.3"N 129°00'29.0"W  
51°19'24.5"N 129°00'53.6"W  
and 51°24'44.2"N 128°47'58.3"W

This notice affects Electronic Navigational Chart:  
CA270084, CA370165

*DFO(6203461-03)*

**07-APR-2017**

LNM/D. 30-SEP-2016

Amend Yellow-Black-Yellow West cardinal lighted Pillar buoy Q(9) 15s, marked EOB to read Yellow-Black-Yellow West cardinal lighted Pillar buoy Q(9) 15s with Bell, marked EOB

53°55'35.6"N 130°54'24.5"W

*(P2017009) LL(747.5) DFO(6203465-01)*

**30-SEP-2016**

LNM/D. 23-SEP-2016

Delete Racon 48°31'21.0"N 124°36'50.0"W

*DFO(6203361-03)*

**30-SEP-2016**

LNM/D. 23-SEP-2016

Add whistle and Racon to pillar buoy with AIS, marked J 48°29'36.8"N 125°00'00.0"W  
(See Chart No. 1, R15, S3.6)

*DFO(6203361-04)*

**23-SEP-2016**

LNM/D. 12-AUG-2016

Amend wreck least depth known of 80 metres to read wreck least depth known of 44 fathoms  
(See Chart No. 1, K26)

54°24'16.2"N 131°11'07.7"W

*DFO(6203358-01)*

**12-AUG-2016**

LNM/D. 05-AUG-2016

Add wreck with known depth of 80 metres  
(See Chart No. 1, K26)

54°24'16.2"N 131°11'07.7"W

This notice affects Electronic Navigational Chart: CA270390,  
CA370190

*DFO(6203332-01)*

**05-AUG-2016**

LNM/D. 22-JUL-2016



**Chart no. 3000**

Add note 49°15'00.0"N 127°21'00.0"W  
 See/Voir note  
 EXERCISE AREA WP/ZONE D'EXERCICE WP *DFO(6203321-01)*

**22-JUL-2016**

LNM/D. 01-JAN-2016

Replace EXERCISE AREA WP ZONE D'EXERCICES WP 53°41'00.0"N 126°00'00.0"W  
 With

*DFO(6203306-05)*

**EXERCISE AREA WP**

Surface and air firings may be conducted in any part of WP if appropriate clearances have been obtained. However, the majority of firings are carried out in two areas designated West Coast Firing Area North (WCFA North), and West Coast firing Area South (WCFA South). Pecked lines enclose these areas. For information concerning firing operations call Prince Rupert Traffic on VHF, Channel 74.

**ZONE D'EXERCICES WP**

Les tirs de surface et aériens peuvent être exécutés dans n'importe quelle partie de la zone WP à condition d'avoir obtenu l'autorisation appropriée. Toutefois, la plupart des tirs sont exécutés à l'intérieur de deux zones désignées West Coast Firing Area North (WCFA North) et West Coast Firing Area South (WCFA South) où des tiretés délimitent ces zones. Pour obtenir des renseignements concernant les exercices de tir, communiquer avec Prince Rupert Traffic par radio VHF, voie 74.

**01-JAN-2016**

LNM/D. 01-MAY-2015

Add Automatic Identification System Transmitter to yellow pillar buoy, marked J 48°29'36.8"N 125°00'00.0"W

(See Chart No. 1,S17.2)

*LL(PAC180.8) DFO(6203168-01)*

This notice affects Electronic Navigational Chart: CA270389

**01-MAY-2015**

LNM/D. 16-JAN-2015

Add submarine cable joining 46°20'00.0"N 129°12'42.0"W

(See Chart No. 1, L30.1)

46°52'28.0"N 129°48'21.0"W

This notice affects Electronic Navigational Chart:

49°40'02.0"N 133°49'53.0"W

CA270388

50°54'10.0"N 135°34'23.0"W

53°23'50.0"N 138°33'14.0"W

and 53°44'24.0"N 139°00'00.0"W

*DFO(6202991-01)*





**Chart no. 3000**

**16-JAN-2015**

LNМ/D. 02-JAN-2015

Delete radio reporting line joining 48°00'00.0"N 124°41'00.0"W  
(See Chart No. 1, M40.2) 48°00'00.0"N 127°00'00.0"W  
48°33'00.0"N 127°00'00.0"W  
50°13'00.0"N 129°55'00.0"W  
50°52'00.0"N 129°05'00.0"W  
and 50°47'00.0"N 128°26'00.0"W

*DFO(6202943-05)*

**16-JAN-2015**

LNМ/D. 02-JAN-2015

Delete note 50°13'00.0"N 129°48'00.0"W

50M

*DFO(6202943-06)*

**16-JAN-2015**

LNМ/D. 02-JAN-2015

Delete note

49°25'00.0"N 128°35'00.0"W

CALL TOFINO TRAFFIC ON VHF CHANNEL 74 / CONTACTER  
TOFINO TRAFFIC SUR LA VOIE VHF 74

*DFO(6202943-07)*

**16-JAN-2015**

LNМ/D. 02-JAN-2015

Delete note on certain copies 48°39'00.0"N 127°02'00.0"W

50M

*DFO(6202943-08)*

**02-JAN-2015**

LNМ/D. 07-FEB-2014

Reposition red and white ODAS/SADO lighted buoy Fl (4) Y 20s, from 48°48'01.0"N 129°35'56.0"W  
marked 46419 to 48°45'59.0"N 129°37'57.0"W  
(See Chart No. 1, Q58)

This notice affects Electronic Navigational Chart:  
CA270389

*DFO(6202937-01)*

**02-JAN-2015**

LNМ/D. 07-FEB-2014

Amend red and white ODAS/SADO lighted buoy Fl (4) Y 20s, marked 48°45'59.0"N 129°37'57.0"W  
46419 to read yellow ODAS/SADO lighted buoy Fl (4) Y 20s,  
marked 46419

(see Chart No. 1 Q58)

This notice affects Electronic Navigational Chart: CA270389

*DFO(6202937-02)*



**Chart no. 3000**

**07-FEB-2014**

LNLM/D. 26-JUL-2013

Add out of position yellow ODAS/SADO lighted buoy Fl (5)  
Y 20s, marked priv (See Chart No. 1, Q58,Qa)  
This notice affects Electronic Navigational Chart:  
CA270389, CA370203

48°57'26.7"N 125°36'53.4"W

(P2013039) LL(134.5) DFO(6202769-01)

**26-JUL-2013**

LNLM/D. 19-JUL-2013

Add out of position yellow ODAS/SADO lighted Fl (5) Y  
20s, marked priv  
(See Chart No. 1, Q58, Qa)  
This notice affects Electronic Navigational Chart:  
CA270389

48°53'06.0"N 125°38'06.0"W

(P2013015) LL(136.7) DFO(6202716-01)

**19-JUL-2013**

LNLM/D. 07-DEC-2012

Add out of position yellow ODAS/SADO lighted Fl (5) Y  
20s, marked priv  
(See Chart No. 1, Q58, Qa)  
This notice affects Electronic Navigational Chart:  
CA270389, CA370208

49°21'09.3"N 126°36'32.5"W

(P2013014) LL(114.5) DFO(6202715-01)

**07-DEC-2012**

LNLM/D. 18-SEP-2009

Add submarine cable  
(See Chart No. 1, L30.1)

joining 48°25'28.8"N 125°00'00.0"W  
48°27'16.2"N 125°05'27.6"W  
48°26'51.6"N 125°08'14.4"W  
48°24'28.8"N 125°11'45.6"W  
48°19'16.8"N 125°24'00.0"W  
48°18'06.0"N 125°30'00.0"W  
48°10'57.6"N 125°51'38.4"W  
48°06'18.0"N 125°59'28.2"W  
48°03'00.0"N 126°11'12.0"W  
48°03'01.8"N 126°50'00.0"W  
48°08'37.2"N 127°05'04.2"W  
49°05'00.0"N 129°00'00.0"W  
51°00'00.0"N 132°00'00.0"W  
53°30'00.0"N 134°00'00.0"W  
and 54°50'00.0"N 135°31'31.2"W

Notice (P) 2346-1999 DFO(6201444-01) is cancelled.

DFO(6202640-01)

**07-DEC-2012**

LNLM/D. 18-SEP-2009



**Chart no. 3000**

Add submarine cable  
(See Chart No. 1, L30.1)

Notice (P) 28-APR-2000 DFO(6200680-01) is cancelled.

joining 48°24'03.2"N 125°04'51.7"W  
 48°22'43.6"N 125°15'07.6"W  
 48°22'39.2"N 125°17'43.0"W  
 48°21'31.5"N 125°21'24.2"W  
 48°21'05.9"N 125°24'40.5"W  
 48°21'11.9"N 125°27'32.0"W  
 48°19'22.2"N 125°41'28.9"W  
 48°17'56.3"N 125°48'17.0"W  
 48°15'52.7"N 126°03'06.0"W  
 48°16'12.3"N 126°06'28.9"W  
 48°14'53.9"N 126°12'16.2"W  
 48°12'38.3"N 126°28'58.0"W  
 48°07'57.5"N 126°55'35.9"W  
 48°08'30.9"N 127°05'00.0"W  
 48°45'48.9"N 128°57'11.2"W  
 48°51'09.0"N 129°16'43.4"W  
 48°56'19.1"N 129°30'18.8"W  
 49°10'15.7"N 130°33'45.5"W  
 49°16'19.0"N 130°41'48.7"W  
 49°19'27.0"N 130°49'00.9"W  
 49°23'53.0"N 131°11'32.4"W  
 49°30'38.5"N 131°29'47.3"W  
 49°38'00.1"N 131°59'59.8"W  
 49°49'24.0"N 132°52'15.6"W  
 49°53'51.1"N 133°18'59.9"W  
 49°57'40.6"N 133°25'00.0"W  
 50°00'55.3"N 133°42'18.6"W  
 50°07'30.2"N 134°09'59.8"W  
 50°24'27.6"N 135°52'37.0"W  
 50°35'50.8"N 136°52'24.0"W  
 and 50°51'27.7"N 139°00'00.0"W

*DFO(6202641-01)*

**07-DEC-2012**

LNM/D. 18-SEP-2009



**Chart no. 3000**

Add submarine cable  
(See Chart No. 1, L30.1)

Notice (P) 03-NOV-2000 DFO(6200938-01) is cancelled.

joining 48°24'23.6"N 124°38'59.8"W  
48°26'26.8"N 124°49'14.8"W  
48°23'50.7"N 124°56'28.3"W  
48°22'46.2"N 125°03'18.9"W  
48°22'37.4"N 125°09'16.4"W  
48°21'08.9"N 125°21'10.8"W  
48°19'24.1"N 125°31'36.2"W  
48°18'46.9"N 125°32'42.3"W  
48°17'49.3"N 125°39'51.2"W  
48°18'02.4"N 125°41'00.0"W  
48°16'12.3"N 125°51'00.5"W  
48°15'20.2"N 125°53'36.3"W  
48°10'55.5"N 126°00'53.1"W  
48°06'11.5"N 126°04'15.4"W  
48°00'00.0"N 126°04'15.4"W  
47°49'43.7"N 126°06'24.4"W  
47°45'33.5"N 126°03'51.2"W  
47°35'02.4"N 126°05'00.6"W  
47°27'00.2"N 126°10'03.1"W  
47°21'59.7"N 126°11'33.5"W  
and 46°20'00.0"N 126°15'03.0"W

*DFO(6202642-01)*

**18-SEP-2009**

Add radar transponder beacon against light  
(See Chart No. 1, S3.3)

LNM/D. 21-AUG-2009

50°58'32.9"N 127°43'34.9"W

*(P2009073) LL(576) DFO(6202100-01)*

This notice affects Electronic Navigational Chart:  
CA370109, CA470307

**21-AUG-2009**

Add submarine cable  
(See Chart No. 1, L30.1)

LNM/D. 19-JUN-2009

joining 54°50'00.0"N 137°48'50.5"W  
54°38'55.4"N 135°43'55.2"W  
54°26'33.7"N 134°44'52.2"W  
54°30'47.4"N 134°24'21.8"W  
54°26'06.0"N 133°59'18.1"W  
54°35'31.0"N 133°14'57.6"W  
54°30'14.9"N 132°09'12.5"W  
54°39'55.3"N 131°53'01.0"W  
and 54°50'00.0"N 131°53'13.6"W

*(USCG:USLNM17 26/09) DFO(6202092-01)*

**19-JUN-2009**

LNM/D. 20-MAR-2009



**Chart no. 3000**

Delete yellow ODAS/SADO lighted buoy Fl (4) Y 20s, marked 48°29'00.0"N 129°22'00.0"W  
46419  
(See Chart No. 1, Q58) *(USCG:USLNM13) DFO(6202075-01)*

**19-JUN-2009** LNM/D. 20-MAR-2009  
Add red and white ODAS/SADO lighted buoy Fl (4) Y 20s, marked 48°48'00.0"N 129°36'00.0"W  
46419  
(See Chart No. 1, Q58) *DFO(6202075-02)*

**20-MAR-2009** LNM/D. 16-JAN-2009  
Add submarine cable joining 46°20'00.0"N 128°48'20.0"W  
(See Chart No. 1, L30.1) 46°28'52.0"N 128°59'53.0"W  
46°45'59.0"N 129°06'25.0"W  
47°07'34.0"N 129°42'33.0"W  
47°37'24.0"N 129°56'57.0"W  
47°51'09.0"N 130°12'23.0"W  
48°37'28.0"N 131°22'27.0"W  
49°08'46.0"N 131°43'56.0"W  
49°29'57.0"N 132°24'15.0"W  
50°19'21.0"N 132°37'51.0"W  
and 54°37'45.0"N 139°00'00.0"W

*(USCG:USLNM13 53/08) DFO(6202017-01)*

**16-JAN-2009** LNM/D. 20-JUN-2008  
Delete firing danger area joining 49°49'54.0"N 129°00'00.0"W  
(See Chart No. 1, N30) 49°41'00.0"N 128°20'00.0"W  
Notice 23-MAR-2001(P) is cancelled by this new and 50°08'00.0"N 128°20'00.0"W  
permanent notice. *DFO(6201979-01)*

**16-JAN-2009** LNM/D. 20-JUN-2008  
Delete legend CYD 111 49°57'00.0"N 128°40'00.0"W  
*DFO(6201979-02)*

**16-JAN-2009** LNM/D. 20-JUN-2008



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 3000

Delete firing danger area between 49°41'00.0"N 128°20'00.0"W  
(See Chart No. 1, N30) and 49°28'00.0"N 127°10'00.0"W

*DFO(6201979-03)*

**16-JAN-2009** LNM/D. 20-JUN-2008

Delete legend CYD 110 49°47'00.0"N 128°04'00.0"W

*DFO(6201979-04)*

**16-JAN-2009** LNM/D. 20-JUN-2008

Delete firing danger area joining 50°00'00.0"N 129°00'00.0"W  
(See Chart No. 1, N30) 50°10'00.0"N 129°00'00.0"W  
50°08'00.0"N 128°20'00.0"W  
and 49°28'00.0"N 127°10'00.0"W

*DFO(6201979-05)*

**16-JAN-2009** LNM/D. 20-JUN-2008

Add firing danger area joining 50°00'00.0"N 129°00'00.0"W  
(See Chart No. 1, N30) 50°00'00.0"N 128°10'00.0"W  
and 49°28'00.0"N 127°10'00.0"W

*DFO(6201979-06)*

**16-JAN-2009** LNM/D. 20-JUN-2008

Add firing danger area joining 49°30'00.0"N 127°40'00.0"W  
(See Chart No. 1, N30) 49°15'00.0"N 127°40'00.0"W  
49°15'00.0"N 127°02'30.0"W  
49°24'36.0"N 127°10'12.0"W  
49°27'42.0"N 127°11'00.0"W  
49°30'00.0"N 127°14'00.0"W  
and 49°30'00.0"N 127°40'00.0"W

*DFO(6201979-07)*

**16-JAN-2009** LNM/D. 20-JUN-2008

Add legend WCFA NORTH 49°22'30.0"N 127°25'00.0"W

*DFO(6201979-08)*



### Chart no. 3000

**16-JAN-2009**

LNM/D. 20-JUN-2008

Add firing danger area joining 49°15'00.0"N 127°40'00.0"W  
(See Chart No. 1, N30) 49°00'00.0"N 127°40'00.0"W  
49°00'00.0"N 127°00'00.0"W  
49°12'18.0"N 127°00'00.0"W  
and 49°15'00.0"N 127°02'30.0"W

*DFO(6201979-09)*

**16-JAN-2009**

LNM/D. 20-JUN-2008

Add legend WCFA SOUTH 49°07'30.0"N 127°25'00.0"W

*DFO(6201979-10)*

**16-JAN-2009**

LNM/D. 20-JUN-2008

Add EXERCISE AREA WP 53°35'00.0"N 126°00'00.0"W

Surface and air firings may be conducted in any part of WP if appropriate clearances have been obtained. However, the majority of firings are carried out in two areas designated West Coast Firing Area North (WCFA North), and West Coast Firing Area South (WCFA South). Pecked lines enclose these areas. For information concerning firing operations call Tofino Traffic on Channel 74.

*DFO(6201979-11)*

#### ZONE D'EXERCISES WP

Les tirs de surface et aériens peuvent être exécutés dans n'importe quelle partie de la zone WP à condition d'avoir obtenu l'autorisation appropriée. Toutefois, la plupart des tirs sont exécutés à l'intérieur de deux zones désignées West Coast Firing Area North (WCFA North) et West Coast Firing Area South (WCFA South) où des tiretés délimitent ces zones. Pour obtenir des renseignements concernant les exercices de tir, communiquer avec Tofino Traffic par radio VHF, voie 74.

**20-JUN-2008**

LNM/D. 23-MAY-2008



**Chart no. 3000**

Add maritime limit in general joining 53°03'07.6"N 135°50'25.9"W  
(See Chart No. 1, N1.2) 53°16'20.9"N 134°59'55.4"W  
53°39'49.2"N 135°17'04.9"W  
53°39'18.0"N 135°53'46.5"W  
53°52'16.7"N 136°30'23.1"W  
53°49'19.6"N 136°47'33.1"W  
53°40'02.5"N 136°57'03.5"W  
and 53°13'59.2"N 136°10'00.0"W

*DFO(6201848-01)*

**20-JUN-2008**

Add legend Bowie Seamount Marine Protected Area/ zone de  
protection marine du mont sous-marin Bowie

LNLM/D. 23-MAY-2008

54°24'30.0"N 135°46'00.0"W

*DFO(6201848-02)*

**20-JUN-2008**

Add maritime limit in general joining 48°01'00.0"N 129°08'00.0"W  
(See Chart No. 1, N1.2) 48°01'00.0"N 129°02'00.0"W  
47°54'00.0"N 129°02'00.0"W  
and 47°54'00.0"N 129°08'00.0"W

LNLM/D. 23-MAY-2008

*DFO(6201849-01)*

**20-JUN-2008**

Add legend Endeavour Hydrothermal Vents Marine Protected Area  
/zone de protection marine du champ hydrothermal Endeavour

LNLM/D. 23-MAY-2008

48°06'00.0"N 129°05'00.0"W

*DFO(6201849-02)*

**23-MAY-2008**

Delete light  
(See Chart No. 1, P1)

LNLM/D. 21-DEC-2007

47°40'50.3"N 124°29'01.2"W

*(USCG:USLNM13 16/08) DFO(6201840-01)*

**21-DEC-2007**

Delete depth of 8 fathoms  
(See Chart No.1, I10)

LNLM/D. 14-DEC-2007

53°18'54.0"N 135°39'54.0"W

*(USCG:USLNM17 46/07) DFO(6201796-01)*

**21-DEC-2007**

LNLM/D. 14-DEC-2007





**Chart no. 3000**

Add depth of 14 fathoms 53°17'58.4"N 135°39'02.2"W  
(See Chart No.1, I10)  
(USCG:USLNM17 46/07) DFO(6201796-02)

**14-DEC-2007** LNM/D. 23-NOV-2007  
Delete non-dangerous wreck, depth unknown and legend Repd 1989 50°51'48.6"N 128°11'43.1"W  
PA  
(See Chart No.1, K29) DFO(6201787-01)

This notice affects Electronic Navigational Chart: CA370109

**23-NOV-2007** LNM/D. 28-SEP-2007  
Reposition yellow ODAS/SADO lighted super-buoy Fl(4) from 47°24'48.0"N 124°32'00.0"W  
Y, marked 46041 to 47°19'42.0"N 124°43'35.0"W  
(See Chart No.1, Q58)  
(USCG:USLNM13 42/07) DFO(6201778-01)

**28-SEP-2007** LNM/D. 18-MAY-2007  
Delete light 47°18'30.0"N 124°16'00.0"W  
(See Chart No. 1 P1)  
DFO(6201712-01)

**28-SEP-2007** LNM/D. 18-MAY-2007  
Delete circular (non-directional) marine or aeromarine radiobeacon 46°53'45.0"N 124°06'30.0"W  
against light  
(See Chart No. 1 S10) DFO(6201712-02)

**28-SEP-2007** LNM/D. 18-MAY-2007  
Delete light and circular (non-directional) marine or aeromarine 46°44'00.0"N 124°04'30.0"W  
radiobeacon against light  
(See Chart No. 1 P1 and S10) DFO(6201712-03)

**18-MAY-2007** LNM/D. 26-AUG-2005  
Add yellow ODAS/SADO lighted super-buoy Fl (4) Y 20s, marked 48°29'00.0"N 129°22'00.0"W  
46419  
(see Chart No. 1 Q58) (NOS:8/07) DFO(6201678-01)



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 3000

**26-AUG-2005**

Delete yellow ODAS/SADO light buoy, Fl (4) Y marked  
46089

LNM/D. 29-JUL-2005

47°52'53.4"N 125°45'58.7"W

*(USCG:USLNM13 27/05) DFO(6201295-01)*

**29-JUL-2005**

Add legend Chem/Chim 48°11'00.0"N 127°20'00.0"W

LNM/D. 31-DEC-2004

*DFO(6201271-01)*

**31-DEC-2004**

Add yellow ODAS/SADO light buoy, Fl (4) Y, marked  
46089

LNM/D. 14-FEB-2003

47°52'53.4"N 125°45'58.7"W

*(USCG:USLNM13 46/04) DFO(6201206-01)*

**14-FEB-2003**

Delete radiobeacon marked RC 52°15'42.0"N 128°43'18.0"W

LNM/D. 29-NOV-2002

*DFO(6200492-01)*

**29-NOV-2002**

Delete radiobeacon marked RC 49°22'59.0"N 126°32'38.0"W

LNM/D. 25-JAN-2002

*DFO(6200415-01)*

**29-NOV-2002**

Reposition light buoy "J" and Racon from 48°29'12.0"N 124°43'36.0"W  
to 48°29'37.0"N 125°00'00.0"W

LNM/D. 25-JAN-2002

*DFO(6200418-01)*

**25-JAN-2002**

Reposition radar transponder beacon (RACON) from 54°11'12.0"N 131°38'46.0"W  
to 54°09'40.0"N 131°39'35.2"W

LNM/D. 26-OCT-2001

*(P2001114) DFO(6201084-01)*

**26-OCT-2001**

LNM/D. 23-MAR-2001



### Chart no. 3000

Delete radiobeacon and legend RC 50°46'54.0"N 128°25'30.0"W

*(P2001108) LL(66) DFO(6201085-01)*

#### 23-MAR-2001

LN/D. 09-MAR-2001

(P)Delete firing danger area limit

joining 49°49'54.0"N 129°00'00.0"W

This information will be incorporated in the next  
New Edition of this chart.

49°41'00.0"N 128°20'00.0"W  
and 50°08'00.0"N 128°20'00.0"W

With this notification, the preliminary action dated  
23-MAR-2001 is now cancelled for this chart. This  
action has now been made permanent. See reference  
DFO(6201086) in this edition.  
Cancelled on 30-NOV-01

*DFO(6201014-01)*

#### 23-MAR-2001

LN/D. 09-MAR-2001

(P)Delete legend CYD 111

49°57'00.0"N 128°40'00.0"W

This information will be incorporated in the next New  
Edition of this chart.

*DFO(6201014-02)*

With this notification, the preliminary action dated 23-  
MAR-2001 is now cancelled for this chart. This action has  
now been made permanent. See reference DFO(6201086) in  
this edition.  
Cancelled on 16-JAN-09

#### 23-MAR-2001

LN/D. 09-MAR-2001

(P)Delete firing danger area limit

between 49°41'00.0"N 128°20'00.0"W

This information will be incorporated in the next  
New Edition of this chart.

and 49°28'00.0"N 127°10'00.0"W

With this notification, the preliminary action dated  
23-MAR-2001 is now cancelled for this chart. This  
action has now been made permanent. See  
reference DFO(6201086) in this edition.  
Cancelled on 16-JAN-09

*DFO(6201014-03)*

#### 23-MAR-2001

LN/D. 09-MAR-2001

(P)Delete legend CYD 110

49°47'00.0"N 128°04'00.0"W

This information will be incorporated in the next New  
Edition of this chart.

*DFO(6201014-04)*

With this notification, the preliminary action dated 23-  
MAR-2001 is now cancelled for this chart. This action has  
now been made permanent. See reference DFO(6201086) in  
this edition.  
Cancelled on 16-JAN-09



**Chart no. 3000**

**23-MAR-2001**

LN/D. 09-MAR-2001

(P)Add firing danger area limit

joining 49°30'00.0"N 127°40'00.0"W

This information will be incorporated in the next New Edition of this chart.

49°15'00.0"N 127°40'00.0"W

With this notification, the preliminary action dated 23-MAR-2001 is now cancelled for this chart. This action has now been made permanent. See reference DFO(6201086) in this edition.

49°15'00.0"N 127°02'30.0"W

49°24'36.0"N 127°10'12.0"W

49°27'42.0"N 127°11'00.0"W

and 49°30'00.0"N 127°14'00.0"W

Cancelled on 16-JAN-09

*DFO(6201014-05)*

**23-MAR-2001**

LN/D. 09-MAR-2001

(P)Add legend WCFA North

49°22'30.0"N 127°25'00.0"W

This information will be incorporated in the next New Edition of this chart.

*DFO(6201014-06)*

With this notification, the preliminary action dated 23-MAR-2001 is now cancelled for this chart. This action has now been made permanent. See reference DFO(6201086) in this edition.

Cancelled on 16-JAN-09

**23-MAR-2001**

LN/D. 09-MAR-2001

(P)Add firing danger area limit

joining 49°15'00.0"N 127°40'00.0"W

This information will be incorporated in the next New Edition of this chart.

49°00'00.0"N 127°40'00.0"W

With this notification, the preliminary action dated 23-MAR-2001 is now cancelled for this chart. This action has now been made permanent. See reference DFO(6201086) in this edition.

49°00'00.0"N 127°00'00.0"W

49°12'18.0"N 127°00'00.0"W

and 49°15'00.0"N 127°02'30.0"W

Cancelled on 16-JAN-09

*DFO(6201014-07)*

**23-MAR-2001**

LN/D. 09-MAR-2001

(P)Add legend WCFA South

49°07'30.0"N 127°25'00.0"W

This information will be incorporated in the next New Edition of this chart.

*DFO(6201014-08)*

With this notification, the preliminary action dated 23-MAR-2001 is now cancelled for this chart. This action has now been made permanent. See reference DFO(6201086) in this edition.

Cancelled on 16-JAN-09

**23-MAR-2001**

LN/D. 09-MAR-2001



**Chart no. 3000**

(P)Add note

52°30'00.0"N 125°15'00.0"W

**EXERCISE AREA WP**

Surface and air firings may be conducted in any part of WP if appropriate clearances have been obtained. However, the majority of firings are carried out in two areas designated West Coast Firing Area North (WCFA North), and West Coast Firing Area South (WCFA South). Pecked lines enclose these areas. For information concerning firing operations call Tofino Traffic on VHF Channel 74.

*DFO(6201014-09)*

**ZONE D'EXERCICES WP**

Les tirs de surface et aériens peuvent être exécutés dans n'importe quelle partie de la zone WP à condition d'avoir obtenu l'autorisation appropriée. Toutefois, la plupart des tirs sont exécutés à l'intérieur de deux zones désignées West Coast Firing Area North (WCFA North) et West Coast Firing Area South (WCFA South) où des tiretés délimitent ces zones. Pour obtenir des renseignements concernant les exercices de tir, communiquer avec Tofino Traffic par radio VHF, voie 74. This information will be incorporated in the next New Edition of this chart.

With this notification, the preliminary action dated 23-MAR-2001 is now cancelled for this chart. This action has now been made permanent. See reference DFO(6201086) in this edition.

Cancelled on 16-JAN-09

**09-MAR-2001**

LNМ/D. 03-NOV-2000

Reposition yellow ODAS/SADO light buoy Fl(5)Y marked 46004

from 50°58'00.0"N 135°48'12.0"W  
to 50°55'49.8"N 136°05'43.2"W

*(CCG-P00-214) LL(807.17) DFO(6200989-01)*

**03-NOV-2000**

LNМ/D. 28-APR-2000



**Chart no. 3000**

(P)Add submarine cable

Notice (P)03-Nov-2000 is cancelled by a new permanent notice. See reference DFO(6202642-01) appearing in this edition.  
Cancelled on 07-DEC-12

joining 48°25'23.6"N 124°38'59.9"W  
48°26'26.8"N 124°49'14.8"W  
48°23'50.7"N 124°56'28.3"W  
48°22'46.2"N 125°03'18.9"W  
48°22'37.4"N 125°09'16.4"W  
48°21'08.9"N 125°21'10.8"W  
48°19'24.1"N 125°31'36.2"W  
48°18'46.9"N 125°32'42.3"W  
48°17'49.3"N 125°39'51.2"W  
48°18'02.4"N 125°41'00.0"W  
48°16'12.3"N 125°51'00.5"W  
48°15'20.2"N 125°53'36.3"W  
48°10'55.5"N 126°00'53.1"W  
48°06'11.5"N 126°04'15.4"W  
48°00'00.0"N 126°04'15.4"W  
47°49'43.7"N 126°06'24.4"W  
47°45'33.5"N 126°03'51.2"W  
47°35'02.4"N 126°05'00.6"W  
47°27'00.2"N 126°10'03.1"W  
47°21'59.7"N 126°11'33.5"W  
and 46°20'00.0"N 126°15'03.0"W

*DFO(6200938-01)*

**28-APR-2000**

LNM/D. 07-APR-2000



**Chart no. 3000**

(P)Add submarine cable

Notice (P) 28-Apr-2000 is cancelled by a new permanent notice. See reference DFO(6202641-01) appearing in this edition.  
Cancelled on 07-DEC-12

joining 48°26'27.6"N 124°41'44.5"W  
48°26'48.5"N 124°49'04.3"W  
48°23'39.4"N 124°58'33.2"W  
48°24'03.2"N 125°04'51.7"W  
48°22'43.6"N 125°15'07.6"W  
48°22'39.2"N 125°17'43.0"W  
48°21'31.5"N 125°21'24.2"W  
48°21'05.9"N 125°24'40.5"W  
48°21'11.9"N 125°27'32.0"W  
48°19'22.2"N 125°41'28.9"W  
48°17'56.3"N 125°48'17.0"W  
48°15'52.7"N 126°03'06.0"W  
48°16'12.3"N 126°06'28.9"W  
48°14'53.9"N 126°12'16.2"W  
48°12'38.3"N 126°28'58.0"W  
48°07'57.5"N 126°55'35.9"W  
48°08'30.9"N 127°05'00.0"W  
48°45'48.9"N 128°57'11.2"W  
48°51'09.0"N 129°16'43.4"W  
48°56'19.1"N 129°30'18.8"W  
49°10'15.7"N 130°33'45.5"W  
49°16'19.0"N 130°41'48.7"W  
49°19'27.0"N 130°49'00.9"W  
49°23'53.0"N 131°11'32.4"W  
49°30'38.5"N 131°29'47.3"W  
49°38'00.1"N 131°59'59.8"W  
49°49'24.0"N 132°52'15.6"W  
49°53'51.1"N 133°18'59.9"W  
49°57'40.6"N 133°25'00.0"W  
50°00'55.3"N 133°42'18.6"W  
50°07'30.2"N 134°09'59.8"W  
50°24'27.6"N 135°52'37.0"W  
50°35'50.8"N 136°52'24.0"W  
and 50°51'27.7"N 139°00'00.0"W

*DFO(6200680-01)*

**07-APR-2000**

LNМ/D. 31-DEC-1999

Delete light

54°17'39.7"N 130°52'44.3"W

*(CCG-P00-006) LL(752) DFO(6200341-01)*