



### Chart no. 3001

## 3001 - Vancouver Island / Île de Vancouver, Juan de Fuca Strait to/à Queen Charlotte Sound - New Edition - 23-FEB-2001 - NAD 1927

#### 02-DEC-2022

LNLM/D. 16-SEP-2022

Add subsurface Ocean Data Acquisition system (ODAS) with known depth of 22 fathoms (See Chart 1, L25)

51°07'37.7"N 129°28'25.1"W

This notice affects Electronic Navigational Chart: CA370165

*DFO(6204672-01)*

#### 02-DEC-2022

LNLM/D. 16-SEP-2022

Add subsurface Ocean Data Acquisition system (ODAS) with known depth of 22 fathoms (See Chart 1, L25)

50°27'50.9"N 129°28'39.5"W

*DFO(6204672-02)*

#### 16-SEP-2022

LNLM/D. 04-MAR-2022

Add private yellow ODAS/SADO lighted super-buoy Fl (5) Y (See Chart No. 1, Q58)

49°00'07.6"N 125°42'07.2"W

This notice affects Electronic Navigational Chart: CA370203

*DFO(6204639-01)*

#### 04-MAR-2022

LNLM/D. 08-OCT-2021

Add yellow ODAS/SADO lighted super-buoy Fl (5) Y 20s marked priv (See Chart No. 1, Q58)

49°11'27.0"N 127°37'10.2"W

This notice affects Electronic Navigational Chart: CA270389, CA370208

*DFO(6204534-01)*

#### 04-MAR-2022

LNLM/D. 08-OCT-2021

Delete obstruction with known depth of 19 fathoms, marked ODAS/SADO

49°17'19.0"N 126°36'12.7"W

(See Chart No. 1, K41)

This notice affects Electronic Navigational Chart: CA270389, CA370208

*DFO(6204541-01)*

#### 04-MAR-2022

LNLM/D. 08-OCT-2021

Delete obstruction with known depth of 49 fathoms, marked ODAS/SADO

49°15'59.4"N 126°34'27.0"W

(See Chart No. 1, K41)

This notice affects Electronic Navigational Chart: CA270389, CA370208

*DFO(6204541-02)*

#### 04-MAR-2022

LNLM/D. 08-OCT-2021



**Chart no. 3001**

Add submarine cable joining 48°46'13.5"N 125°17'33.7"W  
(See Chart No. 1, L30.1) 48°45'34.6"N 125°25'14.7"W  
48°41'05.1"N 125°51'06.4"W  
48°28'59.6"N 126°10'58.7"W  
48°24'56.8"N 126°21'45.4"W  
48°21'44.9"N 126°28'35.6"W  
48°15'30.4"N 126°38'25.6"W  
48°11'02.4"N 126°52'22.0"W  
48°04'25.5"N 126°59'05.8"W  
and 47°59'00.6"N 127°26'58.5"W

*DFO(6204547-02)*

**08-OCT-2021**

Delete Wilson Creek  
This notice affects Electronic Navigational Chart: CA270389,  
CA370382

LNM/D. 16-JUL-2021  
49°26'36.0"N 123°41'20.0"W

*DFO(6204490-02)*

**08-OCT-2021**

Add ts'ukw'um  
This notice affects Electronic Navigational Chart: CA270389,  
CA370381

LNM/D. 16-JUL-2021  
49°26'36.0"N 123°40'20.0"W

*DFO(6204490-04)*

**16-JUL-2021**

Add subsurface Ocean Data Acquisition system ODAS with known  
depth of 1131 fathoms (See Chart No. 1, L25)

LNM/D. 23-APR-2021  
48°15'09.7"N 126°26'31.6"W

*DFO(6204438-04)*

**16-JUL-2021**

Add subsurface Ocean Data Acquisition system ODAS with known  
depth of 1131 fathoms (See Chart No. 1, L25)

LNM/D. 23-APR-2021  
48°16'34.9"N 126°24'27.2"W

*DFO(6204438-05)*

**16-JUL-2021**

Add subsurface Ocean Data Acquisition system ODAS with known  
depth of 1132 fathoms (See Chart No. 1, L25)

LNM/D. 23-APR-2021  
48°17'02.3"N 126°27'17.2"W

*DFO(6204438-06)*

**23-APR-2021**

LNM/D. 06-NOV-2020



### Chart no. 3001

Delete yellow ODAS/SADO lighted pillar buoy Fl (5) Y 20s, marked 49°00'11.0"N 125°42'10.6"W  
Priv (See Chart No. 1, Q58)  
This notice affects Electronic Navigational Chart: CA270389, *DFO(6204432-01)*  
CA370203

#### 06-NOV-2020

LNLM/D. 03-APR-2020

Reposition yellow ODAS/SADO lighted pillar buoy Fl (5) Y, from 49°44'18.5"N 127°55'52.3"W  
marked 46132 to 49°46'32.2"N 127°53'14.7"W  
(See Chart No. 1, Q58)  
This notice affects Electronic Navigational *(P2020039) LL(87.5) DFO(6204348-01)*  
Chart: CA270389, CA370424

#### 06-NOV-2020

LNLM/D. 03-APR-2020

Amend yellow ODAS/SADO lighted pillar buoy Fl (5) Y, marked 46132 49°46'32.2"N 127°53'14.7"W  
to read yellow ODAS/SADO lighted pillar buoy Fl (5) Y 20s,  
marked 46132 *DFO(6204348-02)*  
(See Chart No. 1, Q58)  
This notice affects Electronic Navigational Chart: CA270389,  
CA370424

#### 03-APR-2020

LNLM/D. 03-JAN-2020

Add subsurface Ocean Data Acquisition system ODAS/SADO with 48°43'24.4"N 126°51'24.8"W  
known depth of 764 fathoms  
(See Chart No. 1, L25) *DFO(6204255-01)*  
This notice affects Electronic Navigational Chart: CA270389

#### 03-APR-2020

LNLM/D. 03-JAN-2020

Add subsurface Ocean Data Acquisition system ODAS/SADO with 48°43'07.2"N 126°49'28.7"W  
known depth of 767 fathoms  
(See Chart No. 1, L25) *DFO(6204255-03)*  
This notice affects Electronic Navigational Chart: CA370203

#### 03-APR-2020

LNLM/D. 03-JAN-2020

Add subsurface Ocean Data Acquisition system ODAS/SADO with 48°32'04.7"N 127°09'33.0"W  
known depth of 1404 fathoms (See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA270389 *DFO(6204255-04)*

#### 03-APR-2020

LNLM/D. 03-JAN-2020



### Chart no. 3001

Add subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 1397 fathoms (See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA270389

48°34'19.0"N 127°08'12.0"W  
*DFO(6204255-05)*

#### 03-APR-2020

Add subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 1400 fathoms (See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA270389

LNLM/D. 03-JAN-2020  
48°33'58.7"N 127°11'46.5"W  
*DFO(6204255-06)*

#### 03-APR-2020

Add subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 1210 fathoms (See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA270389,  
CA370208

LNLM/D. 03-JAN-2020  
48°50'58.3"N 127°29'51.7"W  
*DFO(6204255-07)*

#### 03-APR-2020

Add subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 1194 fathoms (See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA370208

LNLM/D. 03-JAN-2020  
48°51'56.7"N 127°27'00.8"W  
*DFO(6204255-08)*

#### 03-APR-2020

Add subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 1241 fathoms (See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA270389,  
CA370208

LNLM/D. 03-JAN-2020  
48°49'25.4"N 127°27'11.0"W  
*DFO(6204255-09)*

#### 03-APR-2020

Add subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 1110 fathoms(See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA270389,  
CA370208

LNLM/D. 03-JAN-2020  
48°57'21.7"N 127°16'03.5"W  
*DFO(6204255-10)*

#### 03-APR-2020

Add subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 1120 fathoms (See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA270389,  
CA370208

LNLM/D. 03-JAN-2020  
48°58'53.8"N 127°14'50.8"W  
*DFO(6204255-11)*

#### 03-APR-2020

LNLM/D. 03-JAN-2020



**Chart no. 3001**

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 1113 fathoms (See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA270389, CA370208

48°57'21.6"N 127°13'10.2"W  
*DFO(6204255-12)*

**03-APR-2020**

LNM/D. 03-JAN-2020

Reposition yellow ODAS/SADO lighted pillar buoy Fl (5) Y20s, marked Priv (See Chart No. 1, Q58)  
This notice affects Electronic Navigational Chart: CA270389, CA370203

from 48°57'31.0"N 125°36'47.0"W  
to 49°00'10.8"N 125°42'11.9"W  
*(P2020007) LL(134.5) DFO(6204268-01)*

**03-APR-2020**

LNM/D. 03-JAN-2020

Add VOLUNTARY TANKER EXCLUSION ZONE

50°32'00.0"N 124°00'00.0"W

The Pacific States/British Columbia Oil Spill Task Force endorses voluntary measures and minimum distances from shore for certain commercial vessels transiting the West Coast. For additional information, see Sailing Directions, PAC 200.

*DFO(6204274-03)*

**ZONE D'EXCLUSION VOLONTAIRE DES PÉTROLIERS**

Le groupe de travail sur les déversements d'hydrocarbures des États du Pacifique /de la Colombie- Britannique approuve des mesures volontaires et des distances minimales par rapport à la côte pour certains navires commerciaux transitant sur la côte ouest. Pour plus de renseignements, consulter les Instructions nautiques, PAC 200.

This notice affects Electronic Navigational Chart: CA270389

**03-JAN-2020**

LNM/D. 20-SEP-2019

Reposition yellow ODAS/SADO lighted pillar buoy Fl (4) Y 20s, marked 46419 (See Chart No. 1, Q58)  
This notice affects Electronic Navigational Chart: CA270389

from 48°46'00.0"N 129°37'50.0"W  
to 48°47'49.0"N 129°36'18.0"W  
*(USCG:District 13 40/19) DFO(6204226-01)*

**03-JAN-2020**

LNM/D. 20-SEP-2019



### Chart no. 3001

Add obstruction with known depth of 19 fathoms, marked  
ODAS/SADO  
(See Chart No. 1, K41)  
This notice affects Electronic Navigational Chart: CA270389,  
CA370208

49°17'19.7"N 126°36'07.4"W  
*DFO(6204229-01)*

**03-JAN-2020** LNM/D. 20-SEP-2019  
Add obstruction with known depth of 49 fathoms, marked  
ODAS/SADO  
(See Chart No. 1, K41)  
This notice affects Electronic Navigational Chart: CA270389,  
CA370208

49°16'00.1"N 126°34'21.7"W  
*DFO(6204229-02)*

**20-SEP-2019** LNM/D. 05-APR-2019  
Replace Harwood I with Ahgykson I  
This notice affects Electronic Navigational Chart: CA270389,  
CA370016

49°51'40.0"N 124°42'13.0"W  
*DFO(6204121-05)*

**05-APR-2019** LNM/D. 15-FEB-2019  
Replace Toquart Bay with Toquaht Bay  
This notice affects Electronic Navigational Chart: CA270389

49°01'36.6"N 125°22'35.8"W  
*DFO(6203996-02)*

**05-APR-2019** LNM/D. 15-FEB-2019  
Add obstruction with known depth of 733 fathoms, and legend  
"Unexploded ordnance / Explosifs non-éclatés"  
(See Chart No. 1, K41)  
This notice affects Electronic Navigational Chart: CA270389,  
CA370203

48°44'06.2"N 126°47'12.3"W  
*DFO(6203998-01)*

**05-APR-2019** LNM/D. 15-FEB-2019  
Delete depth of 735 fathoms 48°43'59.8"N 126°47'09.5"W  
(See Chart No. 1, I10)  
*DFO(6203998-02)*

**15-FEB-2019** LNM/D. 28-SEP-2018  
Delete depth of 1788 fathoms  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA270389

50°07'24.9"N 129°35'59.0"W  
*DFO(6203950-01)*



### Chart no. 3001

<b>15-FEB-2019</b>	LN/D. 28-SEP-2018
Add depth of 859 fathoms (See Chart No. 1, I10)	50°07'27.4"N 129°35'38.9"W
This notice affects Electronic Navigational Chart: CA270389	<i>DFO(6203950-02)</i>
<b>15-FEB-2019</b>	LN/D. 28-SEP-2018
Delete depth of 307 fathoms (See Chart No. 1, I10)	48°45'29.4"N 127°09'17.2"W
This notice affects Electronic Navigational Chart: CA270389	<i>DFO(6203950-03)</i>
<b>15-FEB-2019</b>	LN/D. 28-SEP-2018
Delete depth of 379 fathoms (See Chart No. 1, I10)	48°44'23.6"N 126°56'14.7"W
This notice affects Electronic Navigational Chart: CA270389	<i>DFO(6203950-04)</i>
<b>15-FEB-2019</b>	LN/D. 28-SEP-2018
Delete depth of 312 fathoms (See Chart No. 1, I10)	48°43'59.7"N 126°47'13.9"W
This notice affects Electronic Navigational Chart: CA270389	<i>DFO(6203950-05)</i>
<b>15-FEB-2019</b>	LN/D. 28-SEP-2018
Delete depth of 222 fathoms (See Chart No. 1, I10)	48°43'25.6"N 126°40'40.3"W
This notice affects Electronic Navigational Chart: CA270389	<i>DFO(6203950-06)</i>
<b>15-FEB-2019</b>	LN/D. 28-SEP-2018
Add depth of 694 fathoms (See Chart No. 1, I10)	48°43'24.0"N 126°40'41.8"W
This notice affects Electronic Navigational Chart: CA270389	<i>DFO(6203950-07)</i>
<b>15-FEB-2019</b>	LN/D. 28-SEP-2018
Add depth of 1108 fathoms (See Chart No. 1, I10)	48°45'29.0"N 127°09'20.3"W
This notice affects Electronic Navigational Chart: CA270389	<i>DFO(6203950-08)</i>
<b>15-FEB-2019</b>	LN/D. 28-SEP-2018





### Chart no. 3001

Add depth of 735 fathoms 48°43'59.2"N 126°47'14.3"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA270389 *DFO(6203950-09)*

**15-FEB-2019** LNM/D. 28-SEP-2018  
Add depth of 792 fathoms 48°44'23.8"N 126°56'14.3"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA270389 *DFO(6203950-10)*

**28-SEP-2018** LNM/D. 14-SEP-2018  
Add submarine cable joining 48°25'24.0"N 128°28'28.0"W  
(See Chart No. 1, L30.1) 48°26'54.0"N 128°30'12.0"W  
This notice affects Electronic Navigational Chart: 48°28'01.0"N 128°33'47.0"W  
CA270389 48°27'13.0"N 128°37'36.0"W  
and 48°27'20.0"N 128°41'09.0"W  
*DFO(6203903-01)*

**28-SEP-2018** LNM/D. 14-SEP-2018  
Add obstruction with known depth of 1323 fathoms, marked 48°27'20.0"N 128°41'09.0"W  
ODAS/SADO  
(See Chart No. 1, K41) *DFO(6203903-02)*  
This notice affects Electronic Navigational Chart: CA270389

**14-SEP-2018** LNM/D. 01-JUN-2018  
Affix patch 48°30'00.0"N 126°15'00.0"W  
[PDF](#)  
This notice affects Electronic Navigational Chart: CA270389 *DFO(6203835-01)*

**01-JUN-2018** LNM/D. 02-MAR-2018  
Add firing practice area with label W-237-C joining 47°59'00.0"N 126°15'00.0"W  
(See Chart No. 1, N30) 48°08'59.0"N 126°15'00.0"W  
48°08'59.0"N 125°56'05.0"W  
and 47°59'00.0"N 125°52'25.0"W  
*DFO(6203788-08)*

**01-JUN-2018** LNM/D. 02-MAR-2018





### Chart no. 3001

Add firing practice area with label W-237-F joining 47°59'00.0"N 127°50'29.0"W  
(See Chart No. 1, N30) 48°08'59.0"N 127°54'44.0"W  
48°08'59.0"N 126°15'00.0"W  
and 47°59'00.0"N 126°15'00.0"W

*DFO(6203788-09)*

#### 01-JUN-2018

LNM/D. 02-MAR-2018

Add firing practice area with label W-237-H joining 47°59'00.0"N 129°44'15.0"W  
(See Chart No. 1, N30) 48°21'02.0"N 130°00'00.0"W  
48°20'00.0"N 128°00'00.0"W  
and 47°59'00.0"N 127°50'29.0"W

*DFO(6203788-10)*

#### 01-JUN-2018

LNM/D. 02-MAR-2018

Add firing practice area with label W-237-E joining 48°29'37.0"N 125°09'01.0"W  
(See Chart No. 1, N30) 48°20'00.0"N 128°00'00.0"W  
48°08'59.0"N 127°54'44.0"W  
48°08'59.0"N 125°05'00.0"W  
and 48°29'37.0"N 125°09'01.0"W

*DFO(6203788-11)*

#### 02-MAR-2018

LNM/D. 23-FEB-2018

Amend Fl to read Fl R against light  
(See Chart No. 1, P1)

50°40'15.2"N 128°21'07.8"W

This notice affects Electronic Navigational Chart:  
CA370165

*(P2017101) LL(67) DFO(6203616-01)*

#### 23-FEB-2018

LNM/D. 24-NOV-2017

Amend Fl 5s182ft22M to read Fl 5s182ft19M against light  
(See Chart No. 1, P1)

48°36'42.4"N 124°45'04.8"W

This notice affects Electronic Navigational Chart: CA270389

*LL(180) DFO(6203624-02)*

#### 23-FEB-2018

LNM/D. 24-NOV-2017

Amend Fl(2) 7.5s154ft17M to read Fl(2) 7.5s154ft14M against light  
(See Chart No. 1, P1)

48°43'20.8"N 125°05'45.9"W

This notice affects Electronic Navigational Chart: CA270389

*LL(178) DFO(6203624-03)*

#### 24-NOV-2017

LNM/D. 27-OCT-2017



**Chart no. 3001**

Amend Fl R 15M with Racon to read Fl R 16M with Racon against light (See Chart No. 1, P1,S3.1) This notice affects Electronic Navigational Chart: CA270084, CA470307	50°58'32.5"N 127°43'28.3"W  LL(576) DFO(6203576-01)
--	---

<b>27-OCT-2017</b>	LNM/D. 21-APR-2017
Amend Fl (2) 20s 165ft 14M to read Fl (2) 20s 115ft 14M against light (See chart No. 1 ,P1) This notice affects Electronic Navigational Chart: CA270389	48°23'40.0"N 124°44'07.0"W  (P2017062) LL(181) DFO(6203561-01)

<b>21-APR-2017</b>	LNM/D. 30-SEP-2016
Add restricted area with label "Hecate Strait and Queen Charlotte Sound Glass Sponge Reefs Marine Protected Area/Zone de protection marine des récifs d'éponges siliceuses du détroit d'Hécate et du bassin de la Reine-Charlotte" (See Chart No. 1, N2.1)  This notice affects Electronic Navigational Chart: CA270084, CA370165	joining 51°20'00.0"N 128°42'14.6"W 51°18'32.5"N 128°40'35.6"W 51°14'57.6"N 128°47'01.2"W 51°14'33.9"N 128°55'45.5"W 51°17'42.3"N 129°00'29.0"W 51°19'24.5"N 129°00'53.6"W and 51°20'00.0"N 128°59'36.9"W  DFO(6203461-03)

<b>30-SEP-2016</b>	LNM/D. 23-SEP-2016
Amend yellow pillar buoy with AIS and Racon, marked J Fl Y to read J Fl 2½s Y (See Chart No. 1, Q23) This notice affects Electronic Navigational Chart: CA270389	48°29'36.8"N 125°00'00.0"W  DFO(6203361-01)

<b>30-SEP-2016</b>	LNM/D. 23-SEP-2016
Add whistle to yellow pillar buoy with AIS and Racon, marked J Fl 2½s Y (See Chart No. 1,R15) This notice affects Electronic Navigational Chart: CA270389	48°29'36.8"N 125°00'00.0"W  DFO(6203361-02)

<b>23-SEP-2016</b>	LNM/D. 22-JUL-2016
Add obstruction with known depth of 719 fathoms (See Chart No. 1, K41) This notice affects Electronic Navigational Chart: CA270389	48°41'59.5"N 126°52'20.3"W  DFO(6203355-01)



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 3001

**23-SEP-2016**

Add submarine cable

This notice affects Electronic Navigational Chart:  
CA270389

LNМ/D. 22-JUL-2016

joining 48°46'35.8"N 125°15'43.5"W  
48°36'41.4"N 125°15'25.8"W  
48°26'52.5"N 126°01'25.4"W  
48°20'45.2"N 126°09'36.6"W  
and 47°59'00.0"N 126°50'02.3"W

*DFO(6203355-03)*

**23-SEP-2016**

Add submarine cable

This notice affects Electronic Navigational Chart:  
CA270389

LNМ/D. 22-JUL-2016

joining 48°47'11.6"N 125°16'08.5"W  
48°42'00.6"N 125°50'10.4"W  
48°48'49.6"N 126°20'39.6"W  
48°46'39.0"N 126°42'42.9"W  
48°34'39.4"N 127°10'36.9"W  
48°33'08.9"N 127°53'40.7"W  
48°28'02.1"N 128°26'58.8"W  
48°08'38.3"N 128°36'13.1"W  
and 47°59'00.0"N 128°54'54.9"W

*DFO(6203355-04)*

**22-JUL-2016**

LNМ/D. 01-JAN-2016



### Chart no. 3001

Replace EXERCISE AREA WP ZONE D'EXERCICES WP  
With

49°52'30.0"N 122°54'00.0"W

*DFO(6203306-06)*

#### EXERCISE AREA WP

Surface and air firings may be conducted in any part of WP if appropriate clearances have been obtained. However, the majority of firings are carried out in two areas designated West Coast Firing Area North (WCFA North), and West Coast Firing Area South (WCFA South). Pecked lines enclose these areas. For information concerning firing operations call Prince Rupert Traffic on VHF, Channel 74.

#### ZONE D'EXERCICES WP

Les tirs de surface et aériens peuvent être exécutés dans n'importe quelle partie de la zone WP à condition d'avoir obtenu l'autorisation appropriée. Toutefois, la plupart des tirs sont exécutés à l'intérieur de deux zones désignées West Coast Firing Area North (WCFA North) et West Coast Firing Area South (WCFA South) où des tiretés délimitent ces zones. Pour obtenir des renseignements concernant les exercices de tir, communiquer avec Prince Rupert Traffic par radio VHF, voie 74.

This notice affects Electronic Navigational Chart: CA270389

#### 01-JAN-2016

LNМ/D. 27-FEB-2015

Add Automatic Identification System Transmitter to yellow pillar buoy, marked J Fl Y  
(See Chart No. 1, S17.2)

48°29'36.8"N 125°00'00.0"W

*LL(PAC180.8) DFO(6203168-01)*

This notice affects Electronic Navigational Chart: CA270389

#### 27-FEB-2015

LNМ/D. 16-JAN-2015

Add obstruction, depth unknown  
(See Chart No. 1, K40)

48°20'45.3"N 126°09'28.8"W

This notice affects Electronic Navigational Chart: CA270389

*DFO(6202967-01)*

#### 16-JAN-2015

LNМ/D. 02-JAN-2015



### Chart no. 3001

Delete radio reporting line  
(See Chart No. 1, M40.2)  
This notice affects Electronic Navigational Chart:  
CA270389

joining 48°00'00.0"N 124°41'00.0"W  
48°00'00.0"N 127°00'00.0"W  
48°32'00.0"N 127°00'00.0"W  
50°13'00.0"N 129°55'00.0"W  
50°52'00.0"N 129°05'00.0"W  
and 50°47'00.0"N 128°26'00.0"W

*DFO(6202943-01)*

#### 16-JAN-2015

Delete note

50M

This notice affects Electronic Navigational Chart: CA270389

LNМ/D. 02-JAN-2015

48°37'00.0"N 127°04'00.0"W

*DFO(6202943-02)*

#### 16-JAN-2015

Delete note

CALL TOFINO TRAFFIC ON VHF CHANNEL 74 / CONTACTER  
TOFINO TRAFFIC SUR LA VOIE VHF 74

This notice affects Electronic Navigational Chart: CA270389

LNМ/D. 02-JAN-2015

49°25'00.0"N 128°35'00.0"W

*DFO(6202943-03)*

#### 16-JAN-2015

Delete note

50M

This notice affects Electronic Navigational Chart: CA270389

LNМ/D. 02-JAN-2015

50°13'00.0"N 129°52'00.0"W

*DFO(6202943-04)*

#### 02-JAN-2015

Reposition red and white ODAS/SADO lighted buoy Fl (4) Y 20s, marked 46419 from 48°48'01.0"N 129°35'56.0"W  
to 48°45'59.0"N 129°37'57.0"W

(See Chart No. 1, Q58)

This notice affects Electronic Navigational Chart:  
CA270389

LNМ/D. 06-JUN-2014

*DFO(6202937-01)*

#### 02-JAN-2015

Amend red and white ODAS/SADO lighted buoy Fl (4) Y 20s, marked 46419 to read yellow ODAS/SADO lighted buoy Fl (4) Y 20s, marked 46419

(see Chart No. 1 Q58)

This notice affects Electronic Navigational Chart: CA270389

LNМ/D. 06-JUN-2014

48°45'59.0"N 129°37'57.0"W

*DFO(6202937-02)*



### Chart no. 3001

#### 06-JUN-2014

LNМ/D. 07-MAR-2014

Add obstruction, depth unknown, marked Mooring/Amarrage 48°25'38.5"N 126°10'27.0"W  
(See Chart No. 1, K40)

This notice affects Electronic Navigational Chart: CA270389 *DFO(6202843-02)*

#### 07-MAR-2014

LNМ/D. 07-FEB-2014

Add obstruction, least depth known 13 fathoms marked 48°31'46.0"N 126°12'16.0"W  
Mooring/Amarrage

(See Chart No. 1, K41) *DFO(6202808-02)*

This notice affects Electronic Navigational Chart: CA270389

#### 07-FEB-2014

LNМ/D. 26-JUL-2013

Add out of position yellow ODAS/SADO lighted buoy Fl (5) 48°57'26.7"N 125°36'53.4"W  
Y 20s, marked priv (See Chart No. 1, Q58,Qa)

This notice affects Electronic Navigational Chart: (P2013039) LL(134.5) *DFO(6202769-01)*  
CA270389, CA370203

#### 26-JUL-2013

LNМ/D. 19-JUL-2013

Add out of position yellow ODAS/SADO lighted Fl (5) Y 48°53'06.0"N 125°38'06.0"W  
20s, marked priv

(See Chart No. 1, Q58, Qa) (P2013015) LL(136.7) *DFO(6202716-01)*

This notice affects Electronic Navigational Chart:  
CA270389

#### 19-JUL-2013

LNМ/D. 24-DEC-2010

Add out of position yellow ODAS/SADO lighted Fl (5) Y 49°21'09.3"N 126°36'32.5"W  
20s, marked priv

(See Chart No. 1, Q58, Qa) (P2013014) LL(114.5) *DFO(6202715-01)*

This notice affects Electronic Navigational Chart:  
CA270389, CA370208

#### 24-DEC-2010

LNМ/D. 20-AUG-2010

Add wreck least depth known of 75 fathoms 48°16'45.3"N 125°41'23.6"W  
(See Chart No. 1, K26)

*DFO(6202383-01)*

This notice affects Electronic Navigational Chart: CA270389,  
CA370203

#### 20-AUG-2010

LNМ/D. 23-OCT-2009



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 3001

Delete depth of 6 fathoms marked ED  
(See Chart No. 1, I10 and I1)

48°07'49.7"N 124°47'12.3"W

*(USCG:USLNM13 27/10) DFO(6202290-01)*

This notice affects Electronic Navigational  
Chart: CA270389, CA370144

#### **23-OCT-2009**

LNM/D. 18-SEP-2009

Delete light FLR  
(See Chart No. 1, P1)

48°31'53.2"N 124°27'28.8"W

*(P2006209) DFO(6202145-01)*

#### **18-SEP-2009**

LNM/D. 19-JUN-2009

Add radar transponder beacon against light Fl R 15M  
(See Chart No. 1, S3.3)

50°58'32.9"N 127°43'34.9"W

*(P2009073) LL(576) DFO(6202100-01)*

This notice affects Electronic Navigational Chart:  
CA370109, CA470307

#### **19-JUN-2009**

LNM/D. 12-JUN-2009

Delete yellow ODAS/SADO lighted buoy Fl (4) Y 20s, marked  
46419  
(See Chart No. 1, Q58)

48°29'00.0"N 129°22'00.0"W

*(USCG:USLNM13) DFO(6202075-01)*

#### **19-JUN-2009**

LNM/D. 12-JUN-2009

Add red and white ODAS/SADO lighted buoy Fl (4) Y 20s, marked  
46419  
(See Chart No. 1, Q58)

48°48'00.0"N 129°36'00.0"W

*DFO(6202075-02)*

#### **12-JUN-2009**

LNM/D. 09-JAN-2009

Delete yellow ODAS/SADO lighted buoy, Fl (5) Y marked Priv  
(See Chart No. 1, Q58)

49°03'10.7"N 126°06'03.7"W

*DFO(6202063-01)*

This notice affects Electronic Navigational Chart: CA370208

#### **09-JAN-2009**

LNM/D. 26-DEC-2008





Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 3001

Delete firing danger area joining 50°00'00.0"N 129°00'00.0"W  
(See Chart No. 1, N30) 50°10'00.0"N 129°00'00.0"W  
and 49°30'00.0"N 127°14'00.0"W

*DFO(6201973-01)*

### 09-JAN-2009

LNM/D. 26-DEC-2008

Add firing danger area joining 50°00'00.0"N 129°00'00.0"W  
(See Chart No. 1, N30) 50°00'00.0"N 128°10'00.0"W  
and 49°30'00.0"N 127°14'00.0"W

*DFO(6201973-02)*

### 26-DEC-2008

LNM/D. 20-JUN-2008

Amend Fl(2) 20s 165ft 18M to read Fl(2) 20s 165ft  
14M against light

48°23'30.2"N 124°44'07.4"W

*(USCG:USLNM13 47/08) DFO(6201967-01)*

This notice affects Electronic Navigational  
Chart: CA370144

### 20-JUN-2008

LNM/D. 13-JUN-2008

Add maritime limit in general joining 48°01'00.0"N 129°08'00.0"W  
(See Chart No. 1, N1.2) 48°01'00.0"N 129°02'00.0"W  
47°59'00.0"N 129°02'00.0"W  
and 47°59'00.0"N 129°08'00.0"W

*DFO(6201849-01)*

### 20-JUN-2008

LNM/D. 13-JUN-2008

Add legend Endeavour Hydrothermal Vents Marine Protected Area/  
zone de protection marine du champ hydrothermal Endeavour

48°04'00.0"N 129°05'00.0"W

*DFO(6201849-02)*

### 13-JUN-2008

LNM/D. 08-FEB-2008

Amend Fl WR to read Fl against light

48°23'06.4"N 124°35'54.4"W

*(USCG:USLNM13 19/08) DFO(6201853-02)*

This notice affects Electronic Navigational  
Chart: CA370144



### Chart no. 3001

#### 08-FEB-2008

Add yellow ODAS/SADO lighted buoy Fl (5) Y, marked Priv  
(See Chart No.1, Q58)

LNМ/D. 14-DEC-2007  
49°03'10.7"N 126°06'03.7"W

*DFO(6201803-01)*

This notice affects Electronic Navigational Chart: CA370208

#### 14-DEC-2007

Delete non-dangerous wreck, depth unknown and legend Rep (1989)  
PA  
(See Chart No.1, K29)

LNМ/D. 18-MAY-2007  
50°51'48.6"N 128°11'43.1"W

*DFO(6201787-01)*

This notice affects Electronic Navigational Chart: CA370109

#### 18-MAY-2007

Add yellow ODAS/SADO lighted super-buoy Fl (4) Y 20s, marked  
46419  
(see Chart No. 1 Q58)

LNМ/D. 11-AUG-2006  
48°29'00.0"N 129°22'00.0"W  
*(NOS:8/07) DFO(6201678-01)*

#### 11-AUG-2006

Delete light sectors, white from 311° to 097°, red from 097°  
to 182°  
(see Chart No. 1 P40)

LNМ/D. 23-JUN-2006  
48°47'11.9"N 125°12'51.0"W  
*(P2006105) LL(176) DFO(6201493-01)*

This notice affects Electronic Navigational Chart:  
CA370203, CA470338

#### 11-AUG-2006

Amend FFl WR 5s 167ft 12M to read Fl 5s 167ft 16M  
against light

LNМ/D. 23-JUN-2006  
48°47'11.9"N 125°12'51.0"W  
*(P2006105) LL(176) DFO(6201493-02)*

This notice affects Electronic Navigational Chart:  
CA370203, CA470338

#### 23-JUN-2006

LNМ/D. 18-NOV-2005



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 3001

Delete light Fl  
(see Chart No. 1 P1)

49°08'13.9"N 125°58'31.4"W

*(P2006075) LL(126.5) DFO(6201450-01)*

This notice affects Electronic Navigational Chart:  
CA470333

#### 18-NOV-2005

LNM/D. 29-JUL-2005

Delete yellow ODAS/SADO light buoy, Fl Y, marked Priv 49°18'42.0"N 127°42'52.0"W

*DFO(6201330-01)*

#### 29-JUL-2005

LNM/D. 18-FEB-2005

Add legend Chem/Chim 48°14'00.0"N 127°04'00.0"W

*DFO(6201271-01)*

#### 18-FEB-2005

LNM/D. 16-JUL-2004

Delete Fog Sig

48°23'30.0"N 124°44'12.0"W

*(USCG:USLNM13 01/05) LL(181) DFO(6201213-01)*

#### 16-JUL-2004

LNM/D. 09-JUL-2004

Amend Iso WR to read Fl WR

48°23'06.0"N 124°35'59.0"W

*(NGA:USCG 13 22/04) DFO(6201108-02)*

#### 09-JUL-2004

LNM/D. 27-JUN-2003

Add yellow ODAS/SADO light buoy, Fl Y, marked Priv 49°18'42.0"N 127°42'52.0"W

*DFO(6201105-01)*

#### 27-JUN-2003

LNM/D. 02-MAY-2003

Amend Fl 10s 115ft 23M to read Fl 10s 115ft 17M 49°06'38.2"N 125°55'19.4"W

*DFO(6200571-01)*

#### 02-MAY-2003

LNM/D. 29-NOV-2002



**Chart no. 3001**

Delete Fog Sig                    50°46'57.2"N 128°25'32.8"W

*(P2003026) LL(66) DFO(6200535-01)*

**02-MAY-2003**                    LNM/D. 29-NOV-2002

Delete Fog Sig                    51°14'54.3"N 127°49'55.7"W

*(P2003031) LL(579) DFO(6200535-02)*

**02-MAY-2003**                    LNM/D. 29-NOV-2002

Delete Fog Sig                    50°26'29.0"N 128°01'51.0"W

*(P2003025) LL(68) DFO(6200535-03)*

**02-MAY-2003**                    LNM/D. 29-NOV-2002

Delete Fog Sig                    49°59'52.8"N 127°26'51.8"W

*(P2003023) LL(78) DFO(6200535-04)*

**02-MAY-2003**                    LNM/D. 29-NOV-2002

Delete Fog Sig                    49°35'34.1"N 126°36'50.6"W

*(P2003022) LL(105) DFO(6200535-05)*

**02-MAY-2003**                    LNM/D. 29-NOV-2002

Delete Fog Sig                    49°22'59.3"N 126°32'33.7"W

*(P2003024) LL(114) DFO(6200535-06)*

**02-MAY-2003**                    LNM/D. 29-NOV-2002

Delete Fog Sig                    49°06'38.1"N 125°55'19.9"W

*(P2003021) LL(134) DFO(6200535-07)*

**02-MAY-2003**                    LNM/D. 29-NOV-2002

Delete Fog Sig                    48°47'12.0"N 125°12'50.8"W

*(P2003029) LL(176) DFO(6200535-08)*



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 3001

**02-MAY-2003**

LNM/D. 29-NOV-2002

Delete Fog Sig

48°43'20.8"N 125°05'45.9"W

*(P2003027) LL(178) DFO(6200535-09)*

**02-MAY-2003**

LNM/D. 29-NOV-2002

Delete Fog Sig

48°36'43.0"N 124°45'00.0"W

*(P2003028) LL(180) DFO(6200535-10)*

This notice affects Electronic Navigational Chart:  
CA370144

**29-NOV-2002**

LNM/D. 22-FEB-2002

Delete radiobeacon marked RC 49°22'59.0"N 126°32'38.0"W

*DFO(6200415-01)*

**29-NOV-2002**

LNM/D. 22-FEB-2002

Delete red sector from light

48°23'30.0"N 124°44'12.0"W

The light and structure remain.

*DFO(6200417-01)*

**29-NOV-2002**

LNM/D. 22-FEB-2002

Amend Fl(2) WR 20s 165ft 14M to read Fl(2) 20s 165ft 18M 48°23'30.0"N 124°44'12.0"W

*DFO(6200417-02)*

**29-NOV-2002**

LNM/D. 22-FEB-2002

Reposition yellow light buoy "J" and Racon from 48°29'12.0"N 124°43'36.0"W  
to 48°29'37.0"N 125°00'00.0"W

*DFO(6200418-01)*

**22-FEB-2002**

LNM/D. 26-OCT-2001

Add obstruction and legend " Unexploded Ordnance/Explosifs non-  
éclatés"

48°19'24.8"N 125°41'12.3"W

*DFO(6200009-01)*

**22-FEB-2002**

LNM/D. 26-OCT-2001



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 3001

Add obstruction and legend " Unexploded Ordnance/Explosifs non-  
éclatés"

48°16'06.4"N 126°06'13.5"W

*DFO(6200009-02)*

#### **26-OCT-2001**

LNM/D. 07-SEP-2001

Delete radiobeacon and legend RC

50°46'52.0"N 128°25'30.0"W

*(P2001108) LL(66) DFO(6201085-01)*

#### **07-SEP-2001**

LNM/D. 24-AUG-2001

Delete radiobeacon marked RC

48°08'24.6"N 123°24'05.0"W

*(NGA:USCG13 28/01) DFO(6201061-01)*

#### **24-AUG-2001**

LNM/D. 25-MAY-2001

Amend F Fl 12s 101ft 17M to read Fl 12s 101ft 18M against  
light

49°35'34.2"N 126°36'50.1"W

*(P2001085) LL(105) DFO(6201051-01)*

#### **25-MAY-2001**

Amend FW FlR 10s 86ft 13M to read FlR 15M

50°58'32.8"N 127°43'35.9"W

*(P2001034P) LL(576) DFO(6201024-01)*