



### Chart no. 3443

#### 3443 - Thetis Island to/à Nanaimo - New Edition - 20-DEC-2002 - NAD 1983

##### 10-MAR-2023

LNLM/D. 03-MAR-2023

Add submarine cable  
(See Chart 1, L30.1)  
This notice affects Electronic Navigational Chart:  
CA470756

joining 49°13'26.3"N 123°50'07.6"W  
49°13'00.9"N 123°50'39.5"W  
49°12'53.5"N 123°51'04.1"W  
49°12'37.1"N 123°51'12.9"W  
49°12'32.0"N 123°51'23.3"W  
49°12'10.3"N 123°52'19.5"W  
49°12'03.5"N 123°52'27.3"W  
49°11'36.5"N 123°52'56.7"W  
49°11'31.0"N 123°52'57.1"W  
49°10'39.4"N 123°51'53.7"W  
and 49°10'20.6"N 123°51'52.2"W

*DFO(6204711-04)*

##### 03-MAR-2023

LNLM/D. 28-OCT-2022

Add ferry route  
(See Chart 1, M50)  
This notice affects Electronic Navigational Chart:  
CA470070, CA570188

between 48°58'46.5"N 123°40'47.5"W  
and 48°58'49.2"N 123°40'43.3"W

*DFO(6204710-01)*

##### 03-MAR-2023

LNLM/D. 28-OCT-2022

Reposition recommended anchorage  
(See Chart 1, N10)

from 48°58'40.5"N 123°40'55.2"W  
to 48°58'32.4"N 123°41'08.9"W

This notice affects Electronic Navigational Chart:  
CA470070

*DFO(6204710-02)*

##### 03-MAR-2023

LNLM/D. 28-OCT-2022

Add ferry route  
(See Chart 1, M50)  
This notice affects Electronic Navigational Chart:  
CA470070, CA570188

between 48°58'39.4"N 123°40'47.0"W  
and 48°58'47.7"N 123°40'45.8"W

*DFO(6204710-04)*

##### 28-OCT-2022

LNLM/D. 26-AUG-2022

Add subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 238 metres (See Chart 1, L25)  
This notice affects Electronic Navigational Chart: CA470070

48°58'47.5"N 123°24'13.3"W

*DFO(6204660-07)*

##### 26-AUG-2022

LNLM/D. 15-JUL-2022



### Chart no. 3443

Delete depth of 1.5 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570383	49°12'40.2"N 123°53'06.7"W  <i>DFO(6204633-04)</i>
<b>26-AUG-2022</b> Add depth of 1.1 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470756, CA570383	LNLM/D. 15-JUL-2022 49°12'40.2"N 123°53'06.1"W  <i>DFO(6204633-07)</i>
<b>15-JUL-2022</b> Add private yellow ODAS/SADO lighted super-buoy Fl (5) Y (See Chart No. 1, Q58) This notice affects Electronic Navigational Chart: CA470070, CA570154	LNLM/D. 08-JUL-2022 48°58'00.4"N 123°45'41.2"W  <i>DFO(6204612-02)</i>
<b>15-JUL-2022</b> Add private yellow ODAS/SADO lighted super-buoy Fl (5) Y (See Chart No. 1, Q58) This notice affects Electronic Navigational Chart: CA470070, CA570156	LNLM/D. 08-JUL-2022 49°06'42.9"N 123°47'25.2"W  <i>DFO(6204612-03)</i>
<b>15-JUL-2022</b> Add private yellow ODAS/SADO lighted super-buoy Fl (5) Y (See Chart No. 1, Q58) This notice affects Electronic Navigational Chart: CA470070, CA570188	LNLM/D. 08-JUL-2022 48°57'41.2"N 123°37'24.7"W  <i>DFO(6204612-05)</i>
<b>08-JUL-2022</b> Delete depth of 1.5 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470070	LNLM/D. 17-JUN-2022 49°08'09.6"N 123°47'08.2"W  <i>DFO(6204613-04)</i>
<b>08-JUL-2022</b> Add depth of 1.3 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470070, CA570156	LNLM/D. 17-JUN-2022 49°08'10.0"N 123°47'12.5"W  <i>DFO(6204613-05)</i>



### Chart no. 3443

**08-JUL-2022**

LN/D. 17-JUN-2022

Delete depth of 1.2 metres  
(See Chart No. 1, I10)

49°08'04.8"N 123°47'01.9"W

This notice affects Electronic Navigational Chart: CA470070

*DFO(6204613-07)*

**08-JUL-2022**

LN/D. 17-JUN-2022

Add depth of 0.6 metre  
(See Chart No. 1, I10)

49°08'05.7"N 123°47'05.5"W

This notice affects Electronic Navigational Chart: CA470070,  
CA570156

*DFO(6204613-08)*

**08-JUL-2022**

LN/D. 17-JUN-2022

Delete depth of 6.4 metres  
(See Chart No. 1, I10)

49°09'31.3"N 123°41'56.3"W

This notice affects Electronic Navigational Chart: CA470070

*DFO(6204618-04)*

**08-JUL-2022**

LN/D. 17-JUN-2022

Add rock which covers and uncovers with drying height of 1.6 metres  
(See Chart No. 1, K11)

49°09'31.0"N 123°41'53.8"W

This notice affects Electronic Navigational Chart: CA470070

*DFO(6204618-05)*

**08-JUL-2022**

LN/D. 17-JUN-2022

Delete depth of 1.1 metres  
(See Chart No. 1, I10)

49°07'57.8"N 123°40'42.7"W

This notice affects Electronic Navigational Chart: CA470070

*DFO(6204618-12)*

**08-JUL-2022**

LN/D. 17-JUN-2022

Add depth of 0.7 metre  
(See Chart No. 1, I10)

49°07'57.9"N 123°40'42.4"W

This notice affects Electronic Navigational Chart: CA470070,  
CA570156

*DFO(6204618-13)*

**08-JUL-2022**

LN/D. 17-JUN-2022

Delete depth of 0.3 metre  
(See Chart No. 1, I10)

49°06'26.7"N 123°39'53.4"W

This notice affects Electronic Navigational Chart: CA470070

*DFO(6204618-14)*

**08-JUL-2022**

LN/D. 17-JUN-2022



### Chart no. 3443

Add rock which covers and uncovers with drying height of 3.5 metres 49°06'27.3"N 123°39'55.5"W  
(See Chart No. 1, K11)

This notice affects Electronic Navigational Chart: CA470070

*DFO(6204618-15)*

#### 17-JUN-2022

LN/D. 01-APR-2022

Delete depth of 3.8 metres

49°10'43.3"N 123°54'43.2"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA470756

*DFO(6204614-13)*

#### 17-JUN-2022

LN/D. 01-APR-2022

Add depth of 1.1 metres

49°10'44.3"N 123°54'43.3"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA470756

*DFO(6204614-14)*

#### 01-APR-2022

LN/D. 21-JAN-2022

Add wreck, least depth unknown

49°07'53.4"N 123°36'44.4"W

(See Chart No. 1, K29)

This notice affects Electronic Navigational Chart: CA470070

*DFO(6204532-01)*

#### 21-JAN-2022

LN/D. 10-SEP-2021

Delete depth of 13.7 metres

49°04'22.9"N 123°41'29.9"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA470070

*DFO(6204526-01)*

#### 21-JAN-2022

LN/D. 10-SEP-2021

Add depth of 0.6 metre

49°04'22.9"N 123°41'31.1"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA470070

*DFO(6204526-02)*

#### 10-SEP-2021

LN/D. 19-MAR-2021

Add wreck WK with known depth of 51 metres (See Chart No. 1, K26) 48°57'35.2"N 123°28'33.7"W

This notice affects Electronic Navigational Chart: CA470070

*DFO(6204481-01)*

#### 10-SEP-2021

LN/D. 19-MAR-2021

Delete depth of 2.4 metres (See Chart No. 1, I10)

49°05'16.1"N 123°47'24.6"W

This notice affects Electronic Navigational Chart: CA470070

*DFO(6204482-01)*



### Chart no. 3443

**10-SEP-2021**

LN/D. 19-MAR-2021

Add depth of 0.9 metre (See Chart No. 1, I10)

49°05'17.0"N 123°47'25.2"W

This notice affects Electronic Navigational Chart: CA470070

*DFO(6204482-02)*

**10-SEP-2021**

LN/D. 19-MAR-2021

Add depth of 3.1 metres (See Chart No. 1, I10)

49°02'59.5"N 123°45'08.4"W

This notice affects Electronic Navigational Chart: CA470070

*DFO(6204482-03)*

**10-SEP-2021**

LN/D. 19-MAR-2021

Add depth of 1.3 metres (See Chart No. 1, I10)

49°04'53.0"N 123°47'01.4"W

This notice affects Electronic Navigational Chart: CA470070

*DFO(6204482-04)*

**10-SEP-2021**

LN/D. 19-MAR-2021

Delete depth of 3 metres

49°04'54.7"N 123°47'02.4"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA470070

*DFO(6204482-05)*

**10-SEP-2021**

LN/D. 19-MAR-2021

Add wreck, least depth unknown

49°01'06.4"N 123°42'03.2"W

(See Chart No. 1, K29)

This notice affects Electronic Navigational Chart: CA470070

*DFO(6204483-01)*

**10-SEP-2021**

LN/D. 19-MAR-2021

Add rock awash at chart datum (See Chart No. 1, K12)

49°01'17.6"N 123°42'08.1"W

This notice affects Electronic Navigational Chart: CA470070

*DFO(6204483-02)*

**10-SEP-2021**

LN/D. 19-MAR-2021

Add depth of 4.5 metres (See Chart No. 1, I10)

49°03'21.7"N 123°43'09.9"W

This notice affects Electronic Navigational Chart: CA470070

*DFO(6204484-01)*

**10-SEP-2021**

LN/D. 19-MAR-2021



### Chart no. 3443

Add depth of 3.7 metres (See Chart No. 1, I10)

49°03'11.5"N 123°42'40.1"W

This notice affects Electronic Navigational Chart: CA470070

*DFO(6204484-02)*

#### 19-MAR-2021

LNМ/D. 05-FEB-2021

Reposition anchor berth marked 2 amend to read A (see Chart No. 1, N11.1)

from 48°58'42.3"N 123°47'19.4"W  
to 48°58'48.0"N 123°47'12.0"W

This notice affects Electronic Navigational Chart:  
CA470070, CA570154

*DFO(6204415-01)*

#### 19-MAR-2021

LNМ/D. 05-FEB-2021

Reposition anchor berth marked 3 amend to read B (see Chart No. 1, N11.1)

from 48°58'36.0"N 123°46'27.2"W  
to 48°58'30.0"N 123°46'24.0"W

This notice affects Electronic Navigational Chart:  
CA470070, CA570154

*DFO(6204415-02)*

#### 19-MAR-2021

LNМ/D. 05-FEB-2021

Reposition anchor berth marked 4 amend to read C (see Chart No. 1, N11.1)

from 48°58'38.0"N 123°45'31.0"W  
to 48°58'24.0"N 123°45'20.4"W

This notice affects Electronic Navigational Chart:  
CA470070, CA570154

*DFO(6204415-03)*

#### 19-MAR-2021

LNМ/D. 05-FEB-2021

Reposition anchor berth marked 5 amend to read D (see Chart No. 1, N11.1)

from 48°57'44.6"N 123°44'57.8"W  
to 48°57'54.0"N 123°44'28.8"W

This notice affects Electronic Navigational Chart:  
CA470070

*DFO(6204415-04)*

#### 19-MAR-2021

LNМ/D. 05-FEB-2021

Reposition anchor berth marked 6 amend to read E (see Chart No. 1, N11.1)

from 48°57'25.0"N 123°44'24.3"W  
to 48°57'16.8"N 123°43'48.0"W

This notice affects Electronic Navigational Chart:  
CA470070

*DFO(6204415-05)*

#### 05-FEB-2021

LNМ/D. 11-DEC-2020



**Chart no. 3443**

Delete depth of 6.7 metres (See Chart No. 1, I10) 48°58'38.5"N 123°34'06.5"W  
This notice affects Electronic Navigational Chart: CA470070

*DFO(6204410-01)*

**05-FEB-2021**

LNM/D. 11-DEC-2020

Add depth of 2.3 metres (See Chart No. 1, I10) 48°58'38.1"N 123°34'05.8"W  
This notice affects Electronic Navigational Chart: CA470070

*DFO(6204410-02)*

**11-DEC-2020**

LNM/D. 13-NOV-2020

Add submarine cable joining 49°10'12.8"N 123°56'12.6"W  
(See Chart No. 1, L30.1) 49°10'13.9"N 123°56'05.1"W  
This notice affects Electronic Navigational Chart: 49°10'32.1"N 123°55'24.8"W  
CA470756, CA570383 and 49°10'37.5"N 123°55'24.8"W

*DFO(6204404-03)*

**13-NOV-2020**

LNM/D. 21-AUG-2020

Add depth of 0.6 metre 49°01'41.2"N 123°41'51.7"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA470070

*DFO(6204386-01)*

**13-NOV-2020**

LNM/D. 21-AUG-2020

Delete depth of 2.1 metres 49°01'42.9"N 123°41'48.7"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA470070

*DFO(6204386-02)*

**13-NOV-2020**

LNM/D. 21-AUG-2020

Add depth of 1.3 metres 49°03'07.5"N 123°42'49.8"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA470070

*DFO(6204387-01)*

**21-AUG-2020**

LNM/D. 31-JUL-2020

Reposition anchor berth marked NA3 from 49°11'00.0"N 123°54'16.0"W  
(See Chart No. 1, N11.1) to 49°11'00.0"N 123°53'58.8"W

This notice affects Electronic Navigational Chart:  
CA470756, CA570383

*DFO(6204347-01)*



### Chart no. 3443

#### 31-JUL-2020

Add label Aband to spoil ground

This notice affects Electronic Navigational Chart: CA370145,  
CA470070

LNМ/D. 20-MAR-2020

49°07'56.6"N 123°32'12.8"W

*DFO(6204210-02)*

#### 20-MAR-2020

Amend vertical clearance of 37 metres, to read 45 metres  
(See Chart No. 1, D22)

This notice affects Electronic Navigational Chart: CA470070

LNМ/D. 10-JAN-2020

49°07'54.8"N 123°49'04.3"W

*DFO(6204231-07)*

#### 20-MAR-2020

Add depth of 0.3 metre

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA470070,  
CA570156

LNМ/D. 10-JAN-2020

49°05'04.0"N 123°42'16.9"W

*DFO(6204276-01)*

#### 20-MAR-2020

Add rock which covers and uncovers with drying height of 0.1 metre  
(See Chart No. 1, K11)

This notice affects Electronic Navigational Chart: CA470070,  
CA570156

LNМ/D. 10-JAN-2020

49°06'09.7"N 123°44'14.7"W

*DFO(6204276-02)*

#### 20-MAR-2020

Delete depth of 2.1 metres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA470070

LNМ/D. 10-JAN-2020

49°05'06.0"N 123°42'17.0"W

*DFO(6204276-03)*

#### 20-MAR-2020

Delete depth of 0.6 metre.

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA470070

LNМ/D. 10-JAN-2020

49°06'11.4"N 123°44'15.8"W

*DFO(6204276-04)*

#### 20-MAR-2020

Add depth of 1.4 metres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA470756,  
CA570383

LNМ/D. 10-JAN-2020

49°12'00.3"N 123°55'40.0"W

*DFO(6204289-01)*





### Chart no. 3443

#### 20-MAR-2020

Add depth of 0.1 metre

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA470756,  
CA570383

LNМ/D. 10-JAN-2020

49°11'16.2"N 123°55'11.4"W

*DFO(6204289-02)*

#### 20-MAR-2020

Add depth of 4.9 metres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA470756,  
CA570383

LNМ/D. 10-JAN-2020

49°12'53.9"N 123°56'06.9"W

*DFO(6204289-03)*

#### 10-JAN-2020

Add yellow ODAS/SADO lighted pillar buoy Fl(5) Y20s

(See Chart No. 1, Q58)

This notice affects Electronic Navigational Chart: CA370145,  
CA470070

LNМ/D. 18-OCT-2019

49°01'30.0"N 123°25'48.0"W

*DFO(6204227-01)*

#### 18-OCT-2019

Reposition red starboard hand conical buoy, marked P0

(See Chart No. 1, Qf)

This notice affects Electronic Navigational Chart:  
CA470756

LNМ/D. 13-SEP-2019

from 49°12'21.9"N 123°48'54.6"W  
to 49°12'21.9"N 123°48'52.1"W

*(P2019074) DFO(6204094-01)*

#### 13-SEP-2019

Amend wreck with known depth of 10.5 metres to read 6.6 metres

(See Chart No. 1, K26)

This notice affects Electronic Navigational Chart: CA470756,  
CA570383

LNМ/D. 30-AUG-2019

49°11'54.0"N 123°56'51.5"W

*DFO(6204119-02)*

#### 13-SEP-2019

Delete depth of 3.2 metres 49°11'51.7"N 123°55'20.8"W

(See Chart No. 1, I10)

*DFO(6204119-03)*

LNМ/D. 30-AUG-2019

#### 13-SEP-2019

Add depth of 2.7 metres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA470756,  
CA570383

LNМ/D. 30-AUG-2019

49°11'52.5"N 123°55'18.1"W

*DFO(6204119-05)*



### Chart no. 3443

#### 30-AUG-2019

Delete depth of 11 metres  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA370145,  
CA470070

LNМ/D. 26-JUL-2019  
49°03'43.5"N 123°42'05.0"W  
*DFO(6204118-01)*

#### 30-AUG-2019

Add depth of 7.7 metres  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA370145,  
CA470070

LNМ/D. 26-JUL-2019  
49°03'44.7"N 123°42'09.0"W  
*DFO(6204118-02)*

#### 26-JUL-2019

Delete spoil ground  
(See Chart No. 1, N62.1)  
This notice affects Electronic Navigational Chart: CA370145,  
CA470070

LNМ/D. 05-JUL-2019  
49°00'12.8"N 123°29'52.3"W  
*DFO(6204083-03)*

#### 26-JUL-2019

Add Spoil ground/Dépôt de déblais, with radius 0.5 nautical mile  
(See Chart No. 1, N62.1)  
This notice affects Electronic Navigational Chart: CA370145,  
CA470070

LNМ/D. 05-JUL-2019  
49°00'12.0"N 123°29'54.0"W  
*DFO(6204083-04)*

#### 26-JUL-2019

Delete yellow ODAS/SADO lighted pillar Fl (5) Y  
(See Chart No. 1, Q58)  
This notice affects Electronic Navigational Chart: CA370145,  
CA470070

LNМ/D. 05-JUL-2019  
49°01'30.0"N 123°25'48.0"W  
*DFO(6204089-02)*

#### 05-JUL-2019

Delete depth of 6.7 metres  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA470070,  
CA570156

LNМ/D. 19-OCT-2018  
49°07'23.3"N 123°46'35.3"W  
*DFO(6204065-01)*

#### 05-JUL-2019

LNМ/D. 19-OCT-2018



### Chart no. 3443

Add depth of 4.6 metres  
(See Chart No. 1, I10) 49°07'23.5"N 123°46'37.2"W  
This notice affects Electronic Navigational Chart: CA470070, DFO(6204065-02)  
CA570156

**05-JUL-2019** LNM/D. 19-OCT-2018  
Add rock which covers and uncovers with drying height of 2.4 metres 49°07'08.7"N 123°46'05.6"W  
(See Chart No. 1, K11)  
This notice affects Electronic Navigational Chart: CA470070, DFO(6204065-03)  
CA570156

**05-JUL-2019** LNM/D. 19-OCT-2018  
Add rock which covers and uncovers with drying height of 4 metres 49°07'06.9"N 123°46'02.9"W  
(See Chart No. 1, K11)  
This notice affects Electronic Navigational Chart: CA470070, DFO(6204065-04)  
CA570156

**19-OCT-2018** LNM/D. 11-MAY-2018  
Add yellow ODAS/SADO lighted pillar buoy Fl (5) Y 20s 49°01'30.0"N 123°25'48.0"W  
(See Chart No. 1, Q58)  
This notice affects Electronic Navigational Chart: CA370145, DFO(6203885-02)  
CA470070

**11-MAY-2018** LNM/D. 06-APR-2018  
Replace KUPER ISLAND with PENELAKUT ISLAND 48°58'09.0"N 123°38'43.0"W  
This notice affects Electronic Navigational Chart: CA370145, DFO(6203754-01)  
CA470070, CA570188

**06-APR-2018** LNM/D. 09-MAR-2018  
Add rock which covers and uncovers with drying height of 0.4 metres 48°59'16.4"N 123°45'26.5"W  
(See Chart No. 1, K11)  
This notice affects Electronic Navigational Chart: CA470070 DFO(6203689-01)

**06-APR-2018** LNM/D. 09-MAR-2018  
Delete depth of 0.3 metres 48°59'09.5"N 123°45'01.2"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA370145, DFO(6203689-07)  
CA470070



### Chart no. 3443

**06-APR-2018** LNM/D. 09-MAR-2018  
Add rock which covers and uncovers with drying height of 0.1 metres 48°59'09.6"N 123°45'02.6"W  
(See Chart No. 1, K11)  
This notice affects Electronic Navigational Chart: CA370145, DFO(6203689-08)  
CA470070

**06-APR-2018** LNM/D. 09-MAR-2018  
Add depth of 3.7 metres 48°59'04.9"N 123°45'15.7"W  
(See Chart No. 1, I10)  
DFO(6203689-17)  
This notice affects Electronic Navigational Chart: CA470070

**06-APR-2018** LNM/D. 09-MAR-2018  
Delete depth of 8.5 metres 48°59'04.3"N 123°45'16.3"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA470070 DFO(6203689-18)

**06-APR-2018** LNM/D. 09-MAR-2018  
Add depth of 4.3 metres 48°59'00.6"N 123°45'07.7"W  
(See Chart No. 1, I10)  
DFO(6203689-21)  
This notice affects Electronic Navigational Chart: CA470070

**06-APR-2018** LNM/D. 09-MAR-2018  
Add depth of 9.5 metres 48°59'02.8"N 123°44'54.0"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA470070 DFO(6203689-22)

**09-MAR-2018** LNM/D. 14-JUL-2017  
Delete depth of 0.2 metres 49°00'30.9"N 123°35'18.2"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA470070 DFO(6203643-08)

**09-MAR-2018** LNM/D. 14-JUL-2017  
Add rock awash at chart datum 49°00'30.2"N 123°35'18.9"W  
(See Chart No. 1, K12)  
This notice affects Electronic Navigational Chart: CA470070, DFO(6203643-09)  
CA570007



### Chart no. 3443

#### 14-JUL-2017

Delete wreck marked, PA Rep(2013)  
(See Chart No. 1, K26)

This notice affects Electronic Navigational Chart: CA470070,  
CA570154

LNМ/D. 29-JUL-2016  
49°00'39.0"N 123°49'50.5"W

*DFO(6203518-06)*

#### 14-JUL-2017

Add wreck with known depth of 1 metre  
(See Chart No. 1, K26)

This notice affects Electronic Navigational Chart: CA570154

LNМ/D. 29-JUL-2016  
49°00'42.5"N 123°49'48.5"W

*DFO(6203518-07)*

#### 29-JUL-2016

Add wreck with known depth of 105 metres  
(See Chart No. 1, K26)

This notice affects Electronic Navigational Chart: CA470070,  
CA570156

LNМ/D. 08-JUL-2016  
49°09'17.5"N 123°51'37.6"W

*DFO(6203311-01)*

#### 08-JUL-2016

Add wreck with known depth of 67 metres  
(See Chart No. 1, K26)

This notice affects Electronic Navigational Chart: CA470070,  
CA570156

LNМ/D. 01-JUL-2016  
49°08'55.1"N 123°50'47.0"W

*DFO(6203300-01)*

#### 01-JUL-2016

Add depth of 0.6 metres  
(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA470070,  
CA570383

LNМ/D. 05-FEB-2016  
49°09'50.5"N 123°55'12.1"W

*DFO(6203291-02)*

#### 05-FEB-2016

Add depth of 2.8 metres  
(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA470070,  
CA570188

LNМ/D. 01-MAY-2015  
48°58'17.4"N 123°40'45.6"W

*DFO(6203180-06)*

#### 05-FEB-2016

Add depth of 3.6 metres  
(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA470070,  
CA570188

LNМ/D. 01-MAY-2015  
48°57'34.4"N 123°39'44.1"W

*DFO(6203180-08)*



### Chart no. 3443

#### 05-FEB-2016

Delete depth of 4.6 metres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA470070,  
CA570188

LNМ/D. 01-MAY-2015

48°58'19.1"N 123°40'47.3"W

*DFO(6203180-09)*

#### 05-FEB-2016

Delete depth of 9.4 metres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA470070

LNМ/D. 01-MAY-2015

48°57'34.7"N 123°39'43.9"W

*DFO(6203180-10)*

#### 01-MAY-2015

Amend vertical clearance of 23 metres, to read 26 metres

(See Chart No. 1, D20)

This notice affects Electronic Navigational Chart: CA470070

LNМ/D. 28-NOV-2014

49°08'24.0"N 123°48'27.0"W

*DFO(6202992-02)*

#### 28-NOV-2014

Reposition anchor berth marked 3 to read NA3

(see Chart No. 1, N11.1)

This notice affects Electronic Navigational Chart:  
CA470756

LNМ/D. 27-JUN-2014

from 49°11'02.4"N 123°54'06.6"W  
to 49°11'00.0"N 123°54'16.2"W

*DFO(6202913-02)*

#### 28-NOV-2014

Reposition anchor berth marked 4 to read NA4

(see Chart No. 1, N11.1)

This notice affects Electronic Navigational Chart:  
CA470756

LNМ/D. 27-JUN-2014

from 49°11'39.6"N 123°54'11.4"W  
to 49°11'34.2"N 123°54'05.4"W

*DFO(6202913-03)*

#### 28-NOV-2014

Reposition anchor berth marked 5 to read NA5

(see Chart No. 1, N11.1)

This notice affects Electronic Navigational Chart:  
CA470756

LNМ/D. 27-JUN-2014

from 49°12'10.0"N 123°54'42.6"W  
to 49°12'05.4"N 123°54'26.4"W

*DFO(6202913-05)*

#### 28-NOV-2014

Add anchor berth marked NA6

(See Chart No. 1, N11.1)

This notice affects Electronic Navigational Chart: CA470756,  
CA570383

LNМ/D. 27-JUN-2014

49°12'19.2"N 123°55'10.2"W

*DFO(6202913-06)*



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 3443

**28-NOV-2014**

LNM/D. 27-JUN-2014

Delete depth of 62 metres 49°12'04.5"N 123°54'25.0"W  
(See Chart No. 1, I10)

*DFO(6202913-07)*

**28-NOV-2014**

LNM/D. 27-JUN-2014

Amend anchor berth marked 1 to read NA1  
(See Chart No. 1, N11.1)

49°08'46.0"N 123°50'52.5"W

*DFO(6202913-12)*

This notice affects Electronic Navigational Chart: CA470070,  
CA570156

**28-NOV-2014**

LNM/D. 27-JUN-2014

Amend anchor berth marked 2 to read NA2  
(See Chart No. 1, N11.1)

49°10'25.2"N 123°54'06.0"W

*DFO(6202913-13)*

This notice affects Electronic Navigational Chart: CA470756

**27-JUN-2014**

LNM/D. 11-APR-2014

Amend bearing 254° to read 255° 49°10'09.5"N 123°54'47.0"W

*DFO(6202864-02)*

**27-JUN-2014**

LNM/D. 11-APR-2014

Amend bearing 74° to read 75° 49°10'03.0"N 123°55'20.0"W

*DFO(6202864-03)*

**11-APR-2014**

LNM/D. 22-NOV-2013

Reposition Anchor Berth marked 1 from 49°08'39.0"N 123°50'22.2"W  
to 49°08'45.6"N 123°50'52.8"W

*DFO(6202825-01)*

**22-NOV-2013**

LNM/D. 28-JUN-2013

Add wreck, least depth unknown, dangerous to surface navigation  
marked PA Rep(2013)  
(See Chart No. 1, K28)

49°00'38.8"N 123°49'50.3"W

*DFO(6202756-01)*

This notice affects Electronic Navigational Chart: CA470070,  
CA570154



**Chart no. 3443**

**28-JUN-2013**

Add anchor berth marked 1  
(See Chart No. 1, N11.1)

This notice affects Electronic Navigational Chart: CA470070,  
CA570156

LN/D. 22-JUL-2011  
49°08'45.6"N 123°50'52.8"W

*DFO(6202714-02)*

**28-JUN-2013**

Delete anchor berth marked A  
(See Chart No. 1, N11.1)

This notice affects Electronic Navigational Chart: CA470070

LN/D. 22-JUL-2011  
49°10'01.1"N 123°54'16.0"W

*DFO(6202714-03)*

**28-JUN-2013**

Delete anchor berth marked B  
(See Chart No. 1, N11.1)

This notice affects Electronic Navigational Chart: CA470756

LN/D. 22-JUL-2011  
49°10'21.2"N 123°54'00.0"W

*DFO(6202714-04)*

**28-JUN-2013**

Delete anchor berth marked C  
(See Chart No. 1, N11.1)

This notice affects Electronic Navigational Chart: CA470756

LN/D. 22-JUL-2011  
49°10'44.0"N 123°53'42.0"W

*DFO(6202714-05)*

**28-JUN-2013**

Delete anchor berth marked D  
(See Chart No. 1, N11.1)

This notice affects Electronic Navigational Chart: CA470756

LN/D. 22-JUL-2011  
49°10'43.0"N 123°54'20.0"W

*DFO(6202714-06)*

**28-JUN-2013**

Delete anchor berth marked E  
(See Chart No. 1, N11.1)

This notice affects Electronic Navigational Chart: CA470756

LN/D. 22-JUL-2011  
49°11'13.4"N 123°54'15.0"W

*DFO(6202714-07)*

**28-JUN-2013**

LN/D. 22-JUL-2011





Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 3443

Delete anchor berth marked F  
(See Chart No. 1, N11.1)

49°11'47.0"N 123°54'10.0"W

*DFO(6202714-08)*

This notice affects Electronic Navigational Chart: CA470756

### 28-JUN-2013

LNМ/D. 22-JUL-2011

Amend anchor berth marked G to read 5  
(See Chart No. 1, N11.1)

49°12'10.0"N 123°54'42.6"W

*DFO(6202714-09)*

This notice affects Electronic Navigational Chart: CA470756

### 28-JUN-2013

LNМ/D. 22-JUL-2011

Add anchor berth marked 4  
(See Chart No. 1, N11.1)

49°11'39.6"N 123°54'11.4"W

*DFO(6202714-10)*

This notice affects Electronic Navigational Chart: CA470756

### 28-JUN-2013

LNМ/D. 22-JUL-2011

Add anchor berth marked 3  
(See Chart No. 1, N11.1)

49°11'02.4"N 123°54'06.6"W

*DFO(6202714-11)*

This notice affects Electronic Navigational Chart: CA470756

### 28-JUN-2013

LNМ/D. 22-JUL-2011

Add anchor berth marked 2  
(See Chart No. 1, N11.1)

49°10'25.2"N 123°54'06.0"W

*DFO(6202714-12)*

This notice affects Electronic Navigational Chart: CA470756

### 22-JUL-2011

LNМ/D. 07-JAN-2011

Delete reported anchorage  
(See Chart No. 1, N10)

49°10'48.5"N 123°55'52.7"W

*DFO(6202455-01)*

This notice affects Electronic Navigational Chart: CA470070,  
CA570383

### 07-JAN-2011

LNМ/D. 21-AUG-2009



**Chart no. 3443**

Add submarine cable  
(See Chart No. 1, L30.1)

joining 48°58'29.6"N 123°40'56.7"W  
48°58'35.7"N 123°40'45.0"W  
and 48°58'34.9"N 123°40'32.1"W

This notice affects Electronic Navigational Chart:  
CA470070, CA570188

*DFO(6202384-01)*

**21-AUG-2009**

Delete depth of 3 metres  
(See Chart No. 1, I10)

LNМ/D. 21-DEC-2007  
49°12'45.5"N 123°53'03.8"W

*DFO(6202091-02)*

This notice affects Electronic Navigational Chart: CA470070,  
CA570383

**21-AUG-2009**

Add depth of 2.2 metres  
(See Chart No. 1, I10)

LNМ/D. 21-DEC-2007  
49°12'45.5"N 123°53'04.5"W

*DFO(6202091-03)*

This notice affects Electronic Navigational Chart: CA470070,  
CA570383

**21-DEC-2007**

Reposition red starboard hand conical buoy, marked PO

LNМ/D. 27-JUL-2007  
from 49°12'20.0"N 123°48'49.6"W  
to 49°12'21.9"N 123°48'54.7"W

This notice affects Electronic Navigational Chart:  
CA470070

*(P2007105) DFO(6201795-01)*

**27-JUL-2007**

Add submarine cable  
(see Chart No. 1 L30.1)

LNМ/D. 25-AUG-2006  
joining 49°07'22.1"N 123°22'30.8"W  
49°05'34.2"N 123°25'31.9"W  
49°04'55.4"N 123°26'08.7"W  
49°04'12.7"N 123°26'30.3"W  
49°03'23.2"N 123°26'21.3"W  
49°02'18.8"N 123°25'27.1"W  
49°01'47.2"N 123°24'38.8"W  
49°01'25.3"N 123°22'47.6"W  
and 49°01'26.0"N 123°22'30.8"W

This notice affects Electronic Navigational Chart:  
CA370145, CA470070, CA570176, CA570297

*DFO(6201697-01)*



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 3443

#### 27-JUL-2007

Add obstruction, depth unknown  
(see Chart No. 1 K40)

LNM/D. 25-AUG-2006

49°02'24.5"N 123°25'32.2"W

*DFO(6201697-02)*

This notice affects Electronic Navigational Chart: CA370145,  
CA470070

#### 25-AUG-2006

Amend vertical clearance of 27 metres, to read 23 metres  
(see Chart No. 1 D20)

LNM/D. 25-NOV-2005

49°08'23.5"N 123°48'26.5"W

*DFO(6201500-01)*

This notice affects Electronic Navigational Chart: CA470070,  
CA570156

#### 25-NOV-2005

LNM/D. 24-JUN-2005

Delete depth of 3.4 metres 49°05'05.8"N 123°43'02.0"W

*DFO(6201334-01)*

#### 25-NOV-2005

LNM/D. 24-JUN-2005

Add rock which covers and uncovers with drying height of 0.3 metres 49°05'05.0"N 123°43'00.7"W

*DFO(6201334-02)*

#### 24-JUN-2005

Add wreck WK with known depth of 10.5 metres 49°11'54.2"N 123°56'51.4"W

*DFO(6201255-01)*