



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 3479

3479 - Approaches to/Approches à Sidney - New Chart - 18-MAY-2007 - NAD 1983

17-MAR-2023

LNМ/D. 28-OCT-2022

Add yellow ODAS/SADO lighted pillar buoy Fl (5) Y, marked priv
(See Chart 1, Q58)

48°41'40.8"N 123°25'26.6"W

This notice affects Electronic Navigational Chart: CA470003,
CA570567

DFO(6204716-01)

28-OCT-2022

LNМ/D. 10-JUN-2022

Delete depth of 2.3 metres
(See Chart 1, I10)

48°39'42.8"N 123°19'46.8"W

This notice affects Electronic Navigational Chart: CA570567

DFO(6204656-01)

28-OCT-2022

LNМ/D. 10-JUN-2022

Add depth of 1.1 metres
(See Chart 1, I10)

48°39'43.0"N 123°19'47.1"W

This notice affects Electronic Navigational Chart: CA470003,
CA570567

DFO(6204656-02)

28-OCT-2022

LNМ/D. 10-JUN-2022

Delete depth of 4.6 metres
(See Chart 1, I10)

48°39'59.2"N 123°20'33.8"W

This notice affects Electronic Navigational Chart: CA570567

DFO(6204656-03)

28-OCT-2022

LNМ/D. 10-JUN-2022

Add depth of 0.4 metre
(See Chart 1, I10)

48°39'59.1"N 123°20'33.4"W

This notice affects Electronic Navigational Chart: CA570567

DFO(6204656-04)

28-OCT-2022

LNМ/D. 10-JUN-2022

Delete depth of 5 metres
(See Chart 1, I10)

48°39'46.1"N 123°20'28.8"W

This notice affects Electronic Navigational Chart: CA570567

DFO(6204656-05)

28-OCT-2022

LNМ/D. 10-JUN-2022

Add depth of 1.3 metres
(See Chart 1, I10)

48°39'45.9"N 123°20'28.1"W

This notice affects Electronic Navigational Chart: CA570567

DFO(6204656-06)



Chart no. 3479

- 28-OCT-2022** LNM/D. 10-JUN-2022
Add depth of 0.7 metre 48°36'01.6"N 123°16'03.1"W
(See Chart 1, I10)
DFO(6204656-07)
- 28-OCT-2022** LNM/D. 10-JUN-2022
Add rock which covers and uncovers with drying height of 0.2 metre 48°35'49.3"N 123°18'13.9"W
(See Chart 1, K11)
This notice affects Electronic Navigational Chart: CA570567 *DFO(6204656-08)*
- 28-OCT-2022** LNM/D. 10-JUN-2022
Add depth of 1.9 metres 48°37'02.2"N 123°18'17.4"W
(See Chart 1, I10)
This notice affects Electronic Navigational Chart: CA570567 *DFO(6204656-09)*
- 28-OCT-2022** LNM/D. 10-JUN-2022
Add depth of 1.8 metres 48°37'00.8"N 123°17'32.8"W
(See Chart 1, I10)
This notice affects Electronic Navigational Chart: CA570567 *DFO(6204656-10)*
- 28-OCT-2022** LNM/D. 10-JUN-2022
Add depth of 1.4 metres 48°36'00.4"N 123°16'11.6"W
(See Chart 1, I10)
This notice affects Electronic Navigational Chart: CA570567 *DFO(6204656-11)*
- 28-OCT-2022** LNM/D. 10-JUN-2022
Add rock which covers and uncovers with drying height of 0.3 metre 48°39'49.4"N 123°20'28.9"W
(See Chart 1, K11)
This notice affects Electronic Navigational Chart: CA570567 *DFO(6204656-12)*
- 28-OCT-2022** LNM/D. 10-JUN-2022
Add rock which covers and uncovers with drying height of 0.5 metre 48°39'55.3"N 123°20'29.2"W
(See Chart 1, K11)
This notice affects Electronic Navigational Chart: CA570567 *DFO(6204656-13)*
- 28-OCT-2022** LNM/D. 10-JUN-2022



Chart no. 3479

Add rock which covers and uncovers with drying height of 1.0 metre 48°39'57.9"N 123°20'21.7"W
(See Chart 1, K11)

This notice affects Electronic Navigational Chart: CA570567

DFO(6204656-14)

28-OCT-2022

LNM/D. 10-JUN-2022

Add depth of 1.9 metres
(See Chart 1, I10)

48°39'40.8"N 123°19'51.2"W

This notice affects Electronic Navigational Chart: CA470003,
CA570567

DFO(6204656-15)

28-OCT-2022

LNM/D. 10-JUN-2022

Add depth of 2.0 metres
(See Chart 1, I10)

48°39'46.1"N 123°19'54.2"W

This notice affects Electronic Navigational Chart: CA570567

DFO(6204656-16)

28-OCT-2022

LNM/D. 10-JUN-2022

Add rock which covers and uncovers with drying height of 0.1 metre 48°39'44.6"N 123°19'49.8"W
(See Chart 1, K11)

This notice affects Electronic Navigational Chart: CA570567

DFO(6204656-17)

10-JUN-2022

LNM/D. 20-MAY-2022

Delete depth of 4.0 metres
(See Chart No. 1, I10)

48°40'07.2"N 123°22'09.8"W

This notice affects Electronic Navigational Chart: CA570567

DFO(6204599-01)

10-JUN-2022

LNM/D. 20-MAY-2022

Add depth of 1.7 metres
(See Chart No. 1, I10)

48°40'06.7"N 123°22'08.9"W

This notice affects Electronic Navigational Chart: CA570567

DFO(6204599-02)

10-JUN-2022

LNM/D. 20-MAY-2022

Delete depth of 2.1 metres
(See Chart No. 1, I10)

48°40'53.2"N 123°23'48.7"W

This notice affects Electronic Navigational Chart: CA570567

DFO(6204599-03)

10-JUN-2022

LNM/D. 20-MAY-2022

Add depth of 0.5 metre
(See Chart No. 1, I10)

48°40'52.9"N 123°23'49.5"W

This notice affects Electronic Navigational Chart: CA570567

DFO(6204599-04)



Chart no. 3479

10-JUN-2022

LN/D. 20-MAY-2022

Delete depth of 3.5 metres

48°40'53.7"N 123°23'33.1"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA570567

DFO(6204599-05)

10-JUN-2022

LN/D. 20-MAY-2022

Add depth of 1.4 metres

48°40'53.7"N 123°23'31.8"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA570567

DFO(6204599-06)

20-MAY-2022

LN/D. 29-OCT-2021

Add marine farm limits

joining 48°36'24.6"N 123°22'01.2"W

(See Chart No. 1, K48.1)

48°36'27.3"N 123°21'54.2"W

This notice affects Electronic Navigational Chart:

48°36'18.0"N 123°21'46.1"W

CA470003, CA570567

48°36'15.3"N 123°21'53.1"W

and 48°36'24.6"N 123°22'01.2"W

DFO(6204594-01)

20-MAY-2022

LN/D. 29-OCT-2021

Add yellow cautionary lighted can buoy Fl Y, marked priv

48°36'24.6"N 123°22'01.2"W

(See Chart No. 1, Qm)

This notice affects Electronic Navigational Chart: CA570567

DFO(6204594-02)

20-MAY-2022

LN/D. 29-OCT-2021

Add yellow cautionary lighted can buoy Fl Y, marked priv

48°36'27.3"N 123°21'54.2"W

(See Chart No. 1, Qm)

This notice affects Electronic Navigational Chart: CA570567

DFO(6204594-03)

20-MAY-2022

LN/D. 29-OCT-2021

Add yellow cautionary lighted can buoy Fl Y, marked priv

48°36'18.0"N 123°21'46.1"W

(See Chart No. 1, Qm)

This notice affects Electronic Navigational Chart: CA570567

DFO(6204594-04)

20-MAY-2022

LN/D. 29-OCT-2021

Add yellow cautionary lighted can buoy Fl Y, marked priv

48°36'15.3"N 123°21'53.1"W

(See Chart No. 1, Qm)

This notice affects Electronic Navigational Chart: CA570567

DFO(6204594-05)



Chart no. 3479

20-MAY-2022

LNМ/D. 29-OCT-2021

Delete depth of 1.9 metres 48°41'18.3"N 123°24'18.5"W
(See Chart No. 1, I10)

DFO(6204596-04)

20-MAY-2022

LNМ/D. 29-OCT-2021

Add rock which covers and uncovers with drying height of 0.2 metre 48°41'17.7"N 123°24'19.1"W
(See Chart No. 1, K11)

This notice affects Electronic Navigational Chart: CA570567

DFO(6204596-05)

20-MAY-2022

LNМ/D. 29-OCT-2021

Add rock which covers and uncovers with drying height of 0.4 metre 48°41'18.7"N 123°24'14.5"W
(See Chart No. 1, K11)

This notice affects Electronic Navigational Chart: CA570567

DFO(6204596-06)

15-OCT-2021

LNМ/D. 11-JUN-2021

Add depth of 1.0 metre

48°38'18.4"N 123°19'14.1"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA470003,
CA570567

DFO(6204491-04)

15-OCT-2021

LNМ/D. 11-JUN-2021

Add depth of 1.8 metres

48°38'44.0"N 123°20'16.4"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA570567

DFO(6204491-05)

15-OCT-2021

LNМ/D. 11-JUN-2021

Add depth of 1.3 metres

48°38'44.7"N 123°20'30.6"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA570567

DFO(6204491-06)

11-JUN-2021

LNМ/D. 31-JUL-2020

Add green port hand lighted pillar buoy Fl G, marked Priv (See Chart
No. 1, Qg)

48°37'04.5"N 123°18'06.5"W

This notice affects Electronic Navigational Chart: CA570567

DFO(6204459-01)

31-JUL-2020

LNМ/D. 22-NOV-2019



Chart no. 3479

Delete spoil ground area 48°41'02.0"N 123°16'38.0"W
(See Chart No. 1, N62.1)
This notice affects Electronic Navigational Chart: CA370367, *DFO(6204210-01)*
CA470003, CA570567

16-NOV-2018 LNM/D. 03-AUG-2018
Amend Fl (2+1) G 6s6m to read Fl(2+1) G 6s7m11M 48°41'05.2"N 123°17'37.3"W
against light
(See Chart No. 1, P1) *(P2018131) LL(254.3) DFO(6203916-01)*

This notice affects Electronic Navigational Chart:
CA370367, CA470003

03-AUG-2018 LNM/D. 08-JUN-2018
Delete breakwater between 48°36'56.7"N 123°17'52.0"W
(See Chart No. 1, F4.1) and 48°36'59.6"N 123°17'55.0"W
This notice affects Electronic Navigational Chart:
CA470003, CA570567 *DFO(6203819-01)*

03-AUG-2018 LNM/D. 08-JUN-2018
Add breakwater with boulders joining 48°36'56.7"N 123°17'51.5"W
(See Chart No. 1, F4.2) 48°36'59.1"N 123°17'54.4"W
This notice affects Electronic Navigational Chart: 48°36'59.8"N 123°17'56.0"W
CA470003, CA570567 48°37'00.0"N 123°17'57.5"W
48°36'59.7"N 123°17'58.9"W
48°36'59.0"N 123°18'00.5"W
48°36'58.7"N 123°18'00.2"W
48°36'59.6"N 123°17'57.3"W
48°36'59.0"N 123°17'55.0"W
and 48°36'56.3"N 123°17'51.9"W
DFO(6203819-02)

03-AUG-2018 LNM/D. 08-JUN-2018
Add pontoon between 48°36'58.6"N 123°17'54.1"W
(See Chart No. 1, F16) and 48°36'57.8"N 123°17'56.7"W
This notice affects Electronic Navigational Chart:
CA570567 *DFO(6203819-03)*

03-AUG-2018 LNM/D. 08-JUN-2018



Chart no. 3479

Add pontoon
(See Chart No. 1, F16)
This notice affects Electronic Navigational Chart:
CA570567

joining 48°36'58.2"N 123°17'55.4"W
48°36'58.9"N 123°17'56.9"W
and 48°36'58.1"N 123°17'59.4"W

DFO(6203819-04)

03-AUG-2018 LNM/D. 08-JUN-2018

Add light Fl Y, marked Priv
(See Chart No. 1, P1)
This notice affects Electronic Navigational Chart: CA570567

48°36'58.9"N 123°18'00.3"W
DFO(6203819-05)

03-AUG-2018 LNM/D. 08-JUN-2018

Add rock which covers and uncovers with drying height of 1.5 metres
(See Chart No. 1, K11)
This notice affects Electronic Navigational Chart: CA570567

48°36'57.0"N 123°17'58.8"W
DFO(6203819-06)

03-AUG-2018 LNM/D. 08-JUN-2018

Add pile
(See Chart No. 1, F22)
This notice affects Electronic Navigational Chart: CA570567

48°36'57.6"N 123°17'57.3"W
DFO(6203819-07)

03-AUG-2018 LNM/D. 08-JUN-2018

Add pile
(See Chart No. 1, F22)
This notice affects Electronic Navigational Chart: CA570567

48°36'57.3"N 123°17'58.2"W
DFO(6203819-08)

03-AUG-2018 LNM/D. 08-JUN-2018

Add legend Piles/Pieux
This notice affects Electronic Navigational Chart: CA570567

48°36'57.0"N 123°17'57.0"W
DFO(6203819-09)

07-AUG-2015 LNM/D. 18-JUL-2014

Amend Fl GW 4s 6m to read Fl GW 4s 7m against light
(See Chart No. 1, P40.1)
This notice affects Electronic Navigational Chart: CA570567

48°39'44.4"N 123°16'25.6"W
(P2015062) LL(225) DFO(6203060-02)

18-JUL-2014 LNM/D. 28-SEP-2012



Chart no. 3479

Add obstruction with known depth of 18 metres marked
Mooring/Amarre

48°42'46.9"N 123°27'00.5"W

DFO(6202884-01)

(See Chart No. 1, K41)

This notice affects Electronic Navigational Chart: CA470003,
CA570567

02-JUL-2010

LNМ/D. 02-APR-2010

Delete beacon marked (Priv) Bns
(See Chart No. 1, Q80)

48°38'14.7"N 123°20'27.3"W

DFO(6202272-01)

This notice affects Electronic Navigational Chart: CA470003,
CA570567

02-JUL-2010

LNМ/D. 02-APR-2010

Delete beacon
(See Chart No. 1, Q80)

48°38'15.3"N 123°20'26.2"W

DFO(6202272-02)

This notice affects Electronic Navigational Chart: CA570567

02-JUL-2010

LNМ/D. 02-APR-2010

Delete measured distance
(See Chart No. 1, Q122)

between 48°38'15.3"N 123°20'26.2"W
and 48°37'48.2"N 123°21'19.9"W

DFO(6202272-03)

This notice affects Electronic Navigational Chart:
CA470003, CA570567

02-JUL-2010

LNМ/D. 02-APR-2010

Delete measured distance
(See Chart No. 1, Q122)

between 48°37'50.0"N 123°21'16.8"W
and 48°37'02.5"N 123°20'22.4"W

DFO(6202272-04)

This notice affects Electronic Navigational Chart:
CA470003, CA570567

02-JUL-2010

LNМ/D. 02-APR-2010



Chart no. 3479

Delete legend 143°-323° 1838m

48°37'19.2"N 123°20'41.7"W

DFO(6202272-05)

This notice affects Electronic Navigational Chart: CA470003,
CA570567

02-JUL-2010

LNМ/D. 02-APR-2010

Delete measured distance
(See Chart No. 1, Q122)

between 48°37'01.5"N 123°20'23.9"W
and 48°37'23.7"N 123°19'39.6"W

DFO(6202272-06)

This notice affects Electronic Navigational Chart:
CA470003, CA570567

02-JUL-2010

LNМ/D. 02-APR-2010

Delete beacon marked Priv (Bns)
(See Chart No. 1, Q80)

48°37'23.2"N 123°19'40.7"W

DFO(6202272-07)

This notice affects Electronic Navigational Chart: CA470003,
CA570567

02-JUL-2010

LNМ/D. 02-APR-2010

Delete beacon
(See Chart No. 1, Q80)

48°37'23.7"N 123°19'39.6"W

DFO(6202272-08)

This notice affects Electronic Navigational Chart: CA570567

22-AUG-2008

LNМ/D. 15-AUG-2008

Add white and orange beacon
(See Chart No. 1, Q81)

48°38'13.6"N 123°20'05.0"W

DFO(6201923-01)

This notice affects Electronic Navigational Chart: CA470003,
CA570567

22-AUG-2008

LNМ/D. 15-AUG-2008



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 3479

Add white and orange keep out pillar buoy
(See Chart No. 1, Qn)

48°38'11.0"N 123°19'58.4"W

DFO(6201923-02)

This notice affects Electronic Navigational Chart: CA470003,
CA570567

22-AUG-2008

Add white and orange keep out pillar buoy
(See Chart No. 1, Qn)

LNМ/D. 15-AUG-2008

48°38'09.3"N 123°19'54.7"W

DFO(6201923-03)

This notice affects Electronic Navigational Chart: CA470003,
CA570567

15-AUG-2008

Delete port hand daybeacon
(See Chart No. 1, Qt)

LNМ/D. 27-JUN-2008

48°39'57.4"N 123°23'31.0"W

(P2008075) DFO(6201908-01)

This notice affects Electronic Navigational Chart: CA470003,
CA570567

15-AUG-2008

Add light Fl G
(See Chart No. 1, P1)

LNМ/D. 27-JUN-2008

48°39'57.4"N 123°23'31.8"W

(P2008076) LL(230.6) DFO(6201911-01)

This notice affects Electronic Navigational Chart:
CA370367, CA470003, CA570567

27-JUN-2008

Reposition light Fl R

LNМ/D. 11-APR-2008

from 48°40'17.7"N 123°24'13.4"W
to 48°40'17.5"N 123°24'10.8"W

This notice affects Electronic Navigational Chart: *(P2008016) LL(233) DFO(6201836-01)*
CA470003, CA570575

08-FEB-2008

Delete depth of 3.7 metres 48°41'17.5"N 123°24'24.9"W
(See Chart No. 1, I10)

DFO(6201804-01)



Chart no. 3479

08-FEB-2008

Add dangerous wreck, depth unknown
(See Chart No.1, K28)

48°41'17.1"N 123°24'23.9"W

DFO(6201804-02)

This notice affects Electronic Navigational Chart: CA570572

3479 - Iroquois Passage and/et John Passage - New Chart - 18-MAY-2007 - NAD 1983

10-JUN-2022

LNM/D. 20-MAY-2022

Add depth of 0.5 metre
(See Chart No. 1, I10)

48°40'52.9"N 123°23'49.5"W

This notice affects Electronic Navigational Chart: CA570567

DFO(6204599-04)

10-JUN-2022

LNM/D. 20-MAY-2022

Add depth of 1.4 metres
(See Chart No. 1, I10)

48°40'53.7"N 123°23'31.8"W

This notice affects Electronic Navigational Chart: CA570567

DFO(6204599-06)

10-JUN-2022

LNM/D. 20-MAY-2022

Add depth of 1.5 metres
(See Chart No. 1, I10)

48°41'21.1"N 123°23'46.2"W

This notice affects Electronic Navigational Chart: CA570567

DFO(6204599-07)

20-MAY-2022

LNM/D. 29-OCT-2021

Delete depth of 2.7 metres
(See Chart No. 1, I10)

48°41'15.3"N 123°24'23.5"W

This notice affects Electronic Navigational Chart: CA570567

DFO(6204596-02)

20-MAY-2022

LNM/D. 29-OCT-2021

Add depth of 1.7 metres
(See Chart No. 1, I10)

48°41'15.7"N 123°24'24.2"W

This notice affects Electronic Navigational Chart: CA570567

DFO(6204596-03)

20-MAY-2022

LNM/D. 29-OCT-2021

Add rock which covers and uncovers with drying height of 0.2 metre
(See Chart No. 1, K11)

48°41'17.7"N 123°24'19.1"W

This notice affects Electronic Navigational Chart: CA570567

DFO(6204596-05)



Chart no. 3479

20-MAY-2022

LNLM/D. 29-OCT-2021

Add rock which covers and uncovers with drying height of 0.4 metre 48°41'18.7"N 123°24'14.5"W
(See Chart No. 1, K11)

This notice affects Electronic Navigational Chart: CA570567

DFO(6204596-06)

08-FEB-2008

Add dangerous wreck, depth unknown
(See Chart No.1, K28)

48°41'17.1"N 123°24'23.9"W

DFO(6201804-02)

This notice affects Electronic Navigational Chart: CA570572

3479 - Tsehum Harbour - New Chart - 18-MAY-2007 - NAD 1983

10-JUN-2022

LNLM/D. 20-MAY-2022

Add depth of 0.5 metre
(See Chart No. 1, I10)

48°40'52.9"N 123°23'49.5"W

This notice affects Electronic Navigational Chart: CA570567

DFO(6204599-04)

29-OCT-2021

LNLM/D. 15-OCT-2021

Add depth of 0.6 metre (See Chart No. 1, I10)

48°40'27.8"N 123°24'47.1"W

This notice affects Electronic Navigational Chart: CA570567

DFO(6204495-01)

22-NOV-2019

LNLM/D. 29-MAR-2019

Add white and orange control pillar buoy, marked priv
(See Chart No. 1, Qo)

48°40'33.2"N 123°24'46.1"W

This notice affects Electronic Navigational Chart: CA570567

DFO(6204187-01)

29-MAR-2019

LNLM/D. 16-NOV-2018

Add white and orange control pillar buoy, marked Priv
(See Chart No. 1, Qo)

48°40'15.5"N 123°24'22.9"W

This notice affects Electronic Navigational Chart: CA570567

DFO(6204012-01)

29-MAR-2019

LNLM/D. 16-NOV-2018

Add white and orange control pillar buoy, marked Priv
(See Chart No. 1, Qo)

48°40'14.3"N 123°24'27.6"W

This notice affects Electronic Navigational Chart: CA570567

DFO(6204012-02)



Chart no. 3479

16-NOV-2018

Amend Starboard hand daybeacon to read starboard hand
daybeacon, marked Priv

(See chart No. 1, Qt)

This notice affects Electronic Navigational Chart: CA570567

LNМ/D. 03-AUG-2018

48°40'13.3"N 123°24'44.2"W

(P2018115) DFO(6203875-01)

16-NOV-2018

Amend port hand daybeacon to read port hand daybeacon, marked
Priv

(See Chart No. 1, Qt)

This notice affects Electronic Navigational Chart: CA570567

LNМ/D. 03-AUG-2018

48°40'13.0"N 123°24'43.0"W

(P2018116) DFO(6203875-02)

16-NOV-2018

Amend port hand daybeacon to read port hand daybeacon, marked
Priv

(See Chart No. 1, Qt)

This notice affects Electronic Navigational Chart: CA570567

LNМ/D. 03-AUG-2018

48°40'08.1"N 123°24'44.7"W

(P2018119) DFO(6203875-03)

16-NOV-2018

Amend port hand daybeacon to read port hand daybeacon, marked
Priv

(See Chart No. 1, Qt)

This notice affects Electronic Navigational Chart: CA570567

LNМ/D. 03-AUG-2018

48°40'10.3"N 123°24'45.0"W

(P2018118) DFO(6203875-04)

08-JUN-2018

Add dangerous wreck, mast visible

(See Chart No. 1, K25)

This notice affects Electronic Navigational Chart: CA570567

LNМ/D. 27-MAY-2016

48°40'20.6"N 123°24'40.7"W

DFO(6203784-01)

08-JUN-2018

Delete depth of 2.4 metres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA570567

LNМ/D. 27-MAY-2016

48°40'20.4"N 123°24'40.2"W

DFO(6203784-02)

27-MAY-2016

Affix patch

[PDF](#)

This notice affects Electronic Navigational Chart: CA570567

LNМ/D. 07-AUG-2015

48°40'06.0"N 123°24'20.0"W

DFO(6203267-01)



Chart no. 3479

28-SEP-2012

Add anchoring prohibited area
(See Chart No. 1, N20)

This notice affects Electronic Navigational Chart:
CA570567

LNLM/D. 29-JUN-2012
joining 48°40'25.5"N 123°25'00.2"W
48°40'24.1"N 123°24'57.3"W
48°40'23.6"N 123°24'44.9"W
48°40'15.9"N 123°24'17.9"W
48°40'17.5"N 123°24'10.8"W
48°40'24.0"N 123°24'38.6"W
48°40'26.3"N 123°24'44.4"W
and 48°40'26.0"N 123°24'45.6"W

DFO(6202606-01)

29-JUN-2012

Add rock which covers and uncovers, with height above chart datum
of 0.5 metres
(See Chart No. 1, K11)

This notice affects Electronic Navigational Chart: CA570567

LNLM/D. 02-JUL-2010
48°40'23.6"N 123°24'38.0"W

DFO(6202568-01)

02-APR-2010

Delete reported anchorage
(See Chart No 1, N10)

This notice affects Electronic Navigational Chart: CA570575

LNLM/D. 22-AUG-2008
48°40'17.5"N 123°24'41.1"W

DFO(6202195-01)

02-APR-2010

Add wreck showing any portion of hull or superstructure at level of
chart datum
(See Chart No. 1, K24)

This notice affects Electronic Navigational Chart: CA570575

LNLM/D. 22-AUG-2008
48°40'17.6"N 123°24'40.3"W

DFO(6202195-02)

27-JUN-2008

Delete green port hand spar buoy, marked U11
(See Chart No. 1, Qg)

This notice affects Electronic Navigational Chart: CA570575

LNLM/D. 11-APR-2008
48°40'29.1"N 123°24'45.9"W
(P2008013) DFO(6201823-01)



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 3479

27-JUN-2008

Delete red starboard hand spar buoy, marked U4
(See Chart No. 1, Qf)

LNМ/D. 11-APR-2008

48°40'28.6"N 123°24'45.4"W

(P2008014) DFO(6201824-01)

This notice affects Electronic Navigational Chart: CA570575

27-JUN-2008

Reposition light Fl R

LNМ/D. 11-APR-2008

from 48°40'17.7"N 123°24'13.4"W
to 48°40'17.5"N 123°24'10.8"W

This notice affects Electronic Navigational Chart: *(P2008016) LL(233) DFO(6201836-01)*
CA470003, CA570575

27-JUN-2008

Add starboard hand daybeacon
(See Chart No. 1, Qt)

LNМ/D. 11-APR-2008

48°40'29.1"N 123°24'45.2"W

(P2008017) DFO(6201837-01)

This notice affects Electronic Navigational Chart: CA570575

27-JUN-2008

Add port hand daybeacon
(See Chart No. 1, Qt)

LNМ/D. 11-APR-2008

48°40'29.2"N 123°24'46.3"W

(P2008018) DFO(6201838-01)

This notice affects Electronic Navigational Chart: CA570575

11-APR-2008

Delete port hand daybeacon
(See Chart No. 1, Qt)

LNМ/D. 08-FEB-2008

48°40'42.4"N 123°24'50.1"W

(P2008012) LL(5123) DFO(6201822-01)

This notice affects Electronic Navigational Chart:
CA570575