



Chart no. 3526

3526 - Howe Sound - New Edition - 01-JUL-2005 - NAD 1983

03-MAY-2024

LNM/D. 01-MAR-2024

Delete port bifurcation daybeacon 49°23'20.3"N 123°24'37.2"W
(See Chart 1, Qp)

LL(5278) DFO(6204925-01)

03-MAY-2024

LNM/D. 01-MAR-2024

Add starboard bifurcation daybeacon 49°23'19.6"N 123°24'36.7"W
(See Chart 1, Qp)

LL(5278) DFO(6204925-02)

03-MAY-2024

LNM/D. 01-MAR-2024

Delete port bifurcation daybeacon 49°24'11.6"N 123°23'21.9"W
(See Chart 1, Qp)

LL(5279) DFO(6204925-03)

03-MAY-2024

LNM/D. 01-MAR-2024

Add starboard bifurcation daybeacon 49°24'11.3"N 123°23'21.8"W
(See Chart 1, Qp)

LL(5279) DFO(6204925-04)

01-MAR-2024

LNM/D. 30-JUN-2023

Add Constr (2023)

49°39'40.0"N 123°15'03.0"W

This notice affects Electronic Navigational Chart: CA470004

DFO(6204887-01)

01-MAR-2024

LNM/D. 30-JUN-2023

Delete Woodfibre Western Pulp

49°39'56.6"N 123°15'42.9"W

This notice affects Electronic Navigational Chart: CA470004

DFO(6204887-02)

30-JUN-2023

LNM/D. 05-MAY-2023

Add yellow ODAS/SADO lighted pillar buoy Fl (5) Y, marked (priv) 49°38'47.8"N 123°15'37.8"W
(See Chart 1, Q58)

This notice affects Electronic Navigational Chart: CA470004

DFO(6204779-01)

05-MAY-2023

LNM/D. 10-MAR-2023



Chart no. 3526

Add yellow ODAS/SADO lighted pillar Fl (5) Y, marked priv 49°35'26.4"N 123°15'32.3"W
(See Chart 1, Q58)
This notice affects Electronic Navigational Chart: CA470004 *DFO(6204749-01)*

10-MAR-2023

Add submarine cable LNM/D. 18-MAR-2022
(See Chart 1, L30.1) joining 49°18'35.0"N 123°08'04.8"W
This notice affects Electronic Navigational Chart: 49°18'42.1"N 123°08'12.2"W
CA470004 49°18'47.9"N 123°08'21.9"W
49°18'52.1"N 123°08'29.8"W
49°18'48.9"N 123°09'08.3"W
49°18'31.3"N 123°09'29.0"W
49°18'30.4"N 123°10'16.9"W
49°18'51.1"N 123°10'22.1"W
49°18'56.9"N 123°10'31.8"W
49°19'07.4"N 123°12'51.7"W
49°18'35.5"N 123°19'47.0"W
and 49°18'21.4"N 123°22'37.4"W
DFO(6204711-03)

18-MAR-2022

Add wreck Wk with known depth of 84 metres LNM/D. 22-OCT-2021
(See Chart No. 1, K26) 49°39'59.0"N 123°10'26.2"W
This notice affects Electronic Navigational Chart: CA470004 *DFO(6204550-01)*

22-OCT-2021

Delete port hand daybeacon LNM/D. 31-JUL-2020
(See Chart No. 1, Qt) 49°22'18.0"N 123°17'37.5"W
This notice affects Electronic Navigational Chart: CA470004 (P2021011) *DFO(6204469-01)*

31-JUL-2020

Delete abandoned spoil ground LNM/D. 13-MAR-2020
(See Chart No. 1, N62.2) 49°19'23.0"N 123°16'53.0"W
This notice affects Electronic Navigational Chart: CA570747 *DFO(6204210-04)*

31-JUL-2020

Delete abandoned spoil ground LNM/D. 13-MAR-2020
(See Chart No. 1, N62.2) 49°24'30.0"N 123°29'11.0"W
DFO(6204210-05)

31-JUL-2020

LNM/D. 13-MAR-2020



Chart no. 3526

Delete abandoned spoil ground 49°39'42.0"N 123°11'47.0"W
(See Chart No. 1, N62.2)

DFO(6204210-14)

13-MAR-2020

LNМ/D. 27-DEC-2019

Delete light Fl marked Priv
(See Chart No. 1, P1)

49°40'57.5"N 123°09'52.0"W

This notice affects Electronic Navigational Chart: CA470004

DFO(6204283-02)

13-MAR-2020

LNМ/D. 27-DEC-2019

Amend (Constr 2003) to read Constr (2020)

49°40'58.0"N 123°09'18.0"W

This notice affects Electronic Navigational Chart: CA470004

DFO(6204283-05)

27-DEC-2019

LNМ/D. 12-JUL-2019

Add wreck with known depth of 145 metres
(See Chart No. 1, K26)

49°28'01.5"N 123°28'21.0"W

This notice affects Electronic Navigational Chart: CA370382,
CA470004

DFO(6204223-01)

12-JUL-2019

LNМ/D. 24-MAY-2019

Delete depth of 0.6 metre 49°20'37.0"N 123°16'15.0"W
(See Chart No. 1, I10)

DFO(6204081-01)

12-JUL-2019

LNМ/D. 24-MAY-2019

Add depth of 0.3 metre 49°20'36.2"N 123°16'15.7"W
(See Chart No. 1, I10)

DFO(6204081-02)

12-JUL-2019

LNМ/D. 24-MAY-2019

Delete depth of 6.1 metres 49°20'28.0"N 123°18'47.0"W
(See Chart No. 1, I10)

DFO(6204081-03)

12-JUL-2019

LNМ/D. 24-MAY-2019

Add depth of 5.2 metres 49°20'26.4"N 123°18'49.1"W
(See Chart No. 1, I10)

DFO(6204081-04)



Chart no. 3526

12-JUL-2019

LNLM/D. 24-MAY-2019

Delete depth of 1.2 metres 49°21'51.0"N 123°17'23.0"W
(See Chart No. 1, I10)

DFO(6204081-05)

12-JUL-2019

LNLM/D. 24-MAY-2019

Add depth of 0.7 metre 49°21'51.4"N 123°17'23.1"W
(See Chart No. 1, I10)

DFO(6204081-06)

12-JUL-2019

LNLM/D. 24-MAY-2019

Delete depth of 7.3 metres 49°20'38.5"N 123°16'42.0"W
(See Chart No. 1, I10)

DFO(6204081-07)

12-JUL-2019

LNLM/D. 24-MAY-2019

Add depth of 6.7 metres 49°20'38.8"N 123°16'42.8"W
(See Chart No. 1, I10)

DFO(6204081-08)

12-JUL-2019

LNLM/D. 24-MAY-2019

Reposition yellow traffic separation scheme lighted pillar from 49°19'16.0"N 123°12'05.0"W
buoy Fl Y with Racon, marked QB (See Chart No. 1, Q61, S3.1) to 49°19'17.5"N 123°12'06.2"W

This notice affects Electronic Navigational Chart: (P2019072) LL(388) *DFO(6204090-01)*
CA470004, CA570747

24-MAY-2019

LNLM/D. 10-MAY-2019

Delete ON CERTAIN COPIES EFFECTIVE DATE The Traffic Separation Schemes and routing measures have been revised from Victoria to Vancouver. These changes are in effect at 0000 Coordinated Universal Time (UTC), on 1 July, 2005. outside south border at 123-25-00W

DFO(6204073-01)

DATE D'ENTRÉE EN VIGEUR Des dispositifs de séparation de trafic et des règles imposées à la navigation, depuis Victoria jusqu'à Vancouver, ont été révisés. Ces changements prennent effet le 1er juillet 2005, à 0000, Temps Universel Coordonné (UTC).

24-MAY-2019

LNLM/D. 10-MAY-2019



Chart no. 3526

Add ON CERTAIN COPIES TSS EFFECTIVE DATE The Traffic Separation Scheme (TSS) and associated buoyage have been revised on this chart. These changes are in effect at 0000 Coordinated Universal Time (UTC) on 1 May, 2019. DATE D'APPLICATION DST Le dispositif de séparation du trafic (DST) et le balisage par bouées ont été revus sur cette carte marine. Ces modifications entreront en vigueur le 1er mai 2019 à 0000, temps universel coordonné (UTC).

outside south border at 123-25-00W
DFO(6204073-02)

10-MAY-2019

Affix patch

[PDF](#)

This notice affects Electronic Navigational Chart: CA370382, CA470072, CA570747

LNM/D. 22-MAR-2019
49°20'00.0"N 123°16'00.0"W

DFO(6204037-01)

22-MAR-2019

Add CHANGES TO TSS TO BE IMPLEMENTED ON 1 MAY 2019 (SEE SECTION 1 NTM 209(P)/19)
LES MODIFICATIONS APPORTÉES AUX DST DOIVENT ÊTRE MISES EN OEUVRE LE 1 MAI 2019 (VOIR PARTIE 1 AAN 209(P)/19)

This notice affects Electronic Navigational Chart: CA370145, CA470072

LNM/D. 22-FEB-2019
49°19'38.0"N 123°14'33.0"W

DFO(6203997-01)

22-FEB-2019

Add submarine cable

(See Chart No. 1, L30.1)

This notice affects Electronic Navigational Chart: CA370016, CA370381, CA370382, CA470004

LNM/D. 07-JUL-2017
joining 49°20'36.4"N 123°25'44.2"W
49°20'38.4"N 123°25'54.4"W
49°20'34.1"N 123°27'22.3"W
49°20'28.6"N 123°28'07.9"W
49°20'34.4"N 123°29'13.5"W
49°20'52.8"N 123°30'59.8"W
49°21'16.4"N 123°31'58.7"W
and 49°21'32.2"N 123°32'52.8"W

DFO(6203983-01)

07-JUL-2017

Add depth of 3.9 metres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA470004, CA570012

LNM/D. 08-JAN-2016
49°40'54.4"N 123°10'35.3"W

DFO(6203510-02)



Chart no. 3526

08-JAN-2016 LNM/D. 24-JUL-2015
Add radar reflector 49°21'16.0"N 123°16'35.6"W
(See Chart No. 1, S4)
DFO(6203171-01)

08-JAN-2016 LNM/D. 24-JUL-2015
Add radar reflector 49°22'49.8"N 123°16'23.8"W
(See Chart No. 1, S4)
DFO(6203171-02)

08-JAN-2016 LNM/D. 24-JUL-2015
Add radar reflector 49°22'48.1"N 123°19'19.3"W
(See Chart No. 1, S4)
DFO(6203171-03)

24-JUL-2015 LNM/D. 12-JUN-2015
Add wreck least depth known of 9.9 metres 49°26'56.8"N 123°19'49.6"W
(See Chart No. 1, K26)
This notice affects Electronic Navigational Chart: CA470004 *DFO(6203066-01)*

12-JUN-2015 LNM/D. 25-JUL-2014
Delete obstruction with known depth of 15 metres marked, 49°39'44.5"N 123°15'18.0"W
Mooring/Amarre
(See Chart No. 1, K41) *DFO(6203039-01)*
This notice affects Electronic Navigational Chart: CA470004

25-JUL-2014 LNM/D. 22-JUN-2012
Add obstruction with known depth of 15 metres, marked 49°39'44.5"N 123°15'18.0"W
Mooring/Amarre
(See Chart No. 1, K41) *DFO(6202888-01)*
This notice affects Electronic Navigational Chart: CA470004

22-JUN-2012 LNM/D. 18-MAY-2012
Add wreck least depth known depth of 66 metres 49°37'18.1"N 123°12'39.4"W
(See Chart No. 1, K26)
DFO(6202567-01)

18-MAY-2012 LNM/D. 24-JUN-2011



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 3526

Reposition anchor berth marked 13 from 49°19'56.2"N 123°12'55.6"W
(See Chart No. 1, N11.1) to 49°19'57.0"N 123°13'08.0"W

DFO(6202562-01)

18-MAY-2012

LNМ/D. 24-JUN-2011

Amend anchor berth marked 13 to read 16 49°19'57.0"N 123°13'08.0"W
(See Chart No. 1, N11.1)

DFO(6202562-02)

18-MAY-2012

LNМ/D. 24-JUN-2011

Reposition anchor berth marked 14 from 49°19'57.0"N 123°13'44.2"W
(See Chart No. 1, N11.1) to 49°19'56.0"N 123°13'54.0"W

DFO(6202562-03)

18-MAY-2012

LNМ/D. 24-JUN-2011

Amend anchor berth marked 14 to read 17 49°19'56.0"N 123°13'54.0"W
(See Chart No. 1, N11.1)

DFO(6202562-04)

18-MAY-2012

LNМ/D. 24-JUN-2011

Reposition anchor berth marked 15 from 49°19'55.0"N 123°14'33.0"W
(See Chart No. 1, N11.1) to 49°19'55.0"N 123°14'39.0"W

DFO(6202562-05)

18-MAY-2012

LNМ/D. 24-JUN-2011

Amend anchor berth marked 15 to read 18 49°19'55.0"N 123°14'39.0"W
(See Chart No. 1, N11.1)

DFO(6202562-06)

24-JUN-2011

LNМ/D. 02-JUL-2010

Delete depth of 18.3 metres 49°19'52.0"N 123°16'12.0"W
(See Chart No. 1, I10)

DFO(6202439-03)

24-JUN-2011

LNМ/D. 02-JUL-2010



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 3526

Add depth of 14.9 metres
(See Chart No. 1, I10)

49°19'50.3"N 123°16'11.5"W

DFO(6202439-04)

This notice affects Electronic Navigational Chart: CA470072

24-JUN-2011

LNМ/D. 02-JUL-2010

Add rock which covers and uncovers, with height above chart datum
of 0.4 metres
(See Chart No. 1, K11)

49°20'44.6"N 123°16'21.8"W

DFO(6202439-06)

This notice affects Electronic Navigational Chart: CA470072

02-JUL-2010

LNМ/D. 04-JUN-2010

Delete FogSig (Occas)
(See Chart No. 1, R1)

49°26'00.0"N 123°28'00.0"W

DFO(6202270-01)

This notice affects Electronic Navigational Chart: CA470004

04-JUN-2010

LNМ/D. 22-MAY-2009

Delete light (Priv) 3 Lts FY and radar reflector
(See Chart No. 1, P1 and S4)

49°40'05.2"N 123°10'10.6"W

DFO(6202233-02)

This notice affects Electronic Navigational Chart: CA470004,
CA570012

04-JUN-2010

LNМ/D. 22-MAY-2009

Amend Harbour Ferries to read BC Ferries

49°40'02.0"N 123°09'51.0"W

DFO(6202233-06)

This notice affects Electronic Navigational Chart: CA470004,
CA570012

04-JUN-2010

LNМ/D. 22-MAY-2009



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 3526

Add light (Priv) Fl Y
(See Chart No. 1, P1)

49°40'03.0"N 123°10'14.5"W

DFO(6202233-08)

This notice affects Electronic Navigational Chart: CA470004,
CA570012

22-MAY-2009

Delete depth of 26.8 metres
(See Chart No. 1, I10)

LNМ/D. 12-DEC-2008
49°27'59.9"N 123°22'37.3"W

DFO(6202051-01)

This notice affects Electronic Navigational Chart: CA470004

22-MAY-2009

Add depth of 5.6 metres
(See Chart No. 1, I10)

LNМ/D. 12-DEC-2008
49°28'01.6"N 123°22'41.0"W

DFO(6202051-02)

This notice affects Electronic Navigational Chart: CA470004

22-MAY-2009

Delete drying height of 1.2 metres
(See Chart No. 1, I15)

LNМ/D. 12-DEC-2008
49°27'08.3"N 123°19'32.1"W

DFO(6202051-03)

This notice affects Electronic Navigational Chart: CA470004

22-MAY-2009

Add depth of 1 metre
(See Chart No. 1, I10)

LNМ/D. 12-DEC-2008
49°27'08.4"N 123°19'32.9"W

DFO(6202051-04)

This notice affects Electronic Navigational Chart: CA470004

12-DEC-2008

Add depth of 0.1 metre and legend Rep (2008)
(See Chart No. 1, I10 and I3.2)

LNМ/D. 05-SEP-2008
49°21'51.8"N 123°29'13.8"W

DFO(6201965-01)

This notice affects Electronic Navigational Chart: CA470004



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 3526

05-SEP-2008

Add white and orange information can buoy
(See Chart No. 1, Qp)

LNМ/D. 29-FEB-2008
49°25'19.7"N 123°28'43.3"W

DFO(6201925-01)

This notice affects Electronic Navigational Chart: CA470004

29-FEB-2008

Reposition anchor berth marked 13
(See Chart No. 1, N11.1)

LNМ/D. 23-NOV-2007
from 49°19'55.4"N 123°13'02.6"W
to 49°19'56.2"N 123°12'55.6"W

DFO(6201809-13)

This notice affects Electronic Navigational Chart:
CA470072

29-FEB-2008

Reposition anchor berth marked 14
(See Chart No. 1, N11.1)

LNМ/D. 23-NOV-2007
from 49°19'54.7"N 123°13'43.5"W
to 49°19'57.0"N 123°13'44.2"W

DFO(6201809-14)

This notice affects Electronic Navigational Chart:
CA470072

29-FEB-2008

Reposition anchor berth marked 15
(See Chart No. 1, N11.1)

LNМ/D. 23-NOV-2007
from 49°19'52.1"N 123°14'30.0"W
to 49°19'55.0"N 123°14'33.0"W

DFO(6201809-15)

This notice affects Electronic Navigational Chart:
CA470072

23-NOV-2007

Amend Q R to read Fl R against light

LNМ/D. 26-MAY-2006
49°33'34.7"N 123°14'20.1"W

DFO(6201779-01)

This notice affects Electronic Navigational Chart: CA470004

26-MAY-2006

LNМ/D. 10-MAR-2006



Chart no. 3526

Add pipeline
(see Chart No. 1 L41.1)

between 49°37'05.9"N 123°12'34.5"W
and 49°37'04.2"N 123°12'44.5"W

DFO(6201419-01)

This notice affects Electronic Navigational Chart:
CA470004

10-MAR-2006

LNM/D. 13-JAN-2006

Add white and orange information lighted pillar buoy Fl Y
(see Chart No. 1 Qp)

49°25'27.7"N 123°28'43.3"W

DFO(6201375-01)

This notice affects Electronic Navigational Chart: CA470004

13-JAN-2006

Delete rock which does not cover, with elevation (1)
(see Chart No.1 K10)

49°29'13.0"N 123°20'00.1"W

DFO(6201351-01)

This notice affects Electronic Navigational Chart: CA470004

13-JAN-2006

Add breakwater in general and legend Bkw
(see Chart No.1 F4.1)

joining 49°29'10.8"N 123°19'57.1"W
49°29'13.8"N 123°19'57.4"W
and 49°29'14.1"N 123°20'00.0"W

This notice affects Electronic Navigational Chart:
CA470004

DFO(6201351-02)

13-JAN-2006

Add light Fl G (Priv)
(see Chart No.1 P65)

49°29'13.8"N 123°19'57.4"W

DFO(6201351-03)

This notice affects Electronic Navigational Chart: CA470004