



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 3546

### 3546 - Port McNeill - New Edition - 15-APR-2005 - NAD 1983

#### 04-JUN-2010

Reposition light Fl  
(See Chart No. 1, P1)

LNМ/D. 14-DEC-2007

from 50°35'34.3"N 127°05'17.6"W  
to 50°35'36.8"N 127°05'17.5"W

*DFO(6202232-01)*

This notice affects Electronic Navigational Chart:  
CA470031, CA570027

#### 04-JUN-2010

Add breakwater  
(See Chart No. 1, F4.1)

LNМ/D. 14-DEC-2007

between 50°35'34.3"N 127°05'17.6"W  
and 50°35'36.8"N 127°05'17.5"W

*DFO(6202232-02)*

This notice affects Electronic Navigational Chart:  
CA470031, CA570027

#### 09-JUN-2017

Delete port hand daybeacon  
(See Chart No. 1, Qt)

LNМ/D. 20-MAR-2015

50°35'36.5"N 127°05'32.5"W

This notice affects Electronic Navigational Chart: CA470031, (P2017016) *DFO(6203485-01)*  
CA570027

#### 10-MAY-2019

Add depth of 1.5 metres  
(See Chart No. 1, I10)

LNМ/D. 01-MAR-2019

50°35'33.3"N 127°05'39.6"W

This notice affects Electronic Navigational Chart: CA470031,  
CA570027

*DFO(6204038-01)*

#### 10-MAY-2019

Add rock awash at chart datum  
(See Chart No. 1, K12)

LNМ/D. 01-MAR-2019

50°35'28.2"N 127°06'20.8"W

This notice affects Electronic Navigational Chart: CA570027

*DFO(6204038-02)*

#### 10-MAY-2019

Add rock which covers and uncovers with drying height of 0.4 metre  
(See Chart No. 1, K11)

LNМ/D. 01-MAR-2019

50°35'28.8"N 127°06'23.5"W

This notice affects Electronic Navigational Chart: CA570027

*DFO(6204038-03)*



### Chart no. 3546

**10-MAY-2019**

LNM/D. 01-MAR-2019

Add rock which covers and uncovers with drying height of 1.6 metres 50°35'35.6"N 127°06'24.5"W  
(See Chart No. 1, K11)

This notice affects Electronic Navigational Chart: CA570027

*DFO(6204038-04)*

**10-MAY-2019**

LNM/D. 01-MAR-2019

Add rock which covers and uncovers with drying height of 2.6 metres 50°35'36.5"N 127°06'24.7"W  
(See Chart No. 1, K11)

This notice affects Electronic Navigational Chart: CA570027

*DFO(6204038-05)*

**10-MAY-2019**

LNM/D. 01-MAR-2019

Add pile

50°35'34.6"N 127°06'22.5"W

(See Chart No. 1, F22)

This notice affects Electronic Navigational Chart: CA570027

*DFO(6204038-06)*

**10-MAY-2019**

LNM/D. 01-MAR-2019

Add pile

50°35'33.5"N 127°06'21.9"W

(See Chart No. 1, F22)

This notice affects Electronic Navigational Chart: CA570027

*DFO(6204038-07)*

**10-MAY-2019**

LNM/D. 01-MAR-2019

Add pile

50°35'32.3"N 127°06'20.8"W

(See Chart No. 1, F22)

This notice affects Electronic Navigational Chart: CA570027

*DFO(6204038-08)*

**10-MAY-2019**

LNM/D. 01-MAR-2019

Add pile

50°35'31.3"N 127°06'21.8"W

(See Chart No. 1, F22)

This notice affects Electronic Navigational Chart: CA570027

*DFO(6204038-09)*

### **3546 - Broughton Strait - New Edition - 15-APR-2005 - NAD 1983**

**23-DEC-2005**

LNM/D. 11-NOV-2005

Add depth of 23.4 metres

50°37'51.8"N 126°46'35.4"W

*DFO(6201345-01)*

This notice affects Electronic Navigational Chart: CA470310



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 3546

**18-MAY-2007**

LNМ/D. 23-DEC-2005

Delete depth of 6.7 metres

50°36'42.6"N 127°08'41.6"W

*DFO(6201679-01)*

This notice affects Electronic Navigational Chart: CA470031

**18-MAY-2007**

LNМ/D. 23-DEC-2005

Add pier  
(see Chart No.1 F14)

between 50°36'29.4"N 127°08'51.0"W  
and 50°36'46.8"N 127°08'39.0"W

*DFO(6201679-02)*

This notice affects Electronic Navigational Chart:  
CA470031

**18-MAY-2007**

LNМ/D. 23-DEC-2005

Add pier  
(see Chart No.1 F14)

between 50°36'46.8"N 127°08'40.8"W  
and 50°36'46.2"N 127°08'35.4"W

*DFO(6201679-03)*

This notice affects Electronic Navigational Chart:  
CA470031

**18-MAY-2007**

LNМ/D. 23-DEC-2005

Add light Fl Y (Priv)  
(see Chart No.1 P1)

50°36'46.8"N 127°08'40.8"W

*DFO(6201679-04)*

This notice affects Electronic Navigational Chart: CA470031

**18-MAY-2007**

LNМ/D. 23-DEC-2005

Add light Fl Y (Priv)  
(see Chart No.1 P1)

50°36'46.2"N 127°08'35.4"W

*DFO(6201679-05)*

This notice affects Electronic Navigational Chart: CA470031

**18-MAY-2007**

LNМ/D. 23-DEC-2005

Add lighted can mooring buoy Fl Y, marked Priv  
(see Chart No.1 Q41)

50°36'47.4"N 127°08'48.0"W

*DFO(6201679-06)*

This notice affects Electronic Navigational Chart: CA470031



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 3546

**18-MAY-2007**

LNМ/D. 23-DEC-2005

Add lighted can mooring buoy Fl Y, marked Priv  
(see Chart No.1 Q41)

50°36'44.4"N 127°08'30.0"W

*DFO(6201679-07)*

This notice affects Electronic Navigational Chart: CA470031

**18-MAY-2007**

LNМ/D. 23-DEC-2005

Add legend "Orca Sand & Gravel"

50°36'25.8"N 127°08'50.2"W

*DFO(6201679-08)*

This notice affects Electronic Navigational Chart: CA470031

**14-DEC-2007**

LNМ/D. 18-MAY-2007

Add spoil ground with radius of 0.5 nautical miles centered on  
(See Chart No.1, N62.1)

50°33'30.0"N 126°48'00.0"W

*DFO(6201783-01)*

This notice affects Electronic Navigational Chart: CA470310

**04-JUN-2010**

LNМ/D. 14-DEC-2007

Reposition light Fl  
(See Chart No. 1, P1)

from 50°35'34.3"N 127°05'17.6"W  
to 50°35'36.8"N 127°05'17.5"W

*DFO(6202232-01)*

This notice affects Electronic Navigational Chart:  
CA470031, CA570027

**04-JUN-2010**

LNМ/D. 14-DEC-2007

Add breakwater  
(See Chart No. 1, F4.1)

between 50°35'34.3"N 127°05'17.6"W  
and 50°35'36.8"N 127°05'17.5"W

*DFO(6202232-02)*

This notice affects Electronic Navigational Chart:  
CA470031, CA570027

**19-AUG-2011**

LNМ/D. 04-JUN-2010



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 3546

Reposition light Fl R  
(See Chart No. 1, P1)

from 50°38'29.5"N 127°01'57.7"W  
to 50°38'28.1"N 127°01'59.3"W

*(P2011020) LL(552.5) DFO(6202458-01)*

This notice affects Electronic Navigational  
Chart: CA470310

#### 19-AUG-2011

Delete breakwater  
(See Chart No. 1, F4.1)

LNМ/D. 04-JUN-2010  
between 50°38'27.5"N 127°01'56.5"W  
and 50°38'29.5"N 127°01'57.7"W

*DFO(6202458-02)*

This notice affects Electronic Navigational Chart:  
CA470310

#### 19-AUG-2011

Add breakwater  
(See Chart No. 1, F4.1)

LNМ/D. 04-JUN-2010  
between 50°38'27.5"N 127°01'56.5"W  
and 50°38'28.1"N 127°01'59.3"W

*DFO(6202458-03)*

This notice affects Electronic Navigational Chart:  
CA470310

#### 06-FEB-2015

Add radar reflector  
This notice affects Electronic Navigational Chart:  
CA470310

LNМ/D. 19-AUG-2011  
50°36'27.5"N 127°00'37.5"W  
*(P2014066) LL(550.2) DFO(6202932-01)*

#### 20-MAR-2015

Amend Q to read QG against light  
(See Chart No. 1, P1)  
This notice affects Electronic Navigational Chart:  
CA470310, CA570026

LNМ/D. 06-FEB-2015  
50°34'44.5"N 126°56'52.9"W  
*(P2015001) LL(549) DFO(6202968-01)*

#### 09-JUN-2017

Delete port hand daybeacon  
(See Chart No. 1, Qt)

This notice affects Electronic Navigational Chart: CA470031, CA570027  
*(P2017016) DFO(6203485-01)*

LNМ/D. 20-MAR-2015  
50°35'36.9"N 127°05'33.5"W

#### 14-JUL-2017

LNМ/D. 09-JUN-2017



### Chart no. 3546

- Add marine farm 50°39'00.0"N 126°37'05.0"W  
(See Chart No. 1, K48.1)  
This notice affects Electronic Navigational Chart: CA470311 *DFO(6203515-01)*
- 17-NOV-2017** LNM/D. 14-JUL-2017  
Amend mooring can buoy marked, Priv to read lighted mooring can 50°36'47.4"N 127°08'48.0"W  
buoy Fl Y marked, Priv  
(See chart no 1 Q40,Q41) *DFO(6203573-01)*
- 17-NOV-2017** LNM/D. 14-JUL-2017  
Add mooring can buoy, marked Priv 50°36'45.9"N 127°08'43.6"W  
(See Chart No. 1, Q40)  
This notice affects Electronic Navigational Chart: CA470031 *DFO(6203573-02)*
- 17-NOV-2017** LNM/D. 14-JUL-2017  
Add mooring can buoy, marked Priv 50°36'44.6"N 127°08'35.4"W  
(See Chart No. 1, Q40)  
This notice affects Electronic Navigational Chart: CA470031 *DFO(6203573-03)*
- 17-NOV-2017** LNM/D. 14-JUL-2017  
Amend mooring can buoy marked, Priv to read lighted mooring can 50°36'44.5"N 127°08'29.9"W  
buoy Fl Y marked, Priv  
(See chart no 1 Q40,Q41) *DFO(6203573-04)*
- 01-MAR-2019** LNM/D. 17-NOV-2017  
Add depth of 1.2 metres 50°34'17.4"N 126°57'21.1"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA470310, *DFO(6203961-02)*  
CA570026
- 01-MAR-2019** LNM/D. 17-NOV-2017  
Delete depth of 0.3 metres 50°34'10.6"N 126°56'51.0"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA470310 *DFO(6203961-03)*
- 01-MAR-2019** LNM/D. 17-NOV-2017



### Chart no. 3546

Add rock awash at chart datum  
(See Chart No. 1, K12)  
This notice affects Electronic Navigational Chart: CA470310,  
CA570026

50°34'11.6"N 126°56'53.5"W  
*DFO(6203961-04)*

**01-MAR-2019** LNM/D. 17-NOV-2017  
Add depth of 1.3 metres  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA470310

50°34'21.1"N 126°57'50.1"W  
*DFO(6203961-05)*

**01-MAR-2019** LNM/D. 17-NOV-2017  
Add depth of 2.5 metres  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA470310

50°34'16.0"N 126°57'28.8"W  
*DFO(6203961-06)*

**01-MAR-2019** LNM/D. 17-NOV-2017  
Add depth of 0.6 metres  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA470310

50°34'13.8"N 126°57'26.9"W  
*DFO(6203961-07)*

**10-MAY-2019** LNM/D. 01-MAR-2019  
Add depth of 1.5 metres  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA470031,  
CA570027

50°35'33.3"N 127°05'39.6"W  
*DFO(6204038-01)*

**03-JUL-2020** LNM/D. 10-MAY-2019  
Delete spoil ground area  
(See Chart No. 1, N62.1)

50°33'30.0"N 126°48'00.0"W  
*DFO(6204211-03)*

**03-JUL-2020** LNM/D. 10-MAY-2019  
Delete spoil ground  
(See Chart No. 1, N62.1)

50°42'00.0"N 127°06'05.0"W  
*DFO(6204211-04)*



**Chart no. 3546**

**3546 - Alert Bay - New Edition - 15-APR-2005 - NAD 1983**

**11-NOV-2005**

Delete legend Save on Fuel 50°35'10.8"N 126°55'55.0"W

*DFO(6201327-01)*

**20-MAR-2015**

Amend Q to read QG against light  
(See Chart No. 1, P1)

This notice affects Electronic Navigational Chart:  
CA470310, CA570026

LNM/D. 06-FEB-2015

50°34'44.5"N 126°56'52.9"W

*(P2015001) LL(549) DFO(6202968-01)*

**20-MAR-2015**

Reposition light QG  
(See Chart No. 1, P1)

This notice affects Electronic Navigational Chart:  
CA570026

LNM/D. 06-FEB-2015

from 50°34'44.5"N 126°56'52.9"W  
to 50°34'43.0"N 126°56'52.8"W

*(P2015001) LL(549) DFO(6202968-02)*

**01-MAR-2019**

Add dolphin  
(See Chart No. 1, F20)

This notice affects Electronic Navigational Chart: CA570026

LNM/D. 17-NOV-2017

50°35'31.9"N 126°56'10.3"W

*DFO(6203960-01)*

**01-MAR-2019**

Add pile  
(See Chart No. 1, F22)

This notice affects Electronic Navigational Chart: CA570026

LNM/D. 17-NOV-2017

50°35'12.4"N 126°55'50.1"W

*DFO(6203960-02)*

**01-MAR-2019**

Add pile  
(See Chart No. 1, F22)

This notice affects Electronic Navigational Chart: CA570026

LNM/D. 17-NOV-2017

50°35'08.8"N 126°55'48.4"W

*DFO(6203960-03)*

**01-MAR-2019**

Add pile  
(See Chart No. 1, F22)

This notice affects Electronic Navigational Chart: CA570026

LNM/D. 17-NOV-2017

50°35'06.6"N 126°55'46.8"W

*DFO(6203960-04)*





Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 3546

**01-MAR-2019**

LNМ/D. 17-NOV-2017

Add pile

50°35'04.2"N 126°55'45.8"W

(See Chart No. 1, F22)

This notice affects Electronic Navigational Chart: CA570026

*DFO(6203960-05)*

**01-MAR-2019**

LNМ/D. 17-NOV-2017

Delete depth of 2.7 metres

50°34'17.9"N 126°57'21.8"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA570026

*DFO(6203961-01)*

**01-MAR-2019**

LNМ/D. 17-NOV-2017

Add depth of 1.2 metres

50°34'17.4"N 126°57'21.1"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA470310,  
CA570026

*DFO(6203961-02)*

**01-MAR-2019**

LNМ/D. 17-NOV-2017

Add rock awash at chart datum

50°34'11.6"N 126°56'53.5"W

(See Chart No. 1, K12)

This notice affects Electronic Navigational Chart: CA470310,  
CA570026

*DFO(6203961-04)*