



Chart no. 3602

3602 - Approaches to/Approches à Juan de Fuca Strait - New Edition - 29-NOV-2002 - NAD 1983

05-JAN-2024

LNM/D. 08-DEC-2023

Delete red starboard hand lighted pillar bell buoy Fl R with AIS,
marked 2
(See Chart 1, Qb, S17.2)

48°25'03.4"N 124°45'39.7"W

DFO(6204797-01)

05-JAN-2024

LNM/D. 08-DEC-2023

Add Starboard Virtual Aid to Navigation with a topmark consisting of
a red cone point upward
(See Chart 1, S18.2,Q130.1)

48°24'48.4"N 124°44'41.5"W

DFO(6204797-02)

05-JAN-2024

LNM/D. 08-DEC-2023

Delete yellow traffic separation scheme lighted pillar whistle buoy Fl
2.5s Y, marked J with magenta circle and legend Racon/AIS
(See Chart 1, Q61)

48°29'36.0"N 125°00'00.0"W

DFO(6204797-03)

05-JAN-2024

LNM/D. 08-DEC-2023

Add Virtual Aid to Navigation 48°29'35.0"N 125°00'00.0"W
(See Chart 1, S18.1)

DFO(6204797-04)

08-DEC-2023

LNM/D. 09-JUN-2023

Add foul ground joining 48°28'10.4"N 125°39'43.0"W
(See Chart 1, K31) 48°28'13.5"N 125°39'21.7"W
48°33'33.0"N 125°42'14.7"W
48°33'27.8"N 125°42'56.1"W
and 48°28'10.4"N 125°39'43.0"W

DFO(6204822-01)

08-DEC-2023

LNM/D. 09-JUN-2023

Delete subsurface Ocean Data Acquisition system (ODAS) with known
depth of 1525 metres (See Chart 1, L25)
This notice affects Electronic Navigational Chart: CA370203

48°36'23.4"N 126°49'31.7"W

DFO(6204832-03)

08-DEC-2023

LNM/D. 09-JUN-2023



Chart no. 3602

Delete subsurface Ocean Data Acquisition system (ODAS) with known depth of 1400 metres (See Chart 1, L25) 48°41'33.1"N 126°47'08.9"W
This notice affects Electronic Navigational Chart: CA370203 *DFO(6204832-06)*

08-DEC-2023

LNM/D. 09-JUN-2023

Delete subsurface Ocean Data Acquisition system (ODAS) with known depth of 1330 metres (See Chart 1, L25) 48°36'22.5"N 126°40'19.5"W
This notice affects Electronic Navigational Chart: CA370203 *DFO(6204832-07)*

08-DEC-2023

LNM/D. 09-JUN-2023

Delete subsurface Ocean Data Acquisition system (ODAS) with known depth of 1290 metres (See Chart 1, L25) 48°39'42.5"N 126°50'18.5"W
This notice affects Electronic Navigational Chart: CA370203 *DFO(6204832-08)*

08-DEC-2023

LNM/D. 09-JUN-2023

Delete subsurface Ocean Data Acquisition system (ODAS) with known depth of 1370 metres (See Chart 1, L25) 48°38'41.0"N 126°50'48.6"W
This notice affects Electronic Navigational Chart: CA370203 *DFO(6204832-09)*

09-JUN-2023

LNM/D. 06-JAN-2023

Add subsurface Ocean Data Acquisition system (ODAS) with known depth of 84 metres (See Chart 1, L25) 48°29'25.2"N 125°00'13.4"W
DFO(6204774-01)

06-JAN-2023

LNM/D. 11-NOV-2022

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 1330 metres (See Chart 1, L25) 48°36'22.5"N 126°40'19.5"W
This notice affects Electronic Navigational Chart: CA370203 *DFO(6204696-01)*

06-JAN-2023

LNM/D. 11-NOV-2022

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 1525 metres (See Chart 1, L25) 48°36'23.4"N 126°49'31.7"W
This notice affects Electronic Navigational Chart: CA370203 *DFO(6204696-02)*

06-JAN-2023

LNM/D. 11-NOV-2022

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 1370 metres (See Chart 1, L25) 48°38'41.0"N 126°50'48.6"W
This notice affects Electronic Navigational Chart: CA370203 *DFO(6204696-03)*



Chart no. 3602

06-JAN-2023

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 1290 metres (See Chart 1, L25)
This notice affects Electronic Navigational Chart: CA370203

LNМ/D. 11-NOV-2022
48°39'42.5"N 126°50'18.5"W
DFO(6204696-04)

06-JAN-2023

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 1400 metres (See Chart 1, L25)
This notice affects Electronic Navigational Chart: CA370203

LNМ/D. 11-NOV-2022
48°41'33.1"N 126°47'08.9"W
DFO(6204696-05)

11-NOV-2022

Add depth of 3 metres
(See Chart 1, I10)
This notice affects Electronic Navigational Chart: CA370203

LNМ/D. 14-OCT-2022
48°46'24.8"N 125°11'46.4"W
DFO(6204664-07)

14-OCT-2022

Amend Killer whale Restriction Area note to read Speed Limit Area
Speed limit restriction of 10 kn in effect from June 1 to Nov 30. For additional information see Annual Notices to Mariners A2 Section 5.
Zone de Restriction des Épaulards pour lire Zone de Restriction de Vitesse Restriction de vitesse de 10 kn en vigueur du 1er Juin au 30 Nov. Pour plus de renseignements voir Avis Annuel Aux Navigateurs A2 Section 5.

LNМ/D. 16-SEP-2022
48°35'54.0"N 124°55'00.0"W
DFO(6204653-01)

16-SEP-2022

Add private yellow ODAS/SADO lighted super-buoy Fl (5) Y
(See Chart No. 1, Q58)
This notice affects Electronic Navigational Chart: CA370203

LNМ/D. 05-AUG-2022
49°00'07.0"N 125°42'12.0"W
DFO(6204639-01)

05-AUG-2022

Amend Killer whale Restriction Area note to read Speed limit restriction of 10 kn in effect from June 1 to Nov 31. For additional information see Annual Notices to Mariners A2 Section 5.

LNМ/D. 04-MAR-2022
48°36'00.0"N 124°54'30.0"W
DFO(6204616-02)

Restriction de vitesse de 10 kn en vigueur du 1er Juin au 31 Nov. Pour plus de renseignements voir Avis Annuel Aux Navigateurs A2 Section 5.



Chart no. 3602

04-MAR-2022

LNM/D. 16-JUL-2021

Delete subsurface Ocean Data Acquisition system ODAS with known depth of 490 metres (See Chart No. 1, L25)

48°32'18.5"N 126°11'42.8"W

This notice affects Electronic Navigational Chart: CA370203

DFO(6204540-01)

04-MAR-2022

LNM/D. 16-JUL-2021

Add submarine cable

(See Chart No. 1, L30.1)

This notice affects Electronic Navigational Chart:
CA370203

joining 48°48'48.4"N 125°12'25.4"W

48°47'23.8"N 125°16'40.6"W

48°46'21.4"N 125°17'04.0"W

48°41'16.1"N 125°50'44.8"W

48°29'25.4"N 126°10'18.9"W

and 48°19'28.8"N 126°33'00.0"W

DFO(6204547-03)

16-JUL-2021

LNM/D. 23-APR-2021

Add subsurface Ocean Data Acquisition system ODAS with known depth of 2068 metres (See Chart No. 1, L25)

48°15'09.7"N 126°26'31.6"W

DFO(6204438-01)

16-JUL-2021

LNM/D. 23-APR-2021

Add subsurface Ocean Data Acquisition system ODAS with known depth of 2069 metres (See Chart No. 1, L25)

48°16'34.3"N 126°24'32.0"W

DFO(6204438-02)

16-JUL-2021

LNM/D. 23-APR-2021

Add subsurface Ocean Data Acquisition system ODAS with known depth of 2070 metres (See Chart No. 1, L25)

48°17'01.7"N 126°27'22.0"W

DFO(6204438-03)

16-JUL-2021

LNM/D. 23-APR-2021

Add submarine cable (See Chart No. 1, L30.1) joining 48°25'38.7"N 126°10'28.1"W

48°24'52.0"N 126°09'35.7"W

48°24'08.6"N 126°09'06.9"W

48°21'14.9"N 126°09'00.4"W

and 48°20'45.9"N 126°09'28.3"W

DFO(6204439-01)

16-JUL-2021

LNM/D. 23-APR-2021



Chart no. 3602

Add submarine cable joining 48°20'45.5"N 126°09'29.1"W
(See Chart No. 1, L30.1) 48°20'56.8"N 126°07'39.4"W
48°21'11.2"N 126°06'27.6"W
48°21'01.0"N 126°05'14.4"W
48°20'00.0"N 126°04'46.1"W
48°18'42.9"N 126°03'56.2"W
and 48°18'59.4"N 126°03'03.3"W

DFO(6204439-03)

23-APR-2021

LNLM/D. 29-MAY-2020

Delete yellow ODAS/SADO lighted pillar buoy Fl (5) Y 20s, marked
Priv (See Chart No. 1, Q58)

49°00'11.0"N 125°42'10.6"W

This notice affects Electronic Navigational Chart: CA270389,
CA370203

DFO(6204432-01)

29-MAY-2020

LNLM/D. 03-APR-2020

Add Killer whale Restriction Area In effect from June 1 to Nov 30. For
additional information see Annual Notices to Mariners A2 Section
5.

48°35'41.0"N 124°56'49.0"W

Zone de Restriction des Épaulards En vigueur du 1er juin au 30
novembre. Pour plus de renseignements voir Avis Annuel Aux
Navigateurs A2 Section 5.

DFO(6204329-03)

03-APR-2020

LNLM/D. 28-FEB-2020

Add subsurface Ocean Data Acquisition system ODAS/SADO with
known depth of 1399 metres
(See Chart No. 1, L25)

48°42'09.4"N 126°50'51.6"W

This notice affects Electronic Navigational Chart: CA370203

DFO(6204255-02)

03-APR-2020

LNLM/D. 28-FEB-2020

Add subsurface Ocean Data Acquisition system ODAS/SADO with
known depth of 1403 metres
(See Chart No. 1, L25)

48°43'07.2"N 126°49'28.7"W

This notice affects Electronic Navigational Chart: CA370203

DFO(6204255-03)

03-APR-2020

LNLM/D. 28-FEB-2020

Reposition yellow ODAS/SADO lighted pillar buoy Fl (5)
Y20s, marked Priv
(See Chart No. 1, Q58)

from 48°57'26.7"N 125°36'53.4"W
to 49°00'10.8"N 125°42'11.9"W

This notice affects Electronic Navigational
Chart: CA270389, CA370203

(P2020007) LL(134.5) DFO(6204268-01)



Chart no. 3602

28-FEB-2020

Add obstruction with known depth of 490 metres
(See Chart No. 1, K41)

This notice affects Electronic Navigational Chart: CA370203

LNМ/D. 13-DEC-2019

48°32'18.5"N 126°11'42.8"W

DFO(6204256-01)

13-DEC-2019

Delete Killer Whale Restriction Area For additional information see
Annual Notices to Mariners A2 Section 5 Zone de Restriction
des Épaulards Pour plus de renseignements voir Avis Annuel
Aux Navigateurs A2 Section 5

LNМ/D. 04-OCT-2019

48°35'53.0"N 124°55'11.0"W

DFO(6204202-03)

04-OCT-2019

Add Anaqtl'a

This notice affects Electronic Navigational Chart: CA370203

LNМ/D. 23-AUG-2019

48°47'48.0"N 125°06'39.0"W

DFO(6204138-07)

04-OCT-2019

Add Salmon Beach

This notice affects Electronic Navigational Chart: CA370203,
CA470337

LNМ/D. 23-AUG-2019

48°57'31.2"N 125°26'01.8"W

DFO(6204138-11)

23-AUG-2019

Add Killer Whale Restriction Area

For additional information see Annual Notices to Mariners A2
Section 5

Zone de Restriction des Épaulards

Pour plus de renseignements voir Avis Annuel Aux Navigateurs
A2 Section 5

LNМ/D. 05-APR-2019

48°35'41.0"N 124°56'49.0"W

DFO(6204127-03)

05-APR-2019

Amend Fl 4s 28m 7M to read Fl 26m7M against the light
(See Chart No. 1, P1)

This notice affects Electronic Navigational Chart:
CA370203, CA470338

LNМ/D. 04-JAN-2019

48°49'04.4"N 125°13'53.1"W

(P2019016) LL(174) DFO(6203992-01)

05-APR-2019

Add radar reflector

(See Chart No. 1, S4)

This notice affects Electronic Navigational Chart: CA370203,
CA470338

LNМ/D. 04-JAN-2019

48°49'04.4"N 125°13'53.1"W

LL(174) DFO(6203992-02)



Chart no. 3602

05-APR-2019

LNМ/D. 04-JAN-2019

Add obstruction with known depth of 1342 metres, and legend
"Unexploded ordnance / Explosifs non-éclatés"

48°44'05.6"N 126°47'17.2"W

(See Chart No. 1, K41)

DFO(6203998-01)

This notice affects Electronic Navigational Chart: CA270389,
CA370203

04-JAN-2019

LNМ/D. 01-JUN-2018

Amend Red Starboard hand lighted pillar buoy Fl R with
whistle and AIS, marked 2 to read Red Starboard
hand lighted pillar buoy Fl R with bell and AIS,
marked 2

48°24'51.0"N 124°45'00.0"W

(P2018136) LL(181.4) DFO(6203948-01)

(See Chart No. 1, Qf, S17.2)

04-JAN-2019

LNМ/D. 01-JUN-2018

Reposition Red Starboard hand lighted pillar buoy Fl R
with bell and AIS, marked 2

from 48°24'51.0"N 124°45'00.0"W
to 48°25'03.3"N 124°45'39.6"W

(See Chart No. 1, Qf, S17.2)

(P2018136) LL(181.4) DFO(6203948-02)

01-JUN-2018

LNМ/D. 23-FEB-2018

Add Automatic Identification System Transmitter to red starboard
hand lighted pillar buoy Fl R with whistle, marked 2

48°24'54.2"N 124°45'05.7"W

(See Chart No. 1, S17.2)

LL(181.4) DFO(6203759-01)

01-JUN-2018

LNМ/D. 23-FEB-2018

Add firing practice area with label W-237-C joining 48°00'00.0"N 126°15'00.0"W
(See Chart No. 1, N30)

48°08'59.0"N 126°15'00.0"W

48°08'59.0"N 125°56'05.0"W

and 48°00'00.0"N 125°52'25.0"W

DFO(6203788-12)

01-JUN-2018

LNМ/D. 23-FEB-2018

Add firing practice area with label W-237-E joining 48°08'59.0"N 126°33'35.0"W
(See Chart No. 1, N30)

48°08'59.0"N 125°05'00.0"W

48°29'37.0"N 125°09'01.0"W

and 48°24'52.0"N 126°33'35.0"W

DFO(6203788-13)



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 3602

23-FEB-2018

Amend yellow lighted pillar buoy Fl Y, marked JA to read yellow lighted pillar buoy Fl Y 2.5s, marked JA
(See Chart No. 1, Q61)

LNМ/D. 27-OCT-2017

48°29'35.2"N 124°43'34.5"W

LL(180.9) DFO(6203624-01)

23-FEB-2018

Amend Fl 5s56m22M to read Fl 5s56m19M against light
(See Chart No. 1, P1)

LNМ/D. 27-OCT-2017

48°36'42.4"N 124°45'04.8"W

This notice affects Electronic Navigational Chart: CA270389 *LL(180) DFO(6203624-02)*

27-OCT-2017

Amend Fl (2) 20s 50m 14M to read Fl (2) 20s 35m 14M against light

LNМ/D. 03-FEB-2017

48°23'30.0"N 124°44'11.5"W

(See chart No. 1, P1)

(P2017062) LL(181) DFO(6203561-01)

This notice affects Electronic Navigational Chart: CA270389

03-FEB-2017

Delete limits of arcs of visibility, marked W and R between 48°37'26.8"N 124°45'55.2"W and 48°34'46.7"N 124°39'27.9"W
(See Chart No. 1, P40.1)

LNМ/D. 30-SEP-2016

DFO(6203443-01)

03-FEB-2017

Delete recommended track with bearing of 004° between 48°35'43.0"N 124°43'04.5"W and 48°32'14.1"N 124°43'25.8"W
(See Chart No. 1, M4)

LNМ/D. 30-SEP-2016

DFO(6203443-02)

30-SEP-2016

Amend yellow pillar buoy with AIS and Racon, marked J Fl Y to read J Fl 2½s Y

LNМ/D. 23-SEP-2016

48°29'36.8"N 125°00'00.0"W

(See Chart No. 1, Q23)

DFO(6203361-01)

This notice affects Electronic Navigational Chart: CA270389

30-SEP-2016

Add whistle to yellow pillar buoy with AIS and Racon, marked J Fl 2½s Y

LNМ/D. 23-SEP-2016

48°29'36.8"N 125°00'00.0"W

(See Chart No. 1, R15)

DFO(6203361-02)

This notice affects Electronic Navigational Chart: CA270389



Chart no. 3602

23-SEP-2016

LNМ/D. 01-JAN-2016

Add obstruction with known depth of 985 metres 48°18'59.8"N 126°03'02.9"W
(See Chart No. 1, K41)

DFO(6203355-02)

01-JAN-2016

LNМ/D. 29-MAY-2015

Add Automatic Identification System Transmitter to yellow pillar
buoy, marked J Fl Y

48°29'36.8"N 125°00'00.0"W

(See Chart No. 1, S17.2)

LL(PAC180.8) DFO(6203168-01)

This notice affects Electronic Navigational Chart: CA270389

29-MAY-2015

LNМ/D. 27-FEB-2015

Replace VESSEL TRAFFIC SERVICES SERVICES DE TRAFIC
MARITIME note with

48°23'14.0"N 126°42'45.0"W

DFO(6202999-01)

VESSEL TRAFFIC SERVICES

A Vessel Traffic Services (VTS) numbered calling-in point with arrow indicates the direction of vessel movement for which a report must be made. For additional information, see Radio Aids to Marine Navigation (Pacific and Western Arctic), Part 3 and contact the Marine Communications and Traffic Services (MCTS) Centre (Prince Rupert Traffic) or the Puget Sound Vessel Traffic Services (PSVTS) Center (Seattle Traffic).

SERVICES DE TRAFIC MARITIME

La flèche accompagnant un point d'appel numéroté des Services du trafic maritime (STM) indique la direction du mouvement du navire qui doit se signaler. Pour plus de renseignements, voir la 3e Partie des Aides radio à la navigation maritime (Pacifique et Arctique de l'Ouest) et communiquer avec le Centre des Services de communications et du trafic maritime (SCTM, Trafic Prince-Rupert) ou le Centre des Services du trafic maritime de Puget Sound (CSTMPS, Seattle Traffic).

This notice affects Electronic Navigational Chart: CA370203

29-MAY-2015

LNМ/D. 27-FEB-2015



Chart no. 3602

Replace VTS ZONES ZONES STM note with

48°21'00.0"N 126°42'45.0"W

VTS ZONES

DFO(6202999-02)

Limits of the Prince Rupert or Seattle Vessel Traffic Services Zones. Applicable vessels must participate fully on the appropriate sector frequency reporting at all calling-in points and upon entering or leaving these zones.

ZONES STM

Limites des zones de Services de trafic maritime de Prince Rupert ou Seattle. Les navires concernés doivent être à l'écoute de la fréquence de secteur appropriée et doivent envoyer un compte rendu à chaque point d'appel, ainsi qu'à l'entrée et à la sortie de ces zones.

This notice affects Electronic Navigational Chart: CA370203

29-MAY-2015

LNM/D. 27-FEB-2015

Amend note

48°28'50.0"N 125°13'00.0"W

TOFINO TRAFFIC to read PRINCE RUPERT TRAFFIC

DFO(6202999-03)

27-FEB-2015

LNM/D. 06-JUN-2014

Add obstruction, depth unknown
(See Chart No. 1, K40)

48°20'45.3"N 126°09'28.8"W

This notice affects Electronic Navigational Chart: CA270389

DFO(6202967-01)

06-JUN-2014

LNM/D. 07-MAR-2014

Add obstruction, depth unknown, marked Mooring/Amarre
(See Chart No. 1, K40)

48°25'38.5"N 126°10'27.0"W

This notice affects Electronic Navigational Chart: CA370203

DFO(6202843-01)

07-MAR-2014

LNM/D. 07-FEB-2014

Add obstruction, least depth known 25 metres marked
Mooring/Amarre
(See Chart No. 1, K41)

48°31'46.0"N 126°12'16.0"W

This notice affects Electronic Navigational Chart: CA370203

DFO(6202808-01)

07-FEB-2014

LNM/D. 18-JAN-2013



Chart no. 3602

Add yellow ODAS/SADO lighted buoy Fl (5) Y 20s, marked priv (See Chart No. 1, Q58)

48°57'26.7"N 125°36'53.4"W

This notice affects Electronic Navigational Chart:
CA270389, CA370203

(P2013039) LL(134.5) DFO(6202769-01)

18-JAN-2013

LN/D. 17-AUG-2012

Amend note

48°01'36.0"N 126°42'30.0"W

AREA TO BE AVOIDED

In order to reduce the risk of a marine casualty and resulting pollution and damage to the environment of the Olympic Coast National Marine Sanctuary, all ships and barges carrying cargoes of oil or hazardous materials, and all ships 1,600 gross tons and above solely in transit should avoid the area.

DFO(6202673-02)

ZONE À ÉVITER

Les bâtiments, chalands et tous les bâtiments de 1600 tonnes et plus, transportant du pétrole ou d'autres matières dangereuses et qui ne font que transiter, devraient éviter cette zone. Cette mesure a pour but de réduire les risques d'accidents qui résulteraient en pollution marine et en dommages à l'environnement du Olympic Coast National Marine Sanctuary.

To read

AREA TO BE AVOIDED

In order to reduce the risk of a marine casualty and resulting pollution and damage to the environment of the Olympic Coast National Marine Sanctuary, all ships and barges that carry oil or hazardous materials in bulk as cargo or cargo residue and all ships 400 gross tonnage and above solely in transit should avoid to area.

ZONE À ÉVITER

En vue de réduire les risques d'accident marin et d'éventuelles conséquences de pollution et autres dommages à l'environnement du sanctuaire marin national Olympic Coast, tous les bâtiments et barges transportant du pétrole, des matières dangereuses en vrac ou des résidus de cargo, ainsi que tous les bâtiments en transit ayant une jauge brute de 400 tonnes ou plus, devraient contourner cette zone.

17-AUG-2012

LN/D. 24-DEC-2010



Chart no. 3602

Add submarine cable
(See Chart No. 1, L30.1)

joining 48°46'55.8"N 125°17'32.9"W
48°47'54.9"N 125°17'14.4"W
48°48'25.6"N 125°16'15.1"W
48°48'40.1"N 125°16'10.4"W
48°48'49.6"N 125°16'51.4"W
and 48°48'29.9"N 125°16'53.4"W

This notice affects Electronic Navigational Chart:
CA370203, CA470338

DFO(6202585-02)

24-DEC-2010

Add wreck least depth known of 138 metres
(See Chart No. 1, K26)

LNМ/D. 10-SEP-2010
48°16'44.7"N 125°41'28.4"W

DFO(6202383-01)

This notice affects Electronic Navigational Chart: CA270389,
CA370203

10-SEP-2010

Delete Breakers Brisants Rep

LNМ/D. 20-AUG-2010
48°11'44.0"N 124°45'38.0"W

DFO(6202342-01)

This notice affects Electronic Navigational Chart: CA370144

10-SEP-2010

Add depth of 4.9 metres
(See Chart No. 1, I10)

LNМ/D. 20-AUG-2010
48°10'17.9"N 124°47'01.5"W

DFO(6202342-02)

This notice affects Electronic Navigational Chart: CA370144

10-SEP-2010

Delete depth of 18 metres
(See Chart No. 1, I10)

LNМ/D. 20-AUG-2010
48°13'23.0"N 124°43'40.0"W

DFO(6202342-03)

This notice affects Electronic Navigational Chart: CA370144

10-SEP-2010

LNМ/D. 20-AUG-2010



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 3602

Add depth of 8.8 metres
(See Chart No. 1, I10)

48°13'19.9"N 124°43'26.9"W

DFO(6202342-04)

This notice affects Electronic Navigational Chart: CA370144

10-SEP-2010

Add depth of 13.4 metres
(See Chart No. 1, I10)

LNM/D. 20-AUG-2010

48°05'48.4"N 124°45'00.8"W

DFO(6202342-05)

This notice affects Electronic Navigational Chart: CA370144

10-SEP-2010

Add depth of 2.7 metres
(See Chart No. 1, I10)

LNM/D. 20-AUG-2010

48°12'49.2"N 124°42'47.3"W

DFO(6202342-06)

This notice affects Electronic Navigational Chart: CA370144

20-AUG-2010

Delete depth of 10.9 metres marked Rep(1942) ED
(See Chart No. 1, I10, I1 and I3.2)

LNM/D. 06-AUG-2010

48°07'49.7"N 124°47'12.3"W

(USCG:USLNM13 27/10) DFO(6202290-01)

This notice affects Electronic Navigational
Chart: CA270389, CA370144

06-AUG-2010

Add depth of 8.2 metres with bottom quality of R
(See Chart No. 1, I10 and J9.1)

LNM/D. 18-JUN-2010

48°11'44.1"N 124°46'57.2"W

DFO(6202288-01)

This notice affects Electronic Navigational Chart: CA370144

06-AUG-2010

Add depth of 2.3 metres with bottom quality of R
(See Chart No. 1, I10 and J9.1)

LNM/D. 18-JUN-2010

48°11'12.0"N 124°44'08.9"W

DFO(6202288-02)

This notice affects Electronic Navigational Chart: CA370144



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 3602

18-JUN-2010

Add yellow ODAS/SADO light buoy Fl(5) Y, marked Priv
(See Chart No. 1, Q58)

LNМ/D. 02-APR-2010

48°53'05.7"N 125°38'04.2"W

DFO(6202243-01)

This notice affects Electronic Navigational Chart: CA370203

02-APR-2010

Amend 2D to read 2 against buoy
(See Chart No. 1, Q11)

LNМ/D. 25-SEP-2009

48°24'53.9"N 124°45'06.6"W

(USCG:USLNM13 09/10) DFO(6202196-01)

This notice affects Electronic Navigational
Chart: CA370144

25-SEP-2009

Add rock awash at chart datum
(See Chart No. 1, K12)

LNМ/D. 10-JUL-2009

48°07'07.5"N 124°43'46.0"W

(USCG:USLNM13 33/09) DFO(6202125-01)

This notice affects Electronic Navigational Chart:
CA370144

10-JUL-2009

Delete yellow cautionary lighted pillar whistle buoy, Fl Y
2½s,
marked UR
(See Chart No. 1, Qm)

LNМ/D. 26-DEC-2008

48°11'16.2"N 124°49'16.7"W

(USCG:USLNM13) DFO(6202080-01)

This notice affects Electronic Navigational Chart:
CA370144

26-DEC-2008

Amend Fl(2) 20s 50m 18M to read Fl(2) 20s 50m 14M
against light

LNМ/D. 15-FEB-2008

48°23'29.6"N 124°44'12.2"W

(USCG:USLNM13 47/08) DFO(6201967-01)

This notice affects Electronic Navigational
Chart: CA370144

15-FEB-2008

LNМ/D. 16-NOV-2007



Chart no. 3602

Add submarine cable
(See Chart No. 1, L30.1)

This notice affects Electronic Navigational Chart:
CA370203, CA370208

joining 48°43'47.1"N 126°51'29.1"W
48°44'56.4"N 126°46'55.1"W
48°44'35.2"N 126°44'53.5"W
48°46'35.3"N 126°41'30.2"W
48°47'14.2"N 126°38'55.5"W
48°48'48.0"N 126°20'45.3"W
48°45'44.3"N 126°09'50.4"W
48°43'11.3"N 125°57'45.0"W
48°44'02.3"N 125°50'31.8"W
48°43'01.1"N 125°46'12.7"W
48°43'00.6"N 125°43'54.4"W
48°44'39.6"N 125°35'36.9"W
48°46'25.7"N 125°23'01.8"W
48°46'38.0"N 125°18'42.0"W
and 48°47'20.8"N 125°15'52.3"W

DFO(6201807-01)

15-FEB-2008

Add submarine cable
(See Chart No. 1, L30.1)

This notice affects Electronic Navigational Chart:
CA370203

LNM/D. 16-NOV-2007

joining 48°08'37.1"N 126°33'17.2"W
48°12'32.9"N 126°26'00.2"W
48°17'31.4"N 126°21'18.3"W
48°19'50.9"N 126°15'25.6"W
48°20'14.3"N 126°12'28.2"W
48°20'14.6"N 126°08'05.6"W
48°24'54.8"N 126°06'02.5"W
48°26'59.6"N 126°01'26.1"W
48°27'17.7"N 125°57'05.1"W
48°28'26.5"N 125°53'19.7"W
48°28'02.8"N 125°47'32.9"W
48°30'16.4"N 125°38'01.6"W
48°29'37.3"N 125°34'48.6"W
48°30'12.2"N 125°33'11.4"W
48°33'13.7"N 125°31'36.7"W
48°35'10.3"N 125°28'06.4"W
48°37'18.6"N 125°16'34.6"W
48°40'34.3"N 125°15'11.5"W
48°46'31.0"N 125°16'11.1"W
and 48°47'20.8"N 125°15'52.3"W

DFO(6201807-02)

16-NOV-2007

LNM/D. 05-JAN-2007



Chart no. 3602

Replace red starboard hand lighted pillar whistle buoy 48°11'16.2"N 124°49'16.7"W
Fl R 2½s, marked 2UR with
yellow cautionary lighted pillar whistle buoy Fl (USCG:USLNM13 41/07) DFO(6201775-01)
Y 2½s, marked UR
(See Chart No. 1, Qf and Qm)

This notice affects Electronic Navigational
Chart: CA370144

05-JAN-2007

Add light Fl(2) 5s (Priv) LNM/D. 01-DEC-2006
(see Chart No. 1 P1) 48°39'33.1"N 124°49'40.7"W
(P2006210) LL(179.1) DFO(6201614-01)

This notice affects Electronic Navigational Chart:
CA370144

01-DEC-2006

Delete light Fl RW 4s 17m 9M and legend LNM/D. 27-OCT-2006
Seasonal/saisonnier 48°35'43.8"N 124°43'04.1"W
(see Chart No. 1 P1) (P2006165) LL(180.5) DFO(6201573-01)

This notice affects Electronic Navigational Chart:
CA370144

27-OCT-2006

Delete outer limit of traffic lane LNM/D. 11-AUG-2006
(see Chart No. 1 M15) joining 48°31'56.0"N 125°08'56.8"W
These changes are in effect 0000 Coordinated 48°31'05.4"N 125°04'39.4"W
Universal Time (UTC), on 1 December, 2006. and 48°31'05.4"N 124°47'08.5"W
DFO(6201561-01)

This notice affects Electronic Navigational Chart:
CA370144, CA370203

27-OCT-2006

Add outer limit of traffic lane LNM/D. 11-AUG-2006
(see Chart No. 1 M15) between 48°32'05.4"N 125°08'58.8"W
These changes are in effect 0000 Coordinated Universal and 48°32'05.4"N 124°49'54.0"W
Time (UTC), on 1 December, 2006. DFO(6201561-02)

This notice affects Electronic Navigational Chart:
CA370144, CA370203



Chart no. 3602

27-OCT-2006

Add outer limit of traffic lane
(see Chart No. 1 M15)

These changes are in effect 0000 Coordinated Universal
Time (UTC), on 1 December, 2006.

This notice affects Electronic Navigational Chart:
CA370203

LNLM/D. 11-AUG-2006

between 48°31'05.4"N 125°04'40.2"W
and 48°32'05.4"N 125°04'40.2"W

DFO(6201561-03)

27-OCT-2006

Add outer limit of traffic lane
(see Chart No. 1 M15)

These changes are in effect 0000 Coordinated Universal
Time (UTC), on 1 December, 2006.

This notice affects Electronic Navigational Chart:
CA370203

LNLM/D. 11-AUG-2006

between 48°31'05.4"N 125°00'00.0"W
and 48°32'05.4"N 125°00'00.0"W

DFO(6201561-04)

11-AUG-2006

Delete light sectors, white from 311° to 097°, red from 097°
to 182°
(see Chart No. 1 P40)

This notice affects Electronic Navigational Chart:
CA370203, CA470338

LNLM/D. 02-JUN-2006

48°47'11.3"N 125°12'55.8"W

(P2006105) LL(176) DFO(6201493-01)

11-AUG-2006

Amend FFl WR 5s 51m 12M to read Fl 5s 51m 16M against
light

This notice affects Electronic Navigational Chart:
CA370203, CA470338

LNLM/D. 02-JUN-2006

48°47'11.3"N 125°12'55.8"W

(P2006105) LL(176) DFO(6201493-02)

02-JUN-2006

Delete yellow ODAS/SADO lighted spherical buoy Fl (5) Y
(see Chart No. 1 Q58)

This notice affects Electronic Navigational Chart: CA370203

LNLM/D. 26-MAY-2006

48°56'21.0"N 125°36'40.8"W

DFO(6201431-01)



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 3602

26-MAY-2006

Reposition red starboard hand pillar light and whistle
buoy Fl R, marked 2D
(see Chart No. 1 Qf)

LNM/D. 18-FEB-2005

from 48°24'46.0"N 124°45'06.0"W
to 48°24'53.9"N 124°45'06.6"W

(P2006062) LL(181.4) DFO(6201422-01)

This notice affects Electronic Navigational
Chart: CA370144

18-FEB-2005

Delete FogSig(2)60s

LNM/D. 13-AUG-2004

48°23'29.6"N 124°44'12.2"W

(USCG:USLNM13 01/05) LL(181) DFO(6201213-01)

13-AUG-2004

Add legend See/Voir note
SPORT FISHING/PÊCHE SPORTIVE

LNM/D. 30-JAN-2004

48°31'54.0"N 125°02'36.0"W

DFO(6201117-01)

13-AUG-2004

Add note SPORT FISHING

Concentration of small sport fishing vessels may be
encountered from June to September. Some vessels
may not be well equipped and have inexperienced
crews. Vessel movements may be unpredictable.
Extra caution should be exercised.

LNM/D. 30-JAN-2004

48°07'24.0"N 126°27'30.0"W

DFO(6201117-02)

PÊCHE SPORTIVE

De juin à septembre, il peut y avoir des grandes
concentrations de bateaux de pêche, dont certains
peuvent être sous-équipés et ne disposer que d'un
équipage inexpérimenté. Les déplacements de ces
bateaux peuvent être imprévisibles, forçant ainsi les
autres navigateurs à redoubler de prudence.

30-JAN-2004

Add non-dangerous wreck, depth unknown 48°14'01.9"N 125°52'56.8"W

LNM/D. 02-MAY-2003

DFO(6200725-01)



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 3602

02-MAY-2003

Delete Fog Sig 30s 48°47'11.2"N 125°12'55.9"W

(P2003029) LL(176) DFO(6200535-08)

02-MAY-2003

Delete Fog Sig 60s 48°43'20.2"N 125°05'50.7"W

(P2003027) LL(178) DFO(6200535-09)

02-MAY-2003

Delete Fog Sig (3) 60s

48°36'42.4"N 124°45'04.8"W

(P2003028) LL(180) DFO(6200535-10)

This notice affects Electronic Navigational Chart:
CA370144