Chart no. 3605

3605 - Quatsino Sound to/à Queen Charlotte Strait - New Edition - 06-MAR-1998 - NAD 1983

17-NOV-2023 LNM/D. 18-AUG-2023

Add Environmentally Sensitive Sea Area with label ″Scott Islands Protected Marine Wildlife Area/Zone de protection marine de faune des îles Scott″ (See Chart 1, N22)

joining 50°50′37.3″N 128°10′39.9″W
51°15′05.0″N 128°36′45.5″W
51°14′33.9″N 128°55′45.5″W
and 51°08′52.3″N 129°44′29.8″W

DFO(6204818-01)

17-NOV-2023 LNM/D. 18-AUG-2023

Add Environmentally Sensitive Sea Area with label ″Scott Islands Protected Marine Wildlife Area/Zone de protection marine de faune des îles Scott″ (See Chart 1, N22)

joining 50°17′59.3″N 128°54′27.2″W
50°20′45.2″N 128°45′32.4″W
and 50°41′32.5″N 128°22′42.8″W

DFO(6204818-02)

18-AUG-2023 LNM/D. 28-APR-2023

Amend light Fl R 10s28m16M to read Fl R 10s25m16M (See Chart No. 1, P1)
This notice affects Electronic Navigational Chart: CA470307

50°58′32.2″N 127°43′40.7″W

(P2023034) LL(576) DFO(6204752-01)

18-AUG-2023 LNM/D. 28-APR-2023

Amend light Fl 15m 9M to read Fl 13m 9M (See Chart 1, P16)

50°54′17.8″N 127°59′07.4″W

(P2023037) LL(574) DFO(6204755-01)

18-AUG-2023 LNM/D. 28-APR-2023

Delete radar reflector against light (See Chart 1, S4)

50°54′17.8″N 127°59′07.5″W

DFO(6204755-02)

28-APR-2023 LNM/D. 02-DEC-2022

Add wreck Wk with known depth of 93 metres (See Chart 1, K26)
This notice affects Electronic Navigational Chart: CA470036

51°09′17.5″N 128°00′54.0″W

DFO(6204734-01)

02-DEC-2022 LNM/D. 06-MAY-2022

Chart no. 3605

Add subsurface Ocean Data Acquisition system (ODAS) with known depth of 40 metres (See Chart 1, L25) 51°07′37.1″N 129°28′29.9″W
This notice affects Electronic Navigational Chart: CA370165 *DFO(6204672-01)*

06-MAY-2022 LNM/D. 28-MAY-2021

Delete subsurface Ocean Data Acquisition system (ODAS) with known depth of 40 metres (See Chart No. 1, L25) 51°07′37.4″N 129°28′28.3″W
This notice affects Electronic Navigational Chart: CA370165 *DFO(6204589-10)*

28-MAY-2021 LNM/D. 21-MAY-2021

Delete subsurface Ocean Data Acquisition system (ODAS) with known depth of 35 metres (See Chart No. 1, L25) 50°50′31.6″N 127°42′59.5″W
This notice affects Electronic Navigational Chart: CA470307 *DFO(6204446-01)*

21-MAY-2021 LNM/D. 27-DEC-2019

Delete subsurface Ocean Data Acquisition system (ODAS) with known depth of 35 metres (See Chart No. 1, L25) 50°54′00.0″N 127°38′21.0″W
DFO(6204413-01)

27-DEC-2019 LNM/D. 19-APR-2019

Add depth of 302 metres (See Chart No. 1, I10) 51°13′52.3″N 129°43′12.8″W
This notice affects Electronic Navigational Chart: CA370165 *DFO(6204204-01)*

27-DEC-2019 LNM/D. 19-APR-2019

Delete depth of 647 metres (See Chart No. 1, I10) 51°13′52.3″N 129°43′12.8″W
This notice affects Electronic Navigational Chart: CA370165 *DFO(6204204-02)*

27-DEC-2019 LNM/D. 19-APR-2019

Add obstruction with known depth of 40 metres, marked ODAS/SADO See Chart No. 1, K41) 51°07′37.4″N 129°28′28.3″W
This notice affects Electronic Navigational Chart: CA370165 *DFO(6204222-01)*

19-APR-2019 LNM/D. 12-OCT-2018

Add subsurface Ocean Data Acquisition system (ODAS/SADO) with known depth of 35 metres (See Chart No. 1, L25) 50°50′31.6″N 127°42′59.5″W
This notice affects Electronic Navigational Chart: CA470307 *DFO(6204018-01)*

Chart no. 3605

19-APR-2019 LNM/D. 12-OCT-2018

Add subsurface Ocean Data Acquisition system (ODAS/SADO) with known depth of 35 metres (See Chart No. 1, L25) 50°53′59.9″N 127°38′22.1″W
This notice affects Electronic Navigational Chart: CA470307 *DFO(6204018-02)*

12-OCT-2018 LNM/D. 02-MAR-2018

Amend Fl to read Fl R against light 50°27′51.6″N 127°56′12.6″W
(See Chart No. 1, P1)
This notice affects Electronic Navigational Chart: CA370424, CA470042, CA570261 *(P2018088) LL(68.3) DFO(6203847-01)*

02-MAR-2018 LNM/D. 24-NOV-2017

Amend Fl to read Fl R against light 50°40′15.2″N 128°21′07.8″W
(See Chart No. 1, P1)
This notice affects Electronic Navigational Chart: CA370165 *(P2017101) LL(67) DFO(6203616-01)*

24-NOV-2017 LNM/D. 21-APR-2017

Amend Fl R 15M with Racon to read Fl R 10s28m16M with Racon against light 50°58′32.5″N 127°43′41.0″W
(See Chart No. 1, P1,S3.1) *LL(576) DFO(6203576-01)*
This notice affects Electronic Navigational Chart: CA270084, CA470307

24-NOV-2017 LNM/D. 21-APR-2017

Amend Fl 6s21m6M to read Fl 6s21m5M against light 51°09′49.0″N 127°47′12.5″W
(See Chart No. 1, P1)
This notice affects Electronic Navigational Chart: CA270084, CA470036 *LL(578) DFO(6203576-02)*

21-APR-2017 LNM/D. 29-MAY-2015

Add restricted area with label ″Hecate Strait and Queen Charlotte Sound Glass Sponge Reefs Marine Protected Area/Zone de protection marine des récifs d′éponges siliceuses du détroit d′Hécate et du bassin de la Reine-Charlotte″ joining 51°18′35.3″N 128°40′38.9″W
51°14′57.6″N 128°47′01.2″W
51°14′33.9″N 128°55′45.5″W
51°17′42.3″N 129°00′29.0″W
and 51°18′35.3″N 129°00′41.8″W
(See Chart No. 1, N2.1)
DFO(6203461-03)

This notice affects Electronic Navigational Chart: CA270084, CA370165

Chart no. 3605

29-MAY-2015 LNM/D. 06-FEB-2015

Replace VTS ZONES ZONES STM note with 50°19′10.0″N 129°33′00.0″W

VTS ZONES *DFO(6202999-08)*
Limits of Vancouver or Prince Rupert Vessel Traffic Services zones. Vessels must report on entering or leaving these zones.
ZONES STM
Limites des zones de Services de trafic maritime pour Vancouver ou Prince Rupert. Les navires doivent se rapporter en entrant dans ces zones ou en les quittant.

06-FEB-2015 LNM/D. 16-JAN-2015

Delete radar reflector 50°53′44.5″N 127°55′46.5″W
(See Chart No. 1, S4)
This notice affects Electronic Navigational Chart: CA470306, CA570035 *(P2014069) LL(573) DFO(6202946-01)*

16-JAN-2015 LNM/D. 03-JAN-2014

Amend calling-in point 40 to read calling point 36 50°49′54.0″N 128°49′52.0″W
(See Chart No. 1, M40.1)
This notice affects Electronic Navigational Chart: CA370165 *DFO(6202943-33)*

03-JAN-2014 LNM/D. 25-SEP-2009

Delete radio reporting line between 50°51′51.0″N 129°04′32.0″W and 51°09′47.0″N 127°47′14.0″W
(See Chart No. 1, M40.2)
This notice affects Electronic Navigational Chart: CA370165 *DFO(6202760-23)*

03-JAN-2014 LNM/D. 25-SEP-2009

Delete calling-in point 39 51°04′11.0″N 128°11′33.0″W
(See Chart No. 1, M40.1)
DFO(6202760-24)

03-JAN-2014 LNM/D. 25-SEP-2009

Delete calling-in point 1A 51°04′56.0″N 128°08′22.0″W
(See Chart No. 1, M40.1)
DFO(6202760-25)

03-JAN-2014 LNM/D. 25-SEP-2009

Chart no. 3605

Delete note See/Voir note VTS ZONES/ZONES STM 51°05′30.0″N 128°05′51.0″W

DFO(6202760-26)

03-JAN-2014 LNM/D. 25-SEP-2009

Add radio reporting line joining 50°52′36.0″N 128°03′04.0″W
(See Chart No. 1, M40.2) 50°54′52.0″N 127°59′59.0″W
and 51°09′45.0″N 127°47′10.0″W

DFO(6202760-27)

03-JAN-2014 LNM/D. 25-SEP-2009

Add calling-in point 39 with arrowhead pointing 118° and 298° 51°00′31.0″N 127°55′08.0″W
(See Chart No. 1, M40.1)

DFO(6202760-28)

03-JAN-2014 LNM/D. 25-SEP-2009

Add calling-in point 1A with arrowhead pointing 298° and 118° 51°01′57.0″N 127°53′55.0″W
(See Chart No. 1, M40.1)

DFO(6202760-29)

03-JAN-2014 LNM/D. 25-SEP-2009

Add note See/Voir note VTS ZONES/ZONES STM 51°05′39.0″N 127°50′45.0″W

DFO(6202760-30)

25-SEP-2009 LNM/D. 18-SEP-2009

Add boarding place, position of a pilot cruising vessel 50°59′00.0″N 127°48′00.0″W
(See Chart No. 1, T1.1)

DFO(6202126-01)

This notice affects Electronic Navigational Chart: CA370109, CA470306

18-SEP-2009 LNM/D. 14-DEC-2007

Chart no. 3605

Add radar transponder beacon against light Fl R 15M — 50°58′32.2″N 127°43′40.7″W
(See Chart No. 1, S3.3)

(P2009073) LL(576) DFO(6202100-01)

This notice affects Electronic Navigational Chart:
CA370109, CA470307

14-DEC-2007 — LNM/D. 13-APR-2007

Delete non-dangerous wreck, depth unknown and legend Rep (1989) PA — 50°51′48.0″N 128°11′48.0″W
(See Chart No.1, K29)

DFO(6201787-01)

This notice affects Electronic Navigational Chart: CA370109

13-APR-2007 — LNM/D. 02-MAY-2003

Add maritime limit in general implying: permanent obstructions — between 50°28′05.3″N 128°06′33.6″W and 50°23′12.7″N 128°20′03.7″W
(see Chart No. 1 N1.1)

DFO(6201666-01)

This notice affects Electronic Navigational Chart:
CA370424, CA470042

13-APR-2007 — LNM/D. 02-MAY-2003

Add legend See/Voir Note — 50°26′18.0″N 128°14′48.0″W
SCIENTIFIC MOORINGS/ANCRAGES SCIENTIFIQUES

DFO(6201666-02)

This notice affects Electronic Navigational Chart: CA370424,
CA470042

13-APR-2007 — LNM/D. 02-MAY-2003

Chart no. 3605

Add note SCIENTIFIC MOORINGS 50°29′00.0″N 129°13′48.0″W

Acoustic sensors, consisting of a concrete anchor and tethered instrument package floating above the anchor, are positioned approximately 1 km apart along the line. Instruments in water less than 150m deep are within 5m of the seabed. Instruments in water more than 150m deep are approximately 150m below the surface.

DFO(6201666-03)

ANCRAGES SCIENTIFIQUES
Des capteurs acoustiques, consistant en un ensemble d'instruments flottant au-dessus de l'ancrage en béton auquel ils sont reliés, sont positionnés en lignes distantes de quelque 1 km. Les instruments, submergés dans des eaux de moins de 150m de profondeur, sont à moins de 5m du fond marin. Les instruments, submergés dans des eaux de plus de 150m de profondeur, sont à environ 150m de la surface.

This notice affects Electronic Navigational Chart: CA370424, CA470042

02-MAY-2003 LNM/D. 25-JAN-2002

Delete Fog Sig (3) 60s 50°46′56.5″N 128°25′38.7″W

(P2003026) LL(66) DFO(6200535-01)

02-MAY-2003 LNM/D. 25-JAN-2002

Delete Fog Sig 60s 51°14′53.7″N 127°50′01.5″W

(P2003031) LL(579) DFO(6200535-02)

02-MAY-2003 LNM/D. 25-JAN-2002

Delete Fog Sig 30s 50°26′28.3″N 128°01′56.8″W

(P2003025) LL(68) DFO(6200535-03)

25-JAN-2002 LNM/D. 26-OCT-2001

Amend Fl 2s 15m 13M to read Fl 15m 9M against light 50°54′17.8″N 127°59′07.4″W

(P2001121) LL(574) DFO(6201093-01)

Chart no. 3605

26-OCT-2001 LNM/D. 25-MAY-2001
Delete radiobeacon and legend RC 50°46′57.0″N 128°25′36.0″W

(P2001108) LL(66) DFO(6201085-01)

25-MAY-2001 LNM/D. 18-AUG-2000
Amend FW FlR 10s 86ft 19M to read FlR 15M 50°58′32.2″N 127°43′40.7″W

(P2001034P) LL(576) DFO(6201024-01)

18-AUG-2000 LNM/D. 31-DEC-1999
Amend ″F Fl 5s 28m 17M″ to read ″Fl 5s 28m 17M″ 50°26′28.4″N 128°01′56.9″W

(CCG-P00-098) LL(68) DFO(6200866-01)

3605 - Scott Channel - New Edition - 06-MAR-1998 - NAD 1983

16-JAN-2015 LNM/D. 03-JAN-2014
Amend calling-in point 40 to read calling point 36 50°47′39.0″N 128°30′58.0″W
(See Chart No. 1, M40.1)

DFO(6202943-34)

02-MAY-2003 LNM/D. 25-JAN-2002
Delete Fog Sig (3) 60s 50°46′56.5″N 128°25′38.7″W

(P2003026) LL(66) DFO(6200535-01)

26-OCT-2001 LNM/D. 25-MAY-2001
Delete radiobeacon and legend RC 50°46′57.0″N 128°25′36.0″W

(P2001108) LL(66) DFO(6201085-01)