



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 3895

3895 - Alexandra Narrows - New Edition - 27-DEC-2002 - NAD 1983

22-OCT-2021

LNM/D. 02-JUL-2021

Add rock which covers and uncovers with drying height of 0.8 metre 54°02'30.9"N 132°34'03.3"W
(See Chart No. 1, K11)

DFO(6204449-11)

22-OCT-2021

LNM/D. 02-JUL-2021

Add rock which covers and uncovers with drying height of 0.3 metre 54°01'32.5"N 132°34'33.8"W
(See Chart No. 1, K11)

DFO(6204449-12)

22-OCT-2021

LNM/D. 02-JUL-2021

Affix patch 54°04'00.0"N 132°34'00.0"W
[PDF](#)

DFO(6204449-13)

17-FEB-2006

Add note

54°03'21.0"N 132°35'10.0"W

SILTING

Mariners are advised that depths shown in the vicinity of The Bar, Haswell Reef and Richard III Bank are subject to change as a result of silting and scouring.

DFO(6201360-01)

ENSABLEMENT

Les navigateurs prendront garde que les profondeurs cartographiées à proximité de The Bar, Haswell Reef et Richard III Bank peuvent changer en raison de l'ensablement et du curage.

3895 - Masset Harbour and Approaches/et les Approches - New Edition - 27-DEC-2002 - NAD 1983

31-MAR-2023

LNM/D. 09-SEP-2022

Affix patch 54°00'00.0"N 132°10'00.0"W
[PDF](#)

DFO(6204715-01)

09-SEP-2022

LNM/D. 22-OCT-2021



Chart no. 3895

Affix patch 54°02'00.0"N 132°10'00.0"W
[PDF](#)

DFO(6204625-06)

05-MAR-2021

LNМ/D. 11-SEP-2020

Add rock awash at chart datum
(See Chart No. 1, K12)

54°01'33.8"N 132°11'32.3"W

This notice affects Electronic Navigational Chart: CA570404

DFO(6204406-01)

05-MAR-2021

LNМ/D. 11-SEP-2020

Add rock which covers and uncovers with drying height of 0.1 metre
(See Chart No. 1, K11)

54°01'38.2"N 132°11'26.7"W

This notice affects Electronic Navigational Chart: CA570404

DFO(6204406-02)

05-MAR-2021

LNМ/D. 11-SEP-2020

Add rock which covers and uncovers with drying height of 0.1 metre
(See Chart No. 1, K11)

54°01'31.0"N 132°11'28.4"W

This notice affects Electronic Navigational Chart: CA570404

DFO(6204406-03)

05-MAR-2021

LNМ/D. 11-SEP-2020

Add rock which covers and uncovers with drying height of 0.4 metre
(See Chart No. 1, K11)

54°01'29.8"N 132°11'23.3"W

This notice affects Electronic Navigational Chart: CA570404

DFO(6204406-04)

05-MAR-2021

LNМ/D. 11-SEP-2020

Add rock which covers and uncovers with drying height of 0.6 metre
(See Chart No. 1, K11)

54°01'32.4"N 132°11'06.0"W

This notice affects Electronic Navigational Chart: CA570404

DFO(6204406-05)

05-MAR-2021

LNМ/D. 11-SEP-2020

Add depth of 1.8 metres
(See Chart No. 1, I10)

54°01'24.1"N 132°10'48.5"W

This notice affects Electronic Navigational Chart: CA570404

DFO(6204406-06)

05-MAR-2021

LNМ/D. 11-SEP-2020



Chart no. 3895

Add depth of 0.8 metre 54°01'50.3"N 132°10'33.6"W
(See Chart No. 1, I10)

DFO(6204406-07)

This notice affects Electronic Navigational Chart: CA570404

05-MAR-2021

LNM/D. 11-SEP-2020

Add depth of 1.3 metres 54°01'17.9"N 132°10'37.9"W
(See Chart No. 1, I10)

DFO(6204406-08)

This notice affects Electronic Navigational Chart: CA570404

05-MAR-2021

LNM/D. 11-SEP-2020

Add depth of 1.7 metres 54°01'42.4"N 132°10'19.2"W
(See Chart No. 1, I10)

DFO(6204406-09)

This notice affects Electronic Navigational Chart: CA570404

05-MAR-2021

LNM/D. 11-SEP-2020

Add depth of 1.3 metres 54°01'04.7"N 132°10'16.4"W
(See Chart No. 1, I10)

DFO(6204406-10)

This notice affects Electronic Navigational Chart: CA570404

05-MAR-2021

LNM/D. 11-SEP-2020

Delete depth of 0.3 metre 54°01'38.4"N 132°11'25.3"W
(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA570404 *DFO(6204406-11)*

05-MAR-2021

LNM/D. 11-SEP-2020

Delete depth of 0.3 metre 54°01'30.4"N 132°11'24.1"W
(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA570404 *DFO(6204406-12)*

05-MAR-2021

LNM/D. 11-SEP-2020

Delete depth of 2.4 metres 54°01'24.3"N 132°10'47.7"W
(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA570404 *DFO(6204406-13)*

05-MAR-2021

LNM/D. 11-SEP-2020



Chart no. 3895

Delete depth of 2.4 metres 54°01'04.5"N 132°10'17.7"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA570404 *DFO(6204406-14)*

11-SEP-2020 LNM/D. 12-JUN-2020
Affix patch 54°04'00.0"N 132°14'00.0"W
[PDF](#)
This notice affects Electronic Navigational Chart: CA570404 *DFO(6204352-01)*

11-SEP-2020 LNM/D. 12-JUN-2020
Affix patch 54°04'00.0"N 132°10'00.0"W
[PDF](#)
This notice affects Electronic Navigational Chart: CA570404 *DFO(6204352-02)*

11-SEP-2020 LNM/D. 12-JUN-2020
Add rock which covers and uncovers with drying height of 0.7 metre 54°04'53.5"N 132°14'42.5"W
(See Chart No. 1, K11)
This notice affects Electronic Navigational Chart: CA570404 *DFO(6204352-03)*

11-SEP-2020 LNM/D. 12-JUN-2020
Add rock which covers and uncovers with drying height of 0.6 metre 54°04'40.7"N 132°14'22.7"W
(See Chart No. 1, K11)
This notice affects Electronic Navigational Chart: CA570404 *DFO(6204352-04)*

11-SEP-2020 LNM/D. 12-JUN-2020
Add rock which covers and uncovers with drying height of 1.2 metres 54°05'24.2"N 132°14'51.2"W
(See Chart No. 1, K11)
This notice affects Electronic Navigational Chart: CA570404 *DFO(6204352-05)*

11-SEP-2020 LNM/D. 12-JUN-2020
Add rock which covers and uncovers with drying height of 0.8 metre 54°05'41.7"N 132°15'36.1"W
(See Chart No. 1, K11)
DFO(6204352-06)

11-SEP-2020 LNM/D. 12-JUN-2020



Chart no. 3895

- Add SILTING 54°03'40.0"N 132°15'23.0"W
Mariners are advised that depths shown in the vicinity of Troup Bank and McIntyre Bay are subject to change as a result of silting and scouring. *DFO(6204352-07)*
ENSABLEMENT
Les Navigateurs prendront garde que les profondeurs cartographiées à proximité de Troup Bank et McIntyre Bay peuvent changer en raison de l'ensablement et du curage.
This notice affects Electronic Navigational Chart: CA570404
- 11-SEP-2020** LNM/D. 12-JUN-2020
Affix patch 54°04'00.0"N 132°08'00.0"W
[PDF](#)
This notice affects Electronic Navigational Chart: CA570404 *DFO(6204360-01)*
- 12-JUN-2020** LNM/D. 28-FEB-2020
Delete Inner Bar location and associated values from TIDAL 54°01'22.0"N 132°20'10.0"W
INFORMATION / RENSEIGNEMENTS SUR LES MARÉES box *DFO(6204327-01)*
- 22-MAR-2019** LNM/D. 04-JAN-2019
Amend Fl R to read Fl R 6s against light 54°01'01.0"N 132°10'06.3"W
(See Chart No. 1, P1)
This notice affects Electronic Navigational Chart: CA570404 *LL(793.3) DFO(6204007-01)*
- 04-JAN-2019** LNM/D. 24-AUG-2018
Delete obstruction with known depth of 25 metres 54°00'10.3"N 132°09'15.6"W
(See Chart No. 1, K41)
This notice affects Electronic Navigational Chart: CA570404 *DFO(6203938-01)*
- 24-NOV-2017** LNM/D. 24-JUN-2011
Add obstruction with known depth of 25 metres 54°00'10.3"N 132°09'15.6"W
(See Chart No. 1, K41)
This notice affects Electronic Navigational Chart: CA570404 *DFO(6203577-01)*
- 24-JUN-2011** LNM/D. 07-SEP-2007
Delete depth of 6.4 metres 54°05'35.3"N 132°12'56.2"W
(See Chart No. 1, I10)
DFO(6202442-01)



Chart no. 3895

- 24-JUN-2011** LNM/D. 07-SEP-2007
Add depth of 5.3 metres 54°05'36.3"N 132°12'55.6"W
(See Chart No. 1, I10)
DFO(6202442-02)
- 24-JUN-2011** LNM/D. 07-SEP-2007
Add depth of 5.9 metres 54°05'26.7"N 132°13'22.8"W
(See Chart No. 1, I10)
DFO(6202442-03)
- 24-JUN-2011** LNM/D. 07-SEP-2007
Delete depth of 9.1 metres 54°04'20.8"N 132°12'53.6"W
(See Chart No. 1, I10)
DFO(6202442-04)
- 24-JUN-2011** LNM/D. 07-SEP-2007
Add depth of 7.7 metres 54°04'20.6"N 132°12'54.9"W
(See Chart No. 1, I10)
DFO(6202442-05)
- 24-JUN-2011** LNM/D. 07-SEP-2007
Delete depth of 6.7 metres 54°03'55.8"N 132°12'46.8"W
(See Chart No. 1, I10)
DFO(6202442-06)
- 24-JUN-2011** LNM/D. 07-SEP-2007
Add depth of 5.9 metres 54°03'56.3"N 132°12'44.8"W
(See Chart No. 1, I10)
DFO(6202442-07)
- 24-JUN-2011** LNM/D. 07-SEP-2007
Delete depth of 4.6 metres 54°03'41.8"N 132°12'33.5"W
(See Chart No. 1, I10)
DFO(6202442-08)
- 24-JUN-2011** LNM/D. 07-SEP-2007



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 3895

Add depth of 3.9 metres 54°03'40.8"N 132°12'32.4"W
(See Chart No. 1, I10)

DFO(6202442-09)

24-JUN-2011

LNМ/D. 07-SEP-2007

Delete depth of 7 metres 54°03'39.6"N 132°12'12.7"W
(See Chart No. 1, I10)

DFO(6202442-10)

24-JUN-2011

LNМ/D. 07-SEP-2007

Add depth of 6.3 metres 54°03'40.5"N 132°12'12.9"W
(See Chart No. 1, I10)

DFO(6202442-11)

24-JUN-2011

LNМ/D. 07-SEP-2007

Add depth of 3.8 metres 54°02'44.8"N 132°12'48.1"W
(See Chart No. 1, I10)

DFO(6202442-12)

07-SEP-2007

LNМ/D. 14-JUL-2006

Delete depth of 1.5 metres 54°00'14.7"N 132°08'40.2"W
(See Chart No.1 I10)

DFO(6201711-01)

07-SEP-2007

LNМ/D. 14-JUL-2006

Add drying height of 0.7 metres 54°00'14.2"N 132°08'40.4"W
(See Chart No. 1 I15)

DFO(6201711-02)

3895 - Parry Passage - New Edition - 27-DEC-2002 - NAD 1983

09-SEP-2022

LNМ/D. 22-OCT-2021

Replace LEPAS BAY with T'ÁALAN STL'ÁNG 54°09'56.7"N 133°04'08.8"W

DFO(6204625-02)

02-JUL-2021

LNМ/D. 05-MAR-2021



Chart no. 3895

Add depth of 4.3 metres (See Chart No. 1, I10) 54°11'07.8"N 132°58'41.9"W

DFO(6204450-03)

02-JUL-2021

LNМ/D. 05-MAR-2021

Delete depth of 5.2 metres 54°11'07.5"N 132°58'41.4"W
(See Chart No. 1, I10)

DFO(6204450-04)

28-FEB-2020

LNМ/D. 22-MAR-2019

Affix patch

54°11'04.5"N 133°02'00.0"W

[PDF](#)

This notice affects Electronic Navigational Chart: CA570406

DFO(6204275-01)

28-FEB-2020

LNМ/D. 22-MAR-2019

Delete depth of 2.9 metres
(See Chart No. 1, I10)

54°10'42.5"N 132°58'33.0"W

This notice affects Electronic Navigational Chart: CA570406

DFO(6204275-02)

28-FEB-2020

LNМ/D. 22-MAR-2019

Add depth of 2.1 metres
(See Chart No. 1, I10)

54°10'42.6"N 132°58'32.0"W

This notice affects Electronic Navigational Chart: CA570406

DFO(6204275-03)

28-FEB-2020

LNМ/D. 22-MAR-2019

Add depth of 0.6 metre
(See Chart No. 1, I10)

54°10'46.4"N 132°58'27.6"W

This notice affects Electronic Navigational Chart: CA570406

DFO(6204275-04)

28-FEB-2020

LNМ/D. 22-MAR-2019

Delete depth of 2.2 metres
(See Chart No. 1, I10)

54°10'50.5"N 132°58'01.5"W

This notice affects Electronic Navigational Chart: CA570406

DFO(6204275-05)

28-FEB-2020

LNМ/D. 22-MAR-2019

Add depth of 1.3 metres
(See Chart No. 1, I10)

54°10'51.7"N 132°58'02.1"W

This notice affects Electronic Navigational Chart: CA570406

DFO(6204275-06)



Chart no. 3895

28-FEB-2020

Reposition R

(See Chart No. 1, J9.1)

This notice affects Electronic Navigational Chart:
CA570406

LNМ/D. 22-MAR-2019

from 54°10'49.0"N 132°58'02.5"W
to 54°10'50.5"N 132°58'02.6"W

DFO(6204275-07)

28-FEB-2020

Add depth of 2.5 metres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA570406

LNМ/D. 22-MAR-2019

54°10'18.2"N 132°57'11.1"W

DFO(6204275-08)

28-FEB-2020

Add rock which covers and uncovers with drying height of 3.2 metres 54°10'14.3"N 132°56'45.3"W
(See Chart No. 1, K11)

This notice affects Electronic Navigational Chart: CA570406

LNМ/D. 22-MAR-2019

DFO(6204275-09)

24-AUG-2018

Add depth of 9.3 metres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA570406

LNМ/D. 24-NOV-2017

54°11'13.7"N 133°01'15.5"W

DFO(6203821-01)

24-AUG-2018

Add depth of 4.0 metres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA570406

LNМ/D. 24-NOV-2017

54°11'17.0"N 133°01'26.5"W

DFO(6203821-02)

14-JUL-2006

Add foul ground non dangerous to surface navigation 54°11'25.0"N 133°00'05.0"W
(See Chart No. 1 K31)

LNМ/D. 17-FEB-2006

DFO(6201481-01)