



**Chart no. 3902**

**3902 - Hecate Strait - New Edition - 09-DEC-1988 - NAD 1927**

**17-FEB-2023**

LNМ/D. 02-DEC-2022

Add submarine cable joining 53°33'29.5"N 131°55'37.5"W  
(See Chart 1, L30.1) 53°32'49.0"N 131°50'04.8"W  
53°30'09.8"N 131°41'12.2"W  
53°30'07.1"N 130°56'12.8"W  
53°30'10.1"N 130°47'16.3"W  
53°30'23.3"N 130°46'16.7"W  
53°30'24.6"N 130°45'15.6"W  
53°29'27.1"N 130°42'48.4"W  
53°29'58.2"N 130°41'04.4"W  
and 53°29'38.0"N 130°38'12.3"W

*DFO(6204705-03)*

**02-DEC-2022**

LNМ/D. 25-NOV-2022

Add subsurface Ocean Data Acquisition system (ODAS) with known 53°06'29.6"N 130°22'52.7"W  
depth of 22 fathoms (See Chart 1, L25)

*DFO(6204675-01)*

**25-NOV-2022**

LNМ/D. 07-OCT-2022

Delete yellow ODAS/SADO lighted super-buoy Fl (5) Y, marked 46204 52°25'30.8"N 129°47'24.0"W  
(See Chart 1, Q58)

*DFO(6204669-01)*

**07-OCT-2022**

LNМ/D. 09-SEP-2022

Delete yellow ODAS/SADO lighted super-buoy Fl (5) Y, marked 52°25'00.8"N 129°48'54.0"W  
46185  
(See Chart 1, Q58)

*LL(PAC621.5) DFO(6204644-02)*

**07-OCT-2022**

LNМ/D. 09-SEP-2022

Add yellow ODAS/SADO lighted super-buoy Fl (5) Y, marked 52°25'30.8"N 129°47'24.0"W  
46204  
(See Chart 1, Q58)

*LL(PAC582.5) DFO(6204644-03)*

**07-OCT-2022**

LNМ/D. 09-SEP-2022

Add yellow ODAS/SADO lighted super-buoy Fl (5) Y, marked 52°31'39.8"N 130°05'07.8"W  
46185  
(See Chart 1, Q58)

*LL(PAC621.5) DFO(6204644-04)*



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 3902

**09-SEP-2022**

LNМ/D. 06-MAY-2022

Replace Poole Point with Sk'yaaw Kun 52°21'40.8"N 131°16'14.0"W

*DFO(6204625-03)*

**09-SEP-2022**

LNМ/D. 06-MAY-2022

Affix patch 53°12'00.0"N 131°54'00.0"W

[PDF](#)

*DFO(6204625-10)*

**06-MAY-2022**

LNМ/D. 14-AUG-2020

Delete subsurface Ocean Data Acquisition system (ODAS) with known depth of 22 fathoms (See Chart No. 1, L25) 53°06'30.8"N 130°22'54.0"W

*DFO(6204589-07)*

**14-AUG-2020**

LNМ/D. 05-JUN-2020

Amend Fl to read Fl 6s against light 53°01'28.5"N 131°37'49.7"W  
(See Chart No.1, P1)

*LL(778) DFO(6204354-01)*

**05-JUN-2020**

LNМ/D. 21-FEB-2020

Add depth of 0 fathom 4 feet  
(See Chart No. 1, I10)

53°31'55.8"N 131°53'06.7"W

This notice affects Electronic Navigational Chart: CA270390

*DFO(6204324-01)*

**21-FEB-2020**

LNМ/D. 27-SEP-2019

Add obstruction with known depth of 22 fathoms, marked  
ODAS/SADO  
(See Chart No. 1, K41)

53°06'30.8"N 130°22'54.0"W

*DFO(6204246-02)*

**27-SEP-2019**

LNМ/D. 02-AUG-2019

Amend Q 43ft11M with RACON to read Iso 1s43ft11M with RACON  
against light  
(See Chart No. 1, P1, S3.1)

53°40'24.9"N 130°24'36.7"W

*LL(742.5) DFO(6204097-01)*

**02-AUG-2019**

LNМ/D. 28-DEC-2018



### Chart no. 3902

Amend Chart/ Carte 3724 to read Chart/Carte 3975 52°54'00.0"N 129°34'27.0"W  
(See Chart No. 1, A18)

*DFO(6204051-01)*

#### **02-AUG-2019**

LNM/D. 28-DEC-2018

Amend Chart/ Carte 3741 to read Chart/Carte 3976 53°16'44.0"N 130°14'47.0"W  
(See Chart No. 1, A18)

*DFO(6204051-02)*

#### **02-AUG-2019**

LNM/D. 28-DEC-2018

Amend Chart/ Carte 3742 to read Chart/Carte 3976 53°15'56.0"N 129°25'44.0"W  
(See Chart No. 1, A18)

*DFO(6204051-03)*

#### **28-DEC-2018**

LNM/D. 25-MAY-2018

Add light Q 43ft11M with RACON  
(See Chart No. 1, P1, S3.1)

53°40'24.9"N 130°24'36.7"W

This notice affects Electronic Navigational Chart:  
CA270390, CA370441, CA470658

*(P2018135) LL(742.5) DFO(6203932-01)*

#### **28-DEC-2018**

LNM/D. 25-MAY-2018

Amend Q WR 10m4M to read Q WR 31ft4M against light 53°38'19.8"N 130°28'07.5"W  
(See Chart No. 1, P40.1)

*LL(736.5) DFO(6203937-01)*

#### **28-DEC-2018**

LNM/D. 25-MAY-2018

Amend Chart/Carte 3927 to read Chart/Carte 3978 53°42'43.8"N 130°37'10.0"W  
(See Chart No. 1, A18)

*DFO(6203937-02)*

#### **25-MAY-2018**

LNM/D. 30-MAR-2018

Add green port hand lighted pillar buoy Fl G, marked EB7  
(See Chart No. 1, Qg)

52°57'53.6"N 129°44'51.7"W

This notice affects Electronic Navigational Chart:  
CA270724, CA470613

*(P2018030) LL(631.1) DFO(6203765-01)*

#### **25-MAY-2018**

LNM/D. 30-MAR-2018



### Chart no. 3902

Add red starboard hand lighted pillar buoy Fl R, marked  
EB2

(See Chart No. 1, Qf)

This notice affects Electronic Navigational Chart:  
CA270724, CA470613

52°50'55.4"N 129°46'06.0"W

(P2018043) LL(631.3) DFO(6203766-01)

### 25-MAY-2018

Add red starboard hand lighted pillar buoy Q R, marked  
EB4

(See Chart No. 1, Qf)

This notice affects Electronic Navigational Chart:  
CA270724, CA470613

LNМ/D. 30-MAR-2018

52°53'26.6"N 129°39'38.3"W

(P2018044) LL(631.4) DFO(6203767-01)

### 25-MAY-2018

Add green port hand lighted pillar buoy Q G, marked EB5  
(See Chart No. 1, Qg)

This notice affects Electronic Navigational Chart:  
CA270724, CA470613

LNМ/D. 30-MAR-2018

52°55'27.9"N 129°31'42.8"W

(P2018042) LL(631.5) DFO(6203768-01)

### 30-MAR-2018

Add note Chart/carte 3980 52°17'30.0"N 128°54'00.0"W  
(See Chart No. 1, A18)

LNМ/D. 02-FEB-2018

DFO(6203703-14)

### 02-FEB-2018

Amend Fl to read Iso against light  
(See Chart No. 1, P1)

This notice affects Electronic Navigational Chart:  
CA270724, CA470730

LNМ/D. 12-JAN-2018

52°57'16.8"N 129°18'23.7"W

(P2017097) LL(630.2) DFO(6203611-01)

### 12-JAN-2018

Amend Fl (3) to read Fl 6s against light  
(See Chart No. 1, P1)

This notice affects Electronic Navigational Chart:  
CA270724, CA470730

LNМ/D. 22-DEC-2017

52°56'23.5"N 129°26'10.3"W

(P2017093) LL(630) DFO(6203606-01)

### 22-DEC-2017

LNМ/D. 23-JUN-2017



### Chart no. 3902

Amend Fl to read Fl R against light 53°42'28.1"N 130°24'37.0"W  
(See Chart No. 1, P1)  
This notice affects Electronic Navigational Chart: (P2017075) LL(743) DFO(6203590-01)  
CA270390, CA370441, CA470658

**22-DEC-2017** LNM/D. 23-JUN-2017  
Delete radar reflector 53°42'28.1"N 130°24'37.0"W  
(See Chart No. 1, S4)  
This notice affects Electronic Navigational Chart: CA270390, DFO(6203590-02)  
CA370441, CA470658

**22-DEC-2017** LNM/D. 23-JUN-2017  
Add light Fl(3) with RACON 52°51'37.7"N 129°20'44.7"W  
(See Chart No. 1, P1, S3.1)  
This notice affects Electronic Navigational Chart: (P2017076) LL(628.5) DFO(6203595-01)  
CA270724, CA470730

**23-JUN-2017** LNM/D. 28-APR-2017  
Add sector light Q WR 10m4M 53°38'19.8"N 130°28'07.5"W  
red from 80° to 121°, white from 121° to 80°  
(See Chart No. 1, P40.1) (P2017025) LL(736.5) DFO(6203499-01)  
This notice affects Electronic Navigational Chart:  
CA270390, CA370441, CA470622

**28-APR-2017** LNM/D. 21-APR-2017  
Delete rock awash at chart datum 52°40'24.3"N 131°27'14.0"W  
(See Chart No. 1, K12)  
This notice affects Electronic Navigational Chart: CA370497, DFO(6203480-01)  
CA470375

**28-APR-2017** LNM/D. 21-APR-2017  
Add rock which covers and uncovers with drying height of 0.6 metres 52°40'24.8"N 131°27'14.7"W  
(See Chart No. 1, K11)  
This notice affects Electronic Navigational Chart: CA370497, DFO(6203480-02)  
CA470375

**21-APR-2017** LNM/D. 07-APR-2017



**Chart no. 3902**

Add restricted area with label "Hecate Strait and Queen Charlotte Sound Glass Sponge Reefs Marine Protected Area/Zone de protection marine des récifs d'éponges siliceuses du détroit d'Hécate et du bassin de la Reine-Charlotte"  
(See Chart No. 1, N2.1)

This notice affects Electronic Navigational Chart:  
CA270724, CA370440

joining 53°11'53.7"N 130°19'41.2"W  
53°15'21.4"N 130°32'55.3"W  
53°18'43.3"N 130°38'03.3"W  
53°23'41.5"N 130°42'46.2"W  
53°24'06.2"N 130°48'31.8"W  
53°19'20.8"N 130°54'18.2"W  
53°13'29.5"N 130°47'22.7"W  
53°07'45.3"N 130°46'20.5"W  
53°07'18.6"N 130°41'57.2"W  
53°03'07.7"N 130°30'29.6"W  
53°02'55.3"N 130°25'10.2"W  
53°09'22.8"N 130°18'47.0"W  
and 53°11'53.7"N 130°19'41.2"W

*DFO(6203461-01)*

**21-APR-2017**

LNM/D. 07-APR-2017

Add restricted area with label "Hecate Strait and Queen Charlotte Sound Glass Sponge Reefs Marine Protected Area/Zone de protection marine des récifs d'éponges siliceuses du détroit d'Hécate et du bassin de la Reine-Charlotte"  
(See Chart No. 1, N2.1)

This notice affects Electronic Navigational Chart:  
CA270084, CA270724

joining 52°12'18.0"N 129°26'27.6"W  
52°20'03.6"N 129°29'45.7"W  
52°25'43.5"N 129°35'06.2"W  
52°34'06.4"N 129°47'45.4"W  
52°32'06.2"N 129°53'00.2"W  
52°29'34.6"N 129°52'26.7"W  
52°15'43.4"N 129°44'06.3"W  
and 52°12'18.0"N 129°38'49.7"W

*DFO(6203461-02)*

**07-APR-2017**

LNM/D. 18-NOV-2016

Add red starboard hand lighted pillar buoy Fl R, marked E88  
(See Chart No. 1, Qf)  
This notice affects Electronic Navigational Chart:  
CA270724

53°16'17.9"N 130°31'39.4"W  
*(P2017012) LL(740.5) DFO(6203467-01)*

**07-APR-2017**

LNM/D. 18-NOV-2016

Delete depth of 16 fathoms 53°16'25.8"N 130°31'55.4"W  
(See Chart No. 1, I10)

*DFO(6203467-02)*

**18-NOV-2016**

LNM/D. 19-AUG-2016

Delete depth of 1 fathoms 3 feet  
(See Chart No. 1, I10)

53°26'16.8"N 129°51'19.8"W

This notice affects Electronic Navigational Chart: CA270724

*DFO(6203403-19)*



**Chart no. 3902**

**18-NOV-2016**

LNM/D. 19-AUG-2016

Add depth of 0 fathoms 5 feet 53°26'17.8"N 129°51'19.0"W  
(See Chart No. 1, I10)

*DFO(6203403-20)*

**19-AUG-2016**

LNM/D. 05-AUG-2016

Add depth of 4 fathoms 2 feet 52°58'41.8"N 129°42'18.9"W  
(See Chart No. 1, I10)

*DFO(6203337-02)*

**19-AUG-2016**

LNM/D. 05-AUG-2016

Add depth of 8 fathoms 2 feet 52°57'46.0"N 129°40'12.4"W  
(See Chart No. 1, I10)

*DFO(6203337-08)*

**05-AUG-2016**

LNM/D. 08-APR-2016

Amend Fl (3) 12s 53ft to read Fl (3) 12s 23ft against light  
(See Chart No. 1, P1)

53°32'51.9"N 130°38'02.1"W

This notice affects Electronic Navigational Chart: CA270724,  
CA370298

*DFO(6203319-02)*

**08-APR-2016**

LNM/D. 25-MAR-2016

Amend Fl to read Fl 6s against light  
(See Chart No. 1, P1)

53°38'05.6"N 130°33'46.4"W

This notice affects Electronic Navigational Chart:  
CA270724, CA470622

*(P2016036) LL(742) DFO(6203243-01)*

**25-MAR-2016**

LNM/D. 19-DEC-2014

Amend Q R to read Fl G against light  
(See Chart No. 1, P1)

53°37'44.9"N 130°32'18.1"W

*(P201632) LL(736) DFO(6203239-02)*

**19-DEC-2014**

LNM/D. 14-NOV-2014

Add rock which covers and uncovers 52°48'33.0"N 129°22'13.0"W  
(See Chart No. 1, K11)

*DFO(6202919-20)*

**19-DEC-2014**

LNM/D. 14-NOV-2014



**Chart no. 3902**

Delete depth of 1 fathoms 2 feet 52°48'33.0"N 129°22'17.0"W  
(See Chart No. 1, I10)

*DFO(6202919-21)*

**14-NOV-2014** LNM/D. 24-OCT-2014

Add depth of 13 fathoms 52°28'53.0"N 129°29'20.5"W  
(See Chart No. 1, I10)

*DFO(6202916-01)*

**14-NOV-2014** LNM/D. 24-OCT-2014

Delete depth of 23 fathoms 52°29'00.0"N 129°29'30.0"W  
(See Chart No. 1, I10)

*DFO(6202916-02)*

**24-OCT-2014**

LNM/D. 22-AUG-2014

Delete depth of 9 fathoms  
(See Chart No. 1, I10)

52°35'30.0"N 129°18'42.0"W

This notice affects Electronic Navigational Chart: CA270724

*DFO(6202911-19)*

**24-OCT-2014**

LNM/D. 22-AUG-2014

Add depth of 6 fathoms 5 feet  
(See Chart No. 1, I10)

52°35'28.5"N 129°18'34.5"W

This notice affects Electronic Navigational Chart: CA270724

*DFO(6202911-20)*

**24-OCT-2014**

LNM/D. 22-AUG-2014

Delete depth of 15 fathoms  
(See Chart No. 1, I10)

52°33'30.0"N 129°19'33.0"W

This notice affects Electronic Navigational Chart: CA270724

*DFO(6202911-21)*

**24-OCT-2014**

LNM/D. 22-AUG-2014

Add depth of 12 fathoms  
(See Chart No. 1, I10)

52°33'29.0"N 129°19'19.5"W

This notice affects Electronic Navigational Chart: CA270724

*DFO(6202911-22)*

**22-AUG-2014**

LNM/D. 25-APR-2014

Delete depth of 21 fathoms 52°27'42.0"N 129°15'45.0"W  
(See Chart No. 1, I10)

*DFO(6202892-02)*





**Chart no. 3902**

**22-AUG-2014**

LNМ/D. 25-APR-2014

Add depth of 3 fathoms 5 feet 52°27'36.5"N 129°15'46.5"W  
(See Chart No. 1, I10)

*DFO(6202892-03)*

**25-APR-2014**

LNМ/D. 26-OCT-2012

Add marine park joining 52°48'37.0"N 131°39'22.0"W  
(See Chart No. 1, Nf) 52°50'06.0"N 131°20'04.0"W  
52°26'50.0"N 131°05'13.0"W  
and 52°12'18.0"N 130°48'40.0"W

*DFO(6202727-07)*

**25-APR-2014**

LNМ/D. 26-OCT-2012

Add National park, marked NPR/RPN 52°26'00.0"N 131°08'00.0"W  
(see Chart No. 1 Ef)

*DFO(6202727-08)*

**25-APR-2014**

LNМ/D. 26-OCT-2012

Add GWAIИ HAANAS NATIONAL PARK RESERVE, 53°48'00.0"N 129°30'40.0"W  
NATIONAL MARINE CONSERVATION AREA  
RESERVE AND HAIDA HERITAGE SITE *DFO(6202727-10)*  
NPR  
RÉSERVE DE PARC NATIONAL GWAIИ HAANAS,  
RÉSERVE D'АIRE MARINE NATIONALE DE  
CONSERVATION ET SITE DU PATRIMOINE HAÏDA  
RPN

**26-OCT-2012**

LNМ/D. 28-SEP-2012

Delete depth of 49 fathoms 52°50'30.0"N 129°28'00.0"W  
(See Chart No. 1, I10)

*DFO(6202626-01)*

**26-OCT-2012**

LNМ/D. 28-SEP-2012

Add depth of 7 fathoms 52°50'26.8"N 129°28'16.6"W  
(See Chart No. 1, I10)

*DFO(6202626-02)*

**28-SEP-2012**

LNМ/D. 17-FEB-2012



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 3902

Delete depth of 10 fathoms  
(See Chart No. 1, I10)

52°51'02.0"N 129°46'12.0"W

*DFO(6202603-01)*

This notice affects Electronic Navigational Chart: CA270084

### 28-SEP-2012

LN/D. 17-FEB-2012

Add depth of 7 fathoms 3 feet  
(See Chart No. 1, I10)

52°50'57.0"N 129°46'03.0"W

*DFO(6202603-02)*

This notice affects Electronic Navigational Chart: CA270084

### 17-FEB-2012

LN/D. 20-MAR-2009

Amend Adjoining Chart/Carte adjacente 3802 to read outside north border at 131°10'00.0"W  
Adjoining Chart/Carte adjacente 3800  
(See Chart No. 1, A20)

*DFO(6202537-07)*

### 20-MAR-2009

LN/D. 26-DEC-2008

Add note  
See/Voir note  
CHANGING DEPTHS/PROFONDEURS CHANGEANTES

53°27'00.0"N 131°39'30.0"W

*DFO(6202014-01)*

### 20-MAR-2009

LN/D. 26-DEC-2008



## Chart no. 3902

Add note

53°50'00.0"N 129°30'00.0"W

### CHANGING DEPTHS

Mariners are advised that depths in the North West part of Hecate Strait are subject to change as a result of moving sandwaves. This area is roughly indicated by the darker blue colour depth areas. For additional information, consult CHS Sailing Directions PAC 206.

*DFO(6202014-02)*

### PROFONDEURS CHANGEANTES

On informe les navigateurs que les profondeurs dans la partie Nord-Ouest de Hecate Strait peuvent changer en raison de dunes sous-marines. Cette zone est approximativement délimitée par les zones de profondeurs en bleu plus foncé. Pour plus de renseignements, consultez les Instructions nautiques du SHC PAC 206.

### 26-DEC-2008

LN/D. 12-SEP-2008

Delete dangerous underwater rock of 6 feet or less and legend Rep (1999)  
(See Chart No. 1, K13 and I3.2)

52°35'35.0"N 129°28'09.5"W

*DFO(6201966-01)*

### 26-DEC-2008

LN/D. 12-SEP-2008

Delete dangerous underwater rock of 6 feet or less and legend Rep (1999)  
(See Chart No. 1, K13 and I3.2)

52°29'46.0"N 129°29'01.5"W

*DFO(6201966-05)*

### 26-DEC-2008

LN/D. 12-SEP-2008

Add depth of 1 fathom (See Chart No. 1, I10)

52°29'47.1"N 129°29'01.1"W

*DFO(6201966-06)*

### 12-SEP-2008

LN/D. 03-AUG-2007

Amend Chart/Carte 3728 to read Chart/Carte 3941

52°18'12.0"N 128°33'30.0"W

*DFO(6201927-16)*

### 03-AUG-2007

LN/D. 11-MAY-2007



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 3902

Delete depth of 12 fathoms 52°37'00.0"N 129°28'06.0"W

*DFO(6201701-01)*

**03-AUG-2007** LNM/D. 11-MAY-2007

Add depth of 9 fathoms 52°36'52.8"N 129°28'00.4"W

*DFO(6201701-02)*

**03-AUG-2007** LNM/D. 11-MAY-2007

Add depth of 19 fathoms 52°35'42.4"N 129°29'36.9"W

*DFO(6201701-03)*

**11-MAY-2007** LNM/D. 22-SEP-2006

Delete depth of 22 fathoms 52°31'30.0"N 129°07'45.0"W

*DFO(6201674-01)*

**11-MAY-2007** LNM/D. 22-SEP-2006

Add depth of 6 fathoms 52°31'34.0"N 129°07'32.1"W

*DFO(6201674-02)*

**22-SEP-2006** LNM/D. 07-APR-2006

Add depth of 8 fathoms 53°39'13.6"N 130°32'50.6"W

*DFO(6201549-02)*

This notice affects Electronic Navigational Chart: CA370299

**07-APR-2006** LNM/D. 02-MAY-2003

Delete light F 73ft 53°25'27.0"N 131°55'05.0"W

*(P2006042) LL(789) DFO(6201391-01)*

This notice affects Electronic Navigational Chart:  
CA370372

**07-APR-2006** LNM/D. 02-MAY-2003



### Chart no. 3902

Delete leading line  
(see Chart No. 1 P20.2)

between 53°25'27.0"N 131°55'05.0"W  
and 53°25'27.0"N 131°37'36.0"W

*DFO(6201391-02)*

This notice affects Electronic Navigational Chart:  
CA370372

#### **07-APR-2006**

Delete legend 270°

LNМ/D. 02-MAY-2003  
53°25'27.0"N 131°40'40.0"W

*DFO(6201391-04)*

This notice affects Electronic Navigational Chart: CA370372

#### **07-APR-2006**

Replace light F 38ft with sector light on standard charts, F  
RWG, red from 230.5° to 235°, white from 235° to  
241°, green from 241° to 245.5°  
(see Chart No. 1 P40)

LNМ/D. 02-MAY-2003  
53°25'29.7"N 131°54'50.2"W  
*(P2006041) LL(788) DFO(6201391-05)*

This notice affects Electronic Navigational Chart:  
CA370372

#### **02-MAY-2003**

Delete Fog Sig

LNМ/D. 14-FEB-2003  
52°15'41.9"N 128°43'12.5"W

*(P2003033) LL(619) DFO(6200535-11)*

#### **02-MAY-2003**

Delete Fog Sig

LNМ/D. 14-FEB-2003  
52°16'10.9"N 128°24'18.0"W

*(P2003034) LL(617) DFO(6200535-12)*

#### **14-FEB-2003**

Delete legend RT 53°14'11.0"N 131°48'58.0"W

LNМ/D. 17-JAN-2003

*DFO(6200491-03)*

#### **14-FEB-2003**

LNМ/D. 17-JAN-2003



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 3902

Replace legend Trs 141ft with legend Tr 141ft 53°13'54.0"N 131°48'30.0"W

*DFO(6200491-04)*

**14-FEB-2003**

LNM/D. 17-JAN-2003

Delete radiobeacon marked RC 52°15'42.0"N 128°43'18.0"W

*DFO(6200492-01)*

**17-JAN-2003**

LNM/D. 07-JUL-2000

Reposition yellow ODAS light buoy, Fl (5) Y, marked 46185 from 52°24'24.0"N 129°47'00.0"W  
to 52°24'58.4"N 129°48'28.8"W

*DFO(6200443-01)*

**07-JUL-2000**

LNM/D. 22-OCT-1999

Delete Fog Sig 53°29'36.0"N 130°38'09.0"W

*(P2000016) LL(734) DFO(6200767-04)*