



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 4006

### 4006 - Newfoundland and Labrador/Terre-Neuve-et-Labrador to Bermuda / aux Bermudes - New Edition - 08-AUG-2003 - NAD 1983

**01-DEC-2023**

LNLM/D. 25-AUG-2023

Add yellow ODAS/SADO lighted super-buoy Fl(5) Y, marked IML-15 48°05'00.0"N 061°55'54.0"W  
(See Chart 1, Q58)

*DFO(6310949-01)*

**25-AUG-2023**

LNLM/D. 06-JAN-2023

Delete subsurface Ocean Data Acquisition system (ODAS) with known 45°41'47.6"N 057°15'21.1"W  
depth of 364 metres (See Chart 1, L25)

This notice affects Electronic Navigational Chart: CA276090

*DFO(6310793-01)*

**25-AUG-2023**

LNLM/D. 06-JAN-2023

Delete subsurface Ocean Data Acquisition system (ODAS) with known 45°30'53.4"N 056°40'19.2"W  
depth of 337 metres (See Chart 1, L25)

This notice affects Electronic Navigational Chart: CA276090

*DFO(6310793-02)*

**06-JAN-2023**

LNLM/D. 16-DEC-2022

Add wreck, least depth unknown, PA 37°36'43.2"N 074°14'42.8"W  
(See Chart 1, K29, B7)

*DFO(6310532-01)*

**16-DEC-2022**

LNLM/D. 25-NOV-2022

Delete subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 120 metres

(See Chart 1, L25)

42°54'31.1"N 065°18'53.9"W

This notice affects Electronic Navigational Chart: CA276800

*DFO(6310472-03)*

**16-DEC-2022**

LNLM/D. 25-NOV-2022

Delete subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 1425 meters

(See Chart 1, L25)

41°46'10.0"N 065°34'36.0"W

*DFO(6310472-05)*

**16-DEC-2022**

LNLM/D. 25-NOV-2022

Delete subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 1338 meters

(See Chart 1, L25)

41°15'28.6"N 066°02'32.3"W

This notice affects Electronic Navigational Chart: CA276367

*DFO(6310472-06)*



### Chart no. 4006

#### 16-DEC-2022

Delete subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 1460 metres  
(See Chart 1, L25)

This notice affects Electronic Navigational Chart: CA176140

LNМ/D. 25-NOV-2022

42°26'33.8"N 064°27'19.5"W

*DFO(6310472-07)*

#### 16-DEC-2022

Delete subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 106 metres  
(See Chart 1, L25)

This notice affects Electronic Navigational Chart: CA276204

LNМ/D. 25-NOV-2022

45°08'33.0"N 059°42'40.0"W

*DFO(6310472-12)*

#### 25-NOV-2022

Delete subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 169 metres  
(See Chart 1, L25)

This notice affects Electronic Navigational Chart: CA276206

LNМ/D. 04-NOV-2022

44°41'22.6"N 066°31'42.8"W

*DFO(6310445-01)*

#### 04-NOV-2022

Add obstruction, depth unknown, marked ODAS/SADO  
(See Chart 1, L25)

This notice affects Electronic Navigational Chart: CA176140

LNМ/D. 07-OCT-2022

42°46'18.0"N 062°03'50.0"W

*DFO(6310334-01)*

#### 07-OCT-2022

Add private yellow ODAS/SADO lighted pillar buoy Fl Y, (priv)  
(See Chart 1, Q58)

*(USCG:30/2022) DFO(6310310-01)*

LNМ/D. 17-JUN-2022

40°40'21.1"N 070°13'07.8"W

#### 07-OCT-2022

Delete private yellow ODAS/SADO lighted pillar buoy Fl Y,  
(priv)  
(See Chart 1, Q58)

*(USCG:28/2022) DFO(6310310-02)*

LNМ/D. 17-JUN-2022

40°48'08.6"N 070°20'25.2"W

#### 17-JUN-2022

LNМ/D. 29-APR-2022



**Chart no. 4006**

Add environmentally sensitive sea area with legend,  
Laurentian Channel MPA / ZPM du chenal Laurentien  
(See Chart No. 1, N22)

This notice affects Electronic Navigational Chart:  
CA276090, CA276091, CA276271, CA276284

joining 45°34'06.0"N 057°10'30.0"W  
45°26'27.0"N 057°11'18.0"W  
44°59'02.0"N 056°40'07.0"W  
44°59'49.0"N 056°24'05.0"W  
45°20'20.0"N 056°24'07.0"W  
46°39'18.0"N 057°37'07.0"W  
46°38'58.0"N 057°43'45.0"W  
46°44'27.0"N 057°50'48.0"W  
46°57'06.0"N 057°59'00.0"W  
47°01'27.0"N 058°04'19.0"W  
46°56'00.0"N 058°27'47.0"W  
47°06'05.0"N 058°45'09.0"W  
47°03'22.0"N 059°04'03.0"W  
46°46'55.0"N 058°45'44.0"W  
46°23'01.0"N 058°01'19.0"W  
and 45°34'06.0"N 057°10'30.0"W

*DFO(6310080-01)*

**29-APR-2022**

Delete subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 9 meters  
(See Chart No. 1, L25)

LNМ/D. 01-APR-2022

50°45'30.8"N 052°19'49.1"W

*DFO(6310062-01)*

**01-APR-2022**

Add subsurface Ocean Data Acquisition system (ODAS) with an  
unknown depth  
(See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA276206

LNМ/D. 25-FEB-2022

42°50'27.0"N 066°43'52.6"W

*DFO(6310052-01)*

**25-FEB-2022**

Add obstruction, depth unknown 34°10'12.0"N 076°13'42.0"W  
(See Chart No. 1, K40)

LNМ/D. 07-JAN-2022

*DFO(6310004-01)*

**07-JAN-2022**

Add subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 120 metres  
(See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA276800

LNМ/D. 24-DEC-2021

42°54'31.1"N 065°18'53.9"W

*DFO(6309968-02)*

**07-JAN-2022**

LNМ/D. 24-DEC-2021



### Chart no. 4006

Add subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 1338 meters 41°15'28.6"N 066°02'32.4"W  
(See Chart No. 1, L25) *DFO(6309969-01)*  
This notice affects Electronic Navigational Chart: CA276367

#### 07-JAN-2022

Add subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 106 metres LNМ/D. 24-DEC-2021  
(See Chart No. 1, L25) 45°08'36.1"N 059°42'54.9"W  
This notice affects Electronic Navigational Chart: CA176140, *DFO(6309970-01)*  
CA276204

#### 07-JAN-2022

Add subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 1460 metres LNМ/D. 24-DEC-2021  
(See Chart No. 1, L25) 42°26'33.8"N 064°27'19.5"W  
This notice affects Electronic Navigational Chart: CA176140 *DFO(6309971-01)*

#### 07-JAN-2022

Delete yellow ODAS/SADO lighted pillar buoy Fl Y 39°58'09.4"N 072°43'00.1"W LNМ/D. 24-DEC-2021  
(See Chart No. 1, Q58) *DFO(6309972-01)*

#### 07-JAN-2022

Add subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 169 metres LNМ/D. 24-DEC-2021  
(See Chart No. 1, L25) 44°41'20.3"N 066°31'56.2"W  
This notice affects Electronic Navigational Chart: CA276206 *DFO(6309973-02)*

#### 07-JAN-2022

Reposition yellow ODAS/SADO lighted super-buoy, marked  
41025 LNМ/D. 24-DEC-2021  
(See Chart No. 1, Q58) from 35°05'35.9"N 075°21'12.0"W  
to 35°00'18.0"N 075°25'18.0"W  
*DFO(6309976-01)*

#### 07-JAN-2022

Reposition private yellow ODAS/SADO lighted pillar buoy FIY,  
marked CNSP LNМ/D. 24-DEC-2021  
(See Chart No. 1, Q58) from 40°07'38.2"N 070°46'46.8"W  
to 40°06'03.5"N 070°53'14.2"W  
*DFO(6309977-01)*



## Chart no. 4006

### 24-DEC-2021

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 1425 metres  
(See Chart No. 1, L25)

LNM/D. 10-DEC-2021  
41°46'14.4"N 065°34'32.6"W

*DFO(6309890-01)*

### 10-DEC-2021

Add private yellow ODAS/SADO lighted pillar buoy Fl Y 2.5s, Priv 42°55'04.8"N 070°03'54.0"W  
(See Chart No. 1, Q58)

LNM/D. 05-NOV-2021

*DFO(6309787-01)*

### 05-NOV-2021

Reposition yellow ODAS/SADO lighted super-buoy, marked 41001  
(See Chart No. 1, L25)

LNM/D. 22-OCT-2021  
from 34°43'27.0"N 072°19'00.0"W  
to 34°46'30.0"N 072°10'02.0"W

*(USCG:26/2021) DFO(6309741-01)*

### 22-OCT-2021

Delete lighted offshore platform, marked Alma  
(See Chart No. 1, P2)

LNM/D. 03-SEP-2021  
43°38'20.0"N 060°41'32.0"W

This notice affects Electronic Navigational Chart: CA176140

*DFO(6309440-01)*

### 22-OCT-2021

Delete lighted offshore platform, marked Thebaud  
(See Chart No. 1, P2)

LNM/D. 03-SEP-2021  
43°53'20.0"N 060°12'38.0"W

This notice affects Electronic Navigational Chart: CA176140,  
CA276204, CA376289

*DFO(6309440-03)*

### 22-OCT-2021

Delete lighted offshore platform, marked North Triumph  
(See Chart No. 1, P2)

LNM/D. 03-SEP-2021  
43°41'45.0"N 059°51'50.0"W

This notice affects Electronic Navigational Chart: CA176140,  
CA276090, CA376289

*DFO(6309440-08)*

### 22-OCT-2021

Delete lighted offshore platform, marked Venture/South Venture  
(See Chart No. 1, P2)

LNM/D. 03-SEP-2021  
44°01'50.0"N 059°35'20.0"W

This notice affects Electronic Navigational Chart: CA176140,  
CA276204, CA376289

*DFO(6309440-18)*



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 4006

### 03-SEP-2021

Delete lighted offshore platform, marked Deep Panuke  
(See Chart No. 1, L10, P2)  
This notice affects Electronic Navigational Chart: CA176140,  
CA376137

LNМ/D. 23-JUL-2021  
43°48'45.0"N 060°41'36.0"W  
*DFO(6309650-02)*

### 23-JUL-2021

Delete obstruction, depth unknown 41°09'00.0"N 070°35'57.0"W  
(See Chart No. 1, K40)

LNМ/D. 23-APR-2021

*DFO(6309439-01)*

### 23-APR-2021

Add wreck, least depth unknown, with legend 'PA'  
(See Chart No. 1, K29, B7)  
This notice affects Electronic Navigational Chart: CA176030,  
CA276090

LNМ/D. 02-OCT-2020  
45°43'36.0"N 057°03'45.0"W  
*DFO(6309407-01)*

### 02-OCT-2020

Delete subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 9 metres (See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA276091

LNМ/D. 28-AUG-2020  
44°11'33.8"N 053°16'29.2"W  
*DFO(6309223-05)*

### 28-AUG-2020

Reposition private yellow ODAS/SADO lighted pillar buoy Fl Y,  
(priv)  
(See Chart No. 1, Q58)

LNМ/D. 12-JUN-2020  
from 40°50'29.0"N 070°14'56.2"W  
to 40°48'08.6"N 070°20'25.2"W

*(USCG:24/2020) DFO(6309141-01)*

### 28-AUG-2020

Reposition yellow ODAS/SADO lighted super-buoy, marked  
41001  
(See Chart No. 1, Q58)

LNМ/D. 12-JUN-2020  
from 34°30'06.0"N 072°31'18.0"W  
to 34°43'27.0"N 072°19'00.0"W

*(USCG:27/2020) DFO(6309149-01)*

### 12-JUN-2020

Add wreck, least depth unknown, PA  
(See Chart No. 1, K29, B7)

LNМ/D. 06-MAR-2020

43°10'24.0"N 069°17'42.0"W

*(USCG:06/20) DFO(6308980-02)*



## Chart no. 4006

**06-MAR-2020**

LNM/D. 22-NOV-2019

Reposition yellow ODAS/SADO lighted super-buoy, marked  
41002  
(See Chart No. 1, Q58)

from 31°51'31.0"N 074°50'25.0"W  
to 31°53'12.0"N 074°55'17.0"W

*(NGA:04/2020) DFO(6308933-01)*

**06-MAR-2020**

LNM/D. 22-NOV-2019

Add fish haven with depth of 18 metres over an artificial feature  
(See Chart No. 1, K46.2)

40°36'44.0"N 072°31'39.0"W

*(USCG:01/2020) DFO(6308933-03)*

**06-MAR-2020**

LNM/D. 22-NOV-2019

Add private yellow ODAS/SADO lighted pillar Fl Y, (priv)  
(See Chart No. 1, Q58)

40°50'29.0"N 070°14'56.2"W

*(USCG:01/2020) DFO(6308933-04)*

**22-NOV-2019**

LNM/D. 18-OCT-2019

Add yellow ODAS/SADO lighted pillar buoy Fl Y 39°58'00.0"N 072°43'00.0"W  
(See Chart No. 1, Q58)

*DFO(6308824-01)*

**18-OCT-2019**

LNM/D. 06-SEP-2019

Reposition yellow ODAS/SADO lighted super-buoy marked 41001  
(See Chart No. 1, Q58)

from 34°35'19.7"N 072°40'32.2"W  
to 34°30'06.0"N 072°31'18.0"W

*DFO(6308811-01)*

**06-SEP-2019**

LNM/D. 23-AUG-2019

Delete radar transponder beacon  
(See Chart No. 1, S3.1/S3.4)

32°22'12.6"N 064°38'20.4"W

*(BRITAD:Week 27/19 - 3284) DFO(6308741-01)*

**23-AUG-2019**

LNM/D. 12-JUL-2019

Add environmentally sensitive sea area with legend, Banc-des-  
Américains MPA / ZPM du Banc-des-Américains  
(See Chart No. 1, N22)

joining 48°29'24.0"N 064°08'24.0"W

48°29'24.0"N 063°40'15.0"W

48°45'00.0"N 063°40'15.0"W

This notice affects Electronic Navigational Chart:

48°45'00.0"N 064°08'24.0"W

CA179245, CA279075, CA379086

and 48°29'24.0"N 064°08'24.0"W

*DFO(6410193-01)*





## Chart no. 4006

**12-JUL-2019**

LNМ/D. 08-MAR-2019

Delete yellow ODAS/SADO lighted superbuoy Y, marked  
IML-2

49°30'00.0"N 060°03'55.0"W

(See Chart No. 1, Q58)

(Q2019079) LL(1563.2) DFO(6410151-01)

This notice affects Electronic Navigational Chart:  
CA179245, CA279043

**08-MAR-2019**

LNМ/D. 01-MAR-2019

Delete light

37°07'06.0"N 075°55'24.0"W

(See Chart No. 1, P1)

(USCG:04/19) DFO(6308578-01)

**01-MAR-2019**

LNМ/D. 07-DEC-2018

Reposition yellow ODAS/SADO lighted super-buoy, marked  
41025

from 35°00'19.3"N 075°24'12.5"W  
to 35°05'24.0"N 075°21'26.0"W

(See Chart No. 1, Q58)

(USCG:49/18) DFO(6308565-01)

**07-DEC-2018**

LNМ/D. 09-NOV-2018

Delete yellow ODAS/SADO lighted super-buoy, marked  
44141

42°59'58.3"N 058°00'22.0"W

(See Chart No. 1, Q58)

(G2018142) LL(664.6) DFO(6308514-01)

This notice affects Electronic Navigational Chart:  
CA176030, CA276090

**09-NOV-2018**

LNМ/D. 06-APR-2018

Amend depth of 75 metres to read 25 metres against  
subsurface Ocean Data Acquisition system

52°42'23.3"N 053°46'52.0"W

ODAS/SADO

DFO(6308437-01)

(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA176030,  
CA276113

**09-NOV-2018**

LNМ/D. 06-APR-2018

Amend depth of 407 metres to read 364 metres against subsurface  
Ocean Data Acquisition system ODAS/SADO

45°41'45.8"N 057°15'12.0"W

(See Chart No. 1, L25)

DFO(6308438-01)

This notice affects Electronic Navigational Chart: CA176030,  
CA276090





**Chart no. 4006**

**09-NOV-2018**

LNM/D. 06-APR-2018

Amend depth of 329 metres to read 337 metres against subsurface  
Ocean Data Acquisition system ODAS/SADO (See Chart No. 1,  
L25)  
This notice affects Electronic Navigational Chart: CA176030,  
CA276090

45°30'52.8"N 056°40'19.4"W  
*DFO(6308438-02)*

**06-APR-2018**

LNM/D. 01-DEC-2017

Delete yellow ODAS/SADO lighted super-buoy, marked 44251  
(See Chart No. 1, Q58)  
This notice affects Electronic Navigational Chart: CA176030,  
CA276091, CA376075

46°26'30.0"N 053°23'30.0"W  
*DFO(6308224-02)*

**06-APR-2018**

LNM/D. 01-DEC-2017

Delete yellow ODAS/SADO lighted super-buoy, marked 44138  
(See Chart No. 1, Q58)  
This notice affects Electronic Navigational Chart: CA176030,  
CA276091

44°15'00.0"N 053°38'00.0"W  
*DFO(6308224-03)*

**01-DEC-2017**

LNM/D. 11-AUG-2017

Amend depth of 75 metres to read 24 metres against subsurface  
Ocean Data Acquisition system ODAS/SADO  
(See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA176030

51°35'47.1"N 054°35'48.8"W  
*DFO(6308149-02)*

**11-AUG-2017**

LNM/D. 02-DEC-2016

Add environmentally sensitive sea area with legend, St Anns  
Bank MPA / ZPM du banc de Sainte-Anne  
(See Chart No. 1, N22)  
This notice affects Electronic Navigational Chart:  
CA179245, CA276090, CA276204, CA276271, CA276284,  
CA376303

joining 46°10'00.0"N 059°39'00.0"W  
45°47'00.0"N 059°39'00.0"W  
45°56'00.0"N 058°40'00.0"W  
46°04'00.0"N 058°40'00.0"W  
46°04'00.0"N 058°32'00.0"W  
46°14'00.0"N 058°22'00.0"W  
46°25'00.0"N 058°40'00.0"W  
46°25'00.0"N 059°00'00.0"W  
46°16'00.0"N 059°20'00.0"W  
46°10'00.0"N 059°20'00.0"W  
and 46°10'00.0"N 059°39'00.0"W

*DFO(6308006-01)*

**02-DEC-2016**

LNM/D. 19-AUG-2016



### Chart no. 4006

Add subsurface Ocean Data Acquisition system (ODAS/SADO) with known depth of 9 metres (See Chart No. 1, L25) This notice affects Electronic Navigational Chart: CA176030

50°45'30.8"N 052°19'49.1"W  
*DFO(6307699-01)*

#### 02-DEC-2016

Add subsurface Ocean Data Acquisition system (ODAS/SADO) with known depth of 9 metres (See Chart No. 1, L25) This notice affects Electronic Navigational Chart: CA176030, CA276091

LNМ/D. 19-AUG-2016  
44°11'33.8"N 053°16'29.2"W  
*DFO(6307699-05)*

#### 19-AUG-2016

Delete subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 60 metres (See Chart No. 1, L25) This notice affects Electronic Navigational Chart: CA176030

LNМ/D. 29-APR-2016  
51°50'06.0"N 052°30'24.0"W  
*DFO(6307666-01)*

#### 29-APR-2016

Reposition yellow ODAS/SADO lighted super-buoy, marked 44402 (See Chart No. 1, Q58)

LNМ/D. 26-FEB-2016  
from 39°23'54.0"N 070°56'30.0"W  
to 39°17'54.0"N 070°39'36.0"W  
*DFO(6307491-01)*

#### 26-FEB-2016

Add wreck, least depth unknown, dangerous to surface navigation (See Chart No. 1, K28)

LNМ/D. 12-FEB-2016  
42°34'59.4"N 070°21'43.2"W  
*DFO(6307450-01)*

#### 12-FEB-2016

Add private yellow cautionary lighted pillar buoy Fl Y, PRIV, marked PMCI (See Chart No. 1, Qm)

LNМ/D. 05-FEB-2016  
40°13'36.0"N 070°53'18.0"W  
*DFO(6307393-01)*

#### 05-FEB-2016

Add private yellow ODAS/SADO lighted pillar Fl Y, marked CNSP (See Chart No. 1, Q58)

LNМ/D. 01-JAN-2016  
40°08'02.7"N 070°46'12.5"W  
*DFO(6307377-01)*

#### 05-FEB-2016

LNМ/D. 01-JAN-2016



### Chart no. 4006

Add private yellow ODAS/SADO lighted pillar Fl Y, Priv, marked ISSP 40°21'51.7"N 070°53'17.3"W  
(See Chart No. 1, Q58)

*DFO(6307377-02)*

#### 05-FEB-2016

LNМ/D. 01-JAN-2016

Add subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 75 metres (See Chart No. 1, L25)

52°42'22.8"N 053°46'52.2"W

This notice affects Electronic Navigational Chart: CA176030,  
CA276113

*DFO(6307406-01)*

#### 01-JAN-2016

LNМ/D. 04-DEC-2015

Reposition yellow ODAS/SADO lighted super-buoy, marked  
41002  
(See Chart No. 1, Q58)

from 32°22'56.0"N 075°24'53.0"W  
to 31°52'00.0"N 074°50'00.0"W

*DFO(6307375-01)*

#### 04-DEC-2015

LNМ/D. 03-JUL-2015

Add submarine cable joining 44°33'34.0"N 063°33'00.0"W  
(See Chart No. 1, L30.1) 44°33'57.6"N 063°26'11.8"W  
44°25'16.9"N 063°07'20.6"W  
44°29'18.2"N 062°38'15.2"W  
45°12'27.0"N 059°52'03.9"W  
46°00'04.8"N 055°45'32.3"W  
46°29'14.8"N 052°47'29.5"W  
and 46°43'26.2"N 052°00'00.0"W

*DFO(6307360-01)*

#### 03-JUL-2015

LNМ/D. 19-JUN-2015

Add private yellow ODAS/SADO lighted pillar Fl Y, Priv, marked PMUI 40°21'55.5"N 070°46'59.5"W  
(See Chart No. 1, Q58)

*DFO(6307161-01)*

#### 19-JUN-2015

LNМ/D. 29-MAY-2015

Add subsurface Ocean Data Acquisition system (ODAS) with known  
depth of 60 metres

51°50'06.0"N 052°30'24.0"W

(See Chart No. 1, L25)

*DFO(6307140-01)*

This notice affects Electronic Navigational Chart: CA176030

#### 29-MAY-2015

LNМ/D. 22-MAY-2015



### Chart no. 4006

Add obstruction with known depth of 407 meters and legend  
ODAS/SADO  
(See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA176030,  
CA276090

45°41'45.0"N 057°15'14.4"W  
*DFO(6307121-01)*

#### 29-MAY-2015

Add obstruction with known depth of 329 metres and legend  
ODAS/SADO  
(See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA176030,  
CA276090

LNLM/D. 22-MAY-2015  
45°30'57.0"N 056°40'19.2"W  
*DFO(6307121-02)*

#### 22-MAY-2015

Add obstruction with known depth of 75 metres and legend  
ODAS/SADO  
(See Chart No. 1, K41)  
This notice affects Electronic Navigational Chart: CA176030

LNLM/D. 06-MAR-2015  
51°59'15.5"N 053°47'38.4"W  
*DFO(6307116-01)*

#### 22-MAY-2015

Add obstruction with known depth of 75 metres and legend  
ODAS/SADO  
(See Chart No. 1, K41)  
This notice affects Electronic Navigational Chart: CA176030

LNLM/D. 06-MAR-2015  
51°35'48.1"N 054°35'53.4"W  
*DFO(6307116-02)*

#### 06-MAR-2015

Add private yellow ODAS/SADO lighted pillar FIY, Priv 39°56'09.5"N 070°52'43.3"W  
(See Chart No. 1, Q58)

LNLM/D. 27-FEB-2015  
*DFO(6307048-01)*

#### 27-FEB-2015

Delete National Park symbol 43°40'00.0"N 058°54'00.0"W  
(See Chart No. 1, Ef)

LNLM/D. 09-JAN-2015  
*DFO(6307023-06)*

#### 09-JAN-2015

Delete light  
(See Chart No. 1, P1)  
This notice affects Electronic Navigational Chart: (G2014187) LL(1476) DFO(6306973-01)  
CA179172, CA276271, CA376167

LNLM/D. 12-SEP-2014  
47°13'30.0"N 060°08'00.0"W



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 4006

### 12-SEP-2014

LN/D. 30-NOV-2012

Add obstruction with known depth of 30 metres with legend 'Obstn'  
(See Chart No. 1, K41)

52°39'55.1"N 052°05'58.7"W

This notice affects Electronic Navigational Chart: CA176030,  
CA276113

*DFO(6306802-01)*

### 30-NOV-2012

LN/D. 12-OCT-2012

Reposition yellow ODAS/SADO lighted super-buoy, marked  
41001  
(See Chart No. 1, Q58)

from 34°41'34.2"N 072°39'12.2"W  
to 34°35'54.0"N 072°40'06.0"W

*DFO(6306246-01)*

### 12-OCT-2012

LN/D. 03-AUG-2012

Add lighted offshore platform and legend Deep Panuke  
(See Chart No. 1, P2)

43°48'45.7"N 060°41'18.1"W

*DFO(6305929-01)*

This notice affects Electronic Navigational Chart: CA376137

### 03-AUG-2012

LN/D. 29-JUN-2012

Add private yellow ODAS/SADO lighted super-buoy Fl (4) Y, marked  
"A"  
(See Chart No. 1, Q58)

42°31'24.6"N 070°33'58.8"W

*DFO(6306110-01)*

### 29-JUN-2012

LN/D. 30-DEC-2011

Delete light  
(See Chart No. 1, P1)

43°57'35.9"N 059°47'26.4"W

*(F2012021) LL(666) DFO(6306034-01)*

### 30-DEC-2011

LN/D. 02-DEC-2011

Delete light  
(See Chart No. 1, P1)

47°12'44.8"N 061°58'18.9"W

*(Q2011128) LL(1500) DFO(6408458-01)*

This notice affects Electronic Navigational Chart:  
CA179172, CA379216

### 02-DEC-2011

LN/D. 25-NOV-2011



**Chart no. 4006**

Add yellow ODAS/SADO lighted super-buoy, marked 44008 40°30'12.0"N 069°14'48.0"W  
(See Chart No. 1, Q58)

*DFO(6305826-01)*

**25-NOV-2011**

LNM/D. 02-SEP-2011

Add obstruction with depth of 925 metres and legend ODAS/SADO 42°51'08.0"N 061°37'59.7"W  
The proposed date for removing the mooring is October 2014.

*DFO(6305815-01)*

This notice affects Electronic Navigational Chart: CA176140

**25-NOV-2011**

LNM/D. 02-SEP-2011

Add obstruction with depth of 2625 metres and legend ODAS/SADO 42°33'30.1"N 061°22'09.4"W  
The proposed date for removing the mooring is October 2014.

*DFO(6305815-04)*

This notice affects Electronic Navigational Chart: CA176140

**25-NOV-2011**

LNM/D. 02-SEP-2011

Add obstruction with depth of 1000 metres and legend ODAS/SADO 42°10'55.8"N 061°00'11.2"W  
The proposed date for removing the mooring is October 2014.

*DFO(6305815-06)*

This notice affects Electronic Navigational Chart: CA176140

**02-SEP-2011**

LNM/D. 03-JUN-2011

Add obstruction with depth of 170 metres and legend ODAS/SADO 33°47'06.0"N 076°31'18.0"W

*DFO(6305610-01)*

**02-SEP-2011**

LNM/D. 03-JUN-2011

Add obstruction with depth of 335 metres and legend ODAS/SADO 33°40'24.0"N 076°28'24.0"W

*DFO(6305610-02)*

**03-JUN-2011**

LNM/D. 25-MAR-2011

Delete wreck, least depth unknown 40°22'21.0"N 072°20'00.4"W  
(See Chart No. 1, K29)

*DFO(6305443-01)*

**03-JUN-2011**

LNM/D. 25-MAR-2011



### Chart no. 4006

Add wreck WK with known depth of 40 metres 40°24'04.9"N 072°22'14.1"W  
(See Chart No. 1, K26)

*DFO(6305443-02)*

#### 03-JUN-2011

LNM/D. 25-MAR-2011

Delete light 41°10'17.3"N 071°34'42.6"W  
(See Chart No. 1, P1)

*DFO(6305468-01)*

#### 25-MAR-2011

LNM/D. 11-FEB-2011

Delete private yellow ODAS/SADO lighted pillar buoy,  
marked 44402  
(See Chart No 1 Q58)

39°29'08.0"N 070°35'38.0"W

*(NOS:NM2011-05) DFO(6305297-01)*

#### 25-MAR-2011

LNM/D. 11-FEB-2011

Add private yellow ODAS/SADO lighted super-buoy, marked  
44402  
(See Chart No 1 Q58)

39°23'54.0"N 070°56'30.0"W

*(NOS:NM2011-05) DFO(6305297-02)*

#### 11-FEB-2011

LNM/D. 26-NOV-2010

(T)Add scientific subsurface mooring at a depth of 1026 metres below the surface 42°50'59.0"N 061°37'50.9"W

This notice replaces Notice 2008-12-19(T), DFO(6304151-01).

*DFO(6305220-01)*

The proposed date of removal has been extended to September 2011. (contact Richard Boyce, Bedford Institute of Oceanography, 902-426-3495).

The mooring has been removed. Notice 11-Feb-2011(T), DFO (6305220-01) is cancelled.

Cancelled on 25-NOV-11

#### 11-FEB-2011

LNM/D. 26-NOV-2010

(T)Add scientific subsurface mooring at a depth of 1579 metres below the surface 42°44'20.7"N 061°34'29.9"W

This notice replaces Notice 2008-12-19(T), DFO(6304151-02).

*DFO(6305220-02)*

The proposed date of removal has been extended to September 2011. (contact Richard Boyce, Bedford Institute of Oceanography, 902-426-3495).

The mooring has been removed. Notice 11-Feb-2011(T), DFO (6305220-02) is cancelled.

Cancelled on 25-NOV-11





## Chart no. 4006

LN/D. 26-NOV-2010

### 11-FEB-2011

(T)Add scientific subsurface mooring at a depth of 2202 metres below the surface 42°39'30.0"N 061°27'35.6"W

This notice replaces Notice 2008-12-19(T), DFO(6304151-03).

*DFO(6305220-03)*

The proposed date of removal has been extended to September 2011. (contact Richard Boyce, Bedford Institute of Oceanography, 902-426-3495).

The mooring has been removed. Notice 11-Feb-2011(T), DFO (6305220-03) is cancelled.

Cancelled on 25-NOV-11

LN/D. 26-NOV-2010

### 11-FEB-2011

(T)Add scientific subsurface mooring at a depth of 2687 metres below the surface 42°33'21.2"N 061°22'01.6"W

This notice replaces Notice 2008-12-19(T), DFO(6304151-04).

*DFO(6305220-04)*

The proposed date of removal has been extended to September 2011. (contact Richard Boyce, Bedford Institute of Oceanography, 902-426-3495).

The mooring has been removed. Notice 11-Feb-2011(T), DFO (6305220-04) is cancelled.

Cancelled on 25-NOV-11

LN/D. 26-NOV-2010

### 11-FEB-2011

(T)Add scientific subsurface mooring at a depth of 3293 metres below the surface 42°23'33.2"N 061°16'36.0"W

This notice replaces Notice 2008-12-19(T), DFO(6304151-05).

*DFO(6305220-05)*

The proposed date of removal has been extended to September 2011. (contact Richard Boyce, Bedford Institute of Oceanography, 902-426-3495).

The mooring has been removed. Notice 11-Feb-2011(T), DFO (6305220-05) is cancelled.

Cancelled on 25-NOV-11

LN/D. 26-NOV-2010

### 11-FEB-2011

(T)Add scientific subsurface mooring at a depth of 961 metres below the surface 42°09'48.8"N 061°04'13.4"W

This notice replaces Notice 2008-12-19(T), DFO(6304151-06).

*DFO(6305220-06)*

The proposed date of removal has been extended to September 2011. (contact Richard Boyce, Bedford Institute of Oceanography, 902-426-3495).

The mooring has been removed. Notice 11-Feb-2011(T), DFO (6305220-06) is cancelled.

Cancelled on 25-NOV-11



## Chart no. 4006

### 26-NOV-2010

LN/D. 23-JUL-2010

(P)Add lighted offshore platform and legend Deep Panuke  
(See Chart No 1 L2 and P2)

43°48'45.7"N 060°41'18.1"W

Encana has extended the Deep Panuke Gasfield proposed  
completion date from December 2010 to December 2011.  
Work is complete. Notice 2010-11-26(P), DFO(6305130) is  
cancelled. See notice 2012-10-12 (DFO 6305929) appearing in  
this edition.

*DFO(6305130-01)*

Cancelled on 12-OCT-12

### 23-JUL-2010

LN/D. 19-FEB-2010

Delete yellow ODAS/SADO lighted super-buoy, marked 44008  
(See Chart 1 Q58)

40°30'00.0"N 069°26'00.0"W

*DFO(6304956-01)*

### 19-FEB-2010

LN/D. 12-FEB-2010

Reposition yellow ODAS/SADO lighted super-buoy, marked  
41002  
[see Chart 1 Q58]

from 32°20'24.0"N 075°27'00.0"W  
to 32°22'56.0"N 075°24'53.0"W

*(USCG:11525) DFO(6304697-01)*

### 12-FEB-2010

LN/D. 02-OCT-2009

Add yellow ODAS/SADO lighted super-buoy, marked 41048  
(See Chart No 1 Q58)

31°58'42.0"N 069°38'56.0"W

*(USCG:LN2009-41) DFO(6304708-01)*

### 02-OCT-2009

LN/D. 21-AUG-2009

Delete yellow ODAS/SADO lighted super-buoy, marked  
44004  
(see Chart No 1 Q58)

38°29'02.0"N 070°29'00.0"W

*(USCG:LN2009-30) DFO(6304592-01)*

### 21-AUG-2009

LN/D. 14-AUG-2009

Delete private yellow ODAS/SADO lighted super-buoy  
(See Chart No 1 Q58)

43°37'39.6"N 066°33'13.2"W

*DFO(6304496-01)*

This notice affects Electronic Navigational Chart: CA276206,  
CA376044



## Chart no. 4006

### 14-AUG-2009

Add yellow ODAS/SADO lighted pillar buoy marked 44066  
(See Chart No 1 Q58)

LNМ/D. 03-JUL-2009

39°34'58.5"N 072°36'02.1"W

*(USCG:LNМ2009-25) DFO(6304512-01)*

### 03-JUL-2009

(P)Add lighted offshore platform and legend Deep Panuke  
(See Chart No 1 L2 and P2)

LNМ/D. 09-JAN-2009

43°48'45.7"N 060°41'18.1"W

Encana has commenced construction of the Deep Panuke  
Gasfield. The proposed completion date is December 2010.  
The completion date has been extended. Notice 2009-07-03(P),  
DFO(6304412) is cancelled. See Notice 2010-11-26(P), (DFO  
6305130) appearing in this edition.  
Cancelled on 26-NOV-10

*DFO(6304412-01)*

### 09-JAN-2009

Add private yellow ODAS/SADO lighted pillar buoy, marked  
44402  
(See Chart No 1 Q58)

LNМ/D. 19-DEC-2008

39°29'08.0"N 070°35'38.0"W

*(NOS:NM2008-37 ) DFO(6304172-01)*

This notice affects Electronic Navigational Chart:  
CA176030

### 19-DEC-2008

(T)Add scientific subsurface mooring at a depth of 1026 metres below  
the surface

LNМ/D. 07-NOV-2008

42°50'59.0"N 061°37'50.9"W

Proposed date of removal is November 2009. (contact Murray  
Scotney, Bedford Institute of Oceanography, 902-426-3495)  
The removal date has been extended. Notice 2008-12-19(T),  
DFO(6304151-01) is cancelled. See Notice 2011-02-11(T),  
DFO(6305220-01) appearing in this edition.  
Cancelled on 11-FEB-11

*DFO(6304151-01)*

### 19-DEC-2008

(T)Add scientific subsurface mooring at a depth of 1579 metres below  
the surface

LNМ/D. 07-NOV-2008

42°44'20.7"N 061°34'29.9"W

Proposed date of removal is November 2009. (contact Murray  
Scotney, Bedford Institute of Oceanography, 902-426-3495)  
The removal date has been extended. Notice 2008-12-19(T),  
DFO(6304151-02) is cancelled. See Notice 2011-02-11(T),  
DFO(6305220-02) appearing in this edition.  
Cancelled on 11-FEB-11

*DFO(6304151-02)*



## Chart no. 4006

- 19-DEC-2008** LNM/D. 07-NOV-2008  
(T)Add scientific subsurface mooring at a depth of 2202 metres below the surface 42°39'30.0"N 061°27'35.6"W  
Proposed date of removal is November 2009. (contact Murray Scotney, Bedford Institute of Oceanography, 902-426-3495) *DFO(6304151-03)*  
The removal date has been extended. Notice 2008-12-19(T), DFO(6304151-03) is cancelled. See Notice 2011-02-11(T), DFO(6305220-03) appearing in this edition.  
Cancelled on 11-FEB-11
- 19-DEC-2008** LNM/D. 07-NOV-2008  
(T)Add scientific subsurface mooring at a depth of 2687 metres below the surface 42°33'21.2"N 061°22'01.6"W  
Proposed date of removal is November 2009. (contact Murray Scotney, Bedford Institute of Oceanography, 902-426-3495) *DFO(6304151-04)*  
The removal date has been extended. Notice 2008-12-19(T), DFO(6304151-04) is cancelled. See Notice 2011-02-11(T), DFO(6305220-04) appearing in this edition.  
Cancelled on 11-FEB-11
- 19-DEC-2008** LNM/D. 07-NOV-2008  
(T)Add scientific subsurface mooring at a depth of 3293 metres below the surface 42°23'33.2"N 061°16'36.0"W  
Proposed date of removal is November 2009. (contact Murray Scotney, Bedford Institute of Oceanography, 902-426-3495) *DFO(6304151-05)*  
The removal date has been extended. Notice 2008-12-19(T), DFO(6304151-05) is cancelled. See Notice 2011-02-11(T), DFO(6305220-05) appearing in this edition.  
Cancelled on 11-FEB-11
- 19-DEC-2008** LNM/D. 07-NOV-2008  
(T)Add scientific subsurface mooring at a depth of 961 metres below the surface 42°09'48.8"N 061°04'13.4"W  
Proposed date of removal is November 2009. (contact Murray Scotney, Bedford Institute of Oceanography, 902-426-3495) *DFO(6304151-06)*  
The removal date has been extended. Notice 2008-12-19(T), DFO(6304151-06) is cancelled. See Notice 2011-02-11(T), DFO(6305220-06) appearing in this edition.  
Cancelled on 11-FEB-11
- 07-NOV-2008** LNM/D. 23-MAY-2008



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 4006

Delete circular radiobeacon against light  
(See Chart No 1 S10)

43°23'40.0"N 066°00'51.0"W

*DFO(6304021-01)*

This notice affects Electronic Navigational Chart: CA276206,  
CA376014

#### 07-NOV-2008

LNM/D. 23-MAY-2008

Delete circular radiobeacon against light  
(See Chart No 1 S10)

41°04'08.0"N 071°51'33.0"W

*(NOS:13205-1) DFO(6304023-01)*

#### 07-NOV-2008

LNM/D. 23-MAY-2008

Delete circular radiobeacon  
(See Chart No 1 S10)

43°04'12.0"N 070°42'15.0"W

*DFO(6304025-01)*

#### 07-NOV-2008

LNM/D. 23-MAY-2008

Add Aero RC against radiobeacon  
(See Chart No 1 S16)

50°13'26.0"N 061°49'40.0"W

*DFO(6304034-01)*

#### 23-MAY-2008

LNM/D. 16-MAY-2008

Delete light and legend Ambrose  
(See Chart No 1 P1)

40°27'00.0"N 073°50'00.0"W

*(BRITAD:NM2008-0454) DFO(6303861-01)*

#### 23-MAY-2008

LNM/D. 16-MAY-2008

Reposition yellow ODAS/SADO lighted super-buoy, marked  
41002  
[see Chart 1 Q58]

from 32°15'36.0"N 075°25'00.0"W  
to 32°20'24.0"N 075°27'00.0"W

*(USCG:11525) DFO(6303883-01)*

#### 16-MAY-2008

LNM/D. 04-APR-2008

Add private yellow ODAS/SADO lighted pillar buoy  
(See Chart No 1 Q23)

42°19'36.6"N 065°54'34.8"W

*DFO(6303845-01)*

This notice affects Electronic Navigational Chart: CA176140



## Chart no. 4006

**04-APR-2008** LNM/D. 07-MAR-2008  
(T)Add scientific subsurface mooring at a depth of 2345 metres below 42°52'35.0"N 060°49'12.0"W  
the surface  
Proposed date of removal is November 2008. *DFO(6303820-01)*  
The mooring has been removed. Notice 04-April-2008(T), DFO  
(6303820) is now cancelled.  
Cancelled on 19-DEC-08

**04-APR-2008** LNM/D. 07-MAR-2008  
(T)Add scientific subsurface mooring at a depth of 3282 metres below 42°31'32.0"N 060°35'35.0"W  
the surface  
Proposed date of removal is November 2008. *DFO(6303820-02)*  
The mooring has been removed. Notice 04-April-2008(T), DFO  
(6303820) is now cancelled.  
Cancelled on 19-DEC-08

**07-MAR-2008** LNM/D. 18-JAN-2008  
Amend legend '44142' to read '44150', against yellow ODAS/SADO 42°30'00.0"N 064°02'00.0"W  
lighted superbuoy Fl Y  
(See Chart No 1 Q11) *DFO(6303771-01)*

This notice affects Electronic Navigational Chart: CA176140

**07-MAR-2008** LNM/D. 18-JAN-2008  
Amend Roseway Basin Right Whale Conservation Area / Zone de 42°30'00.0"N 065°50'00.0"W  
préservation des baleines noires du Bassin Roseway to read  
See CAUTION/Voir ATTENTION *DFO(6303816-01)*

**07-MAR-2008** LNM/D. 18-JAN-2008



**Chart no. 4006**

Add note:

51°30'00.0"N 067°30'00.0"W

**CAUTION**

Roseway Basin Seasonal Area to be Avoided. In order to significantly reduce the risk of ship strikes of the highly endangered North Atlantic right whale, it is recommended that ships of 300 gross tonnage and upwards solely in transit during the period of June 1st through December 31st should avoid this area.

*DFO(6303816-02)*

**ATTENTION**

Zone du bassin Roseway à éviter sur une base saisonnière. On recommande aux navires de 300 tonnes brut et plus et transitant dans cette zone de conservation, d'éviter cette dernière durant la période allant du 1er juin au 31 décembre afin de réduire considérablement le risque de collision entre les navires et les baleines noires de l'Atlantique Nord, dont l'espèce est en voie de disparition.

(See Chart No 1 Section A 14.)

**18-JAN-2008**

LNM/D. 14-SEP-2007

Add limit of restricted area joining 43°16'00.0"N 064°55'00.0"W  
(See Chart No 1 N2.1) 42°52'00.0"N 066°05'00.0"W  
42°39'00.0"N 065°31'00.0"W  
42°47'00.0"N 064°59'00.0"W  
and 43°16'00.0"N 064°55'00.0"W

*DFO(6303777-01)*

**18-JAN-2008**

LNM/D. 14-SEP-2007

Add legend Roseway Basin Right Whale Conservation Area / Zone de préservation des baleines noires du Bassin Roseway 42°30'00.0"N 065°50'00.0"W

*DFO(6303777-02)*

**14-SEP-2007**

LNM/D. 23-FEB-2007

Add yellow ODAS/SADO lighted buoy, marked IML-2 49°30'00.0"N 060°04'00.0"W  
(See Chart No 1 Section Q 58.)

*LL(1563.2) DFO(6303531-01)*

**23-FEB-2007**

LNM/D. 01-DEC-2006





### Chart no. 4006

Delete light

49°05'20.4"N 066°44'28.0"W

(Q2006211T) LL(1685) DFO(6407390-01)

This notice affects Electronic Navigational Chart:  
CA179171, CA279037

#### 01-DEC-2006

LNLM/D. 17-NOV-2006

(T)Add scientific subsurface mooring at a depth of 1822 metres below the surface 42°59'54.0"N 060°54'34.8"W

The mooring is temporary and will be removed by August 2008.

DFO(6303127-01)

The mooring has been removed. Notice 01-December-2006(T), DFO (6303127) is now cancelled.  
Cancelled on 19-DEC-08

#### 01-DEC-2006

LNLM/D. 17-NOV-2006

(T)Add scientific subsurface mooring at a depth of 2212 metres below the surface 42°55'37.8"N 060°51'40.8"W

The mooring is temporary and will be removed by August 2008.

DFO(6303127-02)

The mooring has been removed. Notice 01-December-2006(T), DFO (6303127) is now cancelled.  
Cancelled on 19-DEC-08

#### 01-DEC-2006

LNLM/D. 17-NOV-2006

(T)Add scientific subsurface mooring at a depth of 2704 metres below the surface 42°49'10.8"N 060°46'29.4"W

The mooring is temporary and will be removed by August 2008.

DFO(6303127-03)

The mooring has been removed. Notice 01-December-2006(T), DFO (6303127) is now cancelled.  
Cancelled on 19-DEC-08

#### 01-DEC-2006

LNLM/D. 17-NOV-2006

(T)Add scientific subsurface mooring at a depth of 3655 metres below the surface 42°26'28.2"N 060°28'14.4"W

The mooring is temporary and will be removed by August 2008.

DFO(6303127-04)

The mooring has been removed. Notice 01-December-2006(T), DFO (6303127) is now cancelled.  
Cancelled on 19-DEC-08

#### 01-DEC-2006

LNLM/D. 17-NOV-2006



**Chart no. 4006**

(T)Add scientific subsurface mooring at a depth of 2235 metres below the surface 42°35'58.8"N 060°37'30.6"W

The mooring is temporary and will be removed by August 2008.

*DFO(6303127-05)*

The mooring has been removed. Notice 01-December-2006(T), DFO (6303127) is now cancelled.  
Cancelled on 19-DEC-08

**01-DEC-2006**

LNM/D. 17-NOV-2006

(T)Add scientific subsurface mooring at a depth of 3082 metres below the surface 42°12'33.6"N 060°18'47.4"W

The mooring is temporary and will be removed by August 2008.

*DFO(6303127-06)*

The mooring has been removed. Notice 01-December-2006(T), DFO (6303127) is now cancelled.  
Cancelled on 19-DEC-08

**17-NOV-2006**

LNM/D. 21-APR-2006

Reposition yellow ODAS/SADO light buoy, marked PRIV

from 43°37'31.2"N 066°37'16.2"W  
to 43°37'39.6"N 066°33'13.2"W

This notice affects Electronic Navigational Chart:  
CA276206, CA276800

*DFO(6303157-01)*

**17-NOV-2006**

LNM/D. 21-APR-2006

Delete light

50°05'11.0"N 061°44'18.6"W

*(Q2006163) LL(1575) DFO(6407335-01)*

This notice affects Electronic Navigational Chart:  
CA176030

**21-APR-2006**

LNM/D. 17-FEB-2006

(T)Amend legend '44142' to read '44150', against yellow ODAS/SADO lighted super-buoy 42°30'00.0"N 064°02'00.0"W

The buoy is now permanent. Notice 21-April-2006(T), DFO(6302794) is now cancelled.  
Cancelled on 07-MAR-08

*DFO(6302794-01)*

**17-FEB-2006**

LNM/D. 18-NOV-2005



**Chart no. 4006**

Delete lighted offshore platform 43°48'40.0"N 060°44'00.0"W

*DFO(6302592-01)*

**17-FEB-2006**

LNM/D. 18-NOV-2005

Delete lighted offshore platform 43°50'57.0"N 060°37'40.0"W

*DFO(6302592-02)*

**17-FEB-2006**

LNM/D. 18-NOV-2005

Delete yellow ODAS/SADO lighted super-buoy, marked 46017 40°42'00.1"N 072°00'01.8"W

*DFO(6302722-02)*

**17-FEB-2006**

LNM/D. 18-NOV-2005

Add yellow ODAS/SADO lighted super-buoy, marked 44017 40°41'19.8"N 072°02'31.2"W

*DFO(6302722-03)*

**18-NOV-2005**

LNM/D. 02-SEP-2005

Add legend "South Venture" against production platform Venture 43°59'50.9"N 059°37'36.8"W

*DFO(6302550-01)*

**02-SEP-2005**

LNM/D. 12-AUG-2005

Reposition yellow ODAS/SADO light buoy Fl (4) Y, marked  
44005

from 43°10'18.0"N 069°12'58.0"W  
to 43°11'12.0"N 069°09'48.0"W

*(NOS:NM200526) DFO(6302449-01)*

**12-AUG-2005**

LNM/D. 28-JAN-2005

Reposition yellow ODAS/SADO lighted super-buoy,  
marked 41025

from 35°03'25.0"N 075°22'50.0"W  
to 35°00'24.0"N 075°24'06.0"W

*(NOS:LNM2005-23/05) DFO(6302406-01)*

**28-JAN-2005**

LNM/D. 07-JAN-2005



**Chart no. 4006**

Add yellow ODAS/SADO light buoy, marked 41025 35°03'25.0"N 075°22'50.0"W

*(NGA:NM2004-49) DFO(6302215-01)*

**07-JAN-2005**

LNM/D. 26-NOV-2004

Reposition yellow ODAS/SADO light buoy, marked 44139 from 44°15'55.8"N 057°23'30.5"W  
to 44°14'03.0"N 057°05'44.4"W

*LL(664.5) DFO(6302130-03)*

**26-NOV-2004**

LNM/D. 01-OCT-2004

Add production platform with legend "Alma" 43°38'30.0"N 060°41'19.3"W

*DFO(6300633-02)*

**26-NOV-2004**

LNM/D. 01-OCT-2004

Add light 43°38'30.0"N 060°41'19.3"W

*DFO(6300633-03)*

**01-OCT-2004**

LNM/D. 25-JUN-2004

Delete light

43°56'00.0"N 060°02'00.0"W

*(F2004109) LL(665) DFO(6301913-01)*

This notice affects Electronic Navigational Chart:  
CA376137

**25-JUN-2004**

LNM/D. 13-FEB-2004

Add maritime limit in general usually implying: no permanent obstructions joining 44°13'00.0"N 059°06'00.0"W  
44°06'00.0"N 059°20'00.0"W

43°55'00.0"N 059°08'00.0"W

43°35'00.0"N 059°08'00.0"W

This notice affects Electronic Navigational Chart:  
CA276090

43°35'00.0"N 058°35'00.0"W

43°47'00.0"N 058°35'00.0"W

and 44°13'00.0"N 059°06'00.0"W

*DFO(6301285-01)*

**25-JUN-2004**

LNM/D. 13-FEB-2004



### Chart no. 4006

Add legend "Gully Marine Protected Area/Zone de protection marine  
du Gully" 43°27'30.0"N 058°40'00.0"W

*DFO(6301285-03)*

#### 13-FEB-2004

LNM/D. 21-NOV-2003

Replace yellow ODAS/SADO light buoy, Fl 4 Y, marked  
WHOI with yellow cautionary pillar light buoy,  
marked M

43°29'42.0"N 067°52'48.0"W

*(NGA:NM2003-39/03) DFO(6301145-02)*

#### 21-NOV-2003

(T)Add yellow light buoy, Fl Y 4s, marked University of  
Maine B

43°45'16.8"N 068°31'20.4"W

*(NGA:LNM2003-27/03) DFO(6301058-01)*

Yellow light buoy, Fl Y 4s, is now permanently re-  
positioned. Consult U. S. chart 13009. Notice 21-  
NOV-2003 (T) (DFO 6301058) is now cancelled  
Cancelled on 13-OCT-06

#### 21-NOV-2003

(T)Add yellow light buoy, Fl Y 4s, marked University of  
Maine C

43°53'54.0"N 068°38'15.0"W

*(NGA:LNM2003-27/03) DFO(6301058-02)*

Yellow light buoy, Fl Y 4s, is now permanently re-  
positioned. Consult U. S. chart 13009. Notice 21-  
NOV-2003 (T) (DFO 6301058) is now cancelled  
Cancelled on 13-OCT-06