



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 4016

### 4016 - Saint-Pierre to / à St. John's - New Edition - 06-JUN-2003 - NAD 1983

#### 11-AUG-2023

Add wreck, least depth unknown, with legend PA Rep (2023)  
(See Chart 1, K29, B7, I3)  
This notice affects Electronic Navigational Chart: CA276274,  
CA376627

LNМ/D. 12-AUG-2022  
47°23'30.0"N 056°20'24.0"W  
*DFO(6310717-01)*

#### 12-AUG-2022

Add depth of 11 fathoms  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA276091,  
CA376164

LNМ/D. 29-JUL-2022  
46°53'30.4"N 056°04'17.5"W  
*DFO(6310186-01)*

#### 12-AUG-2022

Delete depth of 20 fathoms  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA276091,  
CA376164

LNМ/D. 29-JUL-2022  
46°53'14.0"N 056°04'00.0"W  
*DFO(6310186-02)*

#### 12-AUG-2022

Add depth of 15 fathoms  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA276091,  
CA376164

LNМ/D. 29-JUL-2022  
46°53'06.0"N 056°03'19.1"W  
*DFO(6310186-03)*

#### 12-AUG-2022

Delete depth of 21 fathoms  
(See Chart No. 1, I10)

LNМ/D. 29-JUL-2022  
46°51'49.0"N 056°03'28.0"W  
*DFO(6310186-04)*

#### 12-AUG-2022

Add depth of 6 fathoms, 4 feet  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA276091,  
CA376164

LNМ/D. 29-JUL-2022  
46°51'57.2"N 056°03'04.5"W  
*DFO(6310186-05)*

#### 29-JUL-2022

LNМ/D. 24-JUN-2022



### Chart no. 4016

Delete ferry route  
(See Chart No. 1, M50)  
This notice affects Electronic Navigational Chart:  
CA276091, CA276271, CA276284, CA376093,  
CA376164, CA376166, CA376173

between 46°34'45.5"N 056°24'47.7"W  
and 46°42'29.6"N 054°40'47.2"W

*DFO(6310118-01)*

#### 29-JUL-2022

Delete ferry route  
(See Chart No. 1, M50)  
This notice affects Electronic Navigational Chart:  
CA276091, CA276284, CA376164, CA376166,  
CA376176, CA576095

LNLM/D. 24-JUN-2022  
joining 46°36'06.7"N 056°24'47.8"W  
46°50'04.6"N 055°19'03.2"W  
and 47°07'37.1"N 054°25'57.3"W

*DFO(6310118-02)*

#### 29-JUL-2022

Add ferry route  
(See Chart No. 1, M50)  
This notice affects Electronic Navigational Chart:  
CA276091, CA276271, CA276284, CA376093, CA376166,  
CA376176, CA576095

LNLM/D. 24-JUN-2022  
joining 46°41'08.7"N 056°24'56.8"W  
46°39'08.9"N 056°11'14.3"W  
46°43'26.9"N 055°47'57.6"W  
46°46'41.8"N 055°15'52.2"W  
and 47°06'08.9"N 054°27'27.3"W

*DFO(6310118-03)*

#### 29-JUL-2022

Add ferry route  
(See Chart No. 1, M50)  
This notice affects Electronic Navigational Chart:  
CA276091, CA376164, CA376166, CA376176

LNLM/D. 24-JUN-2022  
joining 46°39'08.9"N 056°11'14.3"W  
46°43'34.6"N 055°15'49.8"W  
and 46°52'12.5"N 054°51'58.2"W

*DFO(6310118-04)*

#### 29-JUL-2022

Delete ferry route  
(See Chart No. 1, M50)  
This notice affects Electronic Navigational Chart:  
CA276091

LNLM/D. 24-JUN-2022  
between 46°41'22.0"N 054°56'09.9"W  
and 46°46'35.1"N 054°49'34.8"W

*DFO(6310118-05)*

#### 24-JUN-2022

Add marine farm  
(See Chart No. 1, K48.2)  
This notice affects Electronic Navigational Chart: CA276274,  
CA376173, CA376176

LNLM/D. 13-MAY-2022  
47°18'19.2"N 054°51'23.8"W

*DFO(6310082-01)*



## Chart no. 4016

**24-JUN-2022**

Add marine farm  
(See Chart No. 1, K48.2)

This notice affects Electronic Navigational Chart: CA276274,  
CA376173

LNМ/D. 13-MAY-2022  
47°19'50.1"N 054°41'42.3"W

*DFO(6310082-02)*

**24-JUN-2022**

Add marine farm  
(See Chart No. 1, K48.2)

This notice affects Electronic Navigational Chart: CA276274,  
CA476805

LNМ/D. 13-MAY-2022  
47°31'38.8"N 054°23'19.7"W

*DFO(6310082-03)*

**24-JUN-2022**

Add marine farm  
(See Chart No. 1, K48.2)

This notice affects Electronic Navigational Chart: CA276274,  
CA476806

LNМ/D. 13-MAY-2022  
47°34'24.9"N 054°20'58.3"W

*DFO(6310082-04)*

**24-JUN-2022**

Add marine farm  
(See Chart No. 1, K48.2)

This notice affects Electronic Navigational Chart: CA276274,  
CA476079

LNМ/D. 13-MAY-2022  
47°38'58.4"N 054°16'53.9"W

*DFO(6310082-05)*

**24-JUN-2022**

Add marine farm  
(See Chart No. 1, K48.2)

This notice affects Electronic Navigational Chart: CA276274,  
CA476300

LNМ/D. 13-MAY-2022  
47°28'44.3"N 054°11'04.3"W

*DFO(6310082-06)*

**24-JUN-2022**

Add marine farm  
(See Chart No. 1, K48.2)

This notice affects Electronic Navigational Chart: CA276274,  
CA476300

LNМ/D. 13-MAY-2022  
47°32'30.7"N 054°08'56.7"W

*DFO(6310082-07)*

**24-JUN-2022**

LNМ/D. 13-MAY-2022



## Chart no. 4016

Add marine farm  
(See Chart No. 1, K48.2)

47°34'05.3"N 054°06'58.4"W

*DFO(6310082-08)*

This notice affects Electronic Navigational Chart: CA276274,  
CA476300

### 24-JUN-2022

LN/D. 13-MAY-2022

Add MARINE FARMS Numerous Aquaculture sites exist in the  
Placentia Bay area containing various obstructions. Mariners are  
advised to maintain a safe distance and exercise caution when  
navigating in these areas. Avoid anchoring in or too close to  
current or abandoned aquaculture sites.

47°49'20.4"N 054°43'13.7"W

*DFO(6310082-09)*

This notice affects Electronic Navigational Chart: CA276274,  
CA376173, CA376176

### 13-MAY-2022

LN/D. 08-APR-2022

Delete legend Fog Sig against light  
(See Chart No.1 R20)

47°14'16.1"N 054°00'46.3"W

This notice affects Electronic Navigational Chart:  
CA276274, CA376296, CA576299

*(N2022049) LL(16) DFO(6310072-01)*

### 08-APR-2022

LN/D. 04-MAR-2022

Amend Iso 10s 98ft 16M to read Fl 4s98ft17M against light  
(See Chart No. 1, P16)

47°14'16.3"N 054°00'48.3"W

This notice affects Electronic Navigational Chart:  
CA276274, CA376296, CA576299

*(N2022041) LL(16) DFO(6310047-01)*

### 08-APR-2022

LN/D. 04-MAR-2022

Amend Fl 15s 90ft 8M to read Fl 4s90ft17M against light  
(See Chart No. 1, P16)

47°19'40.8"N 054°34'59.3"W

This notice affects Electronic Navigational Chart:  
CA276274, CA376173

*(N2022043) LL(50) DFO(6310049-01)*

### 04-MAR-2022

LN/D. 03-DEC-2021

Add light Fl 6s8M  
(See Chart No. 1, P1)

47°21'16.8"N 053°59'38.5"W

This notice affects Electronic Navigational Chart:  
CA276274, CA376296, CA576298

*(N2021269) LL(37) DFO(6310001-01)*



## Chart no. 4016

### 03-DEC-2021

Delete legend Fog Sig against light  
(See Chart No.1 R20)

This notice affects Electronic Navigational Chart:  
CA276274, CA376173

LNLM/D. 08-OCT-2021

47°19'41.4"N 054°34'59.8"W

(N2021128) LL(50) DFO(6309601-01)

### 08-OCT-2021

Amend Fl6s237ft5M to read Fl 4s237ft7M against light  
(See Chart No. 1, P16)

This notice affects Electronic Navigational Chart:  
CA276274, CA376173

LNLM/D. 24-SEP-2021

47°17'54.9"N 054°42'11.4"W

(N2021104) LL(52) DFO(6309657-01)

### 24-SEP-2021

Delete light Fl R  
(See Chart No. 1, P1)

This notice affects Electronic Navigational Chart:  
CA276091, CA376176

LNLM/D. 18-SEP-2020

46°57'19.0"N 055°14'10.0"W

(N2021115) LL(72) DFO(6309604-01)

### 18-SEP-2020

Delete light F R  
(See Chart No. 1, P1)

This notice affects Electronic Navigational Chart: CA376316

LNLM/D. 17-JUL-2020

47°39'52.0"N 054°43'44.0"W

DFO(6309183-01)

### 17-JUL-2020

Delete legend WHIS against black, yellow and black East cardinal  
lighted pillar buoy

(See Chart No. 1, Qd)

This notice affects Electronic Navigational Chart: CA276091,  
CA376627

LNLM/D. 10-APR-2020

47°03'22.0"N 056°11'19.0"W

DFO(6308979-05)

### 17-JUL-2020

Amend WHIS to read Bell against red and white fairway lighted pillar  
buoy

(See Chart No. 1, Qc, Qd)

This notice affects Electronic Navigational Chart: CA276091,  
CA376164

LNLM/D. 10-APR-2020

46°48'26.0"N 056°07'45.0"W

DFO(6308979-06)

### 17-JUL-2020

LNLM/D. 10-APR-2020



### Chart no. 4016

Delete legend WHIS against black, yellow and black East cardinal  
lighted pillar buoy 46°47'20.0"N 056°06'19.0"W  
(See Chart No. 1, Qd) *DFO(6308979-07)*  
This notice affects Electronic Navigational Chart: CA276091,  
CA376164

#### 17-JUL-2020

LNLM/D. 10-APR-2020

Delete legend WHIS against yellow and black South cardinal lighted  
pillar buoy 46°43'47.0"N 056°12'56.0"W  
(See Chart No. 1, Qd) *DFO(6308979-08)*  
This notice affects Electronic Navigational Chart: CA276091,  
CA376164

#### 17-JUL-2020

LNLM/D. 10-APR-2020

Delete legend WHIS against yellow, black and yellow West cardinal  
lighted pillar buoy 46°45'28.0"N 056°15'11.0"W  
(See Chart No. 1, Qd) *DFO(6308979-09)*  
This notice affects Electronic Navigational Chart: CA276091,  
CA376164

#### 17-JUL-2020

LNLM/D. 10-APR-2020

Replace depth of 18 fathoms with depth of 14 fathoms 47°06'48.0"N 056°17'48.0"W  
(See Chart No. 1, I10)

*DFO(6308997-02)*

#### 17-JUL-2020

LNLM/D. 10-APR-2020

Replace depth of 17 fathoms with depth of 13 fathoms 46°43'24.0"N 056°14'12.0"W  
(See Chart No. 1, I10)

*DFO(6308997-05)*

#### 17-JUL-2020

LNLM/D. 10-APR-2020

Replace depth of 24 fathoms with depth of 22 fathoms 46°43'00.0"N 056°15'30.0"W  
(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA276091 *DFO(6308997-07)*

#### 10-APR-2020

LNLM/D. 22-NOV-2019



### Chart no. 4016

Amend "WHIS" to read "Bell" against red starboard hand  
pillar light buoy Fl R  
(See Chart No. 1, Qc, Qd)

46°41'55.2"N 054°13'09.8"W

(N2020011) LL(12) DFO(6308955-01)

This notice affects Electronic Navigational Chart:  
CA276091, CA376135

#### 22-NOV-2019

LNLM/D. 01-NOV-2019

Add private yellow ODAS/SADO lighted pillar buoy Fl(5) Y 20s, Priv  
(See Chart No. 1, Q58)  
This notice affects Electronic Navigational Chart: CA276091,  
CA376173

46°58'30.0"N 054°41'50.0"W

DFO(6308838-01)

#### 01-NOV-2019

LNLM/D. 15-MAR-2019

Add private yellow ODAS/SADO lighted pillar buoy Fl(5) Y 20s, Priv  
(See Chart No. 1, Q58)  
This notice affects Electronic Navigational Chart: CA276274,  
CA376233

47°15'40.0"N 055°30'00.0"W

DFO(6308822-01)

#### 15-MAR-2019

LNLM/D. 11-JAN-2019

Add subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 55 fathoms  
(See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA376015

47°33'42.0"N 052°35'21.0"W

DFO(6308580-01)

#### 11-JAN-2019

LNLM/D. 28-DEC-2018

Affix patch

47°00'00.0"N 056°00'00.0"W

[PDF](#)

This notice affects Electronic Navigational Chart: CA276091

DFO(6308543-02)

#### 28-DEC-2018

LNLM/D. 26-OCT-2018

Add subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 2 fathoms, 4 feet  
(See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA276274,  
CA476300

47°28'50.8"N 053°58'47.0"W

DFO(6308532-01)

#### 26-OCT-2018

LNLM/D. 28-SEP-2018



### Chart no. 4016

Add depth of 50 fathoms 47°08'10.1"N 056°08'09.7"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA376627 *DFO(6308428-03)*

**26-OCT-2018** LNM/D. 28-SEP-2018  
Delete depth of 64 fathoms 47°08'20.0"N 056°09'43.0"W  
(See Chart No. 1, I10)  
*DFO(6308428-04)*

**26-OCT-2018** LNM/D. 28-SEP-2018  
Add depth of 33 fathoms 47°07'58.9"N 056°10'06.4"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA376627 *DFO(6308428-05)*

**26-OCT-2018** LNM/D. 28-SEP-2018  
Delete depth of 67 fathoms 47°11'37.0"N 056°13'12.0"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA276274 *DFO(6308428-06)*

**26-OCT-2018** LNM/D. 28-SEP-2018  
Add depth of 54 fathoms 47°11'56.1"N 056°13'24.1"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA276274, *DFO(6308428-07)*  
CA376627

**26-OCT-2018** LNM/D. 28-SEP-2018  
Add depth of 26 fathoms 47°10'03.7"N 056°20'41.9"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA276274, *DFO(6308428-08)*  
CA376627

**26-OCT-2018** LNM/D. 28-SEP-2018  
Delete depth of 12 fathoms 46°59'45.0"N 056°12'17.0"W  
(See Chart No. 1, I10)  
*DFO(6308428-10)*

**26-OCT-2018** LNM/D. 28-SEP-2018





### Chart no. 4016

Add depth of 5 fathoms, 2 feet  
(See Chart No. 1, I10)

46°59'23.8"N 056°12'14.9"W

This notice affects Electronic Navigational Chart: CA376164

*DFO(6308428-11)*

#### 26-OCT-2018

LNM/D. 28-SEP-2018

Replace depth of 12 fathoms with depth of 8 fathoms, 4 feet  
(See Chart No. 1, I10)

46°49'26.5"N 056°02'06.4"W

This notice affects Electronic Navigational Chart: CA276091

*DFO(6308428-13)*

#### 26-OCT-2018

LNM/D. 28-SEP-2018

Add depth of 4 fathoms, 3 feet  
(See Chart No. 1, I10)

47°05'13.0"N 056°17'17.5"W

*DFO(6308428-15)*

#### 26-OCT-2018

LNM/D. 28-SEP-2018

Add depth of 37 fathoms  
(See Chart No. 1, I10)

47°06'06.5"N 056°09'16.7"W

This notice affects Electronic Navigational Chart: CA376627

*DFO(6308428-18)*

#### 26-OCT-2018

LNM/D. 28-SEP-2018

Replace depth of 2 fathoms, 5 feet with depth of 2 fathoms  
(See Chart No. 1, I10)

47°04'03.2"N 056°14'45.7"W

This notice affects Electronic Navigational Chart: CA376627

*DFO(6308428-19)*

#### 26-OCT-2018

LNM/D. 28-SEP-2018

Replace depth of 39 fathoms with depth of 33 fathoms  
(See Chart No. 1, I10)

47°06'43.9"N 056°09'45.2"W

*DFO(6308428-22)*

#### 28-SEP-2018

LNM/D. 21-SEP-2018

Reposition private yellow ODAS/SADO lighted pillar Fl(5)Y 20s  
(See Chart No. 1, Q58)

from 47°32'20.8"N 052°35'58.4"W  
to 47°32'07.8"N 052°35'10.8"W

This notice affects Electronic Navigational Chart:  
CA276101

*DFO(6308451-01)*

#### 28-SEP-2018

LNM/D. 21-SEP-2018



### Chart no. 4016

Add private yellow ODAS/SADO lighted pillar Fl(5)Y 20s 47°34'00.0"N 052°37'32.4"W  
(See Chart No. 1, Q58)  
This notice affects Electronic Navigational Chart: CA276101, DFO(6308451-02)  
CA376015

**21-SEP-2018** LNM/D. 22-JUN-2018  
Delete subsurface Ocean Data Acquisition system ODAS/SADO with 47°32'14.5"N 052°35'08.0"W  
known depth of 10 fathoms, 2 feet  
(See Chart No. 1, L25) DFO(6308414-02)  
This notice affects Electronic Navigational Chart: CA276101,  
CA376015

**22-JUN-2018** LNM/D. 06-APR-2018  
Replace depth of 32 fathoms with depth of 8 fathoms, 5 feet 47°08'34.3"N 054°51'16.1"W  
(See Chart No. 1, I10)  
DFO(6308274-03)

**22-JUN-2018** LNM/D. 06-APR-2018  
Replace depth of 13 fathoms with depth of 9 fathoms 47°10'49.9"N 054°46'44.9"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA276274 DFO(6308274-04)

**06-APR-2018** LNM/D. 02-FEB-2018  
Delete yellow ODAS/SADO lighted super-buoy Fl (5) Y, marked 44251 46°26'30.0"N 053°23'18.0"W  
(See Chart No. 1, Q58)  
This notice affects Electronic Navigational Chart: CA176030, DFO(6308224-02)  
CA276091, CA376075

**02-FEB-2018** LNM/D. 14-JUL-2017  
Add subsurface Ocean Data Acquisition system ODAS/SADO with 46°52'47.0"N 056°01'37.0"W  
known depth of 2 fathoms, 4 feet  
(See Chart No. 1, L25) DFO(6308177-02)  
This notice affects Electronic Navigational Chart: CA376164

**14-JUL-2017** LNM/D. 14-APR-2017  
Delete legend Fog Sig against light 47°48'30.5"N 052°47'11.5"W  
(See Chart No. 1, R1) (N2017008) LL(499) DFO(6307942-01)  
This notice affects Electronic Navigational Chart:  
CA176030, CA276101, CA376015



## Chart no. 4016

### 14-JUL-2017

Delete subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 4 fathoms, 2 feet  
(See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA276274, CA376233

LNМ/D. 14-APR-2017  
47°11'40.3"N 055°35'48.9"W  
*DFO(6307974-01)*

### 14-JUL-2017

Delete subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 4 fathoms  
(See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA276274, CA376233

LNМ/D. 14-APR-2017  
47°19'49.9"N 055°44'07.7"W  
*DFO(6307974-02)*

### 14-JUL-2017

Delete subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 4 fathoms  
(See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA276274, CA376316

LNМ/D. 14-APR-2017  
47°38'08.1"N 055°23'11.7"W  
*DFO(6307974-07)*

### 14-APR-2017

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 4 fathoms  
(See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA276274, CA376316

LNМ/D. 31-MAR-2017  
47°38'08.1"N 055°23'11.7"W  
*DFO(6307848-02)*

### 14-APR-2017

Delete subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 5 fathoms, 3 feet  
(See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA276274, CA376316

LNМ/D. 31-MAR-2017  
47°37'57.0"N 055°16'39.0"W  
*DFO(6307848-06)*

### 14-APR-2017

Delete subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 5 fathoms, 3 feet  
(See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA276274, CA376233

LNМ/D. 31-MAR-2017  
47°33'29.4"N 055°19'44.4"W  
*DFO(6307848-08)*



### Chart no. 4016

- 14-APR-2017** LNM/D. 31-MAR-2017  
Delete subsurface Ocean Data Acquisition system ODAS/SADO with 47°32'57.0"N 055°16'39.0"W  
known depth of 5 fathoms  
(See Chart No. 1, L25) *DFO(6307848-10)*  
This notice affects Electronic Navigational Chart: CA276274,  
CA376316
- 14-APR-2017** LNM/D. 31-MAR-2017  
Replace depth of 5 fathoms with depth of 4 fathoms, 2 feet 47°11'46.8"N 055°35'13.8"W  
(See Chart No. 1, L25) *DFO(6307848-17)*  
This notice affects Electronic Navigational Chart: CA276274,  
CA376233
- 14-APR-2017** LNM/D. 31-MAR-2017  
Reposition subsurface Ocean Data Acquisition system from 47°11'46.8"N 055°35'13.8"W  
ODAS/SADO with known depth of 4 fathoms, 2 feet to 47°11'40.3"N 055°35'48.9"W  
(See Chart No. 1, L25) *DFO(6307848-18)*  
This notice affects Electronic Navigational Chart:  
CA276274, CA376233
- 14-APR-2017** LNM/D. 31-MAR-2017  
Delete subsurface Ocean Data Acquisition system ODAS/SADO with 47°20'21.6"N 055°43'04.2"W  
known depth of 5 fathoms  
(See Chart No. 1, L25) *DFO(6307848-21)*  
This notice affects Electronic Navigational Chart: CA276274,  
CA376233
- 14-APR-2017** LNM/D. 31-MAR-2017  
Add subsurface Ocean Data Acquisition system ODAS/SADO with 47°19'49.9"N 055°44'07.7"W  
known depth of 4 fathoms  
(See Chart No. 1, L25) *DFO(6307848-22)*  
This notice affects Electronic Navigational Chart: CA276274,  
CA376233
- 31-MAR-2017** LNM/D. 17-FEB-2017  
Add submarine cable joining 47°37'51.0"N 052°39'38.0"W  
(See Chart No. 1, L30.1) 47°38'29.0"N 052°38'13.0"W  
This notice affects Electronic Navigational Chart: 47°25'36.0"N 052°06'12.0"W  
CA276091, CA276101, CA376015, CA376070, CA376075 47°22'00.0"N 051°48'51.0"W  
and 47°20'28.0"N 051°44'56.0"W  
*DFO(6307887-01)*



### Chart no. 4016

**31-MAR-2017**

LNM/D. 17-FEB-2017

Add submarine cable joining 47°05'13.0"N 052°53'48.0"W  
(See Chart No. 1, L30.1) 47°05'13.0"N 052°51'42.0"W  
47°06'00.0"N 052°50'16.0"W  
47°05'56.0"N 052°48'26.3"W  
47°04'27.0"N 052°41'32.0"W  
47°04'10.0"N 052°28'44.8"W  
46°59'24.0"N 052°15'20.0"W  
46°54'31.0"N 051°47'12.0"W  
and 46°53'54.0"N 051°44'56.0"W

*DFO(6307887-02)*

**17-FEB-2017**

LNM/D. 02-SEP-2016

Add subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 10 fathoms, 2 feet.  
(See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA276101,  
CA376015

47°31'22.2"N 052°35'04.2"W

*DFO(6307843-01)*

**02-SEP-2016**

LNM/D. 06-MAY-2016

Delete legend Fog Sig against light  
(See Chart No. 1, R1, R20)  
This notice affects Electronic Navigational Chart: CA276091,  
CA376164

46°45'56.2"N 056°09'24.4"W

*DFO(6307665-01)*

**06-MAY-2016**

LNM/D. 12-FEB-2016

Replace depth of 9 fathoms, 1 foot with depth of 8 fathoms  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA276091

47°05'04.4"N 056°09'07.9"W

*DFO(6307517-02)*

**12-FEB-2016**

LNM/D. 05-FEB-2016

Replace depth of 9 fathoms, 3 feet with depth of 4 fathoms  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA376627

47°05'13.5"N 056°11'42.8"W

*DFO(6307382-14)*

**05-FEB-2016**

LNM/D. 04-DEC-2015

Add subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 5 fathoms  
(See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA276274,  
CA376316

47°32'57.0"N 055°16'39.0"W

*DFO(6307401-01)*



## Chart no. 4016

### 05-FEB-2016

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 5 fathoms

(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA276274

LNLM/D. 04-DEC-2015

47°11'46.8"N 055°35'13.8"W

*DFO(6307401-03)*

### 05-FEB-2016

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 5 fathoms

(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA276274, CA376233

LNLM/D. 04-DEC-2015

47°20'21.6"N 055°43'04.2"W

*DFO(6307401-05)*

### 05-FEB-2016

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 10 fathoms, 2 feet (See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA276101, CA376015

LNLM/D. 04-DEC-2015

47°32'14.4"N 052°35'07.8"W

*DFO(6307428-01)*

### 04-DEC-2015

Add submarine cable joining 46°47'39.0"N 051°44'56.0"W  
(See Chart No. 1, L30.1) 46°27'27.2"N 052°53'28.2"W

46°07'19.2"N 055°02'58.4"W  
and 45°53'09.3"N 056°24'56.4"W

LNLM/D. 07-AUG-2015

*DFO(6307361-01)*

### 07-AUG-2015

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 5 fathoms, 3 feet.

(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA276274, CA376316

LNLM/D. 27-MAR-2015

47°37'57.0"N 055°16'39.0"W

*DFO(6307179-01)*

### 07-AUG-2015

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 5 fathoms, 3 feet.

(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA276274, CA376233

LNLM/D. 27-MAR-2015

47°33'29.4"N 055°19'44.4"W

*DFO(6307179-03)*



## Chart no. 4016

### 27-MAR-2015

LNМ/D. 20-MAR-2015

Delete light Fl

47°31'25.0"N 056°07'26.0"W

(See Chart No. 1, P1)

This notice affects Electronic Navigational Chart: (N2015013) LL(128.5) DFO(6307075-01)  
CA276274, CA476479

### 20-MAR-2015

LNМ/D. 06-FEB-2015

Delete light Fl

47°34'42.0"N 055°07'05.0"W

(See Chart No. 1, P1)

This notice affects Electronic Navigational Chart: (N2015008) LL(115) DFO(6307061-01)  
CA276274, CA376316

### 06-FEB-2015

LNМ/D. 05-DEC-2014

Delete green port hand lighted spar buoy FlG, marked  
V23

47°28'41.6"N 056°03'24.9"W

(See Chart No. 1, Qg)

This notice affects Electronic Navigational Chart: (N2014077) LL(130.31) DFO(6307002-01)  
CA276274

### 05-DEC-2014

LNМ/D. 26-SEP-2014

Add legend Fog Sig against light

46°50'48.0"N 055°47'51.5"W

(See Chart No. 1, R1, R20)

This notice affects Electronic Navigational Chart: (N2014079) LL(76) DFO(6307007-02)  
CA276091, CA376164

### 26-SEP-2014

LNМ/D. 25-JUL-2014

Delete obstruction, depth unknown

47°33'54.0"N 053°00'54.0"W

(See Chart No. 1, K40)

This notice affects Electronic Navigational Chart: CA276092, DFO(6306820-01)  
CA376120

### 25-JUL-2014

LNМ/D. 25-APR-2014

Add wreck, least depth unknown

46°49'38.4"N 056°05'09.0"W

(See Chart No. 1, K29)

This notice affects Electronic Navigational Chart: CA276091, DFO(6306742-01)  
CA376164

### 25-JUL-2014

LNМ/D. 25-APR-2014





### Chart no. 4016

Add wreck, least depth unknown 46°49'19.4"N 056°06'49.3"W  
(See Chart No. 1, K29)  
This notice affects Electronic Navigational Chart: CA276091, DFO(6306742-02)  
CA376164

**25-APR-2014** LNM/D. 18-APR-2014  
Delete legend Fog Sig against light 46°50'48.0"N 055°47'51.5"W  
(See Chart No. 1, R1, R20)  
This notice affects Electronic Navigational Chart: (N2014020) LL(76) DFO(6306716-01)  
CA276091, CA376164

**25-APR-2014** LNM/D. 18-APR-2014  
Delete legend Fog Sig against light 47°38'35.9"N 056°08'57.6"W  
(See Chart No. 1, R1, R20)  
This notice affects Electronic Navigational Chart: (N2014022) LL(134) DFO(6306718-01)  
CA276274

**18-APR-2014** LNM/D. 27-DEC-2013  
Delete legend Fog Sig against light 46°41'25.1"N 053°24'05.7"W  
(See Chart No. 1, R1, R20)  
This notice affects Electronic Navigational Chart: (N2014019) LL(5) DFO(6306714-02)  
CA276091, CA376106, CA576107

**27-DEC-2013** LNM/D. 11-OCT-2013  
Add obstruction, depth unknown 47°33'54.0"N 053°00'54.0"W  
(See Chart No. 1, K40)  
This notice affects Electronic Navigational Chart: CA276092, DFO(6306587-01)  
CA376120

**11-OCT-2013** LNM/D. 30-MAR-2012  
Add private yellow ODAS/SADO lighted pillar buoy Fl (5) Y 20s 47°32'22.0"N 052°35'59.0"W  
(See Chart No. 1, Q58)  
This notice affects Electronic Navigational Chart: CA276101, DFO(6306453-01)  
CA376015

**30-MAR-2012** LNM/D. 03-FEB-2012  
Delete depth of 12 fathoms 47°13'54.0"N 055°58'45.0"W  
(See Chart No. 1, I10)  
DFO(6305953-01)





**Chart no. 4016**

**30-MAR-2012**

LNМ/D. 03-FEB-2012

Add depth of 7 fathoms, 4 feet 47°13'54.7"N 055°58'34.5"W  
(See Chart No. 1, I10)

*DFO(6305953-02)*

**03-FEB-2012**

LNМ/D. 06-JAN-2012

Add yellow ODAS/SADO lighted super-buoy Fl (5) Y  
(See Chart No. 1, Q58)

46°42'06.0"N 056°11'18.0"W

*DFO(6305904-01)*

This notice affects Electronic Navigational Chart: CA276091,  
CA376164

**06-JAN-2012**

LNМ/D. 09-DEC-2011

Delete depth of 19 fathoms  
(See Chart No. 1, I10)

47°24'54.5"N 055°56'47.0"W

*DFO(6305865-01)*

This notice affects Electronic Navigational Chart: CA276274

**06-JAN-2012**

LNМ/D. 09-DEC-2011

Add depth of 10 fathoms, 2 feet  
(See Chart No. 1, I10)

47°24'57.2"N 055°56'58.0"W

*DFO(6305865-02)*

This notice affects Electronic Navigational Chart: CA276274

**09-DEC-2011**

LNМ/D. 18-MAR-2011

Delete submarine cable joining 47°20'30.1"N 054°01'20.9"W  
(See Chart No. 1, L30.1) 47°19'48.6"N 054°05'48.6"W  
47°17'00.7"N 054°08'00.7"W  
47°16'12.6"N 054°10'12.6"W  
47°16'22.2"N 054°26'22.2"W  
47°14'37.9"N 054°30'37.9"W  
and 47°14'32.0"N 054°35'02.2"W

*DFO(6305847-01)*

**09-DEC-2011**

LNМ/D. 18-MAR-2011



**Chart no. 4016**

Add submarine cable  
(See Chart No. 1, L30.1)

This notice affects Electronic Navigational Chart:  
CA276274, CA376173

joining 47°20'31.3"N 054°01'18.0"W  
47°20'01.2"N 054°04'35.4"W  
47°19'48.6"N 054°05'09.4"W  
47°16'46.8"N 054°08'20.1"W  
47°16'14.0"N 054°10'00.4"W  
47°16'17.0"N 054°20'51.2"W  
47°16'29.9"N 054°23'00.0"W  
47°16'29.7"N 054°25'44.0"W  
47°14'53.1"N 054°29'47.6"W  
47°14'37.9"N 054°30'45.5"W  
47°14'32.4"N 054°32'35.7"W  
47°14'22.7"N 054°33'01.5"W  
47°14'19.2"N 054°33'43.5"W  
47°14'33.2"N 054°34'22.5"W  
and 47°14'32.0"N 054°35'02.2"W

*DFO(6305847-02)*

**18-MAR-2011**

LNM/D. 04-MAR-2011

Delete circular radiobeacon with legend R 46°55'43.0"N 055°22'46.0"W  
(See Chart No 1 S15)

*DFO(6305286-01)*

**04-MAR-2011**

LNM/D. 31-DEC-2010

Delete islet 47°20'36.0"N 054°54'47.0"W  
(See Chart No 1 K10)

*DFO(6305213-01)*

**31-DEC-2010**

LNM/D. 06-AUG-2010

Delete legend Loran against tower  
(See Chart No. 1, E20)

46°46'30.0"N 053°10'30.0"W

*(N2010062) DFO(6305143-01)*

This notice affects Electronic Navigational Chart: CA176030,  
CA276091, CA376106

**06-AUG-2010**

LNM/D. 09-JUL-2010

Amend Fl to read Fl 10s 102ft 22M against light  
(See Chart No. 1 P16)

46°41'25.1"N 053°24'05.7"W

*LL(5) DFO(6304964-01)*

This notice affects Electronic Navigational Chart: CA276091



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 4016

### 06-AUG-2010

Amend Fl 6s 110ft 6M to read Fl 6s 110ft 16M against light  
(See Chart No. 1 P16)

LNМ/D. 09-JUL-2010

47°06'21.8"N 055°04'19.8"W

*LL(65) DFO(6304966-01)*

This notice affects Electronic Navigational Chart: CA276091,  
CA576225

### 09-JUL-2010

Reposition black and yellow North cardinal pillar light buoy  
Q, marked MLR  
(See Chart No 1 Q130.3)

LNМ/D. 09-APR-2010

from 46°28'20.9"N 054°01'49.3"W

to 46°27'57.6"N 054°01'43.8"W

*(N2010016) LL(7.4) DFO(6304953-01)*

This notice affects Electronic Navigational Chart:  
CA376075

### 09-APR-2010

Amend Fl 5s 108ft 8M to read Fl 5s 108ft 15M against light  
(See Chart No 1 P16)

LNМ/D. 26-FEB-2010

46°56'31.0"N 052°53'30.0"W

*LL(512) DFO(6304778-01)*

This notice affects Electronic Navigational Chart: CA276091

### 26-FEB-2010

Amend Fl 15s 88ft 11M to read Fl 15s 88ft 17M against light  
(See Chart No 1 P16)

LNМ/D. 11-DEC-2009

46°53'56.7"N 055°21'01.6"W

*LL(73) DFO(6304696-01)*

This notice affects Electronic Navigational Chart: CA276091

### 11-DEC-2009

Delete red starboard hand lighted pillar buoy QR,  
marked V30  
(See Chart No 1 Qf)

LNМ/D. 22-MAY-2009

47°28'01.0"N 056°01'00.5"W

*(N2009049) LL(130.32) DFO(6304639-01)*

### 22-MAY-2009

Amend Chart/Carte 4633 to read Chart/Carte 4827 47°27'14.2"N 056°20'00.0"W  
(See Chart No 1 A18)

LNМ/D. 06-FEB-2009

*DFO(6304355-04)*



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 4016

### 06-FEB-2009

Add submarine cable  
(See Chart No 1 L30.1)

This notice affects Electronic Navigational Chart:  
CA276274

LNLM/D. 09-JAN-2009  
joining 47°26'26.7"N 055°49'09.1"W  
47°22'41.8"N 055°54'41.2"W  
47°21'32.2"N 055°59'40.7"W  
and 47°25'24.8"N 056°24'56.4"W

*DFO(6304174-01)*

### 06-FEB-2009

Add submarine cable  
(See Chart No 1 L30.1)

This notice affects Electronic Navigational Chart:  
CA276274

LNLM/D. 09-JAN-2009  
joining 47°10'45.6"N 055°32'05.6"W  
47°23'34.3"N 055°42'02.6"W  
47°24'28.1"N 055°44'42.7"W  
47°25'01.4"N 055°48'03.0"W  
47°25'47.4"N 055°49'09.5"W  
and 47°26'22.9"N 055°48'56.9"W

*DFO(6304174-02)*

### 06-FEB-2009

Add submarine cable  
(See Chart No 1 L30.1)

This notice affects Electronic Navigational Chart:  
CA276274

LNLM/D. 09-JAN-2009  
joining 47°07'26.7"N 055°02'19.9"W  
47°08'46.5"N 054°50'28.3"W  
47°09'57.2"N 054°46'22.4"W  
47°11'42.3"N 054°43'52.3"W  
47°13'38.1"N 054°39'12.0"W  
47°14'32.0"N 054°35'02.2"W  
47°14'37.9"N 054°30'37.9"W  
47°16'22.2"N 054°26'22.2"W  
47°16'12.6"N 054°10'12.6"W  
47°17'00.7"N 054°08'00.7"W  
47°19'48.6"N 054°05'48.6"W  
and 47°20'30.1"N 054°01'20.9"W

*DFO(6304174-03)*

### 09-JAN-2009

Add depth of 11 fathoms  
(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA276274,  
CA376173

LNLM/D. 04-APR-2008  
47°12'37.4"N 054°03'21.3"W

*DFO(6304157-01)*

### 09-JAN-2009

LNLM/D. 04-APR-2008



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 4016

Amend Fl 5s 98ft 11M to read Iso 10s 98ft 16M against light  
(See Chart No 1 P16)

47°14'15.9"N 054°00'56.7"W

*DFO(6304158-01)*

This notice affects Electronic Navigational Chart: CA276274,  
CA376173

#### 04-APR-2008

Reposition red starboard hand lighted pillar buoy QR, marked  
V30  
(See Chart No 1 Qf)

LN/D. 05-MAY-2006

from 47°29'00.0"N 056°01'30.0"W  
to 47°28'01.0"N 056°01'00.5"W

*LL(130.32) DFO(6303795-01)*

#### 05-MAY-2006

Add depth of 12 fathoms

LN/D. 28-APR-2006

47°14'45.5"N 054°39'07.0"W

*DFO(6302798-01)*

This notice affects Electronic Navigational Chart: CA376173

#### 05-MAY-2006

Delete depth of 19 fathoms

LN/D. 28-APR-2006

47°14'43.0"N 054°39'00.0"W

*DFO(6302798-02)*

This notice affects Electronic Navigational Chart: CA376173

#### 28-APR-2006

Delete depth of 8 fathoms 4 feet

LN/D. 08-APR-2005

47°17'54.0"N 054°01'14.0"W

*DFO(6302749-12)*

This notice affects Electronic Navigational Chart: CA376173

#### 28-APR-2006

Add depth of 5 fathoms

LN/D. 08-APR-2005

47°17'56.6"N 054°01'25.9"W

*DFO(6302749-13)*

This notice affects Electronic Navigational Chart: CA376173

#### 28-APR-2006

LN/D. 08-APR-2005



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 4016

Add depth of 8 fathoms 4 feet

47°19'40.7"N 054°01'33.3"W

*DFO(6302749-18)*

This notice affects Electronic Navigational Chart: CA376173

#### **28-APR-2006**

LNM/D. 08-APR-2005

Add depth of 5 fathoms 5 feet

47°15'19.0"N 054°02'55.4"W

*DFO(6302749-20)*

This notice affects Electronic Navigational Chart: CA376173

#### **28-APR-2006**

LNM/D. 08-APR-2005

Delete depth of 17 fathoms 47°15'20.0"N 054°03'30.0"W

*DFO(6302749-23)*

#### **08-APR-2005**

LNM/D. 31-DEC-2004

Delete sounding of 8 fathoms 4 feet 47°04'36.0"N 056°12'18.0"W

*DFO(6302256-01)*

#### **08-APR-2005**

LNM/D. 31-DEC-2004

Add sounding of 6 fathoms 47°04'30.0"N 056°12'23.0"W

*DFO(6302256-02)*

#### **31-DEC-2004**

LNM/D. 24-DEC-2004

Delete legend "WHIS" against red, green and red starboard  
bifurcation pillar light and whistle buoy Fl(2+1) R,  
WHIS

46°56'12.0"N 053°43'09.0"W

*(N2004192) LL(8.7) DFO(6302103-01)*

#### **31-DEC-2004**

LNM/D. 24-DEC-2004

Delete legend 'BELL' against black and yellow North  
cardinal pillar light and bell buoy Q, BELL marked  
MLR

46°28'20.9"N 054°01'49.3"W

*(N2004193) LL(7.4) DFO(6302104-01)*

#### **24-DEC-2004**

LNM/D. 10-DEC-2004



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 4016

Delete legend "WHIS" against red and white fairway pillar  
light buoy Mo(A), WHIS

46°47'00.0"N 054°03'16.0"W

(N2004186) LL(13) DFO(6302059-01)

**10-DEC-2004** LNM/D. 28-MAY-2004

Add legend 'Aband' 47°21'20.0"N 056°08'30.0"W

*DFO(6302050-09)*

**10-DEC-2004** LNM/D. 28-MAY-2004

Add legend 'Aband' 47°16'20.0"N 056°08'40.0"W

*DFO(6302050-10)*

**28-MAY-2004**

LNM/D. 16-APR-2004

Amend "Fl" to read "QR" against light

47°14'09.0"N 055°21'30.8"W

*(N2004039) LL(112) DFO(6301420-01)*

**16-APR-2004**

LNM/D. 13-FEB-2004

Amend Fl to read Fl R against light

47°27'18.0"N 055°29'33.0"W

*(N2002103) LL(119) DFO(6300521-01)*

**13-FEB-2004**

LNM/D. 24-OCT-2003

Add light flash against buoy marked V23

47°28'41.6"N 056°03'24.9"W

*(N2002134) LL(130.31) DFO(6300570-01)*

**24-OCT-2003**

LNM/D. 11-FEB-1994

Delete yellow ODAS/SADO light buoy, Fl (5) Y, marked 44251 46°26'25.0"N 052°23'20.0"W

*DFO(6301003-01)*