



Chart no. 4045

4045 - Sable Island Bank / Banc de l'Île de Sable to / au St. Pierre Bank / Banc de Saint-Pierre - New Edition - 10-OCT-2003 - NAD 1983

25-AUG-2023

LN/D. 21-JUL-2023

Delete subsurface Ocean Data Acquisition system (ODAS) with known depth of 364 metres (See Chart 1, L25)

45°41'47.6"N 057°13'24.8"W

This notice affects Electronic Navigational Chart: CA276090

DFO(6310793-01)

25-AUG-2023

LN/D. 21-JUL-2023

Delete subsurface Ocean Data Acquisition system (ODAS) with known depth of 337 metres (See Chart 1, L25)

45°30'53.4"N 056°40'19.2"W

This notice affects Electronic Navigational Chart: CA276090

DFO(6310793-02)

21-JUL-2023

LN/D. 16-DEC-2022

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 115 meters
(See Chart 1, L25)

45°47'24.0"N 057°05'38.4"W

This notice affects Electronic Navigational Chart: CA276090

DFO(6310713-01)

16-DEC-2022

LN/D. 29-JUL-2022

Delete subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 320 metres
(See Chart 1, L25)

46°18'16.8"N 058°52'28.3"W

This notice affects Electronic Navigational Chart: CA276271

DFO(6310470-01)

16-DEC-2022

LN/D. 29-JUL-2022

Delete subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 1100 metres
(See Chart 1, L25)

43°51'44.0"N 058°54'34.0"W

This notice affects Electronic Navigational Chart: CA276090

DFO(6310472-09)

16-DEC-2022

LN/D. 29-JUL-2022

Delete subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 1523 metres
(See Chart 1, L25)

44°15'26.0"N 057°17'29.0"W

This notice affects Electronic Navigational Chart: CA276090

DFO(6310472-11)

16-DEC-2022

LN/D. 29-JUL-2022



Chart no. 4045

Delete subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 106 metres
(See Chart 1, L25)
This notice affects Electronic Navigational Chart: CA276204

45°08'36.1"N 059°42'54.9"W
DFO(6310472-12)

29-JUL-2022

Delete ferry route
(See Chart No. 1, M50)
This notice affects Electronic Navigational Chart:
CA276091, CA276271, CA276284, CA376093,
CA376164, CA376166, CA376173

LNLM/D. 17-JUN-2022
between 46°18'26.5"N 060°07'00.3"W
and 46°25'38.1"N 058°30'00.1"W
DFO(6310118-01)

29-JUL-2022

Add ferry route
(See Chart No. 1, M50)
This notice affects Electronic Navigational Chart:
CA276091, CA276271, CA276284, CA376093,
CA376166, CA376176, CA576095

LNLM/D. 17-JUN-2022
between 46°18'26.9"N 060°07'00.0"W
and 46°33'04.0"N 058°30'00.1"W
DFO(6310118-03)

17-JUN-2022

Add environmentally sensitive sea area with legend,
Laurentian Channel Marine Protected Area / Zone de
protection marine du chenal Laurentien
(See Chart No. 1, N22)
This notice affects Electronic Navigational Chart:
CA276090, CA276091, CA276271, CA276284

LNLM/D. 07-JAN-2022
joining 46°38'30.0"N 058°30'06.0"W
46°46'55.0"N 058°45'44.0"W
and 46°51'53.0"N 058°50'56.0"W
DFO(6310080-01)

17-JUN-2022

Add environmentally sensitive sea area with legend,
Laurentian Channel Marine Protected Area / Zone de
protection marine du chenal Laurentien
(See Chart No. 1, N22)
This notice affects Electronic Navigational Chart:
CA276090, CA276091

LNLM/D. 07-JAN-2022
joining 46°05'00.0"N 057°41'30.0"W
45°34'06.0"N 057°10'30.0"W
45°26'27.0"N 057°11'18.0"W
44°59'02.0"N 056°40'06.0"W
44°59'49.0"N 056°24'05.0"W
45°20'20.0"N 056°24'07.0"W
and 46°05'00.0"N 057°05'08.0"W
DFO(6310080-02)

07-JAN-2022

LNLM/D. 24-DEC-2021



Chart no. 4045

Add maritime limit in general, usually implying permanent physical obstructions between 44°07'25.0"N 059°15'11.1"W and 44°12'33.8"N 059°04'48.5"W
(See Chart No. 1, N1.1)
This notice affects Electronic Navigational Chart: *DFO(6309783-01)*
CA276204, CA376289

07-JAN-2022 LNM/D. 24-DEC-2021
Add legend See/Voir note SCIENTIFIC MOORINGS MOUILLAGES 44°09'30.0"N 059°05'30.0"W
SCIENTIFIQUES
This notice affects Electronic Navigational Chart: CA276204, *DFO(6309783-02)*
CA376289

07-JAN-2022 LNM/D. 24-DEC-2021
Add note SCIENTIFIC MOORINGS Acoustic sensors, five metres high 46°17'00.0"N 057°10'00.0"W
and positioned approximately 230 meters apart, along the line, directly on the seabed. Mariners are advised to avoid anchoring or conducting seabed operations in the vicinity of submarine moorings. *DFO(6309783-04)*
MOUILLAGES SCIENTIFIQUES Des capteurs acoustiques, d'une hauteur de cinq mètres et positionnés à intervalles d'environ 230 mètres le long de la ligne, reposent directement sur le fond marin. Nous avisons les navigateurs d'éviter de mouiller ou d'effectuer des travaux sur le fond marin à proximité de ces mouillages sous-marins.
This notice affects Electronic Navigational Chart: CA276204

07-JAN-2022 LNM/D. 24-DEC-2021
Add maritime limit in general, implying permanent physical obstructions joining 45°59'15.6"N 059°20'00.6"W 45°59'17.1"N 059°02'16.8"W and 46°06'58.5"N 058°45'06.8"W
(See Chart No. 1, N1.1)
This notice affects Electronic Navigational Chart: *DFO(6309784-03)*
CA276204, CA276271

07-JAN-2022 LNM/D. 24-DEC-2021
Add legend See/Voir note 46°02'00.0"N 059°04'00.0"W
SCIENTIFIC MOORINGS
MOUILLAGES SCIENTIFIQUES *DFO(6309784-05)*
This notice affects Electronic Navigational Chart: CA276204, CA276271

07-JAN-2022 LNM/D. 24-DEC-2021



Chart no. 4045

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 106 metres
(See Chart No. 1, L25)
This notice affects Electronic Navigational Chart: CA176140, CA276204

45°08'36.1"N 059°42'54.9"W
DFO(6309970-01)

24-DEC-2021 LNM/D. 22-OCT-2021

Delete note GAS PIPELINES Gas pipelines and wells contain natural gas under pressure and damage to these installations could create an immediate fire hazard. Mariners are cautioned not to anchor or trawl near pipelines or wellheads. GAZODUCS Les gazoducs et les puits à gaz contiennent du gaz sous pression et du dommage à ces installations pourraient créer un danger de feu immédiat. Les navires ne devraient ni mouiller ni chaluter près de pipelines ou de têtes de puits.

46°12'40.0"N 057°10'00.0"W
DFO(6309798-08)

24-DEC-2021 LNM/D. 22-OCT-2021

Delete legend See/Voir note GAS PIPELINES/GAZODUCS
This notice affects Electronic Navigational Chart: CA276090

43°49'00.0"N 059°42'00.0"W
DFO(6309798-09)

24-DEC-2021 LNM/D. 22-OCT-2021

Replace pipeline, Gas/Gaz with abandoned pipeline
(See Chart No. 1, L40.1, L44)
This notice affects Electronic Navigational Chart: CA276090

between 43°52'22.0"N 060°09'57.2"W
and 43°41'58.0"N 059°51'19.0"W
DFO(6309798-10)

24-DEC-2021 LNM/D. 22-OCT-2021

Replace pipeline, Gas/Gaz with abandoned pipeline joining
(See Chart No. 1, L40.1, L44)

43°52'58.0"N 060°09'57.2"W
43°53'34.0"N 059°46'29.0"W
and 44°02'02.0"N 059°35'00.0"W
DFO(6309798-11)

24-DEC-2021 LNM/D. 22-OCT-2021

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 1523 metres
(See Chart No. 1, L25)
This notice affects Electronic Navigational Chart: CA276090

44°15'35.3"N 057°17'35.6"W
DFO(6309889-01)

22-OCT-2021 LNM/D. 23-APR-2021



Chart no. 4045

Delete lighted offshore platform Mo(U) 10M, marked North Triumph
(See Chart No. 1, P2) 43°41'58.0"N 059°51'13.0"W
This notice affects Electronic Navigational Chart: CA176140, CA276090, CA376289 *DFO(6309440-08)*

22-OCT-2021

Delete legend FogSig(U)30s LNM/D. 23-APR-2021
(See Chart No. 1, R1) 43°41'58.0"N 059°51'13.0"W
This notice affects Electronic Navigational Chart: CA176140, CA276090, CA376289 *DFO(6309440-09)*

22-OCT-2021

Delete note "See/Voir note PRODUCTION PLATFORMS PLATES- LNM/D. 23-APR-2021
FORMES DE PRODUCTION" 43°39'50.0"N 059°52'03.0"W
(See Chart No. 1, A14) *DFO(6309440-11)*
This notice affects Electronic Navigational Chart: CA276090, CA376289

22-OCT-2021

Delete lighted offshore platform Mo(U) 15M, marked South Venture LNM/D. 23-APR-2021
(See Chart No. 1, P2) 43°59'51.0"N 059°37'37.0"W
This notice affects Electronic Navigational Chart: CA176140, CA276204, CA376289 *DFO(6309440-14)*

22-OCT-2021

Delete legend Fog Sig Mo(U) LNM/D. 23-APR-2021
(See Chart No. 1, R1) 43°59'51.0"N 059°37'37.0"W
This notice affects Electronic Navigational Chart: CA176140, CA276204, CA376289 *DFO(6309440-16)*

22-OCT-2021

Delete note "See/Voir note PRODUCTION PLATFORMS PLATES- LNM/D. 23-APR-2021
FORMES DE PRODUCTION" 43°58'53.0"N 059°28'01.0"W
(See Chart No. 1, A14) *DFO(6309440-17)*
This notice affects Electronic Navigational Chart: CA376289

22-OCT-2021

LNM/D. 23-APR-2021



Chart no. 4045

Delete lighted offshore platform Mo(U) 7M, marked Venture
(See Chart No. 1, P2) 44°02'02.0"N 059°34'55.0"W
This notice affects Electronic Navigational Chart: CA176140, DFO(6309440-18)
CA276204, CA376289

22-OCT-2021

Delete legend FogSig(U)30s LNM/D. 23-APR-2021
(See Chart No. 1, R1) 44°02'02.0"N 059°34'55.0"W
This notice affects Electronic Navigational Chart: CA176140, DFO(6309440-19)
CA276204, CA376289

22-OCT-2021

Delete note LNM/D. 23-APR-2021
46°43'34.0"N 057°10'11.0"W
"PRODUCTION PLATFORMS
Production Platforms and associated structures exhibit white
lights Mo(U)15M, red air obstruction lights and sound fog
signals Mo(U)30s. SAFETY ZONES have been established for
the protection of the production facilities, other vessels and the
marine environment. Unauthorized navigation within the
Safety Zone is prohibited. Mariners are advised that any vessel
proposing to transit the Safety Zone must contact the operator
on VHF Channel 16 and, if approved, comply with the
instructions given while transiting the area. Vessel movement
in the area is monitored on a 24-hour basis. For additional
information, consult Notices to Mariners No. 20, Annual
Edition.
PLATE-FORMES DE PRODUCTION
Les plates-formes de production et leurs structures annexes
sont signalées par des feux blancs Mo(U)15M, des feux rouges
d'obstacle aérien et par un signal de brume sonore Mo(U)30s.
Des ZONES DE SÉCURITÉ ont été établies pour protéger les
installations de production, les autres bâtiments et
l'environnement marin. Toute navigation non autorisée est
interdite à l'intérieur des limites de la zone de sécurité. Les
navigateurs qui désirent traverser la zone de sécurité doivent
contacter les responsables de la plate-forme sur la voie VHF 16
et, le cas échéant, se conformer aux instructions reçues pour
traverser la zone de sécurité. Le trafic maritime est surveillé
jour et nuit. Pour plus d'informations, reportez-vous aux Avis
aux navigateurs n° 20, Édition annuelle."
(See Chart No. 1, A14)
This notice affects Electronic Navigational Chart: CA176140,
CA276090, CA376289

23-APR-2021

LNM/D. 23-OCT-2020



Chart no. 4045

Add wreck, least depth unknown, with legend 'PA'
(See Chart No. 1, K29, B7) 45°43'36.0"N 057°03'45.0"W
This notice affects Electronic Navigational Chart: CA176030, CA276090 *DFO(6309407-01)*

23-OCT-2020 LNM/D. 07-AUG-2020
Amend Fl 21s16m17M to read Fl 21s13m17M against light 45°45'59.0"N 060°06'46.4"W
(See Chart No. 1, P16)
This notice affects Electronic Navigational Chart: (G2020176) LL(750) *DFO(6309205-01)*
CA179245, CA276204, CA376295

07-AUG-2020 LNM/D. 09-AUG-2019
Amend Fl 20s16m17M to read Fl 21s16m17M against light 45°45'59.0"N 060°06'46.4"W
(See Chart No. 1, P16)
This notice affects Electronic Navigational Chart: (G2020067) LL(750) *DFO(6309032-01)*
CA276204, CA376295

09-AUG-2019 LNM/D. 07-DEC-2018
Amend depth of 62 metres to read 72 metres against 46°10'12.1"N 059°08'40.3"W
subsurface Ocean Data Acquisition system
ODAS/SADO *DFO(6308687-01)*
(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA179245,
CA276271

09-AUG-2019 LNM/D. 07-DEC-2018
Add subsurface Ocean Data Acquisition system ODAS/SADO with 46°17'40.4"N 058°49'01.6"W
known depth of 82 metres
(See Chart No. 1, L25) *DFO(6308713-01)*
This notice affects Electronic Navigational Chart: CA179245,
CA276271

07-DEC-2018 LNM/D. 23-NOV-2018
Delete yellow ODAS/SADO lighted super-buoy Fl(5) Y, 43°00'02.0"N 057°59'57.4"W
marked 44141
(See Chart No. 1, Q58) *(G2018142) LL(664.6) DFO(6308514-01)*
This notice affects Electronic Navigational Chart:
CA176030, CA276090

23-NOV-2018 LNM/D. 09-NOV-2018



Chart no. 4045

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 1548 metres
(See Chart No. 1, L25)
This notice affects Electronic Navigational Chart: CA176140, CA276090

43°26'33.4"N 059°56'49.7"W
DFO(6308501-01)

23-NOV-2018

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 320 metres
(See Chart No. 1, L25)
This notice affects Electronic Navigational Chart: CA179245, CA276271

LNLM/D. 09-NOV-2018
46°18'17.9"N 058°52'29.6"W
DFO(6308502-01)

09-NOV-2018

Amend depth of 407 metres to read 364 metres against subsurface Ocean Data Acquisition system ODAS/SADO
(See Chart No. 1, L25)
This notice affects Electronic Navigational Chart: CA176030, CA276090

LNLM/D. 29-DEC-2017
45°41'48.4"N 057°15'13.7"W
DFO(6308438-01)

09-NOV-2018

Amend depth of 329 metres to read 337 metres against subsurface Ocean Data Acquisition system ODAS/SADO (See Chart No. 1, L25)
This notice affects Electronic Navigational Chart: CA176030, CA276090

LNLM/D. 29-DEC-2017
45°30'52.8"N 056°40'19.4"W
DFO(6308438-02)

09-NOV-2018

Reposition subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 364 metres
(See Chart No. 1, L25)
This notice affects Electronic Navigational Chart: CA276090

LNLM/D. 29-DEC-2017
from 45°41'48.4"N 057°15'13.7"W
to 45°41'48.0"N 057°13'24.0"W
DFO(6308438-03)

29-DEC-2017

Add submarine cable
(See Chart No. 1, L30.1)
This notice affects Electronic Navigational Chart: CA179245, CA276271, CA376093, CA376167, CA376625

LNLM/D. 11-AUG-2017
joining 46°37'00.0"N 060°09'57.2"W
46°40'50.0"N 060°07'45.0"W
and 46°51'54.1"N 059°58'15.0"W
DFO(6308158-01)



Chart no. 4045

11-AUG-2017

LN/D. 07-JUL-2017

Add environmentally sensitive sea area with legend, St Anns Bank Marine Protected Area / Zone de protection marine du banc de Sainte-Anne
(See Chart No. 1, N22)
This notice affects Electronic Navigational Chart:
CA179245, CA276090, CA276204, CA276271, CA276284, CA376303

joining 46°10'00.0"N 059°39'00.0"W
45°47'00.0"N 059°39'00.0"W
45°56'00.0"N 058°40'00.0"W
46°04'00.0"N 058°40'00.0"W
46°04'00.0"N 058°32'00.0"W
46°14'00.0"N 058°22'00.0"W
46°25'00.0"N 058°40'00.0"W
46°25'00.0"N 059°00'00.0"W
46°16'00.0"N 059°20'00.0"W
46°10'00.0"N 059°20'00.0"W
and 46°10'00.0"N 059°39'00.0"W

DFO(6308006-01)

07-JUL-2017

LN/D. 31-MAR-2017

Reposition red and white fairway lighted pillar bell buoy Mo(A), BELL
(See Chart No. 1, Qh)
This notice affects Electronic Navigational Chart: CA276271, CA376093

from 46°13'34.0"N 059°55'23.0"W
to 46°13'28.8"N 059°55'37.8"W

(G2017022) LL(771) DFO(6307916-01)

31-MAR-2017

LN/D. 25-NOV-2016

Delete legend Fog Sig against light
(See Chart No. 1, R1, R20)
This notice affects Electronic Navigational Chart:
CA179245, CA276204, CA376303

45°54'24.0"N 059°57'30.4"W

(G2016158) LL(756) DFO(6307823-01)

25-NOV-2016

LN/D. 26-AUG-2016

Amend Fl 15s19m13M to read Fl 3s19m13M against light
(See Chart No. 1, P16)
This notice affects Electronic Navigational Chart:
CA276271, CA376303

46°02'04.3"N 059°40'45.0"W

(G2016124) LL(767) DFO(6307705-01)

25-NOV-2016

LN/D. 26-AUG-2016

Delete legend Fog Sig against light
(See Chart No. 1, R1, R20)
This notice affects Electronic Navigational Chart: CA179245, CA276271, CA376303

46°02'04.3"N 059°40'45.0"W

DFO(6307705-02)

26-AUG-2016

LN/D. 17-JUN-2016



Chart no. 4045

Delete fog signal FogSig against light 45°45'57.0"N 060°06'45.0"W
(See Chart No. 1, R1, R20)
This notice affects Electronic Navigational Chart: (G2016117) LL(750) DFO(6307659-01)
CA179245, CA276204, CA376295

17-JUN-2016 LNM/D. 04-MAR-2016
Amend Fl 10s 32m 16M to read LFl 6s 32m 45°54'24.0"N 059°57'30.0"W
13M against light
(See Chart No. 1, P16) (G2016037 & G2016052) LL(756) DFO(6307520-01)
This notice affects Electronic
Navigational Chart: CA179245,
CA276204

04-MAR-2016 LNM/D. 05-FEB-2016
Amend Fl 3s 19m 15M to read Fl 15s 19m 13M against light 46°02'03.0"N 059°40'33.5"W
(See Chart No. 1, P16)
This notice affects Electronic Navigational Chart: (G2015157) LL(767) DFO(6307448-01)
CA179245, CA276271, CA376303

05-FEB-2016 LNM/D. 04-DEC-2015
Amend Fl 5s 26m 19M to read Fl 5s 26m 18M against light 46°15'55.8"N 060°07'32.6"W
(See Chart No. 1, P16)
This notice affects Electronic Navigational Chart: CA276271, LL(775) DFO(6307366-05)
CA376093, CA576095

05-FEB-2016 LNM/D. 04-DEC-2015
Amend Fl20s 16m 18M to read Fl20s 16m 17M against light 45°46'00.0"N 060°06'46.5"W
(See Chart No. 1, P16)
This notice affects Electronic Navigational Chart: CA276204, LL(750) DFO(6307366-06)
CA376295

04-DEC-2015 LNM/D. 27-NOV-2015
Add submarine cable joining 45°56'03.3"N 056°08'45.2"W
(See Chart No. 1, L30.1) 45°44'53.9"N 057°10'00.3"W
This notice affects Electronic Navigational Chart: 45°25'12.1"N 058°50'59.5"W
CA276090 45°16'07.0"N 059°34'44.6"W
and 45°08'33.1"N 060°09'57.2"W

DFO(6307278-01)

27-NOV-2015 LNM/D. 28-AUG-2015



Chart no. 4045

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 10 metres
(See Chart No. 1, L25)
This notice affects Electronic Navigational Chart: CA276271

46°15'18.8"N 059°08'28.6"W

DFO(6307340-01)

27-NOV-2015

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 62 metres
(See Chart No. 1, L25)
This notice affects Electronic Navigational Chart: CA276271, CA376303

LNМ/D. 28-AUG-2015

46°07'47.6"N 059°19'49.7"W

DFO(6307340-02)

28-AUG-2015

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 62 metres.
(See Chart No. 1, L25)
This notice affects Electronic Navigational Chart: CA276271

LNМ/D. 29-MAY-2015

46°10'06.1"N 059°08'44.3"W

DFO(6307181-01)

28-AUG-2015

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 261 metres.
(See Chart No. 1, L25)
This notice affects Electronic Navigational Chart: CA276271

LNМ/D. 29-MAY-2015

46°21'19.4"N 058°43'39.7"W

DFO(6307181-02)

29-MAY-2015

Add obstruction with known depth of 407 metres and legend ODAS/SADO
(See Chart No. 1, L25)
This notice affects Electronic Navigational Chart: CA176030, CA276090

LNМ/D. 27-MAR-2015

45°41'45.0"N 057°15'14.4"W

DFO(6307121-01)

29-MAY-2015

Add obstruction with known depth of 329 metres and legend ODAS/SADO
(See Chart No. 1, L25)
This notice affects Electronic Navigational Chart: CA176030, CA276090

LNМ/D. 27-MAR-2015

45°30'57.0"N 056°40'19.2"W

DFO(6307121-02)

27-MAR-2015

LNМ/D. 27-FEB-2015



Chart no. 4045

Delete red and white fairway lighted pillar buoy Mo(A) 46°18'24.2"N 060°07'50.6"W
(See Chart No. 1, Qh)
This notice affects Electronic Navigational Chart: (G2015009) LL(776) DFO(6307072-01)
CA276271, CA376093

27-FEB-2015 LNM/D. 06-FEB-2015
Delete National Park symbol 43°49'00.0"N 058°53'00.0"W
(See Chart No. 1, Ef)
DFO(6307023-03)

06-FEB-2015 LNM/D. 17-JAN-2014
Amend Fl(2)25s23m10M to read LFl74ft8M against light 46°10'51.0"N 059°46'13.2"W
(See Chart No. 1, P16)
This notice affects Electronic Navigational Chart: (G2014202) LL(770) DFO(6307010-01)
CA179172, CA276271, CA376093

06-FEB-2015 LNM/D. 17-JAN-2014
Delete legend FogSig against light 46°10'51.0"N 059°46'13.2"W
(See Chart No. 1, R20)
This notice affects Electronic Navigational Chart: (G2014213) LL(770) DFO(6307010-02)
CA276271, CA376093

17-JAN-2014 LNM/D. 19-APR-2013
Delete obstruction with known depth of 1000 metres and legend 43°51'04.3"N 058°55'08.4"W
ODAS/SADO
(See Chart No. 1, K41) DFO(6306608-01)
This notice affects Electronic Navigational Chart: CA276090

17-JAN-2014 LNM/D. 19-APR-2013
Add obstruction with known depth of 1100 metres with legend 43°51'44.1"N 058°54'35.9"W
ODAS/SADO
(See Chart No. 1, K41) DFO(6306608-02)
This notice affects Electronic Navigational Chart: CA276090

17-JAN-2014 LNM/D. 19-APR-2013
Delete obstruction with known depth of 1300 metres and legend 43°52'05.9"N 058°35'55.2"W
ODAS/SADO
(See Chart No. 1, K41) DFO(6306608-03)
This notice affects Electronic Navigational Chart: CA276090



Chart no. 4045

17-JAN-2014

Add obstruction with known depth of 1500 metres with legend
ODAS/SADO
(See Chart No. 1, K41)
This notice affects Electronic Navigational Chart: CA276090

LNМ/D. 19-APR-2013
43°51'49.5"N 058°35'17.5"W
DFO(6306608-04)

17-JAN-2014

Delete obstruction with known depth of 1650 metres and legend
ODAS/SADO
(See Chart No. 1, K41)
This notice affects Electronic Navigational Chart: CA276090

LNМ/D. 19-APR-2013
44°05'18.1"N 058°03'54.2"W
DFO(6306608-05)

17-JAN-2014

Add obstruction with known depth of 1300 metres with legend
ODAS/SADO (See Chart No. 1, K41)
This notice affects Electronic Navigational Chart: CA276090

LNМ/D. 19-APR-2013
44°05'51.8"N 058°03'22.9"W
DFO(6306608-06)

19-APR-2013

Replace depth of 1800 metres with 1650 metres against obstruction.
This notice affects Electronic Navigational Chart: CA276090

LNМ/D. 01-MAR-2013
44°05'18.3"N 058°03'54.1"W
DFO(6306345-01)

19-APR-2013

Replace depth of 1450 metres with 1300 metres against obstruction.
This notice affects Electronic Navigational Chart: CA276090

LNМ/D. 01-MAR-2013
43°52'07.0"N 058°35'56.9"W
DFO(6306345-02)

19-APR-2013

Replace depth of 1100 metres with 1000 metres against obstruction.
This notice affects Electronic Navigational Chart: CA276090

LNМ/D. 01-MAR-2013
43°51'04.1"N 058°55'08.6"W
DFO(6306345-03)

01-MAR-2013

Add obstruction with known depth of 1800 metres with legend
ODAS/SADO
(See Chart No. 1, K41)
This notice affects Electronic Navigational Chart: CA276090

LNМ/D. 29-JUN-2012
44°05'18.1"N 058°03'54.2"W
DFO(6306322-01)

01-MAR-2013

LNМ/D. 29-JUN-2012



Chart no. 4045

Add obstruction with known depth of 1450 metres with legend
ODAS/SADO
(See Chart No. 1, K41)
This notice affects Electronic Navigational Chart: CA276090

43°52'06.0"N 058°35'55.2"W

DFO(6306322-02)

01-MAR-2013

Add obstruction with known depth of 1100 metres with legend
ODAS/SADO
(See Chart No. 1, K41)
This notice affects Electronic Navigational Chart: CA276090

LNM/D. 29-JUN-2012

43°51'04.1"N 058°55'08.0"W

DFO(6306322-03)

29-JUN-2012

Delete light Fl 10s36m18M
(See Chart No 1, P1)

LNM/D. 06-MAY-2011

43°57'35.9"N 059°47'26.4"W

(F2012021) LL(666) DFO(6306034-01)

29-JUN-2012

Add abandoned lighthouse with legend Lt Ho/Phare Aband

LNM/D. 06-MAY-2011

43°57'35.9"N 059°47'26.4"W

(F2012021) DFO(6306034-02)

This notice affects Electronic Navigational Chart: CA176140,
CA276204, CA376289

06-MAY-2011

Amend Fl 15s 19m 17M to read Fl 3s 19m 15M against light
(See Chart No 1 P16)

LNM/D. 11-FEB-2011

46°02'04.3"N 059°40'33.7"W

(G2011058) LL(767) DFO(6305358-01)

This notice affects Electronic Navigational Chart:
CA179172

11-FEB-2011

Amend Fl 30s 20m 17M to read Fl 15s 19m 17M against
light
(See Chart No. 1 P16)

LNM/D. 11-DEC-2009

46°02'04.3"N 059°40'33.7"W

(G2010239) LL(767) DFO(6305189-01)

11-DEC-2009

LNM/D. 07-AUG-2009



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4045

Amend Fl 9s 32m 17M to read Fl 10s 32m 16M against light
(See Chart No 1 P16)

45°54'24.0"N 059°57'30.5"W

LL(756) DFO(6304648-01)

This notice affects Electronic Navigational Chart: CA179172

07-AUG-2009

LNМ/D. 17-APR-2009

Delete note:

46°17'00.0"N 057°10'00.0"W

PRODUCTION PLATFORMS

Platforms exhibit white lights and sound fog horns.

DFO(6304292-01)

Unauthorized navigation within 500 metres of any platform
and its associated structures is prohibited.

PLATES-FORMES DE PRODUCTION

Les plates-formes portent des feux blancs et sont équipés de
cornets de brume. Il est interdit de naviguer sans autorisation
à moins de 500 mètres d'une plate-forme et de ses structures
attenant.

This notice affects Electronic Navigational Chart: CA276090

07-AUG-2009

LNМ/D. 17-APR-2009

Add note:

46°43'00.0"N 057°10'00.0"W

PRODUCTION PLATFORMS

Production Platforms and associated structures exhibit white
lights Mo(U)15M and red air obstruction lights, and sound fog
signals Mo(U)30s. SAFETY ZONES have been established for the
protection of the production facilities, other vessels, and the
marine environment. Unauthorized navigation within the Safety
Zone is prohibited. Mariners are advised any vessel proposing to
transit the Safety Zone must contact the operator on VHF
Channel 16 and, if approved, comply with the instructions given
while transiting the area. Vessel movement in the area is
monitored on a 24-hour basis. For additional information, consult
Notices to Mariners No. 20, Annual Edition.

DFO(6304292-02)

This notice affects Electronic Navigational Chart: CA276090

07-AUG-2009

LNМ/D. 17-APR-2009



Chart no. 4045

Add note:

46°43'00.0"N 057°10'00.0"W

PLATEFORMES DE PRODUCTION

Les plateformes de production et leurs structures annexes sont signalées par des feux blancs Mo(U)15M, des feux rouges d'obstacle aérien et par un signal de brume sonore Mo(U)30s. Des ZONES DE SÉCURITÉ ont été établies pour protéger les installations de production, les autres bâtiments et l'environnement marin. Toute navigation non autorisée est interdite à l'intérieur des limites de la zone de sécurité. Les navigateurs qui désirent traverser la zone de sécurité doivent contacter les responsables de la plateforme sur la voie VHF 16 et, le cas échéant, se conformer aux instructions reçues pour traverser la zone de sécurité. Le trafic maritime est surveillé jour et nuit. Pour plus d'informations, reportez-vous aux Avis aux navigateurs n° 20, Édition annuelle.

DFO(6304292-03)

17-APR-2009

LN/D. 01-AUG-2008

Amend Mo(U) 8M FogSig20s to read Mo(U) 7M FogSig(U)30s against light
(See Chart No 1 P16 and R20)

44°01'59.9"N 059°34'57.1"W

DFO(6304302-01)

This notice affects Electronic Navigational Chart: CA176140,
CA276204, CA376289

17-APR-2009

LN/D. 01-AUG-2008

Amend FogSig20s to read FogSig(U)30s against light
(See Chart No 1 R20)

43°41'56.2"N 059°51'16.4"W

DFO(6304310-01)

This notice affects Electronic Navigational Chart: CA176140,
CA276090, CA376289

01-AUG-2008

LN/D. 25-JUL-2008

Add submarine cable

between 46°51'54.1"N 059°29'27.3"W
and 46°20'10.3"N 060°03'12.1"W

This notice affects Electronic Navigational Chart:
CA179172, CA276271, CA576095

DFO(6303984-01)

25-JUL-2008

LN/D. 04-APR-2008



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4045

Add submarine cable

between 46°51'54.1"N 059°42'58.6"W
and 46°19'29.9"N 060°09'57.2"W

This notice affects Electronic Navigational Chart:
CA179172, CA276271, CA576095

DFO(6303964-01)

04-APR-2008

LNM/D. 01-FEB-2008

Add private yellow lighted spherical buoy Fl(5) Y 20s 44°00'00.0"N 059°32'00.0"W
(See Chart No 1 Q22)

DFO(6303827-02)

01-FEB-2008

LNM/D. 13-JUL-2007

Delete legend FogSig against light
(See Chart No 1 R20)

46°16'01.5"N 060°07'32.9"W

(G2007178) LL(775) DFO(6303745-01)

This notice affects Electronic Navigational Chart:
CA276271, CA576095

13-JUL-2007

LNM/D. 25-NOV-2005

Delete WHIS against red and white fairway lighted pillar
whistle buoy Mo(A)

46°18'24.2"N 060°07'50.6"W

(G2007037) LL(776) DFO(6303451-01)

25-NOV-2005

LNM/D. 18-NOV-2005

Amend "4Lts Q (Hor)" to read "Mo(U) 8M" against Venture production platform 44°02'00.0"N 059°34'56.0"W

DFO(6302596-02)

25-NOV-2005

LNM/D. 18-NOV-2005

Amend "4Lts Q (Hor)" to read "Mo(U) 10M" against North Triumph production platform 43°41'56.0"N 059°51'16.0"W

DFO(6302596-03)

18-NOV-2005

LNM/D. 07-JAN-2005

Add production platform with light and legend "South Venture" 43°59'50.9"N 059°37'36.8"W

DFO(6302550-01)



Chart no. 4045

18-NOV-2005

LNМ/D. 07-JAN-2005

Add light Mo(U) 15M 43°59'50.9"N 059°37'36.8"W

DFO(6302550-02)

18-NOV-2005

LNМ/D. 07-JAN-2005

Add fog signal "Fog Sig Mo(U)" 43°59'50.9"N 059°37'36.8"W

DFO(6302550-03)

07-JAN-2005

LNМ/D. 01-OCT-2004

Amend "Fl(2) 25s 21m 10M" to read "Fl(2) 25s 23m 10M"
against light

46°10'55.0"N 059°46'13.2"W

(G2004198) LL(770) DFO(6302126-01)

07-JAN-2005

LNМ/D. 01-OCT-2004

Delete yellow ODAS/SADO light buoy, Fl (5) Y, marked 44139 44°15'55.8"N 057°23'30.5"W

LL(664.5) DFO(6302130-01)

07-JAN-2005

LNМ/D. 01-OCT-2004

Add yellow ODAS/SADO light buoy, Fl (5) Y, marked 44139 44°14'03.0"N 057°05'44.4"W

LL(664.5) DFO(6302130-02)

01-OCT-2004

LNМ/D. 25-JUN-2004

Delete light Fl 15s 32m 20M

43°55'54.7"N 060°01'22.1"W

(F2004109) LL(665) DFO(6301913-01)

This notice affects Electronic Navigational Chart:
CA376137

25-JUN-2004

LNМ/D. 18-JUN-2004



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4045

Add maritime limit in general usually implying: no permanent obstructions joining 44°13'00.0"N 059°06'00.0"W
44°06'00.0"N 059°20'00.0"W

43°55'00.0"N 059°08'00.0"W

43°35'00.0"N 059°08'00.0"W

This notice affects Electronic Navigational Chart:
CA276090

43°35'00.0"N 058°35'00.0"W

43°47'00.0"N 058°35'00.0"W

and 44°13'00.0"N 059°06'00.0"W

DFO(6301285-01)

25-JUN-2004

LN/D. 18-JUN-2004

Add legend "Gully Marine Protected Area/Zone de protection marine du Gully" 43°37'30.0"N 058°55'00.0"W

DFO(6301285-03)

18-JUN-2004

Add limit of restricted area joining 42°45'00.0"N 060°09'57.2"W
42°45'00.0"N 060°05'00.0"W
42°55'00.0"N 060°05'00.0"W
and 42°55'00.0"N 060°09'57.2"W

DFO(6301284-03)

18-JUN-2004

Add legend "CAUTION", "Chemicals/Produits chimiques" 42°50'00.0"N 060°00'00.0"W

DFO(6301284-04)