



Chart no. 4049

4049 - Grand Bank, Northern Portion / Grand Banc, Partie Nord to / à Flemish Pass / Passe Flamande - New Edition - 19-MAY-1995 - NAD 1983

30-JUN-2023

LNM/D. 31-DEC-2021

Add suspended well, depth over wellhead unknown.
(See Chart 1, L21.1)

46°26'43.2"N 048°30'53.9"W

This notice affects Electronic Navigational Chart: CA276101

DFO(6310672-01)

30-JUN-2023

LNM/D. 31-DEC-2021

Add suspended well, depth over wellhead unknown.
(See Chart 1, L21.1)

46°26'42.4"N 048°28'45.5"W

This notice affects Electronic Navigational Chart: CA276101

DFO(6310672-02)

30-JUN-2023

LNM/D. 31-DEC-2021

Add suspended well, depth over wellhead unknown.
(See Chart 1, L21.1)

46°25'38.3"N 048°24'01.7"W

This notice affects Electronic Navigational Chart: CA276101

DFO(6310672-03)

30-JUN-2023

LNM/D. 31-DEC-2021

Add suspended well, depth over wellhead unknown.
(See Chart 1, L21.1)

46°28'04.7"N 048°24'58.8"W

This notice affects Electronic Navigational Chart: CA276101

DFO(6310672-04)

31-DEC-2021

LNM/D. 19-MAR-2021

Add Suspended well, depth over wellhead unknown.
(See Chart no 1, L21.1)

46°46'19.2"N 048°02'49.5"W

This notice affects Electronic Navigational Chart: CA276101

DFO(6309919-01)

19-MAR-2021

LNM/D. 30-OCT-2020

Add private yellow ODAS/SADO lighted pillar buoy Fl(5) Y 20s, Priv 47°14'12.0"N 050°57'00.0"W
(See Chart No. 1, Q58)

This notice affects Electronic Navigational Chart: CA276101

DFO(6309327-01)

30-OCT-2020

LNM/D. 14-AUG-2020

Add Submerged production well, with depth over an artificial feature
of 609 metres
(See chart no 1, L20)

47°51'18.0"N 046°59'06.0"W

This notice affects Electronic Navigational Chart: CA276101

DFO(6309264-01)



Chart no. 4049

14-AUG-2020

LNМ/D. 15-NOV-2019

Delete subsurface Ocean Data Acquisition system ODAS/SADO with unknown depth

47°30'46.3"N 047°21'26.5"W

(See Chart No. 1, L25)

DFO(6309106-02)

This notice affects Electronic Navigational Chart: CA176030, CA276101

14-AUG-2020

LNМ/D. 15-NOV-2019

Delete subsurface Ocean Data Acquisition system ODAS/SADO with unknown depth

47°16'03.4"N 047°07'06.0"W

(See Chart No. 1, L25)

DFO(6309106-03)

This notice affects Electronic Navigational Chart: CA176030, CA276101

15-NOV-2019

LNМ/D. 25-OCT-2019

Add suspended well, depth over wellhead unknown.

46°47'14.2"N 048°10'43.0"W

(See Chart no 1, L21.1)

DFO(6308837-01)

This notice affects Electronic Navigational Chart: CA276101

25-OCT-2019

LNМ/D. 08-MAR-2019

Add subsurface Ocean Data Acquisition system ODAS/SADO with unknown depth.

47°30'46.3"N 047°21'26.5"W

(See Chart No. 1, L25)

DFO(6308815-02)

This notice affects Electronic Navigational Chart: CA176030, CA276101

25-OCT-2019

LNМ/D. 08-MAR-2019

Add subsurface Ocean Data Acquisition system ODAS/SADO with unknown depth.

47°16'03.4"N 047°07'06.0"W

(See Chart No. 1, L25)

DFO(6308815-03)

This notice affects Electronic Navigational Chart: CA176030, CA276101

25-OCT-2019

LNМ/D. 08-MAR-2019

Delete lighted offshore platform, Mo(U) 15M, Fog Sig 30s with legend "GSF Grand Banks"

46°44'39.1"N 048°00'36.0"W

(See Chart No. 1, P2, L2, R20)

DFO(6308816-01)

This notice affects Electronic Navigational Chart: CA176030, CA276101



Chart no. 4049

08-MAR-2019

LNМ/D. 28-SEP-2018

Reposition private yellow ODAS/SADO lighted pillar buoy Fl Y
(See Chart No. 1, Q58)

from 46°31'54.0"N 048°32'38.0"W
to 46°31'22.3"N 048°33'40.0"W

This notice affects Electronic Navigational Chart:
CA276101

DFO(6308566-01)

28-SEP-2018

LNМ/D. 21-SEP-2018

Reposition private yellow ODAS/SADO lighted pillar Fl(5)Y 20s
(See Chart No. 1, Q58)

from 47°32'20.8"N 052°35'58.4"W
to 47°32'07.8"N 052°35'10.8"W

This notice affects Electronic Navigational Chart:
CA276101

DFO(6308451-01)

28-SEP-2018

LNМ/D. 21-SEP-2018

Add private yellow ODAS/SADO lighted pillar Fl(5)Y 20s
(See Chart No. 1, Q58)

47°34'00.0"N 052°37'32.4"W

This notice affects Electronic Navigational Chart: CA276101,
CA376015

DFO(6308451-02)

21-SEP-2018

LNМ/D. 07-SEP-2018

Delete subsurface Ocean Data Acquisition system ODAS/SADO with
known depth of 19 metres

47°32'14.5"N 052°35'08.0"W

(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA276101,
CA376015

DFO(6308414-02)

07-SEP-2018

LNМ/D. 01-JUN-2018

Add Submerged production well, with depth over wellhead of 120
metres

46°53'08.9"N 048°03'07.3"W

(See chart no 1, L20)

This notice affects Electronic Navigational Chart: CA276101

DFO(6308387-01)

01-JUN-2018

LNМ/D. 28-JUL-2017

Delete yellow ODAS/SADO lighted spherical buoy Fl (5) Y 20s
(See Chart No. 1, Q58)

46°42'28.7"N 048°51'31.6"W

This notice affects Electronic Navigational Chart: CA276101

DFO(6308270-01)

28-JUL-2017

LNМ/D. 14-JUL-2017



Chart no. 4049

Add lighted offshore platform Mo(U) 15M
(See Chart No. 1, P2)
This notice affects Electronic Navigational Chart: CA176030,
CA276101

46°32'38.6"N 048°29'53.0"W
DFO(6308008-01)

28-JUL-2017

Add Fog signal FogSig Mo(U) 30s against light
(See Chart No. 1, R20)
This notice affects Electronic Navigational Chart: CA276101

LNМ/D. 14-JUL-2017
46°32'38.6"N 048°29'53.0"W
DFO(6308008-02)

28-JUL-2017

Amend ON CERTAIN COPIES
VTS ZONE
Limits of the St. John's Harbour and Approaches Vessel Traffic
Services zone. Vessels must report on entering or leaving the zone.

LNМ/D. 14-JUL-2017
VTS ZONE note
DFO(6308008-03)

ZONE STM

Limites de la zone des Services de trafic maritime pour le port de St.
John's et ses approches. Les navires doivent se rapporter en entrant
dans la

to read

VTS ZONE

Limits of the St. John's Vessel Traffic Services zone. Vessels must
report on entering or leaving the zone.

ZONE STM

Limites de la zone des Services de trafic maritime pour St. John's. Les
navires doivent se rapporter en entrant dans la zone ou en la quittant.

14-JUL-2017

Delete legend Fog Sig against light
(See Chart No. 1, R1)
This notice affects Electronic Navigational Chart:
CA176030, CA276101, CA376015

LNМ/D. 05-MAY-2017
47°48'30.5"N 052°47'11.5"W
(N2017008) LL(499) DFO(6307942-01)

05-MAY-2017

Add private yellow ODAS/SADO lighted pillar FIY, priv
(See Chart No. 1, Q58)
This notice affects Electronic Navigational Chart: CA176030,
CA276101

LNМ/D. 14-APR-2017
46°31'51.4"N 048°32'33.5"W
DFO(6307915-01)



Chart no. 4049

14-APR-2017

LNM/D. 31-MAR-2017

Affix patch

46°36'30.0"N 048°26'00.0"W

[PDF](#)

This notice affects Electronic Navigational Chart: CA276101

DFO(6307901-01)

31-MAR-2017

LNM/D. 17-FEB-2017

Add submarine cable

joining 47°37'51.0"N 052°39'38.0"W

(See Chart No. 1, L30.1)

47°38'29.0"N 052°38'13.0"W

This notice affects Electronic Navigational Chart:

47°25'36.0"N 052°06'12.0"W

CA276091, CA276101, CA376015, CA376070, CA376075

47°22'00.0"N 051°48'51.0"W

47°19'58.0"N 051°43'40.0"W

47°20'45.0"N 051°25'26.0"W

47°12'36.0"N 051°03'14.0"W

47°12'30.0"N 050°58'43.0"W

47°16'34.0"N 050°33'24.0"W

47°19'14.0"N 050°27'40.0"W

47°19'14.0"N 050°24'23.0"W

47°14'45.0"N 050°11'20.0"W

47°13'12.0"N 050°09'30.0"W

46°47'12.0"N 048°53'45.0"W

46°46'03.0"N 048°44'42.0"W

46°42'30.0"N 048°42'06.0"W

46°34'04.0"N 048°32'00.0"W

46°34'30.0"N 050°46'55.0"W

46°49'23.0"N 051°33'38.0"W

46°51'40.0"N 051°36'38.0"W

46°54'31.0"N 051°47'12.0"W

46°59'24.0"N 052°15'20.0"W

47°04'10.0"N 052°28'44.8"W

47°04'27.0"N 052°41'32.0"W

and 47°05'56.0"N 052°48'26.3"W

DFO(6307887-01)

31-MAR-2017

LNM/D. 17-FEB-2017

Add submarine cable

between 46°34'04.0"N 048°32'00.0"W

(See Chart No. 1, L30.1)

and 46°32'20.0"N 048°30'15.0"W

This notice affects Electronic Navigational Chart:

CA276101

DFO(6307887-03)

17-FEB-2017

LNM/D. 05-FEB-2016

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 19 metres.

47°31'22.2"N 052°35'04.2"W

(See Chart No. 1, L25)

DFO(6307843-01)

This notice affects Electronic Navigational Chart: CA276101, CA376015



Chart no. 4049

05-FEB-2016

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 19 metres (See Chart No. 1, L25)
This notice affects Electronic Navigational Chart: CA276101, CA376015

LNМ/D. 25-DEC-2015
47°32'14.4"N 052°35'07.8"W
DFO(6307428-01)

25-DEC-2015

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 78 metres.
(See Chart No. 1, L25)
This notice affects Electronic Navigational Chart: CA276101

LNМ/D. 11-DEC-2015
45°42'00.0"N 051°14'00.0"W
DFO(6307350-01)

25-DEC-2015

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 80 metres.
(See Chart No. 1, L25)
This notice affects Electronic Navigational Chart: CA276101

LNМ/D. 11-DEC-2015
46°54'30.0"N 048°30'15.0"W
DFO(6307350-04)

11-DEC-2015

Add yellow ODAS/SADO lighted spherical buoy Fl (5) Y 20s
(See Chart No. 1, Q58)
This notice affects Electronic Navigational Chart: CA276101

LNМ/D. 04-DEC-2015
46°42'28.7"N 048°51'31.6"W
DFO(6307345-01)

04-DEC-2015

Add submarine cable
(See Chart No. 1, L30.1)
This notice affects Electronic Navigational Chart: CA276101

LNМ/D. 17-JUL-2015
joining 48°04'40.5"N 046°54'47.3"W
48°01'57.5"N 047°01'02.5"W
47°45'26.5"N 048°09'19.1"W
47°18'14.6"N 049°55'05.4"W
46°56'07.4"N 051°15'30.4"W
and 46°28'58.5"N 052°48'26.3"W
DFO(6307364-01)

17-JUL-2015

Delete lighted offshore platform Mo(U) 15M with FogSig30s and legend GSF Grand Banks
(See Chart No. 1, L2, P2 and R20)
This notice affects Electronic Navigational Chart: CA276101

LNМ/D. 24-APR-2015
46°44'38.0"N 047°00'37.0"W
DFO(6307163-02)

17-JUL-2015

LNМ/D. 24-APR-2015



Chart no. 4049

Delete safety zone with radius of 500 metres and legend See/Voir
Note PRODUCTION PLATFORMS PLATES-FORMES DE
PRODUCTION
(See Chart No. 1, L3)
This notice affects Electronic Navigational Chart: CA276101

46°44'48.0"N 047°00'37.0"W
DFO(6307163-03)

17-JUL-2015

Add lighted offshore platform Mo(U) 15M with FogSig30s and legend
GSF Grand Banks
(See Chart No. 1, L2, P2 and R20)
This notice affects Electronic Navigational Chart: CA276101

LNLM/D. 24-APR-2015
46°44'39.0"N 048°00'38.0"W
DFO(6307163-04)

24-APR-2015

Add lighted offshore platform Mo(U) 15M and legend GSF Grand
Banks
(See Chart No. 1, L2 and P2)
This notice affects Electronic Navigational Chart: CA176030,
CA276101

LNLM/D. 07-NOV-2014
46°44'38.0"N 047°00'37.0"W
DFO(6307105-01)

24-APR-2015

Add fog signal FogSig30s against light
(See Chart No. 1, R20)
This notice affects Electronic Navigational Chart: CA276101

LNLM/D. 07-NOV-2014
46°44'38.0"N 047°00'37.0"W
DFO(6307105-02)

24-APR-2015

Add safety zone with radius of 500 metres and legend See/Voir Note
PRODUCTION PLATFORMS PLATES-FORMES DE PRODUCTION
(See Chart No. 1, L3)
This notice affects Electronic Navigational Chart: CA276101

LNLM/D. 07-NOV-2014
46°44'38.0"N 047°00'37.0"W
DFO(6307105-03)

07-NOV-2014

Add suspended well, depth over wellhead unknown.
(See Chart No. 1, L21.1)
This notice affects Electronic Navigational Chart: CA276101

LNLM/D. 12-SEP-2014
46°28'19.0"N 048°32'38.0"W
DFO(6306937-02)

12-SEP-2014

Affix patch
[PDF](#)
This notice affects Electronic Navigational Chart: CA276101

LNLM/D. 11-OCT-2013
46°45'00.0"N 049°00'00.0"W
DFO(6306817-03)



Chart no. 4049

11-OCT-2013

Add private yellow ODAS/SADO lighted pillar buoy Fl (5) Y 20s
(See Chart No. 1, Q58)
This notice affects Electronic Navigational Chart: CA276101,
CA376015

LNМ/D. 03-MAY-2013
47°32'22.0"N 052°35'59.0"W
DFO(6306453-01)

03-MAY-2013

Delete suspended well with depth over wellhead unknown
(See Chart No 1 L21.1)
This notice affects Electronic Navigational Chart: CA276101

LNМ/D. 05-APR-2013
46°36'14.0"N 047°57'54.0"W
DFO(6306349-01)

05-APR-2013

Add suspended well with depth over wellhead unknown
(See Chart No 1 L21.1)
This notice affects Electronic Navigational Chart: CA276101

LNМ/D. 01-MAR-2013
46°36'14.0"N 047°57'54.0"W
DFO(6306338-01)

05-APR-2013

Delete private yellow spherical buoy
(See Chart No 1 Q22)
This notice affects Electronic Navigational Chart: CA276101

LNМ/D. 01-MAR-2013
46°38'47.2"N 047°56'33.0"W
DFO(6306344-01)

01-MAR-2013

Add private yellow spherical buoy
(See Chart No 1 Q22)
This notice affects Electronic Navigational Chart: CA276101

LNМ/D. 11-JAN-2013
46°38'47.2"N 047°56'33.0"W
DFO(6306331-01)

11-JAN-2013

Delete light flash
On certain copies.
Note, this Notice corrects copies sold after March 25, 2009.
(See Chart No. 1, P1)

LNМ/D. 07-DEC-2012
46°45'27.0"N 048°10'03.0"W
DFO(6306294-01)

07-DEC-2012

LNМ/D. 16-MAR-2012



Chart no. 4049

Delete safety zone area defined by the following points joining
(See Chart No. 1, L3)

46°52'48.3"N 048°02'56.7"W
46°45'56.0"N 047°59'05.7"W
46°43'28.6"N 048°02'51.5"W
46°43'30.6"N 048°04'11.2"W
46°44'37.8"N 048°04'52.8"W
and 46°52'12.0"N 048°05'02.3"W

DFO(6306272-01)

07-DEC-2012

LNM/D. 16-MAR-2012

Add safety zone area defined by the following points joining
(See Chart No. 1, L3)

46°52'48.3"N 048°02'56.7"W
46°45'56.0"N 047°59'05.7"W
46°43'59.3"N 047°59'22.5"W
46°43'25.0"N 048°01'54.7"W
46°43'30.6"N 048°04'11.1"W
46°44'37.8"N 048°04'52.8"W
and 46°52'12.0"N 048°05'02.2"W

DFO(6306272-02)

16-MAR-2012

LNM/D. 25-NOV-2011

Add private yellow lighted spherical buoy Fl(5) Y 20s, Priv
(See Chart No 1 Q22)

46°43'46.0"N 048°49'13.0"W

DFO(6305946-01)

This notice affects Electronic Navigational Chart: CA276101

25-NOV-2011

LNM/D. 09-SEP-2011

(T)Add lighted offshore platform
(See Chart No. 1, L10)
Drilling rig Global Sante Fe Grand Banks is moored on eight
anchors. It will move it's White Rose location periodically until
its expected departure in January 2013.

46°47'22.0"N 048°02'37.0"W

DFO(6305825-01)

09-SEP-2011

LNM/D. 07-AUG-2009

Replace depth of 132 metres with 152 metres
(See Chart No. 1, I10)

48°04'53.2"N 051°08'00.6"W

DFO(6305688-01)

This notice affects Electronic Navigational Chart: CA276101

07-AUG-2009

LNM/D. 24-APR-2009



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4049

Delete note:

in the northern margin of the chart

PRODUCTION PLATFORMS

The Hibernia Platform exhibit white lights Mo(U), red lights Mo(U) R and red air obstruction lights, and sound fog horns Mo(U)30s. Unauthorized navigation within 500 metres of any platform and its associated structures is prohibited.

DFO(6304293-01)

PLATES-FORMES DE PRODUCTION

Les plates-forme Hibernia porte des feux blancs Mo(U), des feux rouges Mo(U) R et des feux d'obstacles aériens rouges et sonnent des cornets de brume Mo(U)30s. Il est interdit de naviguer sans autorisation à moins de 500 mètres d'une plate-forme et de ses structures associées.

This notice affects Electronic Navigational Chart:
CA276101

07-AUG-2009

LN/D. 24-APR-2009



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4049

Add note:

in the northern margin of the chart above DEPTHS/LES PROFONDEURS note

PRODUCTION

PLATFORMS

Production Platforms

and associated

structures exhibit

white lights

Mo(U)15M and red air

obstruction lights, and

sound fog horns

Mo(U)30s. SAFETY

ZONES have been

established for the

protection of the

production facilities

and the marine

environment.

Unauthorized

navigation within the

Safety Zone is

prohibited. Any ship

proposing to transit

the Safety Zone must

contact the operator

on VHF Channel 16

and, if approved,

comply with the

instructions given

while transiting the

area. Ship movement

in the area is

monitored on a 24-

hour basis. For

additional information,

consult Notice No. 20

in the Notices to

Mariners, Annual

Edition.

DFO(6304293-02)

This notice affects

Electronic

Navigational Chart:

CA276101

07-AUG-2009

LN/D. 24-APR-2009



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4049

Reposition note: in the northern margin of the chart and position above WARNING/ADVERTISSEMENT note

PRECAUTIONARY
AREA

DFO(6304293-03)

Any ship planning to transit the precautionary area is advised to contact the Production Platform on VHF channel 16 and to comply with the instructions given while transiting the area. Ship movement in the area is monitored on a 24 hour basis.

ZONE DE PRUDENCE
Tout navire prévoyant de passer par la zone de prudence devrait contacter la Plate-forme de production sur la voie VHF 16 et de respecter les instructions qui lui seront données pendant le transit de cette zone. Les mouvements de navires dans la zone sont surveillés vingt-quatre heures sur vingt-quatre.

This notice affects
Electronic
Navigational
Chart: CA276101

07-AUG-2009

LN/D. 24-APR-2009



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4049

Add note:

in the northern margin of the chart above DEPTHS/LES PROFONDEURS note

PLATEFORMES DE
PRODUCTION

DFO(6304293-04)

Les plateformes de production et leurs structures annexes sont signalées par des feux blancs Mo(U)15M, des feux rouges d'obstacle aérien et par un signal de brume sonore Mo(U)30s. Des ZONES DE SÉCURITÉ ont été établies pour protéger les installations de production, les autres bâtiments et l'environnement marin. Toute navigation non autorisée est interdite à l'intérieur des limites de la zone de sécurité. Les navigateurs qui désirent traverser la zone de sécurité doivent contacter les responsables de la plateforme sur la voie VHF 16 et, le cas échéant, se conformer aux instructions reçues pour traverser la zone de sécurité. Le trafic maritime est surveillé jour et nuit. Pour plus d'informations, reportez-vous aux Avis aux navigateurs n° 20, Édition annuelle.

This notice affects Electronic
Navigational Chart: CA276101

24-APR-2009

LNM/D. 10-APR-2009

Delete note:

in northern margin

PRECAUTIONARY AREA Any ship planning to transit the precautionary area is advised to contact the Floating Production Storage and Offloading Vessel (FPSO) on VHF channel 16 and to comply with the instructions given while transiting the area. Ship movement in the area is monitored on a 24 hour basis.

DFO(6304284-02)

ZONE DE PRUDENCE Tout navire prévoyant de passer par la zone de prudence devrait contacter Floating Production Storage and Offloading Vessel (FPSO) sur la voie VHF 16 et de respecter les instructions qui lui seront données pendant le transit de cette zone. Les mouvements de navires dans la zone sont surveillés vingt-quatre heures sur vingt-quatre.

This notice affects Electronic Navigational Chart: CA276101



Chart no. 4049

24-APR-2009

LNM/D. 10-APR-2009

Add note:

in northern margin

PRECAUTIONARY AREA Any ship planning to transit the precautionary area is advised to contact the Production Platform on VHF channel 16 and to comply with the instructions given while transiting the area. Ship movement in the area is monitored on a 24 hour basis.

DFO(6304284-04)

ZONE DE PRUDENCE Tout navire prévoyant de passer par la zone de prudence devrait contacter la Plate-forme de production sur la voie VHF 16 et de respecter les instructions qui lui seront données pendant le transit de cette zone. Les mouvements de navires dans la zone sont surveillés vingt-quatre heures sur vingt-quatre.

10-APR-2009

LNM/D. 27-MAR-2009

Delete TERRA NOVA
(See Chart No 1 L1)

46°28'22.0"N 048°24'50.0"W

DFO(6304280-02)

This notice affects Electronic Navigational Chart: CA276101

10-APR-2009

LNM/D. 27-MAR-2009

Add lighted offshore platform Mo(U) 15M and legend Terra Nova FPSO
(See Chart No 1 L2 and P2)

46°28'31.8"N 048°28'51.6"W

DFO(6304280-03)

This notice affects Electronic Navigational Chart: CA276101

10-APR-2009

LNM/D. 27-MAR-2009

Add fog signal Mo(U) 30s
(See Chart No 1 R20)

46°28'31.8"N 048°28'51.6"W

DFO(6304280-04)

This notice affects Electronic Navigational Chart: CA276101

10-APR-2009

LNM/D. 27-MAR-2009

Add private yellow lighted spherical buoy Fl(5) Y 20s
(See Chart No 1 Q22 and Q70)

46°28'36.0"N 048°26'03.6"W

DFO(6304281-01)

This notice affects Electronic Navigational Chart: CA276101



Chart no. 4049

10-APR-2009

Add private orange spherical buoy
(See Chart No 1 Q22 and Q70)

LNМ/D. 27-MAR-2009
46°29'15.0"N 048°25'46.2"W

DFO(6304281-02)

This notice affects Electronic Navigational Chart: CA276101

10-APR-2009

Add See/Voir Note PRODUCTION PLATFORMS PLATES-FORMES DE PRODUCTION
(See Chart No 1 A14)

LNМ/D. 27-MAR-2009
46°26'00.0"N 048°35'00.0"W

DFO(6304282-01)

This notice affects Electronic Navigational Chart: CA276101

10-APR-2009

Replace limit of restricted area with marine limit in general with radius of 10 NM
(See Chart No 1 M15)

LNМ/D. 27-MAR-2009
46°28'31.8"N 048°28'51.6"W

DFO(6304283-01)

This notice affects Electronic Navigational Chart: CA176030,
CA276101

27-MAR-2009

Delete Mo(U) R 5M against light
(See Chart No 1 P1)

LNМ/D. 13-MAR-2009
46°45'00.0"N 048°46'57.0"W

DFO(6304286-01)

This notice affects Electronic Navigational Chart: CA276101

13-MAR-2009

Replace the safety zone area defined by joining the following points 46°52'37.9"N 48°03'06.0W, 46°47'41.3"N 47°59'54.6"W, 46°45'46.5"N 47°59'22.9"W, 46°45'21.1"N 48°00'48.42"W, 46°46'57.6"N 48°03'38.5"W and 46°52'07.0"N 48°04'53.9"W with the safety zone area defined by
(See Chart No 1 L3)

LNМ/D. 16-MAY-2008
joining 46°52'48.3"N 048°02'56.7"W
46°45'56.0"N 047°59'05.7"W
46°43'28.6"N 048°02'51.5"W
46°43'30.6"N 048°04'11.2"W
46°44'37.8"N 048°04'52.8"W
and 46°52'12.0"N 048°05'02.3"W

DFO(6303819-02)

This notice affects Electronic Navigational Chart:
CA276101



Chart no. 4049

16-MAY-2008

LNМ/D. 04-APR-2008

Delete private yellow lighted pillar buoy Fl G
(See Chart No 1 Q23)

46°49'55.8"N 048°06'23.8"W

DFO(6303826-01)

This notice affects Electronic Navigational Chart: CA276101

16-MAY-2008

LNМ/D. 04-APR-2008

Delete private yellow lighted spherical buoy Fl Y
(See Chart No 1 Q22)

46°49'37.3"N 048°06'30.4"W

DFO(6303826-02)

This notice affects Electronic Navigational Chart: CA276101

16-MAY-2008

LNМ/D. 04-APR-2008

Add private yellow lighted pillar buoy Fl Y 10s
(See Chart No 1 Q23)

46°48'46.8"N 048°00'00.0"W

DFO(6303826-03)

This notice affects Electronic Navigational Chart: CA276101

16-MAY-2008

LNМ/D. 04-APR-2008

Add private yellow lighted spherical buoy Fl(5) Y 20s
(See Chart No 1 Q22)

46°49'16.2"N 048°00'06.6"W

DFO(6303826-04)

This notice affects Electronic Navigational Chart: CA276101

04-APR-2008

LNМ/D. 17-MAR-2006

(T)Add lighted offshore platform

46°47'22.0"N 048°02'37.0"W

Drilling rig Global Sante Fe Grand Banks is moored on eight anchors. It will move it's White Rose location periodically until its expected departure in December 2010.

DFO(6303825-01)

The departure date has been extended. See reference DFO(6305825-1) appearing in this edition. Notice 04-April-2008(T), DFO (6303825(T)-01) is cancelled.
Cancelled on 25-NOV-11

17-MAR-2006

LNМ/D. 06-JAN-2006

Delete yellow ODAS/SADO lighted super-buoy Fl (5) Y, marked 44153 46°43'30.0"N 048°48'30.0"W

DFO(6302762-01)



Chart no. 4049

06-JAN-2006

LNM/D. 30-AUG-2002

Add production platform with light and legend "SeaRose FPSO" 46°47'31.0"N 048°01'24.1"W

DFO(6302551-01)

06-JAN-2006

LNM/D. 30-AUG-2002

Add light Mo(U) 15M 46°47'31.0"N 048°01'24.1"W

DFO(6302551-02)

06-JAN-2006

LNM/D. 30-AUG-2002

Add fog signal "Fog Sig Mo(U)" 46°47'31.0"N 048°01'24.1"W

DFO(6302551-03)

06-JAN-2006

LNM/D. 30-AUG-2002

Add private yellow lighted pillar buoy Fl G 46°49'55.8"N 048°06'23.8"W

DFO(6302551-04)

06-JAN-2006

LNM/D. 30-AUG-2002

Add private yellow lighted spherical buoy Fl Y 46°49'37.3"N 048°06'30.4"W

DFO(6302551-05)

06-JAN-2006

LNM/D. 30-AUG-2002

Add safety zone with legend "See/Voir Note PRODUCTION
PLATFORMS PLATES-FORMES DE PRODUCTION" joining 46°52'37.9"N 048°03'06.0"W
46°47'41.3"N 047°59'54.6"W
46°45'46.5"N 047°59'22.9"W
46°45'21.1"N 048°00'48.4"W
46°46'57.6"N 048°03'38.5"W
and 46°52'07.0"N 048°04'53.9"W

DFO(6302551-06)

30-AUG-2002

LNM/D. 25-MAY-2001

Add marine limit in general with radius of 10 NM with legend
See/Voir Note PRECAUTIONARY AREA ZONE DE PRUDENCE. 46°28'31.8"N 048°28'51.6"W

DFO(6300510-01)



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4049

30-AUG-2002

LNM/D. 25-MAY-2001

Add NOTE

in northern margin above the DEPTHS note

PRECAUTIONARY AREA Any ship planning to transit the precautionary area is advised to contact the Floating Production Storage and Offloading Vessel (FPSO) on VHF channel 16 and to comply with the instructions given while transiting the area. Ship movement in the area is monitored on a 24 hour basis.

DFO(6300510-04)

ZONE DE PRUDENCE Tout navire prévoyant de passer par la zone de prudence devrait contacter Floating Production Storage and Offloading Vessel (FPSO) sur la voie VHF 16 et de respecter les instructions qui lui seront données pendant le transit de cette zone. Les mouvements de navires dans la zone sont surveillés vingt-quatre heures sur vingt-quatre.

25-MAY-2001

LNM/D. 04-SEP-1998

Add safety zone with legend TERRA NOVA joining 46°27'30.6"N 048°30'12.0"W
46°27'06.0"N 048°27'24.6"W
46°29'33.0"N 048°27'17.4"W
46°29'39.0"N 048°29'30.0"W
and 46°27'30.6"N 048°30'12.0"W

(H1999-046) DFO(6829458-02)