



### Chart no. 4117

#### 4117 - Saint John Harbour and Approaches / et les approches - New Edition - 29-MAY-2009 - NAD 1983

##### 17-NOV-2023

Delete depth of 5 metres  
(See Chart 1, I10)

This notice affects Electronic Navigational Chart: CA576005

LNМ/D. 14-JUL-2023

45°15'16.8"N 066°02'49.8"W

*DFO(6310947-01)*

##### 17-NOV-2023

Delete depth of 5 metres  
(See Chart 1, I10)

This notice affects Electronic Navigational Chart: CA576005

LNМ/D. 14-JUL-2023

45°15'34.2"N 066°02'45.0"W

*DFO(6310947-02)*

##### 17-NOV-2023

Amend 5,2m to read 5,3m  
(See Chart 1, I21)

This notice affects Electronic Navigational Chart: CA276206,  
CA376011, CA576005

LNМ/D. 14-JUL-2023

45°16'12.6"N 066°02'33.3"W

*DFO(6310947-03)*

##### 17-NOV-2023

Amend 5,2m to read 5,3m  
(See Chart 1, I21)

This notice affects Electronic Navigational Chart: CA276206,  
CA376011, CA576005

LNМ/D. 14-JUL-2023

45°15'11.9"N 066°02'54.8"W

*DFO(6310947-04)*

##### 14-JUL-2023

Add depth of 5 metres  
(See Chart 1, I10)

This notice affects Electronic Navigational Chart: CA576005

LNМ/D. 28-OCT-2022

45°15'16.8"N 066°02'49.8"W

*DFO(6310711-01)*

##### 14-JUL-2023

Add depth of 5 metres  
(See Chart 1, I10)

This notice affects Electronic Navigational Chart: CA576005

LNМ/D. 28-OCT-2022

45°15'34.2"N 066°02'45.0"W

*DFO(6310711-02)*

##### 14-JUL-2023

LNМ/D. 28-OCT-2022



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 4117

Amend 5,3m to read 5,2m  
(See Chart 1, I22)

45°16'12.6"N 066°02'33.3"W

*DFO(6310711-03)*

This notice affects Electronic Navigational Chart: CA276206,  
CA376011, CA576005

### 14-JUL-2023

LNLM/D. 28-OCT-2022

Amend 5,3m to read 5,2m  
(See Chart 1, I22)

45°15'11.9"N 066°02'54.8"W

*DFO(6310711-04)*

This notice affects Electronic Navigational Chart: CA276206,  
CA376011, CA576005

### 28-OCT-2022

LNLM/D. 07-MAY-2021

Delete wharf under construction  
(See Chart 1, F32)

joining 45°15'57.2"N 066°04'01.7"W

This notice affects Electronic Navigational Chart:  
CA376011, CA576005

45°15'57.6"N 066°04'00.5"W

45°16'04.6"N 066°04'13.6"W

and 45°16'03.6"N 066°04'14.2"W

*DFO(6310329-01)*

### 28-OCT-2022

LNLM/D. 07-MAY-2021

Add wharf under construction  
(See Chart 1, F32)

joining 45°15'57.2"N 066°04'01.7"E

This notice affects Electronic Navigational Chart:  
CA376011, CA576005

45°16'04.5"N 066°04'13.4"W

and 45°16'03.8"N 066°04'14.6"W

*DFO(6310329-02)*

### 28-OCT-2022

LNLM/D. 07-MAY-2021

Add pier  
(See Chart 1, F14)

between 45°16'23.9"N 066°04'05.2"W

This notice affects Electronic Navigational Chart:  
CA576005

and 45°16'24.1"N 066°04'02.7"W

*DFO(6310329-03)*

### 07-MAY-2021

LNLM/D. 03-JUL-2020

Affix patch

45°16'03.0"N 066°04'19.0"W

[PDF](#)

This notice affects Electronic Navigational Chart: CA576005,  
CA676584

*DFO(6309418-01)*

### 07-MAY-2021

LNLM/D. 03-JUL-2020



### Chart no. 4117

Delete depth of 9.8 metres 45°13'56.0"N 066°03'03.0"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA376011, *DFO(6309418-02)*  
CA576005

**07-MAY-2021** LNM/D. 03-JUL-2020  
Add depth of 11.3 metres 45°13'54.0"N 066°03'01.3"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA576005 *DFO(6309418-04)*

**07-MAY-2021** LNM/D. 03-JUL-2020  
Affix patch 45°13'20.0"N 066°02'00.0"W  
[PDF](#)  
This notice affects Electronic Navigational Chart: CA576005 *DFO(6309418-05)*

**07-MAY-2021** LNM/D. 03-JUL-2020  
Delete depth of 12.5 metres 45°12'53.3"N 066°02'32.0"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA576005 *DFO(6309418-06)*

**07-MAY-2021** LNM/D. 03-JUL-2020  
Add depth of 10.9 metres 45°12'52.5"N 066°02'31.0"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA576005 *DFO(6309418-07)*

**07-MAY-2021** LNM/D. 03-JUL-2020  
Add depth of 11.6 metres 45°12'41.7"N 066°02'28.0"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA576005 *DFO(6309418-08)*

**03-JUL-2020** LNM/D. 13-JUL-2018  
Affix patch 45°14'00.0"N 066°02'30.0"W  
[PDF](#)  
This notice affects Electronic Navigational Chart: CA576005 *DFO(6309071-01)*

**03-JUL-2020** LNM/D. 13-JUL-2018  
Affix patch 45°12'45.0"N 066°01'00.0"W  
[PDF](#)  
This notice affects Electronic Navigational Chart: CA576005 *DFO(6309071-02)*



### Chart no. 4117

**03-JUL-2020**

LNМ/D. 13-JUL-2018

Add depth of 20 metres

45°12'17.0"N 065°59'24.8"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA576005

*DFO(6309071-03)*

**03-JUL-2020**

LNМ/D. 13-JUL-2018

Add depth of 11.9 metres

45°12'17.8"N 065°59'17.2"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA576005

*DFO(6309071-04)*

**13-JUL-2018**

LNМ/D. 13-APR-2018

Replace depth of 4.2 metres with depth of 0.1 metres

45°16'21.0"N 066°02'38.1"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA576005

*DFO(6308331-01)*

**13-JUL-2018**

LNМ/D. 13-APR-2018

Delete depth of 0.9 metres

45°15'14.6"N 066°03'39.2"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA576005

*DFO(6308332-01)*

**13-JUL-2018**

LNМ/D. 13-APR-2018

Replace depth of 0.7 metres with depth of 0.1 metres

45°15'24.9"N 066°03'39.9"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA576005

*DFO(6308332-02)*

**13-JUL-2018**

LNМ/D. 13-APR-2018

Replace depth of 2.1 metres with depth of 0.1 metres

45°16'23.4"N 066°04'02.9"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA576005

*DFO(6308332-03)*

**13-JUL-2018**

LNМ/D. 13-APR-2018

Add depth of 0.1 metres

45°15'14.9"N 066°03'37.3"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA576005

*DFO(6308332-04)*

**13-JUL-2018**

LNМ/D. 13-APR-2018



### Chart no. 4117

Replace depth of 1.8 metres with depth of 0.1 metres 45°15'21.0"N 066°03'40.0"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA376011, DFO(6308332-05)  
CA576005

**13-JUL-2018** LNM/D. 13-APR-2018  
Replace depth of 2.9 metres with depth of 0.4 metres 45°16'24.6"N 066°04'04.4"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA576005 DFO(6308332-06)

**13-JUL-2018** LNM/D. 13-APR-2018  
Replace depth of 3.7 metres with depth of 0.8 metres 45°15'10.0"N 066°03'35.3"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA576005 DFO(6308332-07)

**13-JUL-2018** LNM/D. 13-APR-2018  
Replace depth of 3.3 metres with depth of 1.9 metres 45°16'20.5"N 066°02'15.7"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA576005 DFO(6308332-08)

**13-JUL-2018** LNM/D. 13-APR-2018  
Replace depth of 3.7 metres with depth of 2.3 metres 45°15'03.8"N 066°03'31.9"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA576005 DFO(6308332-09)

**13-JUL-2018** LNM/D. 13-APR-2018  
Replace depth of 7 metres with depth of 2.9 metres 45°15'52.7"N 066°04'19.7"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA576005 DFO(6308332-10)

**13-JUL-2018** LNM/D. 13-APR-2018  
Replace depth of 9.2 metres with depth of 3.9 metres 45°14'33.1"N 066°02'57.2"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA576005 DFO(6308332-11)

**13-JUL-2018** LNM/D. 13-APR-2018  
Replace depth of 6 metres with depth of 3.9 metres 45°16'22.3"N 066°02'13.5"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA576005 DFO(6308332-13)



### Chart no. 4117

#### 13-JUL-2018

LNМ/D. 13-APR-2018

Delete depth of 6.1 metres

45°16'23.8"N 066°02'10.9"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA576005

*DFO(6308332-14)*

#### 13-JUL-2018

LNМ/D. 13-APR-2018

Amend Fl R to read Iso R against light

45°15'26.4"N 066°02'42.2"W

(See Chart No. 1, P16)

This notice affects Electronic Navigational Chart:

*(F2018023) LL(104) DFO(6308361-01)*

CA376011, CA576005

#### 13-APR-2018

LNМ/D. 19-MAY-2017

Add light Fl R against red starboard hand spar buoy,  
marked JC8

45°15'23.6"N 066°02'47.1"W

(See Chart No 1 Q7)

This notice affects Electronic Navigational Chart:

*(F2018006) LL(105.8) DFO(6308251-01)*

CA576005

#### 19-MAY-2017

LNМ/D. 01-JUL-2016

Delete private yellow ODAS/SADO lighted pillar Fl (5) Y20s,Priv  
(See Chart No. 1, Q58)

45°11'50.9"N 066°05'53.8"W

This notice affects Electronic Navigational Chart: CA376011,  
CA576005

*DFO(6307895-01)*

#### 19-MAY-2017

LNМ/D. 01-JUL-2016

Delete private yellow ODAS/SADO lighted pillar Fl (5) Y20s,Priv  
(See Chart No. 1, Q58)

45°12'30.0"N 066°05'45.0"W

This notice affects Electronic Navigational Chart: CA376011,  
CA576005

*LL(98.8) DFO(6307895-03)*

#### 19-MAY-2017

LNМ/D. 01-JUL-2016

Add private yellow ODAS/SADO lighted pillar Fl (5) Y20s, Priv  
(See Chart No. 1, Q58)

45°11'49.1"N 066°06'50.2"W

This notice affects Electronic Navigational Chart: CA376011,  
CA576005

*LL(98.8) DFO(6307895-04)*

#### 01-JUL-2016

LNМ/D. 24-JUL-2015



### Chart no. 4117

Add private yellow ODAS/SADO lighted pillar Fl (5) Y 20s,  
Priv  
(See Chart No. 1, Q58)

45°12'29.8"N 066°05'47.8"W

*(F2016019) LL(98.8) DFO(6307546-01)*

This notice affects Electronic Navigational Chart:  
CA376011, CA576005

### 24-JUL-2015

Add anchor berth B1  
(See Chart No. 1, N11.1)

LNМ/D. 05-JUN-2015

45°11'30.6"N 066°05'58.8"W

*DFO(6307133-01)*

This notice affects Electronic Navigational Chart: CA376011,  
CA576005

### 05-JUN-2015

Delete light F  
(See Chart No. 1, P1)

LNМ/D. 15-MAY-2015

45°16'06.5"N 066°04'28.8"W

This notice affects Electronic Navigational Chart: CA576005

*DFO(6307125-01)*

### 05-JUN-2015

Delete light F  
(See Chart No. 1, P1)

LNМ/D. 15-MAY-2015

45°16'12.0"N 066°04'29.8"W

This notice affects Electronic Navigational Chart: CA576005

*DFO(6307125-02)*

### 05-JUN-2015

Add light FG  
(See Chart No. 1, P1)

LNМ/D. 15-MAY-2015

45°16'07.6"N 066°04'28.7"W

This notice affects Electronic Navigational Chart: CA576005

*DFO(6307125-03)*

### 05-JUN-2015

Add light FG  
(See Chart No. 1, P1)

LNМ/D. 15-MAY-2015

45°16'07.5"N 066°04'29.7"W

This notice affects Electronic Navigational Chart: CA576005

*DFO(6307125-04)*

### 05-JUN-2015

Add light FR  
(See Chart No. 1, P1)

LNМ/D. 15-MAY-2015

45°16'10.6"N 066°04'29.2"W

This notice affects Electronic Navigational Chart: CA576005

*DFO(6307125-05)*



### Chart no. 4117

#### 05-JUN-2015

LNМ/D. 15-MAY-2015

Add light FR

45°16'10.5"N 066°04'30.2"W

(See Chart No. 1, P1)

This notice affects Electronic Navigational Chart: CA576005

*DFO(6307125-06)*

#### 15-MAY-2015

LNМ/D. 28-NOV-2014

Add private yellow ODAS/SADO lighted pillar Fl(5) Y20s,  
Priv

45°11'51.0"N 066°05'54.0"W

(See Chart No. 1, Q58)

This notice affects Electronic Navigational Chart:

CA376011, CA576005

*(F2015010) LL(98.8) DFO(6307106-01)*

#### 28-NOV-2014

LNМ/D. 31-DEC-2010

Affix patch

45°15'10.0"N 065°59'25.0"W

[PDF](#)

This notice affects Electronic Navigational Chart: CA576005

*DFO(6306971-02)*

#### 28-NOV-2014

LNМ/D. 31-DEC-2010

Affix patch

45°12'00.0"N 065°58'00.0"W

[PDF](#)

This notice affects Electronic Navigational Chart: CA576005

*DFO(6306971-03)*

#### 31-DEC-2010





Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 4117

Amend note:

45°16'17.0"N 066°05'48.0"W

CAUTION No 2

The monobuoy is equipped with a 244 metre free floating discharge hose marked by two flashing white lights. The circle indicates the limit of exclusion zone when vessels are approaching, discharging at or departing the SPM.

*DFO(6305156-01)*

ATTENTION n° 2

Le coifre d'amarrage unique est muni d'un flexible de déchargement d'une longueur de 244 mètres et marqué par deux feux à éclats blancs. Le cercle indique la limite du champ d'évitement lorsque les navires sont amarrés.

to read

CAUTION No 2

The monobuoy, marked by two flashing white lights, is equipped with a 244 metre free floating hose. The circle indicates the limit of the exclusion zone when vessels are approaching, discharging at or departing the SPM.

ATTENTION n° 2

L'amarrage à point unique (SPM), marqué par deux feux à éclats blancs, est muni d'un flexible de déchargement flottant librement et d'une longueur de 244 mètres. Le cercle indique la limite d'exclusion lorsque les bâtiments approchent, déchargent ou quittent le SPM.

This notice affects Electronic Navigational Chart: CA576005