



Chart no. 4240

4240 - Liverpool Harbour to / à Lockeport Harbour - New Chart - 06-OCT-1989 - NAD 1983

20-JAN-2023

LNМ/D. 16-JUL-2021

Affix patch

44°02'39.0"N 064°42'09.0"W

[PDF](#)

This notice affects Electronic Navigational Chart: CA376045

DFO(6310442-03)

16-JUL-2021

LNМ/D. 09-APR-2021

Add depth of 2.6 metres

44°03'24.5"N 064°37'47.6"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA376045

DFO(6309504-01)

16-JUL-2021

LNМ/D. 09-APR-2021

Add depth of 1.9 metres

44°02'42.9"N 064°38'48.8"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA376045

DFO(6309504-02)

16-JUL-2021

LNМ/D. 09-APR-2021

Add depth of 8.7 metres

44°02'17.9"N 064°40'38.6"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA376045

DFO(6309504-03)

16-JUL-2021

LNМ/D. 09-APR-2021

Add depth of 3 metres

43°56'52.9"N 064°46'17.5"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA376045

DFO(6309504-04)

16-JUL-2021

LNМ/D. 09-APR-2021

Add depth of 2.5 metres

43°53'18.0"N 064°44'29.3"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA376045

DFO(6309504-06)

16-JUL-2021

LNМ/D. 09-APR-2021

Replace depth of 3.4 metres with depth of 0.6 metres

43°49'37.7"N 064°52'21.0"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA376045

DFO(6309504-07)

16-JUL-2021

LNМ/D. 09-APR-2021



Chart no. 4240

Replace depth of 4 metres with a drying height of 0.1 metres 43°40'22.3"N 065°02'02.0"W
(See Chart No. 1, I10, I15)
This notice affects Electronic Navigational Chart: CA376045 *DFO(6309504-08)*

16-JUL-2021 LNM/D. 09-APR-2021
Add depth of 5.8 metres 43°41'06.0"N 065°05'23.8"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA376045 *DFO(6309504-09)*

16-JUL-2021 LNM/D. 09-APR-2021
Add depth of 5.2 metres 43°39'34.3"N 065°05'40.3"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA376045 *DFO(6309504-10)*

16-JUL-2021 LNM/D. 09-APR-2021
Replace depth of 2.4 metres with depth of 2 metres 43°43'26.5"N 065°09'09.5"W
(See Chart No. 1, I10)
DFO(6309504-11)

16-JUL-2021 LNM/D. 09-APR-2021
Replace depth of 3.7 metres with depth of 2.9 metres 43°43'08.0"N 065°09'28.9"W
(See Chart No. 1, I10)
DFO(6309504-12)

16-JUL-2021 LNM/D. 09-APR-2021
Replace depth of 0.9 metres with depth of 0.5 metres 43°43'21.3"N 065°09'31.8"W
(See Chart No. 1, I10)
DFO(6309504-13)

16-JUL-2021 LNM/D. 09-APR-2021



Chart no. 4240

Add note: WARNING Recent bathymetric surveys show the presence of shallower depths compared to what is presently charted. The shallower depths considered the most hazardous to navigation and within or near main shipping channels will be published in Notices to Mariners (WWW.NOTMAR.CA). Mariners are advised to exercise extreme caution, specifically when they navigate outside of the marked navigation channels. AVERTISSEMENT Des levés bathymétriques récents ont révélé la présence de profondeurs moindres que celles portées sur les cartes marines. Les profondeurs moindres les plus dangereuses pour la navigation et dans ou près des principales voies de navigation seront publiées dans les Avis aux navigateurs (WWW.NOTMAR.CA). Nous demandons aux navigateurs d'exercer la plus grande prudence, particulièrement lors de la navigation en dehors des voies de navigation balisées. This notice affects Electronic Navigational Chart: CA376045

43°59'27.2"N 065°00'19.1"W
DFO(6309504-14)

16-JUL-2021

Delete depth of 10.4 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA376045

LNM/D. 09-APR-2021
43°41'09.2"N 065°05'22.0"W
DFO(6309504-15)

09-APR-2021

Delete depth of 18.9 metres (See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA376045

LNM/D. 26-MAR-2021
43°42'42.8"N 064°58'18.5"W
DFO(6309280-01)

09-APR-2021

Add depth of 11.9 metres (See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA376045

LNM/D. 26-MAR-2021
43°42'39.0"N 064°58'19.0"W
DFO(6309280-02)

26-MAR-2021

Amend QG to read Iso G against light
(See Chart No. 1, P16)
This notice affects Electronic Navigational Chart: CA376045, CA476202

LNM/D. 10-AUG-2018
44°01'10.1"N 064°39'44.7"W
(F2021004) LL(408.2) DFO(6309357-01)

10-AUG-2018

Replace depth of 26 metres with depth of 15.7 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA376047

LNM/D. 27-JUL-2018
43°37'37.3"N 065°07'44.8"W
DFO(6308394-01)



Chart no. 4240

27-JUL-2018

Reposition light Fl 4s 18m 7M

(See Chart No. 1, P1)

This notice affects Electronic Navigational Chart:

CA276800, CA376045, CA476202

LNМ/D. 11-AUG-2017

from 44°02'01.1"N 064°37'41.8"W

to 44°02'03.5"N 064°37'42.5"W

(F2018021) LL(407) DFO(6308352-01)

27-JUL-2018

Amend Fl 4s 18m 7M to read Fl 4s15m7M against light

(See Chart No. 1, P16)

This notice affects Electronic Navigational Chart:

CA276800, CA376045, CA476202

LNМ/D. 11-AUG-2017

44°02'03.5"N 064°37'42.5"W

(F2018021) LL(407) DFO(6308352-02)

11-AUG-2017

Add depth of 1 metre, 6 decimetres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA376045

LNМ/D. 09-JUN-2017

43°48'16.5"N 064°55'30.6"W

DFO(6308022-01)

11-AUG-2017

Add depth of 0 metres, 5 decimetres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA376045

LNМ/D. 09-JUN-2017

43°49'19.7"N 064°53'03.2"W

DFO(6308022-02)

09-JUN-2017

Add marine farm

(See Chart No. 1, K48.2)

This notice affects Electronic Navigational Chart: CA376045

LNМ/D. 24-JAN-2014

43°54'54.2"N 064°48'43.6"W

DFO(6307872-09)

24-JAN-2014

Delete red starboard hand lighted pillar buoy FlR, marked
KC52

(See Chart No. 1, Qf)

This notice affects Electronic Navigational Chart:

CA376044, CA376045

LNМ/D. 17-JAN-2014

43°42'07.3"N 064°59'59.8"W

(F2013037) LL(386) DFO(6306576-01)

24-JAN-2014

Add black, yellow and black East cardinal lighted pillar
buoy Q(3)10s, marked KC

(See Chart No. 1, Q130.3)

This notice affects Electronic Navigational Chart:

CA376044, CA376045

LNМ/D. 17-JAN-2014

43°42'29.4"N 064°59'42.0"W

(F2013037) LL(386.0) DFO(6306576-02)



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4240

17-JAN-2014

LNLM/D. 21-SEP-2012

Amend Fl to read FLR against light
(See Chart No. 1, P1)

43°42'57.5"N 065°01'48.1"W

This notice affects Electronic Navigational Chart:
CA376045, CA576040

(F2013039) LL(384) DFO(6306609-01)

21-SEP-2012

LNLM/D. 17-AUG-2012

Add marine farm

44°02'33.0"N 064°38'24.0"W

(See Chart No. 1, K48.2)

DFO(6306164-03)

This notice affects Electronic Navigational Chart: CA376045,
CA476202

17-AUG-2012

LNLM/D. 26-FEB-2010

Amend 3,4m (2008) to read 3,0m (2010)
(See Chart No. 1, I22)

44°02'37.6"N 064°41'55.8"W

DFO(6306041-09)

This notice affects Electronic Navigational Chart: CA376045

27-NOV-2009

LNLM/D. 01-MAY-2009

Delete BELL against green port hand lighted pillar bell buoy
QG, BELL marked UM53
(See Chart No 1 Qg)

44°02'46.3"N 064°42'03.9"W

(F2006159) LL(410) DFO(6304650-01)

01-MAY-2009

LNLM/D. 24-APR-2009

Add breakwater
(See Chart 1 F4.1)

joining 43°55'16.0"N 064°50'33.0"W
43°55'16.3"N 064°50'32.0"W
and 43°55'14.6"N 064°50'30.2"W

This notice affects Electronic Navigational Chart:
CA376045

DFO(6303359-02)

01-MAY-2009

LNLM/D. 24-APR-2009



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4240

Add light FIG
(See Chart No 1 P1)

43°55'16.0"N 064°50'33.0"W

(F2007043) LL(401.5) DFO(6303359-03)

This notice affects Electronic Navigational Chart:
CA376045

24-APR-2009

Delete fog signal Fog Sig 20s
(See Chart No 1 R20)

LNМ/D. 10-OCT-2008

44°01'08.0"N 064°39'52.0"W

(F2009002) LL(408.3) DFO(6304317-01)

This notice affects Electronic Navigational Chart:
CA376045

10-OCT-2008

Amend legend 4.0m (2004) to read 3.4m (2008) 44°02'39.0"N 064°41'56.0"W
(See Chart No. 1, I22)

LNМ/D. 16-MAY-2008

DFO(6304053-13)

16-MAY-2008

Amend FR to read Iso R against light
(See Chart No 1 P16)

LNМ/D. 21-DEC-2007

43°57'05.3"N 064°46'07.4"W

(F2008013) LL(403) DFO(6303854-01)

This notice affects Electronic Navigational Chart:
CA376045

16-MAY-2008

Delete red and white fairway lighted pillar buoy Mo(A),
marked UMA
(See Chart No 1 Qh)

LNМ/D. 21-DEC-2007

44°01'34.0"N 064°38'50.0"W

(F2002066) LL(408) DFO(6303856-01)

This notice affects Electronic Navigational Chart:
CA376045

21-DEC-2007

LNМ/D. 23-MAR-2007



Chart no. 4240

Replace green port hand spar buoy, marked KA51 with
green port hand lighted pillar buoy FIG, marked
KA51 43°43'12.0"N 064°58'00.0"W
(F2007087) LL(386.01) DFO(6303678-01)

23-MAR-2007

Add light 'FIR' against red starboard hand spar buoy,
marked KK64 LNM/D. 09-FEB-2007
43°41'16.3"N 065°05'47.9"W
(F2007007) LL(371.02) DFO(6303330-01)

23-MAR-2007

Replace red starboard hand conical buoy, marked KD60
with yellow and black South cardinal spar
buoy, marked KD LNM/D. 09-FEB-2007
43°40'01.3"N 065°04'03.9"W
(F2007009) LL(5383.03) DFO(6303332-01)

23-MAR-2007

Add light 'QG' against green port hand spar buoy,
marked KK57 LNM/D. 09-FEB-2007
43°40'00.3"N 065°06'13.9"W
(F2007011) LL(369.04) DFO(6303333-01)

23-MAR-2007

Add light 'FIG' against green port hand spar buoy,
marked UX53 LNM/D. 09-FEB-2007
43°48'30.0"N 064°55'24.0"W
(F2007016) LL(387.01) DFO(6303335-01)

23-MAR-2007

Add red starboard hand lighted conical buoy FIR,
marked UX56 LNM/D. 09-FEB-2007
43°48'49.0"N 064°55'42.0"W
(F2007005) LL(387.04) DFO(6303337-01)

23-MAR-2007

Replace red starboard hand lighted pillar bell buoy FIR,
BELL, marked KE56 with red and white fairway
lighted pillar buoy Mo(A), marked KE LNM/D. 09-FEB-2007
43°39'31.3"N 065°04'18.9"W
(F2007024) LL(383.1) DFO(6303346-01)

09-FEB-2007

LNM/D. 15-DEC-2006



Chart no. 4240

Delete legend "BELL" against red starboard hand lighted
pillar bell buoy FIR, marked UQ52

43°55'36.5"N 064°43'02.0"W

(F2006175) LL(404) DFO(6303265-01)

15-DEC-2006

LNМ/D. 01-DEC-2006

Delete legend "BELL" against green port hand lighted pillar
bell buoy FIG, BELL marked KK51

43°37'32.0"N 065°08'11.5"W

(F2006147) LL(369) DFO(6303184-01)

15-DEC-2006

LNМ/D. 01-DEC-2006

Delete legend "BELL" against red starboard hand lighted
pillar bell buoy FIR, marked UV52

43°47'15.0"N 064°49'53.0"W

(F2006162) LL(391) DFO(6303209-01)

15-DEC-2006

LNМ/D. 01-DEC-2006

Delete green port hand lighted pillar whistle buoy FIG,
WHIS marked KC51

43°42'27.0"N 064°59'34.0"W

(F2006164) LL(385) DFO(6303210-01)

15-DEC-2006

LNМ/D. 01-DEC-2006

Add red starboard hand lighted pillar buoy FIR, marked
KC52

43°42'07.5"N 065°00'00.0"W

(F2006165) LL(386) DFO(6303211-01)

01-DEC-2006

LNМ/D. 30-JUN-2006

Amend "KE" to read "KEA" against yellow, black and
yellow West cardinal lighted pillar buoy Q(9) 15s

43°40'14.3"N 065°04'57.9"W

(F2006145) LL(383.5) DFO(6303182-01)

30-JUN-2006

LNМ/D. 19-MAY-2006

Delete light "LF1 12s 30m 9M"

43°48'34.0"N 064°47'21.0"W

(F2006083) LL(393) DFO(6302886-01)

This notice affects Electronic Navigational Chart:
CA276800

19-MAY-2006

LNМ/D. 10-MAR-2006



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4240

Amend "FR" to read "FIR" against light 43°48'45.7"N 064°55'30.0"W

(F2005109) LL(388) DFO(6302680-01)

10-MAR-2006

LNM/D. 24-FEB-2006

Delete legend "BELL" against green port hand pillar light
buoy FIG, BELL marked UN55

43°56'09.0"N 064°47'28.5"W

(F2006002) LL(402) DFO(6302734-01)

10-MAR-2006

LNM/D. 24-FEB-2006

Delete red starboard hand lighted pillar whistle buoy FIR,
marked U36

43°47'21.5"N 064°46'50.0"W

(F2006006) LL(392) DFO(6302737-01)

10-MAR-2006

LNM/D. 24-FEB-2006

Add green port hand lighted pillar buoy FIG, marked
US51

43°51'45.0"N 064°46'16.8"W

(F2006010) LL(394.5) DFO(6302741-01)

10-MAR-2006

LNM/D. 24-FEB-2006

Delete legend "WHIS" against red and white fairway pillar
light buoy Mo(A), WHIS marked UN

43°53'31.0"N 064°42'30.0"W

(F2006012) LL(395) DFO(6302744-01)

This notice affects Electronic Navigational Chart:
CA276800

10-MAR-2006

LNM/D. 24-FEB-2006

Add black, yellow and black East cardinal lighted pillar
buoy Q(3) 10s, marked UEF

43°48'12.6"N 064°46'27.2"W

(F2006014) LL(394.01) DFO(6302747-01)

24-FEB-2006

LNM/D. 04-NOV-2005

Delete red starboard hand conical buoy, marked KE52

43°39'05.3"N 065°02'02.9"W

(F2006009) DFO(6302740-01)

This notice affects Electronic Navigational Chart: CA276800,
CA576040



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4240

24-FEB-2006

Add red starboard hand lighted pillar buoy FIR, marked
KE52

LNМ/D. 04-NOV-2005

43°38'27.0"N 065°02'15.0"W

(F2006009) LL(382.01) DFO(6302740-02)

This notice affects Electronic Navigational Chart:
CA276800, CA576040

04-NOV-2005

Amend "Fl" to read "LFl" against light

LNМ/D. 14-OCT-2005

44°02'40.6"N 064°41'30.2"W

(F2005076) LL(409) DFO(6302546-01)

14-OCT-2005

Amend "F" to read "Fl" against light

LNМ/D. 23-SEP-2005

43°42'57.5"N 065°01'48.1"W

(F2005067) LL(384) DFO(6302481-01)

This notice affects Electronic Navigational Chart:
CA576040

23-SEP-2005

Delete red starboard hand pillar light and whistle buoy FIR,
WHIS, marked K38

LNМ/D. 08-JUL-2005

43°36'54.0"N 065°01'53.9"W

(F2005051) LL(382) DFO(6302472-01)

This notice affects Electronic Navigational Chart:
CA276800

08-JUL-2005

Delete legend "WHIS" against red and white fairway pillar
light buoy Mo(A), WHIS marked UX

LNМ/D. 24-JUN-2005

43°46'19.0"N 064°54'47.0"W

(F2005036) LL(387) DFO(6302363-01)

24-JUN-2005

Amend "FIY" to read "QG" against light

LNМ/D. 24-DEC-2004

44°01'10.3"N 064°39'45.6"W

(F2004025) LL(408.2) DFO(6301349-01)

24-DEC-2004

LNМ/D. 17-DEC-2004



Chart no. 4240

Amend legend "4.6m (1998)" to read "4.0m (2004)" 44°02'39.0"N 064°41'56.0"W

DFO(6301890-04)

17-DEC-2004

LNLM/D. 08-OCT-2004

Add depth of 4 metres 9 decimetres 43°54'31.0"N 064°48'47.0"W

DFO(6302105-01)

17-DEC-2004

LNLM/D. 08-OCT-2004

Replace rock which covers and uncovers, with dangerous underwater rock of 2 metres or less. 43°54'29.0"N 064°48'48.0"W

DFO(6302105-02)

08-OCT-2004

LNLM/D. 03-SEP-2004

Replace green port hand pillar light buoy FLG, marked KK61, BELL with green port hand spar light buoy FLG, marked KK61

43°41'01.8"N 065°05'45.9"W

(F2004121) LL(371) DFO(6301910-01)

03-SEP-2004

LNLM/D. 09-JUL-2004

Delete green port hand pillar light buoy QG, marked KK69, BELL

43°42'08.3"N 065°05'58.9"W

(F2004083) LL(372) DFO(6301723-01)

03-SEP-2004

LNLM/D. 09-JUL-2004

Add green port hand spar light buoy QG, marked KK69

43°42'08.3"N 065°05'58.9"W

(F2004083) LL(372) DFO(6301723-02)

09-JUL-2004

LNLM/D. 25-JUN-2004

(T)Delete light

43°48'34.0"N 064°47'21.0"W

Light has been temporarily discontinued.

Notice 2004-07-09(T) is cancelled. Light is discontinued.

See DFO reference (6302886) appearing in this edition.

Cancelled on 30-JUN-06

LL(393) DFO(6301436-01)

25-JUN-2004

LNLM/D. 30-APR-2004



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4240

Amend "Fl 15s 17m 16M" to read "LFl 15s 17m 12M" against light 43°39'18.3"N 065°05'55.9"W

LL(370) DFO(6301232-01)

25-JUN-2004

LNM/D. 30-APR-2004

Amend "Fl 10s 30m 13M" to read "LFl 12s 30m 9M" against light 43°48'34.0"N 064°47'21.0"W

LL(393) DFO(6301237-01)

30-APR-2004

LNM/D. 21-NOV-2003

Amend FG to read FIG against light 43°42'05.6"N 065°06'25.8"W

(F2004010) LL(375) DFO(6301323-01)

21-NOV-2003

LNM/D. 07-FEB-2003

Add non-dangerous wreck, depth unknown 43°38'06.0"N 065°09'06.0"W

DFO(6301062-01)

07-FEB-2003

LNM/D. 04-OCT-2002

Delete red starboard hand pillar light buoy FIR, marked
UM48

44°01'30.3"N 064°37'32.8"W

(F2002022) LL(408.4) DFO(6300295-01)

07-FEB-2003

LNM/D. 04-OCT-2002

Add light Fl 4s 18m 7M 44°02'01.1"N 064°37'41.8"W

(F2002024) LL(407) DFO(6300300-01)

04-OCT-2002

LNM/D. 20-JUL-2001

Amend FIG to read FLY against light 44°01'10.3"N 064°39'45.6"W

(F2002020) LL(408.2) DFO(6300220-01)

20-JUL-2001

LNM/D. 02-FEB-2001

Add red and white fairway pillar light buoy Mo (A), BELL,
marked KP

43°40'14.6"N 065°09'33.0"W

(F2000211) LL(368) DFO(6829294-01)



Chart no. 4240

20-JUL-2001

Delete green light, port hand pillar buoy FlG, marked
KP51

LNМ/D. 02-FEB-2001

43°41'59.5"N 065°09'35.0"W

(F2000212) LL(367.5) DFO(6829345-01)

02-FEB-2001

Add red light, starboard hand pillar buoy FlR, marked
UM48

LNМ/D. 27-OCT-2000

44°01'30.3"N 064°37'32.8"W

(F2000-032) LL(408.4) DFO(6828043-02)

02-FEB-2001

Delete light

LNМ/D. 27-OCT-2000

44°02'00.9"N 064°37'41.9"W

(F2000-133) LL(407) DFO(6828749-02)

27-OCT-2000

Add wreck WK with known depth of 4 metres, 5 decimetres

LNМ/D. 01-SEP-2000

43°54'05.4"N 064°47'18.0"W

DFO(6829152-01)

01-SEP-2000

Add non-dangerous wreck, PA

LNМ/D. 07-JUL-2000

44°01'06.4"N 064°38'09.8"W

DFO(6828860-01)

07-JUL-2000

Amend FG to read, Fl G

LNМ/D. 12-MAY-2000

44°01'10.3"N 064°39'45.6"W

(F2000-075) LL(408.2) DFO(6828421-01)

12-MAY-2000

Affix patch

LNМ/D. 14-JAN-2000

44°02'30.0"N 064°42'00.0"W

DFO(6500282-01)

[PDF](#)



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4240

4240 - Port Mouton - New Chart - 06-OCT-1989 - NAD 1983

16-JUL-2021

Add depth of 3.5 metres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA376045,
CA576046

LNМ/D. 09-APR-2021

43°55'24.7"N 064°50'06.2"W

DFO(6309504-05)

26-FEB-2010

Amend FR to read LFIR against light

(See Chart 1 P16)

LNМ/D. 27-NOV-2009

43°55'10.0"N 064°50'49.8"W

(F2009074) LL(399.5) DFO(6304699-01)

This notice affects Electronic Navigational Chart:
CA576046

01-MAY-2009

Delete coastline

(See Chart 1 C1)

between 43°55'15.2"N 064°50'30.4"W

and 43°55'13.0"N 064°50'31.4"W

LNМ/D. 24-APR-2009

DFO(6303359-01)

01-MAY-2009

Add breakwater with loose boulders

(See Chart 1 F4.2)

This notice affects Electronic Navigational Chart:
CA376045

LNМ/D. 24-APR-2009

joining 43°55'15.2"N 064°50'30.4"W

43°55'15.2"N 064°50'30.7"W

43°55'16.6"N 064°50'31.8"W

43°55'16.1"N 064°50'33.1"W

43°55'15.9"N 064°50'33.0"W

43°55'16.3"N 064°50'32.0"W

43°55'14.9"N 064°50'30.9"W

43°55'13.6"N 064°50'31.6"W

and 43°55'13.0"N 064°50'31.4"W

DFO(6303359-02)

01-MAY-2009

Add light FLG

(See Chart No 1 P1)

This notice affects Electronic Navigational Chart:
CA376045

LNМ/D. 24-APR-2009

43°55'16.0"N 064°50'33.0"W

(F2007043) LL(401.5) DFO(6303359-03)



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4240

01-MAY-2009

LNМ/D. 24-APR-2009

Delete lifeboat station

43°55'13.0"N 064°50'32.0"W

(See Chart No 1 T12)

DFO(6304324-01)