



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 4242

### 4242 - Cape Sable Island to / aux Tusket Islands - New Edition - 28-AUG-1992 - NAD 1983

**21-APR-2023**

LNМ/D. 17-FEB-2023

Amend Fl(2) 5s to read Fl(2)10s against black, red and  
black isolated danger lighted pillar buoy, marked  
NSE

43°39'24.0"N 066°02'27.9"W

(See Chart 1, Q130.4)

(F2023001) LL(274.22) DFO(6310616-01)

This notice affects Electronic Navigational Chart:  
CA376018, CA476048

**17-FEB-2023**

LNМ/D. 26-AUG-2022

Add wreck, least depth unknown, with legend PA Rep (2022)  
(See Chart 1, K29, B7, I3)

43°21'00.0"N 065°45'00.0"W

This notice affects Electronic Navigational Chart: CA276206,  
CA376014, CA476043

DFO(6310555-01)

**26-AUG-2022**

LNМ/D. 24-DEC-2021

Add rock which covers and uncovers with legend Rep (2022)  
(See Chart No. 1, K11, I3)

43°31'12.9"N 065°45'16.8"W

This notice affects Electronic Navigational Chart: CA376014,  
CA476043

DFO(6310227-01)

**24-DEC-2021**

LNМ/D. 23-APR-2021

Add depth of 4.7 metres  
(See Chart No. 1, I10)

43°29'22.8"N 065°31'47.5"W

This notice affects Electronic Navigational Chart: CA376047

DFO(6309877-01)

**24-DEC-2021**

LNМ/D. 23-APR-2021

Replace depth of 5.2 metres with depth of 3.4 metres  
(See Chart No. 1, I10)

43°31'18.2"N 065°35'14.4"W  
DFO(6309877-02)

**24-DEC-2021**

LNМ/D. 23-APR-2021

Delete depth of 0.3 metres  
(See Chart No. 1, I10)

43°33'01.5"N 065°35'02.6"W

This notice affects Electronic Navigational Chart: CA376047

DFO(6309877-03)

**24-DEC-2021**

LNМ/D. 23-APR-2021



### Chart no. 4242

Add drying height of 0.9 metres (See Chart No. 1, I15) This notice affects Electronic Navigational Chart: CA376047	43°32'59.8"N 065°35'05.4"W  <i>DFO(6309877-04)</i>
<b>24-DEC-2021</b> Delete depth of 4.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA376047	LNM/D. 23-APR-2021 43°28'21.3"N 065°38'46.9"W  <i>DFO(6309877-05)</i>
<b>24-DEC-2021</b> Add depth of 3.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA376047	LNM/D. 23-APR-2021 43°28'21.6"N 065°38'50.1"W  <i>DFO(6309877-06)</i>
<b>24-DEC-2021</b> Add depth of 0.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA376014	LNM/D. 23-APR-2021 43°28'37.0"N 065°40'58.5"W  <i>DFO(6309877-07)</i>
<b>24-DEC-2021</b> Add depth of 0.1 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA376014	LNM/D. 23-APR-2021 43°28'25.7"N 065°41'08.1"W  <i>DFO(6309877-08)</i>
<b>24-DEC-2021</b> Add depth of 0.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA376014	LNM/D. 23-APR-2021 43°29'09.9"N 065°41'26.9"W  <i>DFO(6309877-09)</i>
<b>24-DEC-2021</b> Add depth of 4.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA376014	LNM/D. 23-APR-2021 43°29'14.9"N 065°43'18.1"W  <i>DFO(6309877-10)</i>
<b>24-DEC-2021</b> Delete depth of 2.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA376014	LNM/D. 23-APR-2021 43°32'13.8"N 065°44'41.4"W  <i>DFO(6309877-11)</i>



### Chart no. 4242

#### 24-DEC-2021

Add depth of 0.5 metres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA376014

LNМ/D. 23-APR-2021

43°32'12.5"N 065°44'43.4"W

*DFO(6309877-12)*

#### 24-DEC-2021

Add drying height of 0.7 metres

(See Chart No. 1, I15)

This notice affects Electronic Navigational Chart: CA376014

LNМ/D. 23-APR-2021

43°31'04.7"N 065°44'46.6"W

*DFO(6309877-13)*

#### 24-DEC-2021

Add drying height of 0.3 metres

(See Chart No. 1, I15)

This notice affects Electronic Navigational Chart: CA376014

LNМ/D. 23-APR-2021

43°30'32.6"N 065°45'10.4"W

*DFO(6309877-14)*

#### 24-DEC-2021

Delete depth of 1.2 metres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA376014,  
CA476043

LNМ/D. 23-APR-2021

43°32'15.1"N 065°46'04.1"W

*DFO(6309877-15)*

#### 24-DEC-2021

Add depth of 0.7 metres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA376014,  
CA476043

LNМ/D. 23-APR-2021

43°32'18.1"N 065°45'59.9"W

*DFO(6309877-16)*

#### 24-DEC-2021

Delete depth of 3 metres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA376014

LNМ/D. 23-APR-2021

43°32'56.7"N 065°46'51.7"W

*DFO(6309877-17)*

#### 24-DEC-2021

Add drying height of 0.8 metres

(See Chart No. 1, I15)

This notice affects Electronic Navigational Chart: CA376014

LNМ/D. 23-APR-2021

43°33'00.5"N 065°46'49.8"W

*DFO(6309877-18)*

#### 24-DEC-2021

LNМ/D. 23-APR-2021



### Chart no. 4242

- Add depth of 1.9 metres 43°33'12.0"N 065°46'58.0"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA376014 *DFO(6309877-19)*
- 24-DEC-2021** LNM/D. 23-APR-2021  
Delete depth of 3 metres 43°38'35.9"N 065°58'26.9"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA376018, *DFO(6309877-20)*  
CA476048
- 24-DEC-2021** LNM/D. 23-APR-2021  
Add depth of 0.5 metres 43°38'35.3"N 065°58'29.7"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA376018, *DFO(6309877-21)*  
CA476048
- 24-DEC-2021** LNM/D. 23-APR-2021  
Delete depth of 2.1 metres 43°29'11.0"N 066°00'41.5"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA376014 *DFO(6309877-22)*
- 24-DEC-2021** LNM/D. 23-APR-2021  
Add depth of 1.7 metres 43°29'09.4"N 066°00'44.3"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA376014 *DFO(6309877-23)*
- 24-DEC-2021** LNM/D. 23-APR-2021  
Add WARNING Recent bathymetric surveys show the presence of 43°36'00.0"N 065°35'00.0"W  
shallower depths compared to what is presently charted. The *DFO(6309877-24)*  
shallower depths considered the most hazardous to navigation  
and within or near main shipping channels will be published in  
Notices to Mariners (WWW.NOTMAR.CA). Mariners are advised  
to exercise extreme caution, specifically when they navigate  
outside of the marked navigation channels. AVERTISSEMENT  
Des levés bathymétriques récents ont révélé la présence de  
profondeurs moindres que celles portées sur les cartes marines.  
Les profondeurs moindres les plus dangereuses pour la  
navigation et dans ou près des principales voies de navigation  
seront publiées dans les Avis aux navigateurs  
(WWW.NOTMAR.CA). Nous demandons aux navigateurs  
d'exercer la plus grande prudence, particulièrement lors de la  
navigation en dehors des voies de navigation balisées.



**Chart no. 4242**

**23-APR-2021**

Add pier

(See Chart No. 1, F14)

This notice affects Electronic Navigational Chart:  
CA376014, CA476105

LNМ/D. 19-JUN-2020

joining 43°37'10.4"N 065°47'20.0"W  
43°37'11.4"N 065°47'13.4"W  
and 43°37'10.0"N 065°47'12.8"W

*DFO(6309390-02)*

**23-APR-2021**

Add depth of 1.6 metres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA376047

LNМ/D. 19-JUN-2020

43°27'23.7"N 065°34'41.4"W

*DFO(6309392-01)*

**23-APR-2021**

Add wreck, least depth unknown, dangerous to surface navigation  
with legend PA

(See Chart No. 1, K28, B7)

This notice affects Electronic Navigational Chart: CA376047

LNМ/D. 19-JUN-2020

43°27'24.6"N 065°34'31.8"W

*DFO(6309392-02)*

**19-JUN-2020**

Amend FI R to read ISO R 2s against light

(See Chart No. 1, P16)

This notice affects Electronic Navigational Chart:  
CA476048

LNМ/D. 10-MAY-2019

43°38'08.2"N 066°00'59.6"W

*(F2020022) LL(284) DFO(6308987-01)*

**19-JUN-2020**

Amend FI6s 16m 9M to read LFI 6s16m9M against light

(See Chart No. 1, P16)

This notice affects Electronic Navigational Chart:  
CA276206, CA376018, CA476048

LNМ/D. 10-MAY-2019

43°37'43.1"N 066°01'35.9"W

*(F2020023) LL(283) DFO(6308988-01)*

**10-MAY-2019**

Amend "Hospital Reef" to read "Kelp Shoal"

This notice affects Electronic Navigational Chart: CA376047

LNМ/D. 05-JAN-2018

43°26'41.2"N 065°39'27.5"W

*DFO(6308621-01)*

**05-JAN-2018**

Delete fog signal against light

(See Chart No. 1, R1)

This notice affects Electronic Navigational Chart:  
CA376014, CA476043

LNМ/D. 09-JUN-2017

43°31'10.5"N 065°44'43.1"W

*(F2017020) LL(312) DFO(6307973-01)*



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 4242

### 09-JUN-2017

Add marine farm

(See Chart No. 1, K48.1, K48.2)

This notice affects Electronic Navigational Chart: CA376047,  
CA476043

LNМ/D. 24-MAR-2017

43°27'54.5"N 065°38'57.3"W

*DFO(6307872-04)*

### 24-MAR-2017

Add light FLR

(See Chart No. 1, P1)

This notice affects Electronic Navigational Chart:  
CA376014, CA476043

LNМ/D. 06-MAY-2016

43°31'50.7"N 065°44'33.2"W

*(F2016063) LL(315.4) DFO(6307799-01)*

### 06-MAY-2016

Add light Fl G against beacon with radar reflector

(See Chart No. 1, Q81, P16)

This notice affects Electronic Navigational Chart:  
CA376047, CA476043

LNМ/D. 26-FEB-2016

43°26'06.5"N 065°39'13.2"W

*(F2016010) LL(323.6) DFO(6307486-01)*

### 26-FEB-2016

Amend Fl to read LFl against light

(See Chart No. 1, P16)

This notice affects Electronic Navigational Chart:  
CA376014, CA476043

LNМ/D. 31-JUL-2015

43°32'11.8"N 065°44'36.4"W

*(F2015042) LL(315.3) DFO(6307424-01)*

### 31-JUL-2015

Amend FogSig 20s (Occas) to read FogSig 20s

(See Chart No. 1, R20)

This notice affects Electronic Navigational Chart:  
CA276800, CA376047

LNМ/D. 05-JUN-2015

43°26'58.9"N 065°28'14.1"W

*(F2015022) LL(336) DFO(6307210-01)*

### 05-JUN-2015

Amend FogSig 20s to read FogSig 20s (Occas)

(See Chart No. 1, R20)

This notice affects Electronic Navigational Chart:  
CA276800, CA376047

LNМ/D. 18-OCT-2013

43°26'59.0"N 065°28'15.0"W

*(F2015014) LL(336) DFO(6307115-01)*

### 18-OCT-2013

Add wreck with legend "PA Rep(2011)", least depth unknown  
(See Chart No. 1, K28)

This notice affects Electronic Navigational Chart: CA376014

LNМ/D. 30-AUG-2013

43°18'15.6"N 066°00'45.0"W

*DFO(6306427-01)*



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 4242

**30-AUG-2013**

LNM/D. 09-SEP-2011

Delete red starboard hand spar buoy, marked JR52  
(See Chart No. 1, Qf)

43°29'24.2"N 065°33'34.9"W

This notice affects Electronic Navigational Chart: CA376047 (F2013017) DFO(6306463-01)

**09-SEP-2011**

LNM/D. 15-JUL-2011

Delete radar reflector  
(See Chart No. 1, S4)

43°30'51.3"N 065°48'17.9"W

(F2011161) DFO(6305681-01)

This notice affects Electronic Navigational Chart: CA376014,  
CA476043

**09-SEP-2011**

LNM/D. 15-JUL-2011

Delete radar reflector  
(See Chart No. 1, S4)

43°25'13.6"N 065°40'42.1"W

(F2011162) DFO(6305682-01)

This notice affects Electronic Navigational Chart: CA376014,  
CA476043

**15-JUL-2011**

LNM/D. 08-JUL-2011

Delete depth of 0 metres, 9 decimetres 43°28'24.5"N 065°37'56.3"W  
(See Chart No. 1, I10)

DFO(6305367-01)

**15-JUL-2011**

LNM/D. 08-JUL-2011

Add breakwater between 43°28'26.4"N 065°37'59.2"W  
(See Chart 1 F4.1) and 43°28'19.6"N 065°37'54.0"W

DFO(6305367-02)

**15-JUL-2011**

LNM/D. 08-JUL-2011

Add light FLG  
(See Chart No. 1, P1)

43°28'26.4"N 065°37'59.2"W

(F2011088) LL(317.1) DFO(6305367-03)

**08-JUL-2011**

LNM/D. 01-JUL-2011



**Chart no. 4242**

Add breakwater joining 43°31'53.6"N 065°44'28.6"W  
(See Chart No. 1, F4.1) 43°31'51.1"N 065°44'28.6"W  
43°31'50.6"N 065°44'33.6"W  
43°31'46.3"N 065°44'33.2"W  
and 43°31'44.7"N 065°44'26.5"W

*DFO(6305537-03)*

**08-JUL-2011** LNM/D. 01-JUL-2011

Add depth of 1 metre, 3 decimetres 43°31'42.4"N 065°44'34.8"W  
(See Chart No. 1, I10)

*DFO(6305537-05)*

**08-JUL-2011** LNM/D. 01-JUL-2011

Add depth of 2 metres, 7 decimetres 43°31'28.7"N 065°44'40.6"W  
(See Chart No. 1, I10)

*DFO(6305537-07)*

**08-JUL-2011** LNM/D. 01-JUL-2011

Add depth of 1 metre, 2 decimetres 43°31'31.2"N 065°44'52.8"W  
(See Chart No. 1, I10)

*DFO(6305537-08)*

**01-JUL-2011** LNM/D. 05-JUN-2009

Amend FIR 12s to read LFIR against light 43°28'24.6"N 065°38'01.7"W  
(See Chart No 1 P16)

*(F2011089) LL(318.5) DFO(6305368-01)*

**05-JUN-2009** LNM/D. 27-FEB-2009

Amend LFl R to read LFl G against light 43°25'56.9"N 065°37'54.9"W  
(See Chart No 1 P16)

*(F2009019) LL(323.5) DFO(6304402-01)*

This notice affects Electronic Navigational Chart:  
CA376047

**27-FEB-2009** LNM/D. 07-NOV-2008





Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 4242

Reposition red starboard hand lighted pillar buoy F1R,  
marked JQ52  
(See Chart No 1 Qf)

from 43°28'01.0"N 065°33'49.0"W  
to 43°27'57.5"N 065°33'40.3"W

(F2008172) LL(331.44) DFO(6304248-01)

This notice affects Electronic Navigational  
Chart: CA376047

### 07-NOV-2008

Delete circular radiobeacon against light Fl 10s 31m  
(See Chart No 1 S10)

LNLM/D. 15-FEB-2008

43°23'40.0"N 066°00'51.0"W

DFO(6304021-01)

This notice affects Electronic Navigational Chart: CA276206,  
CA376014

### 15-FEB-2008

Amend Fl R to read LFl R against light 43°25'56.9"N 065°37'54.0"W  
(See Chart No 1 P16)

LNLM/D. 28-DEC-2007

LL(323.5) DFO(6303799-01)

### 28-DEC-2007

Replace yellow, black and yellow West cardinal lighted spar  
buoy Q(9) 15s, marked NAC with yellow, black and  
yellow West cardinal lighted pillar buoy Q(9) 15s,  
marked NAC  
(See Chart No 1, Q130.3.)

LNLM/D. 21-SEP-2007

43°24'59.3"N 065°39'18.9"W

(F2007083) LL(324) DFO(6303674-01)

### 21-SEP-2007

Amend FR to read F1R against light

LNLM/D. 09-FEB-2007

43°29'32.9"N 065°42'18.0"W

(F2007038) LL(309) DFO(6303595-01)

### 09-FEB-2007

Reposition green port hand lighted spar buoy FIG, marked  
P1

LNLM/D. 12-JAN-2007

from 43°35'12.0"N 065°48'10.5"W  
to 43°35'10.3"N 065°48'13.9"W

(F2006181) LL(302.5) DFO(6303271-01)

### 12-JAN-2007

LNLM/D. 24-NOV-2006



**Chart no. 4242**

Delete light "Q(2)G 5s" 43°29'19.1"N 065°33'35.1"W

*(F2006045) LL(331.5) DFO(6302870-01)*

**12-JAN-2007** LNM/D. 24-NOV-2006

Add light "Iso G 4s" 43°29'22.5"N 065°33'35.3"W

*(F2006075) LL(331.5) DFO(6302870-02)*

**12-JAN-2007** LNM/D. 24-NOV-2006

Delete depth of 1 metre, 2 decimetres 43°29'21.8"N 065°33'33.0"W

*DFO(6302870-03)*

**12-JAN-2007** LNM/D. 24-NOV-2006

Add breakwater joining 43°29'17.1"N 065°33'32.4"W

43°29'21.8"N 065°33'33.0"W

and 43°29'22.5"N 065°33'35.3"W

*DFO(6302870-04)*

**12-JAN-2007** LNM/D. 24-NOV-2006

Add red starboard hand spar buoy, marked JR52 43°29'24.2"N 065°33'34.9"W

*(F2006143) LL(5331.7) DFO(6303124-01)*

**24-NOV-2006** LNM/D. 25-AUG-2006

Replace red starboard hand spar buoy, marked JQ52 with 43°28'01.0"N 065°33'49.0"W  
red starboard hand lighted pillar buoy FIR,

marked JQ52

*(F2006109) LL(5331) DFO(6303066-01)*

**24-NOV-2006** LNM/D. 25-AUG-2006

Delete legend "WHIS" against red starboard hand lighted 43°25'42.0"N 065°29'16.0"W  
pillar whistle buoy FIR, WHIS marked JS56

*(F2006124) LL(337) DFO(6303090-01)*

**24-NOV-2006** LNM/D. 25-AUG-2006



### Chart no. 4242

Delete green port hand lighted pillar bell buoy FlG, BELL  
marked JS53

43°23'58.0"N 065°35'18.0"W

*(F2006127) LL(328) DFO(6303091-01)*

#### 24-NOV-2006

LN/D. 25-AUG-2006

Add green port hand lighted pillar buoy FlG, marked JS53

43°23'58.0"N 065°35'20.0"W

*(F2006127) LL(328) DFO(6303091-02)*

#### 24-NOV-2006

LN/D. 25-AUG-2006

Delete legend "BELL" against green port hand lighted pillar  
bell buoy FlG, BELL marked JS55

43°25'13.0"N 065°34'17.5"W

*(F2006129) LL(329) DFO(6303092-01)*

#### 24-NOV-2006

LN/D. 25-AUG-2006

Delete legend 'WHIS' against red and white fairway lighted  
pillar whistle buoy Mo(A), WHIS, marked 'JQ'

43°27'24.5"N 065°32'44.5"W

*(F2006130) LL(330) DFO(6303093-01)*

#### 24-NOV-2006

LN/D. 25-AUG-2006

Replace green port hand lighted pillar bell buoy FlG, BELL  
marked JS59 with green port hand lighted spar  
buoy FlG, marked JS59

43°27'58.0"N 065°32'48.0"W

*(F2006131) LL(331) DFO(6303094-01)*

#### 25-AUG-2006

LN/D. 11-AUG-2006

Amend "FlG 12s" to read "FlG" against light

43°28'06.4"N 065°33'56.1"W

*(F2006074) LL(331.2) DFO(6302869-01)*

#### 11-AUG-2006

LN/D. 21-JUL-2006



### Chart no. 4242

(T)Replace yellow, black and yellow West cardinal lighted spar buoy Q(9) 15s, marked NAC with red starboard hand lighted spar buoy FIR, marked NA6

43°24'59.3"N 065°39'18.9"W

(F2006015) LL(324) DFO(6303060-01)

Buoy permanently established. Notice 11-August-2006(T), DFO (6303060-01) is now cancelled. See reference DFO(6303674-01) appearing in this edition.  
Cancelled on 28-DEC-07

#### 21-JUL-2006

LN/D. 14-JUL-2006

Add black, red and black isolated danger lighted pillar buoy Fl(2)5s, marked NSE

43°39'24.0"N 066°02'28.5"W

(F2006090) LL(274.22) DFO(6302954-02)

This notice affects Electronic Navigational Chart:  
CA376018

#### 14-JUL-2006

LN/D. 23-JUN-2006

Delete legend "BELL" against red starboard hand lighted pillar bell buoy FIR, marked N6

43°36'38.3"N 066°12'45.0"W

(F2006087) LL(273) DFO(6302894-01)

This notice affects Electronic Navigational Chart:  
CA276206, CA276800, CA376018

#### 23-JUN-2006

LN/D. 16-JUN-2006

Add light FLG

43°25'25.8"N 065°39'25.6"W

(F2006076) LL(323.91) DFO(6302871-01)

#### 23-JUN-2006

LN/D. 16-JUN-2006

Amend "FIR" to read "QR" against red starboard pillar light buoy marked D2

43°29'35.3"N 065°45'39.9"W

(F2006077) LL(305) DFO(6302881-01)

#### 23-JUN-2006

LN/D. 16-JUN-2006

Delete light FIR

43°28'25.1"N 065°38'13.5"W

(F2006080) LL(318) DFO(6302883-01)



### Chart no. 4242

**16-JUN-2006**

LNM/D. 05-MAY-2006

Add legend "Channel Buoyed/Chenal balisé" 43°38'15.0"N 065°45'30.0"W

*DFO(6302808-01)*

**16-JUN-2006**

LNM/D. 05-MAY-2006

Delete green port hand pillar light and bell buoy FlG,  
marked JS61

43°29'21.0"N 065°33'16.0"W

*(F2006056) LL(331.6) DFO(6302835-01)*

**16-JUN-2006**

LNM/D. 05-MAY-2006

Add green port hand lighted spar buoy FlG, marked JS61

43°29'21.0"N 065°33'18.0"W

*(F2006056) LL(331.6) DFO(6302835-02)*

**05-MAY-2006**

LNM/D. 28-APR-2006

Add light FlG

43°29'20.3"N 065°43'04.4"W

*(F2006019) LL(306.003) DFO(6302783-01)*

**28-APR-2006**

LNM/D. 03-MAR-2006

Replace red and white fairway lighted pillar buoy Mo(A),  
marked NAC with yellow, black and yellow West  
cardinal lighted spar buoy Q(9) 15s, marked NAC

43°24'59.3"N 065°39'18.9"W

*(F2006015) LL(324) DFO(6302779-01)*

**28-APR-2006**

LNM/D. 03-MAR-2006

Delete legend "BELL" against green, red and green port  
bifurcation lighted pillar bell buoy Fl(2+1) G,  
marked TA

43°39'27.3"N 065°58'20.9"W

*(F2006016) LL(293.55) DFO(6302780-01)*

**28-APR-2006**

LNM/D. 03-MAR-2006

Delete red, green and red starboard bifurcation conical buoy,  
marked C

43°27'38.5"N 065°39'32.0"W

*(F2006017) DFO(6302781-01)*

**28-APR-2006**

LNM/D. 03-MAR-2006



### Chart no. 4242

Add red starboard hand conical buoy, marked C6 43°27'37.0"N 065°39'30.9"W

*(F2006017) DFO(6302781-02)*

#### 03-MAR-2006

LNM/D. 24-FEB-2006

Delete legend "BELL" against red and white fairway pillar  
light and bell buoy Mo (A), BELL, marked NSC

43°35'59.6"N 066°03'47.6"W

*(F2005138) LL(288) DFO(6302723-01)*

#### 03-MAR-2006

LNM/D. 24-FEB-2006

Delete legend "BELL" against red starboard hand pillar  
light and bell buoy FIR, BELL marked NE2

43°37'08.6"N 065°54'51.4"W

*(F2005139) LL(285.2) DFO(6302724-01)*

#### 03-MAR-2006

LNM/D. 24-FEB-2006

Delete legend "BELL" against green port hand pillar light  
buoy FIG, BELL marked T3

43°38'05.8"N 065°59'59.3"W

*(F2006001) LL(285) DFO(6302733-01)*

#### 24-FEB-2006

LNM/D. 10-FEB-2006

Delete legend "BELL" against red starboard hand pillar light  
and bell buoy FIR, BELL marked ND4

43°30'30.3"N 065°49'10.4"W

*(F2005141) LL(303) DFO(6302725-01)*

#### 10-FEB-2006

LNM/D. 06-JAN-2006

Add green port hand lighted spar buoy QG, marked D3

43°30'00.1"N 065°45'18.0"W

*(F2005100) LL(305.5) DFO(6302672-01)*

#### 10-FEB-2006

LNM/D. 06-JAN-2006

Replace green port hand can buoy, marked D1, with green  
port hand pillar light buoy FIG, marked D1

43°29'29.8"N 065°45'58.5"W

*(F2005101) LL(304.1) DFO(6302673-01)*

#### 10-FEB-2006

LNM/D. 06-JAN-2006

Delete red starboard hand spar buoy, marked D6 43°30'37.0"N 065°44'54.5"W

*(F2005102) DFO(6302674-01)*



### Chart no. 4242

- 10-FEB-2006** LNM/D. 06-JAN-2006  
Add red starboard hand lighted pillar buoy FIR, marked D6 43°30'32.6"N 065°45'00.1"W  
(F2005102) LL(311.6) DFO(6302674-02)
- 10-FEB-2006** LNM/D. 06-JAN-2006  
Add red starboard hand lighted spar buoy FIR, marked C10 43°28'26.9"N 065°38'16.9"W  
(F2005103) LL(318.01) DFO(6302675-01)
- 10-FEB-2006** LNM/D. 06-JAN-2006  
Replace green port hand can buoy, marked C1 with green port hand lighted spar buoy QG, marked C1 43°27'22.5"N 065°41'05.0"W  
(F2005104) LL(320.01) DFO(6302676-01)
- 10-FEB-2006** LNM/D. 06-JAN-2006  
Reposition green port hand can buoy, marked DC13 from 43°33'08.0"N 065°47'05.0"W to 43°33'08.4"N 065°47'02.9"W  
(F2005107) DFO(6302679-01)
- 10-FEB-2006** LNM/D. 06-JAN-2006  
Replace green port hand can buoy, marked CA1 with green port hand lighted spar buoy FIG, marked CA1 43°26'42.0"N 065°39'40.0"W  
(F2005117) LL(322.1) DFO(6302685-01)
- 10-FEB-2006** LNM/D. 06-JAN-2006  
Amend "FIR" to read "QR" against red starboard hand spar light buoy, marked NA4 43°23'46.5"N 065°39'11.0"W  
(F2005137) LL(326.02) DFO(6302698-01)
- 06-JAN-2006** LNM/D. 18-NOV-2005  
Reposition green port hand lighted pillar buoy FIG, marked D5 from 43°30'33.0"N 065°44'55.0"W to 43°30'30.0"N 065°45'07.0"W  
(F2005098) LL(311.5) DFO(6302657-01)



### Chart no. 4242

**18-NOV-2005**

Delete red starboard hand lighted pillar bell buoy FLR,  
BELL, marked P2

LNM/D. 07-OCT-2005

43°35'55.5"N 065°47'03.8"W

*(F2005083) LL(298.4) DFO(6302554-01)*

**18-NOV-2005**

Delete light FLR and radar reflector

LNM/D. 07-OCT-2005

43°31'41.2"N 065°44'59.6"W

*(F2005084) LL(314) DFO(6302557-01)*

**18-NOV-2005**

Delete legend "Fog Sig 20s" against light

LNM/D. 07-OCT-2005

43°27'23.2"N 065°44'36.2"W

*(F2005085) LL(307) DFO(6302558-01)*

**07-OCT-2005**

Amend "FG" to read "FIG" against light

LNM/D. 22-JUL-2005

43°31'46.0"N 065°44'23.7"W

*(F2005064) LL(315) DFO(6302470-01)*

**07-OCT-2005**

Amend "FY" to read "FIY" against light

LNM/D. 22-JUL-2005

43°29'23.9"N 065°43'08.2"W

*(F2005066) LL(311) DFO(6302480-01)*

**22-JUL-2005**

Add light 'FLR' against red starboard hand spar buoy,  
marked NA4

LNM/D. 27-MAY-2005

43°23'46.5"N 065°39'11.0"W

*(F2005035) LL(326.02) DFO(6302362-01)*

**27-MAY-2005**

Delete fog signal "Fog Sig (Occas)"

LNM/D. 20-MAY-2005

43°26'39.4"N 065°35'05.9"W

*(F2005017) LL(329.4) DFO(6302274-01)*

**20-MAY-2005**

LNM/D. 06-MAY-2005





**Chart no. 4242**

(T)Add green port hand pillar light buoy FIG, marked 43°25'27.6"N 065°39'17.3"W  
NA5  
This buoy is temporarily established. (F2005013T) LL(323.9) DFO(6302270-01)  
This buoy is permanently discontinued. Notice  
20-May-2005(T), DFO(6302270) is now cancelled.  
Cancelled on 18-NOV-05

**20-MAY-2005** LNM/D. 06-MAY-2005  
Add light FIR 43°35'53.4"N 065°46'55.6"W  
(F2005019) LL(299) DFO(6302276-01)

**06-MAY-2005** LNM/D. 08-APR-2005  
Delete red starboard hand conical buoy, marked NK2 43°20'08.3"N 065°58'45.9"W  
(F2004211) DFO(6302220-01)

**06-MAY-2005** LNM/D. 08-APR-2005  
Add black, yellow and black East cardinal pillar light buoy 43°20'26.9"N 065°58'43.4"W  
Q(3) 10s, marked NK  
(F2004211) LL(290.2) DFO(6302220-02)

**08-APR-2005** LNM/D. 04-MAR-2005  
Delete rock awash 43°20'27.8"N 065°59'09.0"W  
DFO(6302248-01)

**08-APR-2005** LNM/D. 04-MAR-2005  
Add rock which covers and uncovers with drying height of 0.4 metres 43°20'27.2"N 065°59'11.0"W  
DFO(6302248-02)

**04-MAR-2005** LNM/D. 25-FEB-2005  
Delete green port hand can buoy, marked NJ1 43°32'53.3"N 066°02'08.9"W  
(F2004193) DFO(6302187-01)  
This notice affects Electronic Navigational Chart: CA376018

**04-MAR-2005** LNM/D. 25-FEB-2005



### Chart no. 4242

Delete red and white fairway pillar light and bell buoy  
Mo(A), BELL, marked NS

43°31'33.3"N 066°05'06.0"W

(F2004196) LL(274) DFO(6302190-01)

#### 04-MAR-2005

LNМ/D. 25-FEB-2005

Add yellow and black South cardinal pillar light buoy  
'Q(6)+LFl 15s', marked NSA

43°30'45.3"N 066°02'31.0"W

(F2004207) LL(274.2) DFO(6302202-01)

#### 04-MAR-2005

LNМ/D. 25-FEB-2005

Add black and yellow North cardinal pillar light buoy Q,  
marked NSB

43°33'23.5"N 066°03'00.0"W

(F2004210) LL(274.4) DFO(6302205-01)

This notice affects Electronic Navigational Chart:  
CA376018

#### 25-FEB-2005

LNМ/D. 28-JAN-2005

Replace red starboard hand conical buoy, marked NC2  
with red starboard hand pillar light buoy FlR,  
marked N2

43°22'51.0"N 065°41'49.5"W

(F2004212) LL(307.02) DFO(6302175-01)

#### 25-FEB-2005

LNМ/D. 28-JAN-2005

Replace red and white fairway pillar, light buoy Mo (A),  
BELL, marked NA with red starboard hand pillar  
light buoy FlR, marked NA2

43°23'30.3"N 065°38'42.0"W

(F2004213) LL(326) DFO(6302181-01)

#### 25-FEB-2005

LNМ/D. 28-JAN-2005

Add green port hand spar light buoy FlG, marked P1

43°35'12.0"N 065°48'10.5"W

(F2004214) LL(302.5) DFO(6302182-01)

#### 25-FEB-2005

LNМ/D. 28-JAN-2005

Delete legend "BELL" against red starboard hand pillar light  
and bell buoy FlR, BELL marked D2

43°29'35.3"N 065°45'39.9"W

(F2004190) LL(305) DFO(6302184-01)



**Chart no. 4242**

**25-FEB-2005**

Delete red and white fairway pillar light and whistle buoy Mo(A), WHIS, marked P

LN/D. 28-JAN-2005

43°34'51.0"N 065°48'12.0"W

(F2004194) LL(302) DFO(6302188-01)

**25-FEB-2005**

Delete legend "BELL" against red and white fairway pillar light and bell buoy Mo (A), BELL, marked D

LN/D. 28-JAN-2005

43°29'09.3"N 065°46'28.9"W

(F2004197) LL(304) DFO(6302191-01)

**25-FEB-2005**

Replace red starboard hand pillar light and bell buoy FIR, BELL, marked ND2 with red and white fairway pillar, light buoy Mo (A), marked C

LN/D. 28-JAN-2005

43°26'23.3"N 065°44'43.9"W

(F2004202) LL(306) DFO(6302195-01)

**25-FEB-2005**

Delete legend "BELL" against red starboard hand pillar light and bell buoy FIR, BELL marked C2

LN/D. 28-JAN-2005

43°26'46.3"N 065°40'18.0"W

(F2004203) LL(321) DFO(6302197-01)

**25-FEB-2005**

Amend "FIR" to read "QR" against red starboard pillar light buoy marked CA2

LN/D. 28-JAN-2005

43°26'36.0"N 065°39'45.9"W

(F2004204) LL(322) DFO(6302198-01)

**25-FEB-2005**

Replace red starboard hand pillar light and whistle buoy FIR, WHIS, marked N2 with red and white fairway pillar, light buoy Mo (A), marked N

LN/D. 28-JAN-2005

43°20'12.3"N 065°40'45.9"W

(F2004205) LL(325) DFO(6302200-01)

**25-FEB-2005**

Replace red starboard hand conical buoy, marked NA2, with red starboard hand spar buoy, marked NA4

LN/D. 28-JAN-2005

43°23'46.0"N 065°39'11.0"W

(F2004102) DFO(6302204-01)

**28-JAN-2005**

LN/D. 14-JAN-2005



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 4242

Add light Q(2)G 5s 43°29'19.1"N 065°33'36.0"W

(F2004217) LL(331.5) DFO(6302183-01)

#### 14-JAN-2005

Delete red starboard hand pillar light and bell buoy FLR,  
BELL marked N4

LNМ/D. 05-NOV-2004

43°18'36.0"N 066°00'02.0"W

(F2004185) LL(290) DFO(6302146-01)

#### 05-NOV-2004

Delete legend, Fog Sig (Occas)

LNМ/D. 02-JUL-2004

43°29'18.5"N 065°33'36.4"W

(F2004125) LL(331.4) DFO(6301938-01)

#### 02-JUL-2004

Amend "Fl 10s 14m 16M" to read "Fl 10s 14m 10M" against  
light

LNМ/D. 25-JUN-2004

43°27'23.2"N 065°44'36.2"W

(F2004059) LL(307) DFO(6301606-01)

#### 02-JUL-2004

Amend "Fl 6s 16m 16M" to read "Fl 6s 16m 9M" against light

LNМ/D. 25-JUN-2004

43°37'42.6"N 066°01'37.0"W  
LL(283) DFO(6301613-01)

#### 25-JUN-2004

Amend "Fl (3) 10s 16m 16M" to read "Mo (D) 10s 15m 12M" against  
light

LNМ/D. 07-MAY-2004

43°26'59.0"N 065°28'15.0"W

LL(336) DFO(6301236-01)

#### 07-MAY-2004

Amend "WHIS" to read "BELL" against red starboard hand  
pillar light buoy FLR, marked N4, WHIS

LNМ/D. 26-MAR-2004

43°18'36.0"N 066°00'02.0"W

(F2004006) LL(290) DFO(6301321-01)

#### 07-MAY-2004

Amend "WHIS" to read "BELL" against red and white  
fairway pillar light buoy Mo(A) marked NS, WHIS

LNМ/D. 26-MAR-2004

43°31'33.3"N 066°05'06.0"W

(F2004007) LL(274) DFO(6301322-01)



**Chart no. 4242**

**26-MAR-2004** LNM/D. 12-MAR-2004  
Delete light FLR 43°29'23.6"N 065°42'56.4"W

*(F2003106) LL(310) DFO(6301205-01)*

**26-MAR-2004** LNM/D. 12-MAR-2004  
Delete light FLR 43°28'35.0"N 065°43'08.5"W

*(F2003118) LL(308) DFO(6301206-01)*

**26-MAR-2004** LNM/D. 12-MAR-2004  
Add yellow, black, yellow West cardinal spar light buoy 43°28'50.1"N 065°43'24.4"W  
Q(9) 15s, marked NF

*(F2003132) LL(306.002) DFO(6301212-01)*

**26-MAR-2004** LNM/D. 12-MAR-2004  
Delete green, port hand can buoy, marked NC5 43°28'45.0"N 065°43'21.5"W

*(F2003146) DFO(6301229-01)*

**12-MAR-2004** LNM/D. 21-MAR-2003  
Delete green port pillar light buoy Fl G marked NC15 43°28'42.3"N 065°41'47.9"W

*(F2003107) LL(307.5) DFO(6301174-01)*

**12-MAR-2004** LNM/D. 21-MAR-2003  
Delete red, starboard hand conical buoy, marked NC4 43°28'25.0"N 065°43'27.0"W

*(F2003108) DFO(6301175-01)*

**12-MAR-2004** LNM/D. 21-MAR-2003  
Delete green, port hand spar buoy, marked NC17 43°28'55.0"N 065°41'10.0"W

*(F2003113) DFO(6301180-01)*

**12-MAR-2004** LNM/D. 21-MAR-2003



### Chart no. 4242

Delete red, starboard hand spar buoy, marked NC18 43°29'15.0"N 065°41'40.0"W  
(F2003114) DFO(6301181-01)

**12-MAR-2004** LNM/D. 21-MAR-2003  
Delete red, starboard hand spar buoy, marked CM2 43°29'14.0"N 065°37'20.0"W  
(F2003124) DFO(6301183-01)

**12-MAR-2004** LNM/D. 21-MAR-2003  
Delete red, starboard hand spar buoy, marked CM4 43°28'43.0"N 065°36'48.0"W  
(F2003125) DFO(6301184-01)

**21-MAR-2003** LNM/D. 14-FEB-2003  
Delete light FLR 12s 8m 5M 43°31'20.5"N 065°44'13.0"W  
(F2001026) LL(313) DFO(6300597-01)

**21-MAR-2003** LNM/D. 14-FEB-2003  
Add breakwater joining 43°31'16.2"N 065°44'11.1"W  
43°31'17.5"N 065°44'16.2"W  
and 43°31'22.1"N 065°44'15.3"W  
DFO(6300597-02)

**21-MAR-2003** LNM/D. 14-FEB-2003  
Add light FIR 43°31'22.0"N 065°44'15.3"W  
(F2002050) LL(313) DFO(6300597-03)

**14-FEB-2003** LNM/D. 11-JAN-2002  
Amend Iso G to read FIG against light 43°26'33.5"N 065°38'08.7"W  
(F2002031) LL(323) DFO(6300473-01)

**11-JAN-2002** LNM/D. 30-NOV-2001



**Chart no. 4242**

Amend Fl (2+1) 6s to read Fl (2+1) G 43°37'03.0"N 065°47'02.0"W

*DFO(6829815-01)*

**30-NOV-2001**

LNМ/D. 27-APR-2001

Amend FR to read FIR

43°36'21.3"N 065°46'41.9"W

*(F2001116) LL(300.5) DFO(6829785-01)*

**27-APR-2001**

LNМ/D. 07-JUL-2000

(T)Delete The temporary deletion of the legend BELL  
against buoy D2

43°29'35.3"N 065°45'39.9"W

*(F2001-014T) LL(305) DFO(6829435-01)*

With this notification, temporary action dated  
27-APR-2001 is cancelled. The bell is back in  
service.

Cancelled on 21-MAR-03

**07-JUL-2000**

LNМ/D. 14-APR-2000

Add light, Fl

43°32'11.8"N 065°44'36.4"W

*(F2000-097) LL(315.3) DFO(6828640-02)*

**14-APR-2000**

LNМ/D. 26-NOV-1999

Delete light

43°37'00.1"N 065°47'10.4"W

*(F1999058) LL(301.000) DFO(6300003-06)*

**14-APR-2000**

LNМ/D. 26-NOV-1999

Add port bifurcation light buoy, "Fl(2+1)6s", marked  
"PB"

43°37'03.0"N 065°47'02.0"W

*(F1999072) LL(301.500) DFO(6300003-10)*

**14-APR-2000**

LNМ/D. 26-NOV-1999

Delete light and Fog Sig

43°35'53.4"N 065°46'55.5"W

*(F1999057) LL(299.000) DFO(6300003-11)*

**14-APR-2000**

LNМ/D. 26-NOV-1999



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

**Chart no. 4242**

Reposition red and white light and whistle buoy "P"

from 43°31'14.3"N 065°52'00.0"W  
to 43°34'51.0"N 065°48'12.0"W

*(F1999052) LL(302.000) DFO(6300003-12)*

**14-APR-2000**

Add red light and bell buoy "Fl R", "BELL",  
marked "P2"

LNМ/D. 26-NOV-1999

43°35'55.5"N 065°47'03.8"W

*(F1999049) LL(298.400 SUGG) DFO(6300003-13)*

**14-APR-2000**

Delete green light and bell buoy P1

LNМ/D. 26-NOV-1999

43°34'55.3"N 065°48'10.9"W

*(F1999047) LL(298.000) DFO(6300003-14)*