



Chart no. 4367

4367 - Flint Island to / à Cape Smokey - New Edition - 03-APR-2003 - NAD 1983

19-JUL-2024

LNM/D. 07-JUL-2023

Reposition front range/leading light Oc G 10s56ft17M
(See Chart 1, P20.2)
This notice affects Electronic Navigational
Chart: CA576095

from 46°10'50.3"N 060°15'07.0"W
to 46°10'39.7"N 060°15'30.0"W

(G2024108) LL(782) DFO(6311269-01)

19-JUL-2024

LNM/D. 07-JUL-2023

Amend OC G 10s56ft17M to read F G 26m against light
(See Chart 1, P16)
This notice affects Electronic Navigational Chart: CA576095

46°10'39.7"N 060°15'30.0"W

DFO(6311269-02)

19-JUL-2024

LNM/D. 07-JUL-2023

Amend bearing 033 ½° to read 036½°
(See Chart 1, M1)
This notice affects Electronic Navigational Chart: CA576095

46°13'16.5"N 060°12'54.7"W

DFO(6311269-03)

19-JUL-2024

LNM/D. 07-JUL-2023

Delete leading line and bearing 213 ½°
(See Chart 1, M1)
This notice affects Electronic Navigational Chart:
CA576095

between 46°14'35.3"N 060°11'31.1"W
and 46°19'20.5"N 060°06'56.7"W

DFO(6311269-05)

19-JUL-2024

LNM/D. 07-JUL-2023

Delete rear range/leading light F G 122ft19M with leading
line
(See Chart 1, P20.2)

46°10'30.1"N 060°15'26.6"W

(G2024109) LL(783) DFO(6311270-03)

07-JUL-2023

LNM/D. 02-SEP-2022

Delete Legend Fog Sig 30 s against light
(See Chart 1, R1)
This notice affects Electronic Navigational Chart:
CA376093, CA476063, CA576064

46°18'18.8"N 060°23'29.5"W

(G2023021) LL(799) DFO(6310674-01)

02-SEP-2022

LNM/D. 29-JUL-2022

Add depth of 6 fathoms, 1 foot
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA376093

46°10'44.2"N 060°13'06.3"W

DFO(6310228-27)



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4367

02-SEP-2022

LNМ/D. 29-JUL-2022

Add depth of 7 fathoms, 3 feet
(See Chart No. 1, I10)

46°10'18.8"N 060°12'58.1"W

This notice affects Electronic Navigational Chart: CA376093

DFO(6310228-28)

02-SEP-2022

LNМ/D. 29-JUL-2022

Delete depth of 7 fathoms, 5 feet
(See Chart No. 1, I10)

46°12'01.9"N 060°13'15.1"W

This notice affects Electronic Navigational Chart: CA376093

DFO(6310228-29)

02-SEP-2022

LNМ/D. 29-JUL-2022

Add depth of 7 fathoms, 3 feet
(See Chart No. 1, I10)

46°12'04.4"N 060°13'16.3"W

This notice affects Electronic Navigational Chart: CA376093

DFO(6310228-30)

29-JUL-2022

LNМ/D. 04-MAR-2022

Add ferry route

between 46°18'21.1"N 060°07'39.1"W
and 46°22'31.4"N 059°39'57.0"W

(See Chart No. 1, M50)

This notice affects Electronic Navigational Chart:
CA276091, CA276271, CA276284, CA376093,
CA376166, CA376176, CA576095

DFO(6310118-03)

04-MAR-2022

LNМ/D. 26-FEB-2021

Amend QR to read Fl R against light
(See Chart No. 1, P16)

46°41'15.1"N 060°21'35.1"W

This notice affects Electronic Navigational Chart: (G2021258) LL(849.4) DFO(6309996-01)
CA376167, CA576742

26-FEB-2021

LNМ/D. 28-DEC-2018

Amend ISO Y 4s 56ft 14M to read OC G 10s56ft17M against
light

46°10'51.0"N 060°15'07.2"W

(See Chart No. 1, P16)

This notice affects Electronic Navigational Chart:
CA376093, CA576095

(G2020262) LL(782) DFO(6309335-01)

26-FEB-2021

LNМ/D. 28-DEC-2018



Chart no. 4367

Amend ISO Y 4s 122ft 14M to read F G 122ft19M against
light

(See Chart No. 1, P16)

This notice affects Electronic Navigational Chart:
CA376093, CA576095

46°10'30.4"N 060°15'25.8"W

(G2020263) LL(783) DFO(6309336-01)

28-DEC-2018

Reposition red starboard hand lighted spar buoy Fl R,
marked KQ2

(See Chart No. 1, Qf)

This notice affects Electronic Navigational
Chart: CA376093

LNМ/D. 03-AUG-2018

from 46°13'45.0"N 060°02'02.4"W
to 46°13'45.5"N 060°02'04.7"W

(G2018138) LL(774.4) DFO(6308538-01)

28-DEC-2018

Replace red starboard hand lighted spar buoy Fl R,
marked KQ2 with red starboard hand lighted

pillar buoy Fl R, marked KQ2

(See Chart No. 1, Qf)

This notice affects Electronic Navigational Chart:
CA376093

LNМ/D. 03-AUG-2018

46°13'45.5"N 060°02'04.7"W

(G2018138) LL(774.4) DFO(6308538-02)

03-AUG-2018

Delete pilot boarding station

(See Chart No. 1, T1.1)

This notice affects Electronic Navigational Chart: CA376093

LNМ/D. 29-DEC-2017

46°18'35.0"N 060°07'29.0"W

DFO(6308388-01)

03-AUG-2018

Add pilot boarding station

(See Chart No. 1, T1.1)

This notice affects Electronic Navigational Chart: CA376093

LNМ/D. 29-DEC-2017

46°20'30.0"N 060°07'00.0"W

DFO(6308388-02)

03-AUG-2018

Add pilot boarding station

(See Chart No. 1, T1.1)

This notice affects Electronic Navigational Chart: CA376093,
CA476063

LNМ/D. 29-DEC-2017

46°22'00.0"N 060°17'30.0"W

DFO(6308388-03)

29-DEC-2017

LNМ/D. 17-NOV-2017



Chart no. 4367

Add submarine cable

(See Chart No. 1, L30.1)

This notice affects Electronic Navigational Chart:

CA179245, CA276271, CA376093, CA376167, CA376625

joining 46°41'34.0"N 060°07'28.9"W
 46°40'53.8"N 060°08'04.9"W
 46°35'04.4"N 060°11'20.1"W
 46°33'21.4"N 060°12'01.3"W
 46°32'07.5"N 060°12'44.1"W
 46°31'10.6"N 060°12'39.6"W
 46°30'35.2"N 060°13'22.4"W
 46°30'22.5"N 060°14'15.3"W
 46°29'12.1"N 060°15'08.7"W
 46°28'01.3"N 060°15'41.8"W
 46°27'38.2"N 060°15'32.2"W
 46°27'01.3"N 060°15'41.9"W
 46°26'49.6"N 060°16'20.6"W
 46°23'51.3"N 060°18'07.5"W
 46°23'27.3"N 060°17'28.7"W
 46°22'44.7"N 060°17'20.7"W
 46°21'33.4"N 060°18'15.7"W
 46°20'54.4"N 060°18'30.3"W
 46°20'34.8"N 060°19'40.6"W
 46°20'03.0"N 060°20'09.7"W
 and 46°19'27.3"N 060°20'14.3"W

DFO(6308158-01)

29-DEC-2017

Add submarine cable

(See Chart No. 1, L30.1)

This notice affects Electronic Navigational Chart:

CA376093, CA376167

LNM/D. 17-NOV-2017

joining 46°41'34.0"N 060°06'33.2"W
 46°40'12.4"N 060°07'32.9"W
 46°33'37.7"N 060°11'32.8"W
 46°30'35.8"N 060°12'52.0"W
 46°29'58.6"N 060°14'10.2"W
 46°29'30.2"N 060°14'31.0"W
 46°28'54.5"N 060°14'44.9"W
 46°28'01.2"N 060°14'42.0"W
 46°27'05.7"N 060°15'20.1"W
 46°26'35.5"N 060°16'02.0"W
 46°25'58.5"N 060°16'05.6"W
 46°24'16.8"N 060°17'35.9"W
 46°23'49.3"N 060°17'50.3"W
 46°23'27.4"N 060°17'17.1"W
 46°22'44.4"N 060°17'11.7"W
 46°21'44.8"N 060°17'55.9"W
 46°21'29.6"N 060°18'13.1"W
 46°20'50.5"N 060°18'27.2"W
 46°20'32.4"N 060°19'38.9"W
 46°20'03.4"N 060°20'04.8"W
 and 46°19'27.4"N 060°20'12.9"W

DFO(6308158-02)



Chart no. 4367

17-NOV-2017

LN/D. 07-JUL-2017

Amend LFl 6s 26m 13M to read LFl 6s 85ft 13M against light 46°18'18.8"N 060°23'29.5"W
(See Chart No. 1, P16)

LL(799) DFO(6308133-01)

07-JUL-2017

LN/D. 09-JUN-2017

Reposition red and white fairway lighted pillar bell buoy
Mo(A), BELL marked KV
(See Chart No. 1, Qh)

from 46°13'38.0"N 059°55'30.4"W
to 46°13'28.8"N 059°55'37.8"W

This notice affects Electronic Navigational
Chart: CA276271, CA376093

(G2017022) LL(771) DFO(6307916-01)

09-JUN-2017

LN/D. 10-JUN-2016

Delete light LFlR 12s 89ft 7M
(See Chart No. 1, P1)

46°23'05.3"N 060°22'28.0"W

This notice affects Electronic Navigational Chart:
CA276271, CA376093

(G2017016) LL(844) DFO(6307919-01)

10-JUN-2016

LN/D. 29-APR-2016

Add light QG

46°11'56.2"N 059°56'51.0"W

(See Chart No. 1, P1)

This notice affects Electronic Navigational Chart:
CA376093

(G2016027) LL(773.5) DFO(6307502-01)

29-APR-2016

LN/D. 05-FEB-2016

Delete fog signal Fog Sig against light
(See Chart No. 1, R1)

46°11'56.0"N 059°56'56.1"W

This notice affects Electronic Navigational Chart:
CA376093

(G2016026) LL(774) DFO(6307496-01)

05-FEB-2016

LN/D. 27-MAR-2015

Amend Fl 5s 85ft 19M to read Fl 5s 85ft 18M against light
(See Chart No. 1, P16)

46°16'01.5"N 060°07'32.9"W

This notice affects Electronic Navigational Chart: CA276271,
CA376093, CA576095

LL(775) DFO(6307366-05)

27-MAR-2015

LN/D. 20-FEB-2015



Chart no. 4367

Delete red and white fairway lighted pillar buoy Mo(A),
marked SA
(See Chart No. 1, Qh)
This notice affects Electronic Navigational Chart:
CA276271, CA376093

46°18'24.2"N 060°07'50.6"W
(G2015009) LL(776) DFO(6307072-01)

20-FEB-2015

Add subsurface Ocean Data Acquisition system and legend
ODAS/SADO
(See Chart No. 1, L25)
This notice affects Electronic Navigational Chart:
CA376093, CA476063

LNМ/D. 06-FEB-2015
joining 46°20'33.0"N 060°19'22.0"W
46°20'33.0"N 060°18'50.0"W
46°20'56.0"N 060°18'39.0"W
46°20'58.7"N 060°19'10.0"W
and 46°20'33.0"N 060°19'22.0"W

DFO(6307036-01)

20-FEB-2015

Add subsurface Ocean Data Acquisition system and legend
ODAS/SADO (See Chart No. 1, L25)
This notice affects Electronic Navigational Chart:
CA276271, CA376093

LNМ/D. 06-FEB-2015
joining 46°34'47.3"N 060°10'46.3"W
46°35'00.2"N 060°11'29.2"W
46°30'45.2"N 060°13'59.6"W
46°30'33.0"N 060°13'16.0"W
and 46°34'47.3"N 060°10'46.3"W

DFO(6307036-02)

06-FEB-2015

Amend Fl(2)25s74ft10M to read LFl74ft8M against light
(See Chart No. 1, P16)
This notice affects Electronic Navigational Chart:
CA179172, CA276271, CA376093

LNМ/D. 15-AUG-2014
46°10'51.0"N 059°46'13.2"W
(G2014202) LL(770) DFO(6307010-01)

06-FEB-2015

Delete legend FogSig30s against light
(See Chart No. 1, R20)
This notice affects Electronic Navigational Chart:
CA276271, CA376093

LNМ/D. 15-AUG-2014
46°10'51.0"N 059°46'13.2"W
(G2014213) LL(770) DFO(6307010-02)

15-AUG-2014

Delete red and white fairway lighted pillar buoy Mo(A),
marked SC
(See Chart No. 1, Qh)
This notice affects Electronic Navigational Chart:
CA376093, CA576095

LNМ/D. 18-OCT-2013
46°14'37.5"N 060°11'21.0"W
(G2014062) LL(777) DFO(6306795-01)



Chart no. 4367

18-OCT-2013

Add WHIS to red and white fairway lighted pillar whistle buoy,
marked U
(See Chart No. 1, Qh)
This notice affects Electronic Navigational Chart: CA276271,
CA376093

LNМ/D. 11-OCT-2013
46°21'28.2"N 060°14'49.1"W
DFO(6306469-01)

11-OCT-2013

Delete light F 84ft 12M
(See Chart No. 1, P1)
This notice affects Electronic Navigational Chart:
CA276271, CA376093, CA476063

LNМ/D. 21-JUN-2013
46°20'08.9"N 060°17'34.5"W
(G2013017) LL(796) DFO(6306366-01)

11-OCT-2013

Add light LFl 6s 88ft 14M
(See Chart No. 1, P16)
This notice affects Electronic Navigational Chart:
CA276271, CA376093, CA476063

LNМ/D. 21-JUN-2013
46°20'10.3"N 060°17'31.9"W
(G2013017) LL(796) DFO(6306366-02)

21-JUN-2013

Add red and white fairway lighted pillar whistle buoy LFl,
marked U
(See Chart No. 1, Qh)
This notice affects Electronic Navigational Chart:
CA276271, CA376093

LNМ/D. 19-APR-2013
46°21'28.2"N 060°14'49.1"W
(G2013018) LL(789.5) DFO(6306369-01)

19-APR-2013

Delete red starboard hand lighted pillar whistle buoy WHIS,
FIR, marked K6
(See Chart No. 1, Qf)
This notice affects Electronic Navigational Chart:
CA276271, CA376093

LNМ/D. 02-NOV-2012
46°21'28.2"N 060°14'49.1"W
(G2013007) LL(795) DFO(6306343-01)

02-NOV-2012

Delete Legend 'Fog Sig 60s' against light
(See Chart No 1 R20)

LNМ/D. 04-MAY-2012
46°20'08.8"N 060°17'34.7"W
(G2012175) LL(796) DFO(6306188-01)

This notice affects Electronic Navigational Chart:
CA476063



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4367

02-NOV-2012 LNM/D. 04-MAY-2012

Affix patch 46°10'45.0"N 060°12'00.0"W

DFO(6306237-20)

[PDF](#)

04-MAY-2012 LNM/D. 24-FEB-2012

Delete front range/leading light FY 22ft 46°26'42.0"N 060°27'40.1"W
(See Chart No 1Pe)

LL(845.7) DFO(6305963-01)

04-MAY-2012 LNM/D. 24-FEB-2012

Delete rear range/leading light FY 32ft with leading line 46°26'42.7"N 060°27'42.8"W
and legend 111° 291°
(See Chart No 1Pe)

(G2012024) LL(845.8) DFO(6305963-02)

04-MAY-2012 LNM/D. 24-FEB-2012

Add front range/leading light FY 24ft 46°26'41.2"N 060°27'38.7"W
(See Chart No 1Pe)

LL(845.7) DFO(6305963-03)

04-MAY-2012 LNM/D. 24-FEB-2012

Add rear range/leading light FY 35ft 46°26'42.1"N 060°27'42.2"W
(See Chart No 1Pe)

(G2012024) LL(845.8) DFO(6305963-04)

04-MAY-2012 LNM/D. 24-FEB-2012

Add leading line bearing 111° from the rear range with legend 111° - 291°
(See Chart No 1Pe)

between 46°26'42.1"N 060°27'42.2"W
and 46°26'05.6"N 060°25'24.5"W

Usable portion of leading line is east of longitude 60°27'30"W. *(G2012024) LL(845.8) DFO(6305963-05)*

24-FEB-2012 LNM/D. 11-NOV-2011

Add light FLR 46°26'42.6"N 060°27'30.5"W
(See Chart No. 1, P1)

(G2012006) LL(845.9) DFO(6305917-01)



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4367

11-NOV-2011

Delete light FG
(See Chart No. 1, P1)

LNM/D. 12-AUG-2011

46°37'56.3"N 060°23'17.5"W

(G2011294) LL(847) DFO(6305795-01)

This notice affects Electronic Navigational Chart:
CA376167

11-NOV-2011

Add light Iso 4s
(See Chart No. 1, P1)

LNM/D. 12-AUG-2011

46°38'00.5"N 060°23'17.0"W

(G2011294) LL(847) DFO(6305795-02)

12-AUG-2011

Delete depth of 4 fathoms, 1 foot 46°12'33.8"N 060°32'19.8"W
(See Chart No. 1, I10)

LNM/D. 05-AUG-2011

DFO(6305563-04)

12-AUG-2011

Add depth of 1 fathom, 5 feet
(See Chart No. 1, I10)

LNM/D. 05-AUG-2011

46°12'34.5"N 060°32'17.0"W

DFO(6305563-08)

This notice affects Electronic Navigational Chart: CA576066

12-AUG-2011

Delete depth of 5 fathoms, 4 feet 46°17'01.7"N 060°26'19.6"W
(See Chart No. 1, I10)

LNM/D. 05-AUG-2011

DFO(6305564-01)

12-AUG-2011

Add depth of 5 fathoms 46°16'59.4"N 060°26'24.4"W
(See Chart No. 1, I10)

LNM/D. 05-AUG-2011

DFO(6305564-06)

12-AUG-2011

Add depth of 5 fathoms, 5 feet 46°15'44.5"N 060°28'07.2"W
(See Chart No. 1, I10)

LNM/D. 05-AUG-2011

DFO(6305569-08)



Chart no. 4367

12-AUG-2011

LNМ/D. 05-AUG-2011

Add depth of 5 fathoms, 4 feet 46°11'53.5"N 060°32'25.0"W
(See Chart No. 1, I10)

DFO(6305569-12)

12-AUG-2011

LNМ/D. 05-AUG-2011

Add depth of 9 fathoms, 5 feet 46°11'34.1"N 060°33'02.8"W
(See Chart No. 1, I10)

DFO(6305569-13)

12-AUG-2011

LNМ/D. 05-AUG-2011

Delete depth of 13 fathoms 46°11'30.5"N 060°33'03.7"W
(See Chart No. 1, I10)

DFO(6305569-22)

12-AUG-2011

LNМ/D. 05-AUG-2011

Delete depth of 6 fathoms 46°15'49.1"N 060°28'09.4"W
(See Chart No. 1, I10)

DFO(6305569-23)

05-AUG-2011

LNМ/D. 01-JUL-2011

Amend Iso Y 4s 60ft to read Iso Y 4s 56ft 14M against light
(See Chart No. 1, P16)

46°10'49.0"N 060°15'06.0"W

(G2011222) LL(782) DFO(6305624-01)

05-AUG-2011

LNМ/D. 01-JUL-2011

Amend Iso Y 4s 125ft to read Iso Y 4s 122ft 14M against
light
(See Chart No. 1, P16)

46°10'30.0"N 060°15'25.5"W

(G2011223) LL(783) DFO(6305625-01)

01-JUL-2011

LNМ/D. 18-MAR-2011

Add yellow and black South cardinal lighted pillar buoy
Q(6) + LFl 15s, marked KH
(See Chart No. 1, Q130.3)

46°40'44.4"N 060°20'38.1"W

(G2011162) LL(849) DFO(6305536-01)

18-MAR-2011

LNМ/D. 29-OCT-2010



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4367

Amend FLR 12s 89ft 5M to read LFLR 12s 89ft 7M against
light
(See Chart No. 1 P16)

46°23'06.4"N 060°22'25.8"W

(G2011051) LL(844) DFO(6305271-01)

29-OCT-2010

LN/D. 22-OCT-2010

Amend FG to read Fl R against light
(See Chart No. 1 P16)

46°11'56.0"N 059°56'56.0"W

(G2010140) LL(774) DFO(6305038-01)

22-OCT-2010

LN/D. 09-JAN-2009

Delete light F
(See Chart No. 1 P1)

46°17'26.0"N 060°32'31.0"W

(G2010134) LL(845) DFO(6305028-01)

09-JAN-2009

LN/D. 01-AUG-2008

Amend FY 60ft to read Iso Y 4s 60ft against light
(See Chart No 1 P16)

46°10'48.6"N 060°15'05.0"W

(G2008083) LL(782) DFO(6304164-01)

This notice affects Electronic Navigational Chart:
CA576095

09-JAN-2009

LN/D. 01-AUG-2008

Amend FY 125ft to read Iso Y 4s 125ft against light
(See Chart No 1 P16)

46°10'27.9"N 060°15'24.0"W

(G2008084) LL(783) DFO(6304164-02)

This notice affects Electronic Navigational Chart:
CA576095

01-AUG-2008

LN/D. 25-JUL-2008

Add submarine cable

joining 46°41'34.0"N 059°40'35.9"W
46°18'27.4"N 060°05'02.4"W
46°18'19.1"N 060°05'03.2"W
46°18'00.9"N 060°05'30.9"W
46°16'40.6"N 060°06'56.2"W
and 46°15'51.4"N 060°07'19.8"W

This notice affects Electronic Navigational Chart:
CA179172, CA276271, CA576095

DFO(6303984-01)



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4367

25-JUL-2008

Add submarine cable

This notice affects Electronic Navigational Chart:
CA179172, CA276271, CA576095

LNLM/D. 01-FEB-2008

joining 46°41'34.0"N 059°51'39.2"W
46°16'53.3"N 060°12'06.3"W
46°16'03.1"N 060°13'58.9"W
and 46°15'39.8"N 060°13'54.8"W

DFO(6303964-01)

01-FEB-2008

Delete legend Fog Sig (2) 60s against light
(See Chart No 1 R20)

This notice affects Electronic Navigational Chart:
CA276271, CA576095

LNLM/D. 13-JUL-2007

46°16'01.5"N 060°07'32.9"W

(G2007178) LL(775) DFO(6303745-01)

13-JUL-2007

Delete WHIS against red and white fairway lighted pillar
whistle buoy Mo(A), marked SA

This notice affects Electronic Navigational Chart:
CA576095

LNLM/D. 29-JUN-2007

46°18'24.2"N 060°07'50.6"W

(G2007037) LL(776) DFO(6303451-01)

29-JUN-2007

Delete BELL against red starboard hand lighted pillar bell
buoy FLR, marked S2

This notice affects Electronic Navigational Chart:
CA576095

LNLM/D. 18-NOV-2005

46°16'26.0"N 060°11'29.0"W

(G2007038) LL(789) DFO(6303452-01)

29-JUN-2007

Delete BELL against red and white fairway lighted pillar
bell buoy Mo(A), marked SC

This notice affects Electronic Navigational Chart:
CA576095

LNLM/D. 18-NOV-2005

46°14'37.5"N 060°11'21.0"W

(G2007039) LL(777) DFO(6303453-01)

18-NOV-2005

Delete green port hand lighted spar buoy FlG, marked KQ7 46°13'43.2"N 060°02'28.2"W

DFO(6302552-01)



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4367

18-NOV-2005

LNM/D. 29-JUL-2005

Add legend "Channel Buoyed/Chenal balisé" 46°13'30.0"N 060°01'12.0"W

DFO(6302552-02)

29-JUL-2005

LNM/D. 07-JAN-2005

Add red starboard hand lighted spar buoy FIR, marked
KQ2

46°13'45.0"N 060°02'02.4"W

(G2005037) LL(774.4) DFO(6302353-01)

29-JUL-2005

LNM/D. 07-JAN-2005

Add green port hand lighted spar buoy FIG, marked KQ7

46°13'43.2"N 060°02'28.2"W

(G2005039) LL(774.5) DFO(6302354-01)

29-JUL-2005

LNM/D. 07-JAN-2005

Amend "Fl 6s 36m 17M" to read "LFl 6s 26m 13M" against light 46°18'18.8"N 060°23'29.8"W

LL(799) DFO(6302372-01)

07-JAN-2005

LNM/D. 31-DEC-2004

Amend "Fl(2) 25s 70ft 16M" to read "Fl(2) 25s 74ft 10M"
against light

46°10'51.0"N 059°46'13.2"W

(G2004198) LL(770) DFO(6302126-01)

31-DEC-2004

LNM/D. 05-NOV-2004

Amend "Fl 6s 75ft 17M" to read "LFl 6s 85ft 13M" against
light

46°18'18.8"N 060°23'29.8"W

(G2004199) LL(799) DFO(6302127-01)

05-NOV-2004

LNM/D. 30-APR-2004

Delete legend "Fog Sig" against light

46°12'20.7"N 060°13'07.1"W

(G2004159) LL(778) DFO(6301940-01)

30-APR-2004

LNM/D. 05-MAR-2004



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4367

Amend "FG" to read "FIG" against light 46°12'20.7"N 060°13'07.1"W

(G2004040) LL(778) DFO(6301295-01)

05-MAR-2004

Add light QR 46°41'15.2"N 060°21'35.0"W

(G2003155) LL(849.4) DFO(6301188-01)

05-MAR-2004

Delete light FLR 46°41'16.4"N 060°21'25.7"W

(G2003157) LL(849.2) DFO(6301189-01)