



Chart no. 4375

4375 - Guyon Island to / à Flint Island - New Edition - 11-OCT-2002 - NAD 1983

16-DEC-2022

LNM/D. 07-JAN-2022

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 23 fathoms
(See Chart 1, L25)

45°58'31.6"N 059°25'20.4"W

DFO(6310470-03)

This notice affects Electronic Navigational Chart: CA376303

07-JAN-2022

LNM/D. 26-FEB-2021

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 45 fathoms (See Chart No. 1, L25)

45°59'15.6"N 059°20'00.6"W

DFO(6309784-06)

This notice affects Electronic Navigational Chart: CA376303

07-JAN-2022

LNM/D. 26-FEB-2021

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 46 fathoms (See Chart No. 1, L25)

45°59'15.7"N 059°19'14.5"W

DFO(6309784-07)

This notice affects Electronic Navigational Chart: CA376303

07-JAN-2022

LNM/D. 26-FEB-2021

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 44 fathoms (See Chart No. 1, L25)

45°59'15.8"N 059°18'26.3"W

DFO(6309784-08)

This notice affects Electronic Navigational Chart: CA376303

07-JAN-2022

LNM/D. 26-FEB-2021

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 51 fathoms (See Chart No. 1, L25)

45°59'15.9"N 059°17'38.4"W

DFO(6309784-09)

This notice affects Electronic Navigational Chart: CA376303

07-JAN-2022

LNM/D. 26-FEB-2021

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 40 fathoms (See Chart No. 1, L25)

45°59'16.0"N 059°16'46.9"W

DFO(6309784-10)

This notice affects Electronic Navigational Chart: CA376303

07-JAN-2022

LNM/D. 26-FEB-2021

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 37 fathoms (See Chart No. 1, L25)

45°59'16.1"N 059°16'00.5"W

DFO(6309784-11)

This notice affects Electronic Navigational Chart: CA376303



Chart no. 4375

07-JAN-2022

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 32 fathoms (See Chart No. 1, L25)
This notice affects Electronic Navigational Chart: CA376303

LNМ/D. 26-FEB-2021
45°59'16.2"N 059°15'12.6"W
DFO(6309784-12)

26-FEB-2021

Delete depth of 5 fathoms, 1 foot
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA376303

LNМ/D. 30-OCT-2020
45°50'39.8"N 060°08'28.6"W
DFO(6309296-01)

26-FEB-2021

Add depth of 0 fathoms, 4 feet
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA376303

LNМ/D. 30-OCT-2020
45°50'42.0"N 060°08'33.2"W
DFO(6309296-02)

26-FEB-2021

Add depth of 1 fathom, 4 feet
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA376303

LNМ/D. 30-OCT-2020
45°50'42.7"N 060°09'01.0"W
DFO(6309296-03)

26-FEB-2021

Add depth of 1 fathom, 1 foot
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA376303

LNМ/D. 30-OCT-2020
45°52'10.3"N 060°01'34.4"W
DFO(6309296-04)

26-FEB-2021

Add depth of 3 fathoms, 5 feet
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA376303

LNМ/D. 30-OCT-2020
45°52'14.0"N 060°00'46.6"W
DFO(6309296-05)

26-FEB-2021

Add depth of 0 fathoms, 4 feet
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA376303

LNМ/D. 30-OCT-2020
45°52'29.3"N 060°00'36.5"W
DFO(6309296-06)

26-FEB-2021

LNМ/D. 30-OCT-2020



Chart no. 4375

Replace depth of 7 fathoms with depth of 1 fathom 45°52'19.7"N 059°59'29.9"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA376303 *DFO(6309296-07)*

26-FEB-2021 LNM/D. 30-OCT-2020
Replace depth of 1 fathom, 5 feet with depth of 1 fathom, 1 foot 45°57'02.4"N 059°51'32.0"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA376303 *DFO(6309296-08)*

26-FEB-2021 LNM/D. 30-OCT-2020
Add depth of 2 fathoms, 4 feet 45°56'33.0"N 059°50'23.6"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA376303 *DFO(6309296-09)*

26-FEB-2021 LNM/D. 30-OCT-2020
Delete depth of 5 fathoms, 3 feet 45°56'22.0"N 059°48'57.0"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA376303 *DFO(6309296-10)*

26-FEB-2021 LNM/D. 30-OCT-2020
Add depth of 4 fathoms, 4 feet 45°56'19.9"N 059°48'54.5"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA376303 *DFO(6309296-11)*

26-FEB-2021 LNM/D. 30-OCT-2020
Add depth of 1 fathom, 3 feet 45°56'31.3"N 059°47'20.3"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA376303 *DFO(6309296-12)*

26-FEB-2021 LNM/D. 30-OCT-2020
Delete depth of 8 fathoms, 4 feet 45°59'32.1"N 059°42'36.4"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA376303 *DFO(6309296-13)*

26-FEB-2021 LNM/D. 30-OCT-2020
Add depth of 0 fathoms, 5 feet 45°59'30.7"N 059°42'30.2"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA376303 *DFO(6309296-14)*



Chart no. 4375

30-OCT-2020

LN/D. 23-OCT-2020

Delete depth of 5 fathoms

45°56'47.0"N 059°47'47.6"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA376303

DFO(6309194-02)

30-OCT-2020

LN/D. 23-OCT-2020

Add depth of 1 fathom, 1 foot

45°56'48.2"N 059°47'43.9"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA376303

DFO(6309194-03)

23-OCT-2020

LN/D. 07-AUG-2020

Amend Fl 21s53ft17M to read Fl 21s42ft17M against light

45°46'00.5"N 060°06'46.4"W

(See Chart No. 1, P16)

This notice affects Electronic Navigational Chart:

(G2020176) LL(750) DFO(6309205-01)

CA179245, CA276204, CA376295

07-AUG-2020

LN/D. 21-DEC-2018

Amend Fl 20s53ft17M to read Fl 21s53ft17M against light

45°46'00.5"N 060°06'46.4"W

(See Chart No. 1, P16)

This notice affects Electronic Navigational Chart:

(G2020067) LL(750) DFO(6309032-01)

CA276204, CA376295

21-DEC-2018

LN/D. 11-AUG-2017

Delete light FRG

46°02'11.0"N 059°58'07.0"W

(See Chart No. 1, P1)

This notice affects Electronic Navigational Chart:

(G2018144) LL(767.6) DFO(6308521-01)

CA376303

11-AUG-2017

LN/D. 31-MAR-2017

Add environmentally sensitive sea area with legend, St Anns

joining 45°50'43.0"N 059°14'37.0"W

Bank Marine Protected Area / Zone de protection marine

45°47'00.0"N 059°39'00.0"W

du banc de Sainte-Anne

46°10'00.0"N 059°39'00.0"W

(See Chart No. 1, N22)

46°10'00.0"N 059°20'00.0"W

This notice affects Electronic Navigational Chart:

and 46°11'23.5"N 059°20'00.0"W

CA179245, CA276090, CA276204, CA276271, CA276284,

CA376303

DFO(6308006-01)

31-MAR-2017

LN/D. 25-NOV-2016



Chart no. 4375

Delete legend Fog Sig 20s against light 45°54'24.0"N 059°57'30.4"W
(See Chart No. 1, R1, R20)
This notice affects Electronic Navigational Chart: (G2016158) LL(756) DFO(6307823-01)
CA179245, CA276204, CA376303

25-NOV-2016

Amend Fl 15s64ft13M to read Fl 3s64ft13M against light LNM/D. 26-AUG-2016
46°02'04.3"N 059°40'33.7"W
(See Chart No. 1, P16)
This notice affects Electronic Navigational Chart: (G2016124) LL(767) DFO(6307705-01)
CA276271, CA376303

25-NOV-2016

Delete legend Fog Sig (3) 60 s against light LNM/D. 26-AUG-2016
46°02'04.3"N 059°40'33.7"W
(See Chart No. 1, R1, R20)
This notice affects Electronic Navigational Chart: CA179245, DFO(6307705-02)
CA276271, CA376303

26-AUG-2016

Delete fog signal Fog Sig 60 s against light LNM/D. 22-JUL-2016
45°46'00.0"N 060°06'46.5"W
(See Chart No. 1, R1, R20)
This notice affects Electronic Navigational Chart: (G2016117) LL(750) DFO(6307659-01)
CA179245, CA276204, CA376295

22-JUL-2016

Replace red starboard hand lighted pillar bell buoy FIR, LNM/D. 17-JUN-2016
46°09'42.3"N 059°48'46.7"W
BELL, marked JA2 with red starboard hand lighted
spar buoy FIR, marked JA2 (G2016081) LL(769) DFO(6307606-01)
(See Chart No. 1, Qf)
This notice affects Electronic Navigational Chart:
CA376303

17-JUN-2016

Replace light Fl 10s 105ft 16M with all-round LNM/D. 04-MAR-2016
45°54'24.0"N 059°57'30.4"W
light LFl 6s 105ft 13M with obscured
sector. Obscured through an arc of (G2016037 & G2016052) LL(756) DFO(6307520-02)
210°, from 250° to 100°
(See Chart No. 1, P43)
This notice affects Electronic
Navigational Chart: CA376303



Chart no. 4375

04-MAR-2016

LNМ/D. 12-FEB-2016

Amend Fl 3s 64ft 15M to read Fl 15s 64ft 13M against light
(See Chart No. 1, P16)

46°02'03.0"N 059°40'33.5"W

This notice affects Electronic Navigational Chart: (G2015157) LL(767) DFO(6307448-01)
CA179245, CA276271, CA376303

12-FEB-2016

LNМ/D. 05-FEB-2016

Amend F 12M to read LFl 12M against light
(See Chart No. 1, P16)

46°00'25.4"N 059°49'21.7"W

This notice affects Electronic Navigational Chart: (G2015162) LL(765.4) DFO(6307409-01)
CA376303

05-FEB-2016

LNМ/D. 27-NOV-2015

Amend Fl20s 53ft 15M to read Fl20s 53ft 17M against light
(See Chart No. 1, P16)

45°46'00.0"N 060°06'46.5"W

This notice affects Electronic Navigational Chart: CA276204, LL(750) DFO(6307366-06)
CA376295

27-NOV-2015

LNМ/D. 29-MAY-2015

Amend Fog Sig 20s to read (Occas) Fog Sig 20s against
light

45°56'55.7"N 059°51'31.7"W

(See Chart No. 1, P50) (G2015149) LL(761) DFO(6307331-01)
This notice affects Electronic Navigational Chart:
CA376303

27-NOV-2015

LNМ/D. 29-MAY-2015

Add subsurface Ocean Data Acquisition system ODAS/SADO with
known depth of 34 fathoms

46°07'47.6"N 059°19'49.7"W

(See Chart No. 1, L25) DFO(6307340-02)
This notice affects Electronic Navigational Chart: CA276271,
CA376303

29-MAY-2015

LNМ/D. 27-FEB-2015

Amend "FY to read LFlY against light
(See Chart No. 1, P16)"

45°50'35.6"N 060°07'56.8"W

This notice affects Electronic Navigational Chart: (G2015024) LL(752.6) DFO(6307118-01)
CA376303

27-FEB-2015

LNМ/D. 06-FEB-2015



Chart no. 4375

Delete light FR 46°07'51.8"N 059°52'09.6"W
(See Chart No. 1, P1)
This notice affects Electronic Navigational Chart: *(G2014205) LL(768) DFO(6307014-01)*
CA376303

27-FEB-2015 LNM/D. 06-FEB-2015
Add light FIR 46°07'50.8"N 059°52'13.2"W
(See Chart No. 1, P1)
This notice affects Electronic Navigational Chart: *(G2014205) LL(768) DFO(6307014-02)*
CA376303

06-FEB-2015 LNM/D. 09-JAN-2015
Amend Fl(2)25s74ft10m to read LFl74ft8M against light 46°10'51.0"N 059°46'13.2"W
(See Chart No. 1, P16)
This notice affects Electronic Navigational Chart: *(G2014202) LL(770) DFO(6307010-01)*
CA179172, CA276271, CA376093

06-FEB-2015 LNM/D. 09-JAN-2015
Delete legend FogSig30s against light 46°10'51.0"N 059°46'13.2"W
(See Chart No. 1, R20)
This notice affects Electronic Navigational Chart: *(G2014213) LL(770) DFO(6307010-02)*
CA276271, CA376093

09-JAN-2015 LNM/D. 14-JUN-2013
Replace red starboard hand lighted pillar buoy FIR, 46°07'41.3"N 059°52'03.7"W
marked JA6 with red starboard hand lighted spar
buoy QR, marked JA6 *(G2014191) LL(768.5) DFO(6306990-01)*
(See Chart No. 1, Qf)

This notice affects Electronic Navigational Chart:
CA376303

14-JUN-2013 LNM/D. 15-FEB-2013
Reposition green port hand lighted pillar bell buoy FIG, from 45°59'00.1"N 059°46'58.2"W
marked JJ3 to 45°59'10.4"N 059°46'50.2"W
(See Chart No. 1, Qg)
This notice affects Electronic Navigational *(G2013020) LL(764) DFO(6306372-01)*
Chart: CA376303

15-FEB-2013 LNM/D. 06-MAY-2011



Chart no. 4375

Delete FogSig against light 45°50'35.0"N 060°07'54.8"W
(See Chart No 1, R1)
This notice affects Electronic Navigational Chart: (G2013001) LL(752.6) DFO(6306320-01)
CA376303

06-MAY-2011

Amend Fl 15s 64ft 17M to read Fl 3s 64ft 15M against light LNM/D. 11-FEB-2011
(See Chart No 1 P16) 46°02'04.3"N 059°40'33.7"W
(G2011058) LL(767) DFO(6305358-01)

This notice affects Electronic Navigational Chart:
CA179172

11-FEB-2011

Amend Fl 30s 64ft 17M to read Fl 15s 64ft 17M against LNM/D. 27-AUG-2010
light 46°02'04.3"N 059°40'33.7"W
(See Chart No. 1 P16) (G2010239) LL(767) DFO(6305189-01)

27-AUG-2010

Amend Fl 30s 64ft 23M to read Fl 30s 64ft 17M against light LNM/D. 02-APR-2010
(See Chart No. 1 P16) 46°02'04.3"N 059°40'33.7"W
LL(767) DFO(6304986-01)

This notice affects Electronic Navigational Chart: CA376303

27-AUG-2010

Amend F to read F 12M against light LNM/D. 02-APR-2010
(See Chart No. 1 P16) 46°00'25.4"N 059°49'21.7"W
LL(765.4) DFO(6304986-02)

This notice affects Electronic Navigational Chart: CA376303

02-APR-2010

Add depth of 10 fathoms LNM/D. 11-DEC-2009
(See Chart No. 1, I10) 45°59'39.7"N 059°45'08.3"W
DFO(6304704-06)

This notice affects Electronic Navigational Chart: CA376303

02-APR-2010

LNM/D. 11-DEC-2009



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4375

Add dangerous underwater rock of unknown depth with legend Rep 46°01'38.0"N 059°40'49.2"W
(2010)
(See Chart No 1 K13 and I3.2) *DFO(6304759-01)*

This notice affects Electronic Navigational Chart: CA376303

11-DEC-2009 LNM/D. 15-AUG-2008
Amend Fl 9s 105ft 17M to read Fl 10s 105ft 16M against light 45°54'24.0"N 059°57'30.4"W
(See Chart No 1 P16) *LL(756) DFO(6304648-01)*

This notice affects Electronic Navigational Chart: CA179172

15-AUG-2008 LNM/D. 07-JAN-2005
Delete dangerous underwater rock of 6ft or less, PA, Rep 2004 45°59'40.0"N 059°45'30.0"W
(See Chart No 1 K13) *DFO(6303879-01)*

07-JAN-2005 LNM/D. 29-OCT-2004
Amend "Fl(2) 25s 70ft 16M" to read "Fl(2) 25s 74ft 10M"
against light 46°10'48.9"N 059°46'13.2"W
(G2004198) LL(770) DFO(6302126-01)

29-OCT-2004
Add dangerous underwater rock of 6ft or less, Rep 2004 45°59'40.0"N 059°45'30.0"W
DFO(6301993-01)