



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4384

4384 - Pearl Island to / à Cape La Have - New Edition - 10-JAN-2003 - NAD 1983

26-MAY-2023

LNМ/D. 03-DEC-2021

Delete depth of 4.9 metres
(See Chart 1, I10)

44°22'33.5"N 064°18'54.7"W

This notice affects Electronic Navigational Chart: CA476664

DFO(6310663-05)

26-MAY-2023

LNМ/D. 03-DEC-2021

Add depth of 1.2 metres
(See Chart 1, I10)

44°22'32.9"N 064°18'52.8"W

This notice affects Electronic Navigational Chart: CA476664

DFO(6310663-06)

03-DEC-2021

LNМ/D. 20-AUG-2021

Add private yellow ODAS/SADO lighted pillar buoy Fl Y
2.5s, Priv
(See Chart No. 1, Q58)

44°17'56.4"N 064°07'30.0"W

This notice affects Electronic Navigational Chart: CA476664

DFO(6309780-01)

20-AUG-2021

LNМ/D. 26-FEB-2021

Delete legend FogSig20s against light
(See Chart No 1 R20)

44°14'14.6"N 064°18'59.1"W

This notice affects Electronic Navigational Chart:
CA276801, CA476664

(F2021038) LL(423) DFO(6309461-01)

20-AUG-2021

LNМ/D. 26-FEB-2021

Amend F 24m11M to read F 23m13M against light
(See Chart No. 1, P16)

44°14'14.6"N 064°18'59.1"W

This notice affects Electronic Navigational Chart: CA276801,
CA476664

LL(423) DFO(6309461-02)

26-FEB-2021

LNМ/D. 18-DEC-2020

Amend Fl to read LFl against light
(See Chart No. 1, P16)

44°22'01.5"N 064°12'04.1"W

This notice affects Electronic Navigational Chart:
CA476199

(F2021003) LL(446) DFO(6309338-01)

18-DEC-2020

LNМ/D. 24-JUL-2020

Replace depth of 5.5 metres with depth of 4.4 metres
(See Chart No. 1, I10)

44°15'50.7"N 064°21'51.8"W

This notice affects Electronic Navigational Chart: CA476664

DFO(6309301-11)



Chart no. 4384

18-DEC-2020	LNM/D. 24-JUL-2020
Replace depth of 7.6 metres with depth of 6.4 metres (See Chart No. 1, I10)	44°15'34.2"N 064°20'51.0"W
This notice affects Electronic Navigational Chart: CA476664	<i>DFO(6309301-22)</i>
18-DEC-2020	LNM/D. 24-JUL-2020
Replace depth of 7.9 metres with depth of 6.7 metres (See Chart No. 1, I10)	44°15'34.2"N 064°21'06.0"W
This notice affects Electronic Navigational Chart: CA476664	<i>DFO(6309301-23)</i>
18-DEC-2020	LNM/D. 24-JUL-2020
Replace depth of 7 metres with depth of 5.8 metres (See Chart No. 1, I10)	44°15'34.9"N 064°21'48.2"W
This notice affects Electronic Navigational Chart: CA476664	<i>DFO(6309301-28)</i>
24-JUL-2020	LNM/D. 27-MAR-2020
Add drying height of 0.1 metres (See Chart No. 1, I15)	44°17'14.1"N 064°21'02.4"W
This notice affects Electronic Navigational Chart: CA476664	<i>DFO(6309105-02)</i>
27-MAR-2020	LNM/D. 01-DEC-2017
Amend Fl 12s24m8M to read LFl 12s24m8M against light (See Chart No. 1, P16)	44°13'43.6"N 064°16'27.7"W
This notice affects Electronic Navigational Chart: CA276801, CA476664	<i>(F2020003) LL(432) DFO(6308940-01)</i>
01-DEC-2017	LNM/D. 25-AUG-2017
Delete depth of 7.3 metres (See Chart No. 1, I10)	44°20'47.1"N 064°17'37.0"W
This notice affects Electronic Navigational Chart: CA476664	<i>DFO(6308145-02)</i>
01-DEC-2017	LNM/D. 25-AUG-2017
Add depth of 6.4 metres (See Chart No. 1, I10)	44°20'49.2"N 064°17'37.3"W
This notice affects Electronic Navigational Chart: CA476664	<i>DFO(6308145-03)</i>
25-AUG-2017	LNM/D. 05-AUG-2016



Chart no. 4384

Replace depth of 4 metres, 3 decimetres with depth of 2 metres, 1 decimetre
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA476664

44°14'47.4"N 064°21'55.2"W
DFO(6308029-01)

25-AUG-2017 LNM/D. 05-AUG-2016
Delete depth of 2 metres, 7 decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA476664

44°14'31.9"N 064°22'09.0"W
DFO(6308029-05)

25-AUG-2017 LNM/D. 05-AUG-2016
Delete depth of 3 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA476664

44°14'31.7"N 064°22'14.4"W
DFO(6308029-06)

25-AUG-2017 LNM/D. 05-AUG-2016
Add depth of 1 metre, 8 decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA476664

44°14'31.3"N 064°22'11.4"W
DFO(6308029-07)

05-AUG-2016 LNM/D. 17-JUN-2016
Delete legend Fog Sig against light
(See Chart No 1 R20)
This notice affects Electronic Navigational Chart: (F2016034) LL(417.5) *DFO(6307628-01)*
CA476664

44°09'31.9"N 064°28'50.7"W

17-JUN-2016 LNM/D. 06-MAY-2016
Amend Fl to read Q(6)+LFl 15s against light
(See Chart No. 1, P16)
This notice affects Electronic Navigational Chart: (F2016017) LL(428) *DFO(6307540-01)*
CA476664

44°16'01.2"N 064°21'50.2"W

06-MAY-2016 LNM/D. 12-FEB-2016
Delete depth of 7 metres, 3 decimeters
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA476664

44°15'25.2"N 064°20'07.7"W
DFO(6307499-02)

06-MAY-2016 LNM/D. 12-FEB-2016



Chart no. 4384

- Add depth of 4 metres, 9 decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA476664
- 44°15'28.6"N 064°20'08.6"W
DFO(6307499-03)
- 06-MAY-2016**
- Add depth of 3 metres, 4 decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA476664
- LNМ/D. 12-FEB-2016
44°15'55.4"N 064°20'07.6"W
DFO(6307499-04)
- 06-MAY-2016**
- Add depth of 3 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA476664
- LNМ/D. 12-FEB-2016
44°15'53.4"N 064°20'20.0"W
DFO(6307499-09)
- 12-FEB-2016**
- Amend Fog Sig to read Fog Sig (Occas) against light
(See Chart No. 1, P50)
This notice affects Electronic Navigational Chart: CA476664
- LNМ/D. 31-JUL-2015
44°21'37.0"N 064°17'46.7"W
(F2015033) LL(438) DFO(6307385-01)
- 31-JUL-2015**
- Delete submarine cable
(See Chart No. 1, L30.1)
This notice affects Electronic Navigational Chart: CA476664
- LNМ/D. 06-FEB-2015
between 44°19'44.0"N 064°16'44.0"W
and 44°18'56.6"N 064°10'22.2"W
DFO(6307178-01)
- 06-FEB-2015**
- Amend FG to read LFlG against light
(See Chart No. 1, P16)
This notice affects Electronic Navigational Chart: CA476664
- LNМ/D. 28-NOV-2014
44°20'59.2"N 064°12'15.0"W
(F2014039) LL(444) DFO(6306999-01)
- 28-NOV-2014**
- Add depth of 4 metres, 6 decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA476664
- LNМ/D. 12-SEP-2014
44°16'56.5"N 064°20'49.2"W
DFO(6306969-01)
- 28-NOV-2014**
- LNМ/D. 12-SEP-2014



Chart no. 4384

Delete depth of 6 metres, 1 decimetre
(See Chart No. 1, I10) 44°16'54.7"N 064°20'47.0"W
This notice affects Electronic Navigational Chart: CA476664 *DFO(6306969-02)*

28-NOV-2014

LNМ/D. 12-SEP-2014

Delete depth of 5 metres, 2 decimetres
(See Chart No. 1, I10) 44°16'35.7"N 064°20'38.0"W
This notice affects Electronic Navigational Chart: CA476664 *DFO(6306969-03)*

28-NOV-2014

LNМ/D. 12-SEP-2014

Add depth of 3 metres, 8 decimetres
(See Chart No. 1, I10) 44°16'33.0"N 064°20'37.9"W
This notice affects Electronic Navigational Chart: CA476664 *DFO(6306969-04)*

28-NOV-2014

LNМ/D. 12-SEP-2014

Delete depth of 6 metres, 7 decimetres
(See Chart No. 1, I10) 44°16'34.4"N 064°20'50.6"W
This notice affects Electronic Navigational Chart: CA476664 *DFO(6306969-05)*

28-NOV-2014

LNМ/D. 12-SEP-2014

Add depth of 5 metres, 6 decimetres
(See Chart No. 1, I10) 44°16'32.5"N 064°20'50.6"W
This notice affects Electronic Navigational Chart: CA476664 *DFO(6306969-06)*

28-NOV-2014

LNМ/D. 12-SEP-2014

Delete depth of 7 metres, 6 decimetres
(See Chart No. 1, I10) 44°16'31.3"N 064°20'42.8"W
This notice affects Electronic Navigational Chart: CA276801 *DFO(6306969-07)*

28-NOV-2014

LNМ/D. 12-SEP-2014

Add depth of 2 metres, 5 decimetres
(See Chart No. 1, I10) 44°16'26.2"N 064°20'58.4"W
This notice affects Electronic Navigational Chart: CA476664 *DFO(6306969-08)*

28-NOV-2014

LNМ/D. 12-SEP-2014

Delete depth of 4 metres, 6 decimetres
(See Chart No. 1, I10) 44°16'26.3"N 064°21'01.8"W
This notice affects Electronic Navigational Chart: CA476664 *DFO(6306969-09)*



Chart no. 4384

28-NOV-2014

LNМ/D. 12-SEP-2014

Delete depth of 4 mètres, 6 décimètres
(See Chart No. 1, I10)

44°16'23.8"N 064°20'57.6"W

This notice affects Electronic Navigational Chart: CA476664

DFO(6306969-10)

28-NOV-2014

LNМ/D. 12-SEP-2014

Add depth of 3 metres, 7 decimetres
(See Chart No. 1, I10)

44°16'13.2"N 064°20'40.9"W

This notice affects Electronic Navigational Chart: CA476664

DFO(6306969-11)

28-NOV-2014

LNМ/D. 12-SEP-2014

Delete depth of 4 metres, 9 decimetres
(See Chart No. 1, I10)

44°16'11.6"N 064°20'36.7"W

This notice affects Electronic Navigational Chart: CA476664

DFO(6306969-12)

28-NOV-2014

LNМ/D. 12-SEP-2014

Add depth of 4 metres, 3 decimetres
(See Chart No. 1, I10)

44°16'15.0"N 064°21'20.8"W

This notice affects Electronic Navigational Chart: CA476664

DFO(6306969-13)

28-NOV-2014

LNМ/D. 12-SEP-2014

Replace depth of 5 metres, 5 decimetres with depth of 3 metres, 8
decimetres

44°16'16.0"N 064°21'25.9"W

(See Chart No. 1, I10)

DFO(6306969-14)

This notice affects Electronic Navigational Chart: CA476664

28-NOV-2014

LNМ/D. 12-SEP-2014

Delete depth of 4 metres

44°16'04.9"N 064°21'38.7"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA476664

DFO(6306969-15)

28-NOV-2014

LNМ/D. 12-SEP-2014

Add depth of 1 metre, 7 decimetres

44°16'02.9"N 064°21'38.7"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA476664

DFO(6306969-16)

28-NOV-2014

LNМ/D. 12-SEP-2014



Chart no. 4384

- Delete depth of 6 metres, 4 decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA476664
- 44°16'38.1"N 064°20'43.0"W
DFO(6306969-18)
- 28-NOV-2014**
- Delete depth of 6 metres, 1 decimetre
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA476664
- LNLM/D. 12-SEP-2014
44°16'41.5"N 064°20'49.8"W
DFO(6306969-19)
- 28-NOV-2014**
- Add depth of 4 metres, 9 decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA476664
- LNLM/D. 12-SEP-2014
44°16'41.8"N 064°20'44.9"W
DFO(6306969-20)
- 12-SEP-2014**
- Delete pilot boarding station
(See Chart No. 1, T1.1)
This notice affects Electronic Navigational Chart: CA476199
- LNLM/D. 28-FEB-2014
44°22'01.0"N 064°08'57.0"W
DFO(6306826-01)
- 28-FEB-2014**
- Amend FR to read Iso R 4s against light
(See Chart No 1 P16)
This notice affects Electronic Navigational Chart: CA476664
- LNLM/D. 23-AUG-2013
44°21'37.0"N 064°17'46.7"W
(F2014001) LL(438) DFO(6306672-01)
- 23-AUG-2013**
- Add rock which covers and uncovers with drying height of 1 metre, 5 decimetres
(See Chart No. 1, K11)
This notice affects Electronic Navigational Chart: CA476199, CA476664
- LNLM/D. 23-NOV-2012
44°22'53.0"N 064°11'51.0"W
DFO(6306466-01)
- 23-AUG-2013**
- Add rock with known depth of 1 metre, 4 decimetres outside the corresponding depth area, dangerous to surface navigation
(See Chart No. 1, K14/K14.2)
This notice affects Electronic Navigational Chart: CA476199, CA476664
- LNLM/D. 23-NOV-2012
44°22'49.5"N 064°12'00.1"W
DFO(6306466-02)



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4384

23-AUG-2013

Add rock with known depth of 1 metre, 8 decimetres outside the corresponding depth area, dangerous to surface navigation
(See Chart No. 1, K14/K14.2)

This notice affects Electronic Navigational Chart: CA476199,
CA476664

LNМ/D. 23-NOV-2012

44°21'51.9"N 064°11'47.5"W

DFO(6306466-03)

23-NOV-2012

Reposition green port hand spar buoy, marked EC51 from 44°21'01.1"N 064°11'58.9"W
(See Chart No. 1, Qg) to 44°21'03.1"N 064°11'59.8"W

(F2012051) DFO(6306229-01)

LNМ/D. 20-MAY-2011

20-MAY-2011

Delete depth of 8 metres, 5 decimetres
(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA476664

LNМ/D. 13-MAY-2011

44°09'40.2"N 064°28'34.8"W

DFO(6305440-01)

20-MAY-2011

Delete depth of 3 metres, 4 decimetres
(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA476664

LNМ/D. 13-MAY-2011

44°09'39.2"N 064°28'43.0"W

DFO(6305440-02)

20-MAY-2011

Add depth of 1 metre, 1 decimetre
(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA476664

LNМ/D. 13-MAY-2011

44°09'40.4"N 064°28'40.3"W

DFO(6305440-03)

20-MAY-2011

Add depth of 0 metres, 6 decimetres
(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA476664

LNМ/D. 13-MAY-2011

44°09'35.1"N 064°28'41.4"W

DFO(6305440-04)



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4384

13-MAY-2011

LNМ/D. 04-JUN-2010

Delete depth of 5 metres, 2 decimetres
(See Chart No. 1, I10)

44°14'32.1"N 064°22'15.4"W

DFO(6305432-06)

This notice affects Electronic Navigational Chart: CA476664

13-MAY-2011

LNМ/D. 04-JUN-2010

Delete depth of 2 metres, 7 decimetres
(See Chart No. 1, I10)

44°14'06.0"N 064°22'04.0"W

DFO(6305432-07)

This notice affects Electronic Navigational Chart: CA476664

13-MAY-2011

LNМ/D. 04-JUN-2010

Delete depth of 5 metres, 5 decimetres
(See Chart No. 1, I10)

44°13'51.5"N 064°22'27.2"W

DFO(6305432-11)

This notice affects Electronic Navigational Chart: CA476664

13-MAY-2011

LNМ/D. 04-JUN-2010

Add depth of 3 metres, 7 decimetres
(See Chart No. 1, I10)

44°13'35.0"N 064°22'47.6"W

DFO(6305432-12)

This notice affects Electronic Navigational Chart: CA476664

13-MAY-2011

LNМ/D. 04-JUN-2010

Add depth of 3 metres
(See Chart No. 1, I10)

44°14'31.6"N 064°22'14.6"W

DFO(6305432-14)

This notice affects Electronic Navigational Chart: CA476664

13-MAY-2011

LNМ/D. 04-JUN-2010

Add depth of 1 metre, 5 decimetres
(See Chart No. 1, I10)

44°14'05.9"N 064°22'04.2"W

DFO(6305432-15)

This notice affects Electronic Navigational Chart: CA476664



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4384

13-MAY-2011

Add depth of 4 metres, 3 decimetres
(See Chart No. 1, I10)

LNМ/D. 04-JUN-2010

44°14'47.2"N 064°21'55.5"W

DFO(6305432-16)

This notice affects Electronic Navigational Chart: CA476664

13-MAY-2011

Add depth of 3 metres
(See Chart No. 1, I10)

LNМ/D. 04-JUN-2010

44°13'53.2"N 064°22'25.6"W

DFO(6305432-17)

This notice affects Electronic Navigational Chart: CA476664

04-JUN-2010

Amend Fl 10s 25m 13M to read Fl 10s 25m 10M against light
(See Chart 1 P16)

LNМ/D. 05-MAR-2010

44°18'43.7"N 064°10'06.4"W

LL(443) DFO(6304833-01)

This notice affects Electronic Navigational Chart: CA176140,
CA476664

05-MAR-2010

Amend FG (Occas) FogSig to read Iso G FogSig against
light
(See Chart No 1 P10.3)

LNМ/D. 01-MAY-2009

44°09'32.0"N 064°28'51.0"W

(F2010004) LL(417.5) DFO(6304737-01)

This notice affects Electronic Navigational Chart:
CA476664

01-MAY-2009

Amend FR to read Fl against light
(See Chart No 1 P16)

LNМ/D. 22-AUG-2008

44°16'01.2"N 064°21'50.2"W

(F2009004) LL(428) DFO(6304319-01)

This notice affects Electronic Navigational Chart:
CA476664

22-AUG-2008

LNМ/D. 21-DEC-2007



Chart no. 4384

Add black, red and black isolated danger lighted spar
buoy Fl (2) 5s, marked EF
(See Chart No 1 Q130.4) 44°19'56.5"N 064°13'22.6"W
(F2008029) LL(435.5) DFO(6303914-01)

21-DEC-2007 LNM/D. 21-SEP-2007
Add light FlG against green port hand spar buoy, marked
TU53 44°09'36.8"N 064°28'40.3"W
(See Chart No 1, Qg) (F2007094) LL(417.81) DFO(6303692-01)

21-DEC-2007 LNM/D. 21-SEP-2007
Add red starboard hand lighted spar buoy FlR, marked
TU54 44°09'37.7"N 064°28'48.2"W
(See Chart No 1, Qf) (F2007097) LL(419) DFO(6303705-01)

21-SEP-2007 LNM/D. 27-OCT-2006
Delete green port hand lighted pillar bell buoy FlG, BELL,
marked TU51 44°09'36.3"N 064°28'12.8"W
(F2007076) LL(417.8) DFO(6303623-01)

21-SEP-2007 LNM/D. 27-OCT-2006
Add red and white fairway lighted pillar buoy Mo(A),
marked TU 44°09'36.3"N 064°28'17.8"W
(F2007077) LL(418) DFO(6303623-02)

27-OCT-2006 LNM/D. 24-MAR-2006
Reposition green port hand spar buoy, marked TU53 from 44°09'35.3"N 064°28'44.8"W
to 44°09'36.8"N 064°28'40.3"W
(F2006132) LL(5417.81) DFO(6303095-01)

24-MAR-2006 LNM/D. 05-MAR-2004
Add non-dangerous wreck 44°09'10.0"N 064°19'36.0"W
DFO(6302754-01)

05-MAR-2004 LNM/D. 09-JAN-2004



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4384

Add dangerous wreck, depth unknown 44°14'36.0"N 064°19'48.0"W

DFO(6301065-01)

09-JAN-2004

Delete legend "FogSig (2) 60s"

44°18'43.7"N 064°10'06.4"W

(F2003058) LL(443) DFO(6301102-01)