



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4386

4386 - Head Harbour - New Edition - 16-JUL-2004 - NAD 1983

20-MAR-2020

LNМ/D. 10-JAN-2020

Delete depth of 0.6 metres 44°39'34.8"N 063°54'59.5"W
(See Chart No. 1, I10)

DFO(6308928-01)

20-MAR-2020

LNМ/D. 10-JAN-2020

Add depth of 0.1 metres 44°39'34.2"N 063°54'58.8"W
(See Chart No. 1, I10)

DFO(6308928-02)

20-MAR-2020

LNМ/D. 10-JAN-2020

Delete depth of 0.6 metres 44°39'31.2"N 063°54'52.8"W
(See Chart No. 1, I10)

DFO(6308928-03)

20-MAR-2020

LNМ/D. 10-JAN-2020

Add drying height of 0.2 metres 44°39'31.2"N 063°54'52.8"W
(See Chart No. 1, I15)

DFO(6308928-04)

30-MAR-2018

LNМ/D. 30-JUN-2017

Add depth of 2 metres, 9 decimetres
(See Chart No. 1, I10)

44°39'16.9"N 063°57'16.7"W

This notice affects Electronic Navigational Chart: CA476196

DFO(6307923-01)

30-MAR-2018

LNМ/D. 30-JUN-2017

Add depth of 4 metres, 3 decimetres
(See Chart No. 1, I10)

44°38'00.3"N 063°55'09.6"W

This notice affects Electronic Navigational Chart: CA476196

DFO(6307923-02)

30-MAR-2018

LNМ/D. 30-JUN-2017

Replace depth of 6 metres, 4 decimetres with depth of 4 metres, 8
decimetres

44°39'18.7"N 063°56'35.1"W

(See Chart No. 1, I10)

DFO(6307923-03)

This notice affects Electronic Navigational Chart: CA476196



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4386

30-MAR-2018

LNМ/D. 30-JUN-2017

Add depth of 4 metres, 2 decimetres
(See Chart No. 1, I10)

44°39'42.1"N 063°54'36.6"W

This notice affects Electronic Navigational Chart: CA476195,
CA476196

DFO(6307923-04)

30-MAR-2018

LNМ/D. 30-JUN-2017

Add marine farm limits

joining 44°37'48.3"N 063°55'20.4"W

(See Chart No. 1, K48.1)

44°37'54.1"N 063°55'21.4"W

This notice affects Electronic Navigational Chart:

44°37'56.8"N 063°55'23.4"W

CA476196

44°37'55.2"N 063°55'32.4"W

44°37'50.4"N 063°55'31.9"W

44°37'47.5"N 063°55'28.3"W

and 44°37'48.2"N 063°55'20.7"W

DFO(6308222-01)

12-AUG-2016

LNМ/D. 05-AUG-2016

Delete private red starboard hand conical buoy

44°40'00.4"N 063°54'27.6"W

(See Chart No. 1, Qf)

This notice affects Electronic Navigational Chart: CA476196

DFO(6307644-05)

4386 - Hubbards Cove - New Edition - 16-JUL-2004 - NAD 1983

27-MAY-2022

LNМ/D. 25-FEB-2022

Add rock awash at chart datum with legend Rep (2022)

44°38'07.7"N 064°03'51.3"W

(See Chart No. 1, K12, I3)

This notice affects Electronic Navigational Chart: CA476195

DFO(6310057-01)

27-MAY-2022

LNМ/D. 25-FEB-2022

Add breakwater with legend Bkw

between 44°38'10.9"N 064°03'43.6"W

(See Chart No. 1, F4.1)

and 44°38'10.2"N 064°03'41.6"W

This notice affects Electronic Navigational Chart:
CA476195

DFO(6310057-02)

27-MAY-2022

LNМ/D. 25-FEB-2022



Chart no. 4386

Add pier

(See Chart No. 1, F14)

This notice affects Electronic Navigational Chart:
CA476195

joining 44°38'07.1"N 064°03'53.0"W
44°38'07.1"N 064°03'52.9"W
44°38'06.8"N 064°03'51.1"W
44°38'07.3"N 064°03'51.0"W
and 44°38'07.6"N 064°03'53.0"W

DFO(6310057-03)

10-MAR-2017

Replace red starboard hand spar buoy, marked DY54
with red starboard hand spar light buoy FIR,
marked DY54

(See Chart No. 1, Qf)

This notice affects Electronic Navigational
Chart: CA476197

LNМ/D. 07-OCT-2016

44°37'24.4"N 064°02'43.7"W

(F2016057) LL(479.01) DFO(6307760-01)

07-OCT-2016

Add red starboard hand lighted spar buoy FIR, marked
DY52

(See Chart No. 1, Qf)

This notice affects Electronic Navigational Chart:
CA476197

LNМ/D. 12-AUG-2016

44°37'01.7"N 064°02'21.8"W

(F2016047) LL(479) DFO(6307690-03)

05-MAR-2010

Amend FR to read FIG against light
(See Chart 1 P16)

This notice affects Electronic Navigational Chart:
CA476197

LNМ/D. 06-NOV-2009

44°37'16.1"N 064°03'14.6"W

(F2009079) LL(478) DFO(6304720-01)

4386 - St. Margaret's Bay - New Edition - 16-JUL-2004 - NAD 1983

26-AUG-2022

Delete legend BELL against red starboard hand lighted
pillar buoy FIR, marked AT50

(See Chart No. 1, Qc)

This notice affects Electronic Navigational Chart:
CA476195

LNМ/D. 27-MAY-2022

44°28'03.3"N 063°50'10.7"W

(F2022010) LL(491) DFO(6310222-01)

27-MAY-2022

LNМ/D. 25-FEB-2022



Chart no. 4386

Add rock awash at chart datum with legend Rep (2022) 44°38'07.7"N 064°03'51.3"W
(See Chart No. 1, K12, I3)
This notice affects Electronic Navigational Chart: CA476195 DFO(6310057-01)

25-FEB-2022 LNM/D. 01-JAN-2021
Add private yellow ODAS/SADO lighted conical buoy Fl Y 2.5s, Priv 44°36'25.9"N 063°59'16.1"W
(See Chart No. 1, Q58)
This notice affects Electronic Navigational Chart: CA276801, DFO(6309993-01)
CA476195

25-FEB-2022 LNM/D. 01-JAN-2021
Amend Fl to read Q against light 44°36'51.3"N 064°03'26.1"W
(See Chart No. 1, P16)
This notice affects Electronic Navigational Chart: (F2021087) LL(478.2) DFO(6309997-01)
CA476195

01-JAN-2021 LNM/D. 29-MAY-2020
Amend LFl 15s19m13M to read LFl 6s19m13M 44°26'19.7"N 063°46'00.2"W
(See Chart No. 1, P16)
This notice affects Electronic Navigational Chart: (F2020049) LL(495) DFO(6309314-01)
CA276801, CA476195

29-MAY-2020 LNM/D. 20-MAR-2020
Amend FI G 15m5M to read FI(2+1) G 6s15m4M against 44°29'24.3"N 063°51'40.7"W
light
(See Chart No. 1, P16) (F2020011) LL(488) DFO(6308964-01)
This notice affects Electronic Navigational Chart:
CA476195

10-JAN-2020 LNM/D. 04-MAY-2018
Affix patch 44°28'00.0"N 063°47'00.0"W
[PDF](#)
This notice affects Electronic Navigational Chart: CA476195 DFO(6308836-01)

04-MAY-2018 LNM/D. 30-MAR-2018
Replace ON CERTAIN COPIES 44°26'22.1"N 063°45'48.0"W
depth of 11 metres, 3 decimetres with 1 metre, 2 decimetres
(See Chart No. 1, I10) DFO(6307885-01)
This notice affects Electronic Navigational Chart: CA476195



Chart no. 4386

04-MAY-2018

LN/D. 30-MAR-2018

Add ON CERTAIN COPIES

44°26'11.4"N 063°45'56.5"W

depth of 4 metres, 9 decimetres

(See Chart No. 1, I10)

DFO(6307885-02)

This notice affects Electronic Navigational Chart: CA476195

04-MAY-2018

LN/D. 30-MAR-2018

Add ON CERTAIN COPIES

44°26'18.8"N 063°46'19.3"W

depth of 0 metres, 7 decimetres

(See Chart No. 1, I10)

DFO(6307885-03)

This notice affects Electronic Navigational Chart: CA476195

04-MAY-2018

LN/D. 30-MAR-2018

Add ON CERTAIN COPIES

44°26'29.3"N 063°46'32.7"W

depth of 8 metres, 3 decimetres

(See Chart No. 1, I10)

DFO(6307885-04)

This notice affects Electronic Navigational Chart: CA476195

04-MAY-2018

LN/D. 30-MAR-2018

Add ON CERTAIN COPIES

44°26'49.3"N 063°46'54.9"W

rock which covers and uncovers with drying height of 0 metres, 4
decimetres

(See Chart No. 1, I10, K11)

DFO(6307885-05)

This notice affects Electronic Navigational Chart: CA476195

04-MAY-2018

LN/D. 30-MAR-2018

Add ON CERTAIN COPIES

44°26'50.5"N 063°47'07.4"W

depth of 2 metres, 1 decimetre

(See Chart No. 1, I10)

DFO(6307885-06)

This notice affects Electronic Navigational Chart: CA476195

04-MAY-2018

LN/D. 30-MAR-2018

Add ON CERTAIN COPIES

44°29'33.5"N 063°46'14.7"W

depth of 3 metres

(See Chart No. 1, I10)

DFO(6307885-07)

This notice affects Electronic Navigational Chart: CA476195

04-MAY-2018

LN/D. 30-MAR-2018



Chart no. 4386

Add ON CERTAIN COPIES

depth of 2 metres, 4 decimetres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA476195

44°31'27.9"N 063°47'32.6"W

DFO(6307885-08)

04-MAY-2018

Replace ON CERTAIN COPIES

depth of 5 metres, 2 decimetres with depth of 1 metre, 8
decimetres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA476195

LNМ/D. 30-MAR-2018

44°32'02.5"N 063°47'36.4"W

DFO(6307885-09)

04-MAY-2018

Replace ON CERTAIN COPIES

depth of 7 metres, 6 decimetres with depth of 3 metres, 3
decimetres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA476195

LNМ/D. 30-MAR-2018

44°31'49.5"N 063°47'53.6"W

DFO(6307885-10)

04-MAY-2018

Replace ON CERTAIN COPIES

depth of 6 metres, 1 decimetre with rock which covers and
uncovers with drying height of 0 metres, 4 decimetres

(See Chart No. 1, I10, K11)

This notice affects Electronic Navigational Chart: CA476195

LNМ/D. 30-MAR-2018

44°31'35.7"N 063°48'11.0"W

DFO(6307885-11)

04-MAY-2018

Add ON CERTAIN COPIES

depth of 2 metres, 9 decimetres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA476195

LNМ/D. 30-MAR-2018

44°31'13.4"N 063°49'48.2"W

DFO(6307885-12)

04-MAY-2018

Add ON CERTAIN COPIES

depth of 2 metres, 2 decimetres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA476195

LNМ/D. 30-MAR-2018

44°31'17.2"N 063°50'02.6"W

DFO(6307885-13)

04-MAY-2018

LNМ/D. 30-MAR-2018



Chart no. 4386

Replace ON CERTAIN COPIES
depth of 15 metres, 5 decimetres with depth of 6 metres, 3
decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA476195

44°30'07.7"N 063°50'08.9"W
DFO(6307885-14)

04-MAY-2018 LNM/D. 30-MAR-2018
Replace ON CERTAIN COPIES
depth of 11 metres with depth of 6 metres, 3 decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA476195

44°29'22.0"N 063°50'23.8"W
DFO(6307885-15)

04-MAY-2018 LNM/D. 30-MAR-2018
Add ON CERTAIN COPIES
depth of 4 metres, 3 decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA476195

44°29'06.3"N 063°50'48.6"W
DFO(6307885-16)

04-MAY-2018 LNM/D. 30-MAR-2018
Add ON CERTAIN COPIES
depth of 3 metres, 2 decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA476195

44°29'11.7"N 063°51'00.7"W
DFO(6307885-17)

04-MAY-2018 LNM/D. 30-MAR-2018
Replace ON CERTAIN COPIES
depth of 6 metres, 1 decimetre with rock which covers and
uncovers with drying height of 1 metre, 1 decimetre
(See Chart No. 1, I10, K11)
This notice affects Electronic Navigational Chart: CA476195

44°29'37.1"N 063°52'06.0"W
DFO(6307885-18)

04-MAY-2018 LNM/D. 30-MAR-2018
Delete ON CERTAIN COPIES
depth of 5 metres, 2 decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA476195

44°30'09.0"N 063°52'42.7"W
DFO(6307885-19)

04-MAY-2018 LNM/D. 30-MAR-2018



Chart no. 4386

Add ON CERTAIN COPIES 44°30'08.0"N 063°52'44.6"W
depth of 0 metre, 3 decimetres
(See Chart No. 1, I10) *DFO(6307885-20)*
This notice affects Electronic Navigational Chart: CA476195

04-MAY-2018 LNM/D. 30-MAR-2018
Add ON CERTAIN COPIES 44°29'46.8"N 063°51'57.5"W
depth of 1 metre, 7 decimetres
(See Chart No. 1, I10) *DFO(6307885-21)*
This notice affects Electronic Navigational Chart: CA476195

04-MAY-2018 LNM/D. 30-MAR-2018
Add ON CERTAIN COPIES 44°29'22.1"N 063°55'13.9"W
depth of 4 metres, 8 decimetres
(See Chart No. 1, I10) *DFO(6307885-22)*
This notice affects Electronic Navigational Chart: CA476195

04-MAY-2018 LNM/D. 30-MAR-2018
Add ON CERTAIN COPIES 44°29'36.4"N 063°55'19.5"W
depth of 4 metres, 7 decimetres
(See Chart No. 1, I10) *DFO(6307885-23)*
This notice affects Electronic Navigational Chart: CA476195

04-MAY-2018 LNM/D. 30-MAR-2018
Replace ON CERTAIN COPIES 44°30'46.7"N 063°57'09.2"W
depth of 7 metres, 3 decimetres with depth of 3 metres, 1
decimetre *DFO(6307885-24)*
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA476195

04-MAY-2018 LNM/D. 30-MAR-2018
Add ON CERTAIN COPIES 44°30'56.3"N 063°56'19.1"W
depth of 3 metres, 8 decimetres
(See Chart No. 1, I10) *DFO(6307885-25)*
This notice affects Electronic Navigational Chart: CA476195

04-MAY-2018 LNM/D. 30-MAR-2018



Chart no. 4386

Add ON CERTAIN COPIES 44°30'15.2"N 063°56'11.5"W
depth of 4 metres, 4 decimetres
(See Chart No. 1, I10) *DFO(6307885-26)*
This notice affects Electronic Navigational Chart: CA476195

04-MAY-2018 LNM/D. 30-MAR-2018
Add ON CERTAIN COPIES 44°31'19.8"N 063°56'39.9"W
depth of 4 metres
(See Chart No. 1, I10) *DFO(6307885-27)*
This notice affects Electronic Navigational Chart: CA476195

04-MAY-2018 LNM/D. 30-MAR-2018
Replace ON CERTAIN COPIES 44°32'15.3"N 063°57'07.1"W
depth of 5 metres, 2 decimetres with depth of 1 metre, 8
decimetres *DFO(6307885-28)*
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA476195

04-MAY-2018 LNM/D. 30-MAR-2018
Replace ON CERTAIN COPIES 44°30'09.9"N 063°52'33.6"W
depth of 6 metres, 7 decimetres with depth of 1 metre, 9
decimetres *DFO(6307885-29)*
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA476195

04-MAY-2018 LNM/D. 30-MAR-2018
Add ON CERTAIN COPIES 44°29'09.0"N 063°51'06.8"W
depth of 1 metre, 1 decimetre
(See Chart No. 1, I10) *DFO(6307885-30)*
This notice affects Electronic Navigational Chart: CA476195

04-MAY-2018 LNM/D. 30-MAR-2018
Replace ON CERTAIN COPIES 44°29'40.3"N 063°55'15.4"W
depth of 6 metres, 4 decimetres with depth of 2 metres, 6
decimetres *DFO(6307885-31)*
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA476195

04-MAY-2018 LNM/D. 30-MAR-2018



Chart no. 4386

Delete ON CERTAIN COPIES
depth of 14 metres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA476195

44°39'41.0"N 063°54'39.6"W

DFO(6307885-32)

04-MAY-2018

LNM/D. 30-MAR-2018

Add ON CERTAIN COPIES
depth of 4 metres, 2 decimetres
(See Chart No. 1, I10)

44°39'42.1"N 063°54'36.6"W

DFO(6307885-33)

04-MAY-2018

LNM/D. 30-MAR-2018

Replace ON CERTAIN COPIES
depth of 7 metres, 3 decimetres with depth of 4 metres, 2
decimetres
(See Chart No. 1, I10)

44°29'58.3"N 063°52'05.2"W

DFO(6307885-34)

This notice affects Electronic Navigational Chart: CA476195

04-MAY-2018

LNM/D. 30-MAR-2018

Delete ON CERTAIN COPIES
depth of 8 metres, 8 decimetres
(See Chart No. 1, I10)

44°30'37.8"N 063°49'41.3"W

DFO(6307885-35)

This notice affects Electronic Navigational Chart: CA476195

04-MAY-2018

LNM/D. 30-MAR-2018

Add ON CERTAIN COPIES
depth of 4 metres, 4 decimetres
(See Chart No. 1, I10)

44°30'35.3"N 063°49'41.8"W

DFO(6307885-36)

This notice affects Electronic Navigational Chart: CA476195

04-MAY-2018

LNM/D. 30-MAR-2018

Replace ON CERTAIN COPIES
depth of 9 metres, 4 decimetres with depth of 4 metres, 4
decimetres
(See Chart No. 1, I10)

44°29'19.8"N 063°51'22.0"W

DFO(6307885-37)

This notice affects Electronic Navigational Chart: CA476195

04-MAY-2018

LNM/D. 30-MAR-2018



Chart no. 4386

- Delete ON CERTAIN COPIES 44°31'14.8"N 063°49'52.3"W
depth of 8 metres, 2 decimetres
(See Chart No. 1, I10) *DFO(6307885-38)*
This notice affects Electronic Navigational Chart: CA476195
- 04-MAY-2018** LNM/D. 30-MAR-2018
Delete ON CERTAIN COPIES 44°30'15.2"N 063°56'06.2"W
depth of 7 metres, 9 decimetres
(See Chart No. 1, I10) *DFO(6307885-39)*
This notice affects Electronic Navigational Chart: CA476195
- 04-MAY-2018** LNM/D. 30-MAR-2018
Add ON CERTAIN COPIES 44°27'41.5"N 063°45'48.4"W
depth of 7 metres, 9 decimetres
(See Chart No. 1, I10) *DFO(6307885-40)*
This notice affects Electronic Navigational Chart: CA476195
- 04-MAY-2018** LNM/D. 30-MAR-2018
Replace ON CERTAIN COPIES 44°28'49.4"N 063°46'24.8"W
depth of 11 metres, 9 decimetres with depth of 3 metres, 4
decimetres *DFO(6307885-41)*
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA476195
- 30-MAR-2018** LNM/D. 30-JUN-2017
Add depth of 4 metres, 2 decimetres 44°39'42.1"N 063°54'36.6"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA476195, *DFO(6307923-04)*
CA476196
- 30-JUN-2017** LNM/D. 10-MAR-2017
Add light Fl G 44°34'54.4"N 064°03'15.1"W
(See Chart No. 1, P1)
This notice affects Electronic Navigational Chart: *(F2017007) LL(478.4) DFO(6307924-01)*
CA476195
- 10-MAR-2017** LNM/D. 07-OCT-2016



Chart no. 4386

Replace red starboard hand spar buoy, marked DY54
with red starboard hand spar light buoy FIR,
marked DY54
(See Chart No. 1, Qf)
This notice affects Electronic Navigational
Chart: CA476197

44°37'24.4"N 064°02'43.7"W
(F2016057) LL(479.01) DFO(6307760-01)

10-MAR-2017

Add light Fl
(See Chart No. 1, P1)
This notice affects Electronic Navigational Chart:
CA476195

LNLM/D. 07-OCT-2016
44°36'51.4"N 064°03'26.0"W
(F2016059) LL(478.2) DFO(6307760-02)

07-OCT-2016

Replace red starboard hand lighted pillar bell buoy FIR,
marked DY52 with red starboard hand lighted spar
buoy FIR, marked DY52
This notice affects Electronic Navigational Chart:
CA476195

LNLM/D. 12-AUG-2016
44°36'43.3"N 064°02'35.7"W
(F2016047) LL(479) DFO(6307690-01)

07-OCT-2016

Reposition red starboard hand lighted spar buoy FIR,
marked DY52
(See Chart No. 1, Qf)
This notice affects Electronic Navigational
Chart: CA476195

LNLM/D. 12-AUG-2016
from 44°36'43.3"N 064°02'35.7"W
to 44°37'01.7"N 064°02'21.8"W
(F2016047) LL(479) DFO(6307690-02)

12-AUG-2016

Delete private green port hand can buoy
(See Chart No. 1, Qg)
This notice affects Electronic Navigational Chart: CA476195

LNLM/D. 05-AUG-2016
44°40'27.2"N 063°54'03.7"W
DFO(6307644-01)

12-AUG-2016

Delete private red starboard hand conical buoy
(See Chart No. 1, Qf)
This notice affects Electronic Navigational Chart: CA476195

LNLM/D. 05-AUG-2016
44°40'45.3"N 063°54'01.7"W
DFO(6307644-02)

12-AUG-2016

LNLM/D. 05-AUG-2016



Chart no. 4386

- Delete private red starboard hand conical buoy 44°40'33.3"N 063°54'29.6"W
(See Chart No. 1, Qf)
This notice affects Electronic Navigational Chart: CA476195 *DFO(6307644-03)*
- 12-AUG-2016** LNM/D. 05-AUG-2016
Delete private red starboard hand conical buoy 44°40'30.2"N 063°54'57.6"W
(See Chart No. 1, Qf)
This notice affects Electronic Navigational Chart: CA476195 *DFO(6307644-04)*
- 12-AUG-2016** LNM/D. 05-AUG-2016
Delete private red starboard hand conical buoy 44°40'00.4"N 063°54'28.0"W
(See Chart No. 1, Qf)
This notice affects Electronic Navigational Chart: CA476196 *DFO(6307644-05)*
- 05-AUG-2016** LNM/D. 29-MAY-2015
Delete legend FogSig against light 44°26'19.7"N 063°46'00.4"W
(See Chart No 1 R20)
This notice affects Electronic Navigational Chart: *(F2016032) LL(495) DFO(6307615-01)*
CA276801, CA476195
- 29-MAY-2015** LNM/D. 30-NOV-2012
Add wreck WK with known depth of 44 metres 44°26'43.9"N 063°57'24.2"W
(See Chart No. 1, K26)
This notice affects Electronic Navigational Chart: CA276801, *DFO(6307123-01)*
CA476195
- 30-NOV-2012** LNM/D. 16-NOV-2012
Reposition red starboard hand lighted spar buoy Fl R, from 44°32'00.6"N 064°01'12.0"W
marked DP54 to 44°32'01.0"N 064°01'20.0"W
(See Chart No. 1, Qf) *(F2012052) LL(477.4) DFO(6306269-01)*
- This notice affects Electronic Navigational
Chart: CA476195
- 16-NOV-2012** LNM/D. 21-SEP-2012



Chart no. 4386

Delete red starboard hand lighted pillar buoy FIR, marked
DP54
(See Chart No. 1, Qf)

44°32'02.3"N 064°01'16.7"W

(F2012049) LL(477.4) DFO(6306174-01)

This notice affects Electronic Navigational Chart:
CA476195

16-NOV-2012

LNМ/D. 21-SEP-2012

Add red starboard hand lighted spar buoy FIR, marked
DP54
(See Chart No. 1, Qf)

44°32'00.6"N 064°01'12.0"W

(F3012049) LL(477.4) DFO(6306174-02)

This notice affects Electronic Navigational Chart:
CA476195

21-SEP-2012

LNМ/D. 03-JUN-2011

Delete marine farm
(See Chart No. 1, K48.2)

44°30'04.8"N 064°03'10.8"W

DFO(6306164-01)

This notice affects Electronic Navigational Chart: CA476195

21-SEP-2012

LNМ/D. 03-JUN-2011

Add marine farm
(See Chart No. 1, K48.2)

44°30'18.9"N 064°02'54.8"W

DFO(6306164-02)

This notice affects Electronic Navigational Chart: CA476195

21-SEP-2012

LNМ/D. 03-JUN-2011

Delete reported anchorage
(See Chart No. 1, N10)

44°30'15.0"N 064°02'58.3"W

DFO(6306164-04)

This notice affects Electronic Navigational Chart: CA476195

03-JUN-2011

LNМ/D. 05-MAR-2010



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4386

Delete light FLR
(See Chart No. 1, P1)

44°28'24.0"N 064°05'33.0"W

(F2011077) LL(467) DFO(6305332-01)

This notice affects Electronic Navigational Chart:
CA476195

03-JUN-2011

Delete breakwater
(See Chart No. 1, F4.1)

LNМ/D. 05-MAR-2010

between 44°28'22.6"N 064°05'30.5"W
and 44°28'24.3"N 064°05'33.4"W

DFO(6305332-02)

This notice affects Electronic Navigational Chart:
CA476195

03-JUN-2011

Add breakwater
(See Chart No. 1, F4.1)

LNМ/D. 05-MAR-2010

between 44°28'21.7"N 064°05'30.9"W
and 44°28'21.7"N 064°05'33.0"W

DFO(6305332-03)

This notice affects Electronic Navigational Chart:
CA476195

03-JUN-2011

Add light FLR
(See Chart No. 1, P1)

LNМ/D. 05-MAR-2010

44°28'21.7"N 064°05'33.0"W

(F2011077) LL(467.00) DFO(6305332-04)

This notice affects Electronic Navigational Chart:
CA476195

05-MAR-2010

Amend FR to read FlG against light
(See Chart 1 P16)

LNМ/D. 06-NOV-2009

44°37'16.1"N 064°03'14.6"W

(F2009079) LL(478) DFO(6304720-01)

This notice affects Electronic Navigational Chart:
CA476197

06-NOV-2009

LNМ/D. 09-OCT-2009



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4386

Add red starboard hand conical buoy, marked AS60 44°31'29.8"N 063°48'01.9"W
(See Chart No 1 Qf)

(F2009065) DFO(6304601-01)

09-OCT-2009

LNLM/D. 25-SEP-2009

Amend FR to read LFl R against light
(See Chart No 1 P16)

44°32'01.3"N 064°01'25.7"W

(F2009048) LL(481) DFO(6304562-01)

This notice affects Electronic Navigational Chart:
CA476195

25-SEP-2009

LNLM/D. 18-SEP-2009

Amend FG to read FlG against light
(see Chart No 1 P16)

44°28'07.9"N 063°47'03.3"W

(F2009052) LL(492) DFO(6304559-01)

This notice affects Electronic Navigational Chart:
CA476195

18-SEP-2009

LNLM/D. 24-APR-2009

Amend FG to read LFl G against light
(See Chart No 1 P16)

44°29'34.4"N 063°52'07.7"W

(F2009049) LL(487.5) DFO(6304556-01)

This notice affects Electronic Navigational Chart:
CA476195

18-SEP-2009

LNLM/D. 24-APR-2009

Amend FG to read FlG against light
(See Chart No 1 P16)

44°29'36.4"N 063°54'59.6"W

(F2009050) LL(486) DFO(6304557-01)

This notice affects Electronic Navigational Chart:
CA476195

18-SEP-2009

LNLM/D. 24-APR-2009



Chart no. 4386

Amend FR to read LFl R against light
(See Chart No 1 P16)

44°29'44.5"N 063°50'41.8"W

(F2009051) LL(489) DFO(6304558-01)

This notice affects Electronic Navigational Chart:
CA476195

24-APR-2009

LNm/D. 27-MAR-2009

Delete light FR
(See Chart No 1 P1)

44°30'53.4"N 063°56'13.1"W

(F2009003) LL(483) DFO(6304318-01)

This notice affects Electronic Navigational Chart:
CA476195

27-MAR-2009

LNm/D. 31-OCT-2008

Replace red starboard hand conical light buoy FlR, marked AM64
with red starboard hand spar light buoy FlR, marked AM64
(See Chart No 1 Qf)

44°28'03.3"N 063°46'49.8"W

LL(494.01) DFO(6304267-01)

This notice affects Electronic Navigational Chart: CA476195

31-OCT-2008

LNm/D. 13-JUN-2008

Amend FG 22m to read FlR 5s 22m against light
(See Chart No 1 P 16)

44°29'30.4"N 063°55'07.2"W

(F2008110) LL(487) DFO(6304027-01)

This notice affects Electronic Navigational Chart:
CA476195

13-JUN-2008

LNm/D. 28-DEC-2007

Add light FlR against red starboard hand conical buoy,
marked AM64
(See Chart No 1 Qf)

44°28'03.3"N 063°46'49.8"W

(F2004177) LL(494.01) DFO(6303852-01)

28-DEC-2007

LNm/D. 01-DEC-2006

Amend FR to read FlR against light
(See Chart No 1 P16)

44°28'24.0"N 064°05'33.0"W

(F2007095) LL(467) DFO(6303693-01)



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4386

01-DEC-2006

LNM/D. 26-MAY-2006

Delete light F

44°26'22.4"N 064°05'28.7"W

(F2006119) LL(465) DFO(6303079-01)

26-MAY-2006

LNM/D. 12-AUG-2005

Delete depth of 9 metres 4 decimetres 44°31'14.7"N 063°49'41.9"W

DFO(6302846-01)

26-MAY-2006

LNM/D. 12-AUG-2005

Add rock which covers and uncovers with a drying height of 1 metre 1 decimetre Rep 44°31'15.3"N 063°49'38.5"W

DFO(6302846-02)

12-AUG-2005

Delete light F

44°28'02.0"N 063°46'54.0"W

(F2005049) LL(493) DFO(6302386-01)