



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4396

4396 - Annapolis Basin - New Edition - 16-JUL-2004 - NAD 1983

09-JUL-2021

Add depth of 5.7 metres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA476006,
CA576008

LNМ/D. 09-JUN-2017

44°38'02.8"N 065°45'02.3"W

DFO(6309423-04)

09-JUL-2021

Add depth of 5.9 metres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA476006,
CA576008

LNМ/D. 09-JUN-2017

44°37'49.1"N 065°45'03.2"W

DFO(6309423-16)

09-JUN-2017

Add marine farm

(See Chart No. 1, K48.2)

This notice affects Electronic Navigational Chart: CA476006

LNМ/D. 27-MAY-2016

44°38'44.6"N 065°43'10.9"W

DFO(6307872-01)

09-JUN-2017

Delete light F G

(See Chart No. 1, P1)

This notice affects Electronic Navigational Chart:
CA276206, CA476006

LNМ/D. 27-MAY-2016

44°39'55.7"N 065°49'56.9"W

(F2017006) LL(212) DFO(6307890-01)

27-NOV-2015

Delete green port hand lighted spar buoy FlG, marked
VE1

(See Chart No. 1, Qg)

This notice affects Electronic Navigational Chart:
CA476006

LNМ/D. 13-NOV-2015

44°40'05.4"N 065°41'26.8"W

(F2015027) LL(209.1) DFO(6307277-01)

27-NOV-2015

Add green port hand lighted spar buoy FlG, marked VE1
(See Chart No. 1, Qg)

This notice affects Electronic Navigational Chart:
CA476006

LNМ/D. 13-NOV-2015

44°39'36.0"N 065°42'05.4"W

(F2015027) LL(209.1) DFO(6307277-02)

13-NOV-2015

LNМ/D. 22-MAY-2015



Chart no. 4396

- Delete red starboard hand conical buoy, marked VE2 44°40'32.4"N 065°38'57.8"W
(See Chart No. 1, Qf)
This notice affects Electronic Navigational Chart: CA476006 (*F2015026*) *DFO(6307261-01)*
- 13-NOV-2015** LNM/D. 22-MAY-2015
Add red starboard hand spar buoy, marked VE2 44°40'01.2"N 065°40'13.2"W
(See Chart No. 1, Qf)
This notice affects Electronic Navigational Chart: CA476006 (*F2015026*) *DFO(6307261-02)*
- 22-MAY-2015** LNM/D. 08-MAY-2015
Delete depth of 2.9 metres 44°37'30.0"N 065°45'02.5"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA476006 *DFO(6307119-02)*
- 22-MAY-2015** LNM/D. 08-MAY-2015
Add depth of 3.8 metres 44°37'28.8"N 065°45'02.3"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA476006 *DFO(6307119-04)*
- 08-MAY-2015** LNM/D. 24-APR-2015
Add light FLG 44°40'29.3"N 065°45'12.4"W
(See Chart No. 1, P1)
This notice affects Electronic Navigational Chart: (*F2015007*) *LL(203.5)* *DFO(6307088-01)*
CA476006
- 24-APR-2015** LNM/D. 27-MAR-2015
Delete legend FogSig30s against light 44°41'28.0"N 065°47'10.8"W
(See Chart No. 1, R1, R20)
This notice affects Electronic Navigational Chart: (*F2015009*) *LL(201)* *DFO(6307090-01)*
CA276206, CA476006
- 27-MAR-2015** LNM/D. 06-MAR-2015
Delete light OcG10s16m8M 44°40'33.6"N 065°45'12.5"W
(See Chart No. 1, P1)
This notice affects Electronic Navigational Chart: (*F2015003*) *LL(203)* *DFO(6307062-01)*
CA476006
- 06-MAR-2015** LNM/D. 27-FEB-2015



Chart no. 4396

Delete drying height of 2 metres, 3 decimetres
(See Chart No. 1, I15) 44°37'35.6"N 065°45'07.0"W
This notice affects Electronic Navigational Chart: CA476006, DFO(6307051-03)
CA576008

06-MAR-2015

Add breakwater, Bkw LNM/D. 27-FEB-2015
(See Chart No. 1, F4.1) joining 44°37'36.9"N 065°45'13.9"W
This notice affects Electronic Navigational Chart: 44°37'35.7"N 065°45'05.2"W
CA476006, CA576008 and 44°37'33.0"N 065°45'02.1"W
DFO(6307051-04)

06-MAR-2015

Add light FLR LNM/D. 27-FEB-2015
(See Chart No. 1, P1) 44°37'33.0"N 065°45'02.1"W
This notice affects Electronic Navigational Chart: (F2015001) LL(206.2) DFO(6307051-05)
CA476006, CA576008

27-FEB-2015

Delete light FR LNM/D. 13-FEB-2015
(See Chart No. 1, P1) 44°40'33.9"N 065°42'41.1"W
This notice affects Electronic Navigational Chart: (F2014043) LL(209) DFO(6307042-01)
CA476006

13-FEB-2015

Delete green port hand can buoy, marked VE1 LNM/D. 16-JAN-2015
(See Chart No. 1, Qg) 44°40'05.4"N 065°41'26.8"W
This notice affects Electronic Navigational Chart: CA476006 (F2014042) DFO(6307017-01)

13-FEB-2015

Add green port hand lighted spar buoy FLG, marked VE1 LNM/D. 16-JAN-2015
(See Chart No. 1, Qg) 44°40'05.4"N 065°41'26.8"W
This notice affects Electronic Navigational Chart: (F2014042) LL(209.1) DFO(6307017-02)
CA476006

16-JAN-2015

LNM/D. 26-DEC-2014



Chart no. 4396

Delete red starboard hand lighted spar buoy F1R, marked V6

44°37'34.5"N 065°45'03.8"W

(See Chart No. 1, Qf)

(F2014041) LL(206) DFO(6307013-01)

This notice affects Electronic Navigational Chart:
CA476006, CA576008

26-DEC-2014

LNМ/D. 12-AUG-2011

Amend F to read LFIГ against light

44°41'17.1"N 065°45'34.6"W

(See Chart No. 1, P1)

This notice affects Electronic Navigational Chart: (F2014032) LL(202) DFO(6306964-01)

CA476006

26-DEC-2014

LNМ/D. 12-AUG-2011

Delete legend FogSig against light

44°41'17.1"N 065°45'34.6"W

(See Chart No. 1, R1)

(F2014032) LL(202) DFO(6306964-02)

12-AUG-2011

LNМ/D. 15-JAN-2010

Amend FR to read FR (Priv) against light

44°44'39.6"N 065°31'11.8"W

(See Chart No. 1, P16)

(F2011149) LL(211) DFO(6305649-01)

This notice affects Electronic Navigational Chart:
CA476006

15-JAN-2010

LNМ/D. 30-JUN-2006

Reposition red starboard hand lighted spar buoy F1R,
marked V6

from 44°37'35.7"N 065°45'03.2"W

(See Chart No 1 Qf)

to 44°37'34.6"N 065°45'03.8"W

(F2009071) LL(206) DFO(6304669-01)

This notice affects Electronic Navigational Chart:
CA476006, CA576008

30-JUN-2006

LNМ/D. 16-JUN-2006

Delete red starboard hand spar buoy, marked VC2 44°38'44.9"N 065°41'39.8"W

(F2006084) DFO(6302887-01)

30-JUN-2006

LNМ/D. 16-JUN-2006



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4396

Delete red starboard hand spar buoy, marked V4

44°37'46.4"N 065°45'05.3"W

(F2006085) DFO(6302888-01)

This notice affects Electronic Navigational Chart: CA576008

30-JUN-2006

LNМ/D. 16-JUN-2006

Delete green port hand spar buoy, marked VC1 44°39'14.4"N 065°41'00.3"W

(F2006086) DFO(6302889-01)

30-JUN-2006

LNМ/D. 16-JUN-2006

Add light 'FIG' against green port hand can buoy, marked
VE3

44°40'57.4"N 065°39'07.8"W

(F2006061) LL(209.3) DFO(6302891-01)

16-JUN-2006

LNМ/D. 22-OCT-2004

Reposition green port hand lighted pillar buoy FIG,
marked VE5

from 44°42'54.4"N 065°34'20.8"W
to 44°42'47.6"N 065°34'42.5"W

(F2006059) LL(210.3) DFO(6302859-01)

16-JUN-2006

LNМ/D. 22-OCT-2004

Reposition red starboard hand lighted spar buoy FIR,
marked V6

from 44°37'34.6"N 065°45'03.8"W
to 44°37'35.7"N 065°45'03.2"W

(F2006060) LL(206) DFO(6302860-01)

This notice affects Electronic Navigational Chart:
CA576008

22-OCT-2004

Delete red and white fairway pillar light buoy Mo(A), WHIS,
marked V

44°42'38.9"N 065°46'23.8"W

(F2004110) LL(200) DFO(6301914-01)

4396 - Digby - New Edition - 16-JUL-2004 - NAD 1983

09-JUL-2021

LNМ/D. 09-JUN-2017



Chart no. 4396

Add depth of 6.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576008	44°38'06.2"N 065°45'01.1"W <i>DFO(6309423-01)</i>
09-JUL-2021 Replace depth of 6.7 metres with depth of 6.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576008	LNM/D. 09-JUN-2017 44°38'04.1"N 065°44'59.1"W <i>DFO(6309423-02)</i>
09-JUL-2021 Delete depth of 6.7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576008	LNM/D. 09-JUN-2017 44°38'02.9"N 065°45'01.8"W <i>DFO(6309423-03)</i>
09-JUL-2021 Add depth of 5.7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA476006, CA576008	LNM/D. 09-JUN-2017 44°38'02.8"N 065°45'02.3"W <i>DFO(6309423-04)</i>
09-JUL-2021 Delete depth of 7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576008	LNM/D. 09-JUN-2017 44°38'03.1"N 065°44'57.3"W <i>DFO(6309423-05)</i>
09-JUL-2021 Add depth of 6.1 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576008	LNM/D. 09-JUN-2017 44°38'02.9"N 065°44'57.0"W <i>DFO(6309423-06)</i>
09-JUL-2021 Delete depth of 6.7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576008	LNM/D. 09-JUN-2017 44°37'56.1"N 065°45'03.2"W <i>DFO(6309423-07)</i>
09-JUL-2021 Add depth of 5.7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576008	LNM/D. 09-JUN-2017 44°37'56.0"N 065°45'03.6"W <i>DFO(6309423-08)</i>



Chart no. 4396

09-JUL-2021

LNМ/D. 09-JUN-2017

Delete depth of 7 metres

44°37'56.2"N 065°44'59.3"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA576008

DFO(6309423-09)

09-JUL-2021

LNМ/D. 09-JUN-2017

Add depth of 6.1 metres

44°37'55.9"N 065°44'59.2"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA576008

DFO(6309423-10)

09-JUL-2021

LNМ/D. 09-JUN-2017

Delete depth of 6.7 metres

44°37'55.1"N 065°45'03.8"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA576008

DFO(6309423-11)

09-JUL-2021

LNМ/D. 09-JUN-2017

Delete depth of 7 metres

44°37'52.1"N 065°45'03.4"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA576008

DFO(6309423-12)

09-JUL-2021

LNМ/D. 09-JUN-2017

Add depth of 6 metres

44°37'50.5"N 065°45'02.4"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA576008

DFO(6309423-13)

09-JUL-2021

LNМ/D. 09-JUN-2017

Delete depth of 7 metres

44°37'50.2"N 065°45'03.2"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA576008

DFO(6309423-14)

09-JUL-2021

LNМ/D. 09-JUN-2017

Delete depth of 7 metres

44°37'49.2"N 065°45'04.2"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA576008

DFO(6309423-15)

09-JUL-2021

LNМ/D. 09-JUN-2017



Chart no. 4396

Add depth of 5.9 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA476006,
CA576008

44°37'49.1"N 065°45'03.2"W
DFO(6309423-16)

09-JUL-2021 LNM/D. 09-JUN-2017
Delete depth of 6.7 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA576008

44°37'43.2"N 065°45'04.1"W
DFO(6309423-17)

09-JUL-2021 LNM/D. 09-JUN-2017
Add depth of 5.7 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA576008

44°37'43.0"N 065°45'03.1"W
DFO(6309423-18)

09-JUL-2021 LNM/D. 09-JUN-2017
Delete depth of 6.4 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA576008

44°37'42.3"N 065°45'03.2"W
DFO(6309423-19)

09-JUL-2021 LNM/D. 09-JUN-2017
Delete depth of 5.8 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA576008

44°37'40.3"N 065°44'58.4"W
DFO(6309423-20)

09-JUL-2021 LNM/D. 09-JUN-2017
Add depth of 4.8 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA576008

44°37'40.2"N 065°44'58.2"W
DFO(6309423-21)

09-JUL-2021 LNM/D. 09-JUN-2017
Replace depth of 0.1 metres with drying height of 2.4
metres
(See Chart No. 1, I10, I15)
This notice affects Electronic Navigational Chart: CA576008

44°37'32.3"N 065°45'02.1"W
DFO(6309423-22)

09-JUL-2021 LNM/D. 09-JUN-2017



Chart no. 4396

Add depth of 6 metres 44°37'51.2"N 065°45'03.9"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA576008 *DFO(6309423-23)*

27-MAY-2016 LNM/D. 01-JAN-2016
Add depth of 5 metres, 9 decimetres 44°38'04.7"N 065°45'02.6"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA576008 *DFO(6307533-01)*

27-MAY-2016 LNM/D. 01-JAN-2016
Replace depth of 6 metres, 7 decimetres with depth of 5 metres, 4 44°38'00.9"N 065°45'02.3"W
decimetres
(See Chart No. 1, I10) *DFO(6307533-02)*

This notice affects Electronic Navigational Chart: CA576008

27-MAY-2016 LNM/D. 01-JAN-2016
Add depth of 5 metres, 7 decimetres 44°37'58.3"N 065°45'02.5"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA576008 *DFO(6307533-03)*

27-MAY-2016 LNM/D. 01-JAN-2016
Delete depth of 6 metres, 4 decimetres 44°37'46.1"N 065°45'03.7"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA576008 *DFO(6307533-04)*

27-MAY-2016 LNM/D. 01-JAN-2016
Add depth of 5 metres, 4 decimetres 44°37'45.1"N 065°45'03.8"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA576008 *DFO(6307533-05)*

27-MAY-2016 LNM/D. 01-JAN-2016
Add depth of 5 metres, 9 decimetres 44°37'42.4"N 065°45'01.1"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA576008 *DFO(6307533-06)*

27-MAY-2016 LNM/D. 01-JAN-2016



Chart no. 4396

- Delete depth of 6 metres, 4 decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA576008
- 44°37'40.4"N 065°45'03.5"W
DFO(6307533-07)
- 27-MAY-2016**
- Add depth of 5 metres, 4 decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA576008
- LNM/D. 01-JAN-2016
44°37'40.1"N 065°45'03.4"W
DFO(6307533-08)
- 27-MAY-2016**
- Add depth of 0 metres, 1 decimetre
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA576008
- LNM/D. 01-JAN-2016
44°37'32.2"N 065°45'02.2"W
DFO(6307533-09)
- 27-MAY-2016**
- Delete depth of 6 metres, 4 decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA576008
- LNM/D. 01-JAN-2016
44°37'58.0"N 065°45'03.1"W
DFO(6307533-10)
- 01-JAN-2016**
- Replace breakwater in general with breakwater with loose
boulders
(See Chart No. 1, F4.3 & F4.2)
This notice affects Electronic Navigational Chart:
CA576008
- LNM/D. 27-NOV-2015
joining 44°37'35.2"N 065°45'04.7"W
44°37'32.9"N 065°45'02.1"W
44°37'33.0"N 065°45'01.9"W
and 44°37'34.8"N 065°45'03.8"W
DFO(6307398-01)
- 22-MAY-2015**
- Affix patch
[PDF](#)
This notice affects Electronic Navigational Chart: CA576008
- LNM/D. 08-MAY-2015
44°37'30.0"N 065°45'00.0"W
DFO(6307119-01)
- 06-MAR-2015**
- Delete depth of 7 metres, 2 decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA576008
- LNM/D. 27-FEB-2015
44°37'34.2"N 065°45'03.2"W
DFO(6307051-01)
- 06-MAR-2015**
- LNM/D. 27-FEB-2015



Chart no. 4396

- Delete depth of 1 metre, 2 decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA576008
- 44°37'35.4"N 065°45'04.4"W
DFO(6307051-02)
- 06-MAR-2015**
- Delete drying height of 2 metres, 3 decimetres
(See Chart No. 1, I15)
This notice affects Electronic Navigational Chart: CA476006,
CA576008
- LNM/D. 27-FEB-2015
44°37'35.6"N 065°45'07.0"W
DFO(6307051-03)
- 06-MAR-2015**
- Add breakwater, Bkw
(See Chart No. 1, F4.1)
This notice affects Electronic Navigational Chart:
CA476006, CA576008
- LNM/D. 27-FEB-2015
joining 44°37'36.9"N 065°45'13.9"W
44°37'35.7"N 065°45'05.2"W
and 44°37'32.5"N 065°45'01.5"W
DFO(6307051-04)
- 06-MAR-2015**
- Add light FLR
(See Chart No. 1, P1)
This notice affects Electronic Navigational Chart: CA476006, CA576008
- LNM/D. 27-FEB-2015
44°37'33.0"N 065°45'02.1"W
(F2015001) LL(206.2) DFO(6307051-05)
- 06-MAR-2015**
- Replace depth of 7 metres, 9 decimetres with depth of 5 metres, 7
decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA576008
- LNM/D. 27-FEB-2015
44°37'35.8"N 065°45'03.0"W
DFO(6307051-06)
- 16-JAN-2015**
- Delete red starboard hand lighted spar buoy FLR, marked
V6
(See Chart No. 1, Qf)
This notice affects Electronic Navigational Chart:
CA476006, CA576008
- LNM/D. 26-DEC-2014
44°37'34.5"N 065°45'03.8"W
(F2014041) LL(206) DFO(6307013-01)
- 15-JAN-2010**
- LNM/D. 30-JUN-2006



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4396

Reposition red starboard hand lighted spar buoy FIR,
marked V6
(See Chart No 1 Qf)

from 44°37'35.7"N 065°45'03.2"W
to 44°37'34.6"N 065°45'03.8"W

(F2009071) LL(206) DFO(6304669-01)

This notice affects Electronic Navigational Chart:
CA476006, CA576008

30-JUN-2006

Delete red starboard hand spar buoy, marked V4

LN/D. 16-JUN-2006

44°37'46.4"N 065°45'05.3"W

(F2006085) DFO(6302888-01)

This notice affects Electronic Navigational Chart: CA576008

16-JUN-2006

Reposition red starboard hand lighted spar buoy FIR,
marked V6

LN/D. 22-OCT-2004

from 44°37'34.6"N 065°45'03.8"W
to 44°37'35.7"N 065°45'03.2"W

(F2006060) LL(206) DFO(6302860-01)

This notice affects Electronic Navigational Chart:
CA576008