



Chart no. 4425

4425 - Covehead Bay - New Edition - 01-NOV-2002 - NAD 1983

27-MAR-2020 LNM/D. 11-OCT-2019

Affix patch 46°25'40.0"N 063°08'30.0"W
[PDF](#)

DFO(6308841-01)

27-MAR-2020 LNM/D. 11-OCT-2019

Affix patch 46°24'30.0"N 063°07'30.0"W
[PDF](#)

DFO(6308841-02)

11-OCT-2019

LNM/D. 26-APR-2019

Replace depth of 4 feet with drying height of 1 foot 46°25'19.2"N 063°08'56.4"W
(See Chart No. 1, I10, I15)

DFO(6308731-04)

16-OCT-2009

LNM/D. 12-SEP-2008

Delete front range/leading light QG 57ft 46°25'28.5"N 063°08'53.4"W
(See Chart No 1 P20.2)

(G2009129) LL(1052) DFO(6304597-01)

16-OCT-2009

LNM/D. 12-SEP-2008

Delete rear range/leading light Iso G 4sec 72ft with 46°25'26.6"N 063°08'54.1"W
leading line
(See Chart No 1 P20.2)

(G2009130) LL(1053) DFO(6304597-02)

14-MAR-2008

LNM/D. 28-DEC-2007

Replace green port hand lighted pillar bell buoy FlG,
marked JJ1 with red and white fairway lighted
spar buoy Mo(A), marked JJ 46°26'54.2"N 063°08'18.7"W
(See Chart No 1 Qg and Qh)

(G2007055) LL(1050) DFO(6303464-01)

4425 - Entrance to / Entrée à St.Peters Bay - New Edition - 01-NOV-2002 - NAD 1983

12-SEP-2008

LNM/D. 14-MAR-2008



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4425

Add light Q G 46°25'59.7"N 062°42'46.5"W
(See Chart No 1 P1)
(G2008042) LL(1046.5) DFO(6303979-01)

14-DEC-2007 LNM/D. 29-JUN-2007
Delete front range/leading light QR 20ft 46°26'29.4"N 062°44'25.0"W
(See Chart No 1Pe)
(G2007145) LL(1045) DFO(6303661-01)

14-DEC-2007 LNM/D. 29-JUN-2007
Delete rear range/leading light Iso R 41ft with leading line 46°26'15.8"N 062°44'13.5"W
and legend See CAUTION/Voir ATTENTION
(See Chart No 1Pe) *(G2007147) LL(1046) DFO(6303661-02)*

4425 - Harbours on the North Shore / Hâvres sur la Côte Nord - New Edition - 01-NOV-2002 - NAD 1983

08-MAR-2019 LNM/D. 06-JAN-2017
Amend '1.6 feet (0.5 metres)' to read '0.9 feet (0.3 metres)' against the Title block of chart: Depths
note 'DEPTHS/LES PROFONDEURS'
(See Chart No. 1, A13) *DFO(6308577-02)*

4425 - Savage Harbour - New Edition - 01-NOV-2002 - NAD 1983

11-OCT-2019 LNM/D. 26-APR-2019
Replace depth of 3 feet with drying height of 1 foot 46°25'46.8"N 062°50'13.8"W
(See Chart No. 1, I10, I15)
DFO(6308731-05)

11-OCT-2019 LNM/D. 26-APR-2019
Replace depth of 4 feet with drying height of 0 feet 46°25'31.8"N 062°50'20.4"W
(See Chart No. 1, I10, I15)
DFO(6308731-06)

28-SEP-2012 LNM/D. 14-SEP-2012



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4425

Add marine farm 46°25'00.0"N 062°49'36.9"W
(See Chart No. 1, K48.2)

DFO(6306169-01)

04-MAR-2011

LNМ/D. 26-NOV-2010

Delete green port hand lighted pillar buoy FIG, marked JE9 46°25'44.5"N 062°50'05.0"W
(See Chart No. 1, Qg)

LL(1047.028) DFO(6305265-01)

26-NOV-2010

LNМ/D. 16-OCT-2009

Add green port hand lighted pillar buoy FIG, marked 46°25'44.5"N 062°50'05.0"W
JE9

(See Chart No. 1, Qg) *(G2010176) LL(1047.028) DFO(6305116-01)*

14-MAR-2008

LNМ/D. 28-DEC-2007

Replace red starboard hand lighted pillar bell buoy FIR, 46°26'46.2"N 062°49'29.6"W
marked JE2 with red and white fairway lighted
spar buoy Mo(A), marked JE *(G2007063) LL(1046.8) DFO(6303472-01)*
(See Chart No 1 Qf and Qh)

18-JUL-2003

Delete legend "FIR" 46°25'54.0"N 062°50'04.0"W

DFO(6300940-01)

4425 - St. Peters Bay - New Edition - 01-NOV-2002 - NAD 1983

28-JUL-2023

LNМ/D. 09-JUL-2021

Delete red and white fairway lighted spar buoy Mo(A), 46°27'31.9"N 062°44'21.1"W
marked JD

(See Chart 1, Qd) *(G2023035) LL(1043.1) DFO(6310702-01)*

This notice affects Electronic Navigational Chart:
CA276286

28-JUL-2023

LNМ/D. 09-JUL-2021



Chart no. 4425

Add red and white fairway lighted pillar buoy Mo(A), 46°27'09.2"N 062°44'21.7"W
marked JD
(See Chart 1, Qd) *(G2023035) LL(1043.1) DFO(6310702-02)*
This notice affects Electronic Navigational Chart:
CA276286

09-JUL-2021 LNM/D. 23-APR-2021
Reposition red and white fairway lighted pillar buoy from 46°27'09.2"N 062°44'21.6"W
Mo(A), marked JD to 46°27'31.9"N 062°44'21.1"W
(See Chart No. 1, Qh)
This notice affects Electronic Navigational *(G2021034) LL(1043.1) DFO(6309466-01)*
Chart: CA276286

26-APR-2019 LNM/D. 08-MAR-2019
Add legend See CAUTION/Voir ATTENTION 46°27'24.0"N 062°44'30.0"W
DFO(6308569-03)

12-SEP-2008 LNM/D. 14-MAR-2008
Add light Q G 46°25'59.7"N 062°42'46.5"W
(See Chart No 1 P1)
(G2008042) LL(1046.5) DFO(6303979-01)

14-MAR-2008 LNM/D. 28-DEC-2007
Replace red and white fairway spherical buoy, marked 46°27'09.2"N 062°44'21.6"W
JD with red and white fairway lighted spar buoy
Mo(A), marked JD *(G2007073) LL(1043.1) DFO(6303516-01)*
(See Chart No 1 Qh)

28-DEC-2007 LNM/D. 14-DEC-2007
Delete light Fl 46°26'30.9"N 062°44'51.3"W
(See Chart No 1 P16)
(G2007172) LL(1044) DFO(6303735-01)

14-DEC-2007 LNM/D. 29-JUN-2007
Delete front range/leading light QR 20ft 46°26'29.4"N 062°44'25.0"W
(See Chart No 1Pe)
(G2007145) LL(1045) DFO(6303661-01)



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4425

14-DEC-2007

Delete rear range/leading light Iso R 41ft with leading line
and legend See CAUTION/Voir ATTENTION
(See Chart No 1Pe)

LNМ/D. 29-JUN-2007

46°26'15.8"N 062°44'13.5"W

(G2007147) LL(1046) DFO(6303661-02)

29-JUN-2007

Delete green port hand lighted pillar bell buoy FIG,
marked JD1

LNМ/D. 18-JUL-2003

46°28'05.2"N 062°44'12.6"W

(G2007050) LL(1043) DFO(6303461-01)

4425 - Tracadie Bay - New Edition - 01-NOV-2002 - NAD 1983

23-APR-2021

LNМ/D. 23-OCT-2020

Affix patch 46°24'42.0"N 063°01'09.0"W

[PDF](#)

DFO(6309420-01)

23-OCT-2020

LNМ/D. 27-MAR-2020

Replace depth of 5 feet with drying height of 1 foot 46°21'51.6"N 062°59'24.0"W
(See Chart No. 1, I10, I15)

DFO(6309145-01)

23-OCT-2020

LNМ/D. 27-MAR-2020

Replace depth of 6 feet with depth of 4 feet 46°22'48.0"N 063°01'27.7"W
(See Chart No. 1, I10)

DFO(6309145-02)

23-OCT-2020

LNМ/D. 27-MAR-2020

Delete depth of 10 feet 46°24'46.8"N 062°59'24.6"W
(See Chart No. 1, I10)

DFO(6309145-03)

23-OCT-2020

LNМ/D. 27-MAR-2020

Add depth of 7 feet 46°24'46.4"N 062°59'22.1"W
(See Chart No. 1, I10)

DFO(6309145-04)



Chart no. 4425

23-OCT-2020 LNM/D. 27-MAR-2020
Delete depth of 1 foot 46°24'45.7"N 063°02'24.5"W
(See Chart No. 1, I10)
DFO(6309145-05)

23-OCT-2020 LNM/D. 27-MAR-2020
Add drying height of 4 feet 46°24'47.2"N 063°02'24.4"W
(See Chart No. 1, I15)
DFO(6309145-06)

23-OCT-2020 LNM/D. 27-MAR-2020
Delete depth of 9 feet 46°24'58.8"N 063°02'30.6"W
(See Chart No. 1, I10)
DFO(6309145-07)

23-OCT-2020 LNM/D. 27-MAR-2020
Add depth of 2 feet 46°25'00.2"N 063°02'30.5"W
(See Chart No. 1, I10)
DFO(6309145-08)

23-OCT-2020 LNM/D. 27-MAR-2020
Add depth of 3 feet 46°24'16.7"N 062°58'44.9"W
(See Chart No. 1, I10)
DFO(6309145-09)

11-OCT-2019 LNM/D. 26-APR-2019
Replace depth of 15 feet with drying height of 0 feet 46°24'40.8"N 063°02'24.6"W
(See Chart No. 1, I10, I15)
DFO(6308731-07)

11-OCT-2019 LNM/D. 26-APR-2019
Replace depth of 9 feet with drying height of 0 feet 46°24'56.6"N 063°02'26.5"W
(See Chart No. 1, I10, I15)
DFO(6308731-08)

11-OCT-2019 LNM/D. 26-APR-2019



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4425

Replace depth of 23 feet with depth of 3 feet 46°24'47.2"N 063°00'33.0"W
(See Chart No. 1, I10)

DFO(6308731-09)

11-OCT-2019

LNM/D. 26-APR-2019

Delete dredged area with depth of 6 feet (1976) 46°24'33.5"N 063°01'47.9"W
(See Chart No. 1, I22)

DFO(6308731-10)

11-OCT-2019

LNM/D. 26-APR-2019

Add drying height of 1 foot 46°24'32.4"N 063°01'46.8"W
(See Chart No. 1, I15)

DFO(6308731-11)

26-APR-2019

LNM/D. 08-MAR-2019

Reposition legend Channel Buoyed/Chenal balisé from 46°25'17.0"N 063°02'15.0"W
to 46°25'09.0"N 063°00'40.0"W

DFO(6308569-01)

26-APR-2019

LNM/D. 08-MAR-2019

Add legend See CAUTION/Voir ATTENTION 46°25'12.0"N 063°01'26.0"W

DFO(6308569-02)

06-JAN-2017

LNM/D. 22-JUL-2016

Delete light FLR 46°24'14.3"N 063°01'41.0"W
(See Chart No. 1, P1)

(G2016131) LL(1049.8) DFO(6307724-01)

22-JUL-2016

LNM/D. 04-DEC-2015

Add red starboard hand lighted conical buoy FLR, marked JH2 46°25'09.6"N 063°01'01.8"W
(See Chart No. 1, Qf)

(G2016054) LL(1049.121) DFO(6307563-01)

22-JUL-2016

LNM/D. 04-DEC-2015

Add green port hand lighted can buoy FIG, marked JH1 46°25'10.2"N 063°00'58.2"W
(See Chart No. 1, Qg)

(G2016071) LL(1049.11) DFO(6307563-02)



Chart no. 4425

22-JUL-2016

LNМ/D. 04-DEC-2015

Add Channel Buoyed/Chenal balisé 46°24'02.4"N 063°01'03.0"W

DFO(6307563-03)

04-DEC-2015

LNМ/D. 30-NOV-2012

Add marine farm 46°23'27.0"N 062°59'42.0"W
(See Chart No. 1, K48.2)

DFO(6307344-01)

30-NOV-2012

LNМ/D. 28-SEP-2012

Add marine farm 46°24'41.1"N 062°59'41.0"W
(See Chart No. 1, K48.2)

DFO(6306233-01)

14-SEP-2012

LNМ/D. 04-MAR-2011

Delete front range/leading light Iso R 20ft
(See Chart No. 1, P20.2)

46°24'34.9"N 063°02'29.5"W

(G2012166) LL(1048) DFO(6306160-01)

This notice affects Electronic Navigational Chart:
CA276286

14-SEP-2012

LNМ/D. 04-MAR-2011

Delete rear range/leading light Iso R 35ft with leading line
and legend See CAUTION/Voir ATTENTION
(See Chart No. 1, P20.2)

46°24'31.2"N 063°02'30.0"W

(G2012168) LL(1049) DFO(6306161-01)

This notice affects Electronic Navigational Chart:
CA276286

14-MAR-2008

LNМ/D. 28-DEC-2007

Replace green port hand lighted pillar bell buoy FlG,
marked JH1 with red and white fairway lighted
spar buoy Mo(A), marked JH
(See Chart No 1 Qg and Qh)

46°26'03.2"N 063°02'01.6"W

(G2007053) LL(1047.5) DFO(6303462-01)