



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4639

4639 - Garia Bay and / et Le Moine Bay - New Edition - 10-MAY-2002 - NAD 1983

18-FEB-2022

LNМ/D. 15-MAY-2020

Delete red starboard hand lighted pillar whistle buoy Fl
R, marked QT2

47°36'10.0"N 058°39'15.2"W

(See Chart No. 1, Qf)

(N2021261) LL(149.7) DFO(6309981-01)

This notice affects Electronic Navigational Chart:
CA276271, CA376625

15-MAY-2020

LNМ/D. 06-APR-2018

Delete legend WHIS against red and white fairway pillar
light buoy Mo(A), marked QRB

47°35'28.1"N 058°41'42.8"W

(See Chart No. 1, Qd)

(N2020012) LL(148.9) DFO(6308958-01)

This notice affects Electronic Navigational Chart:
CA276271, CA376625

06-APR-2018

LNМ/D. 25-APR-2014

Delete depth of 7 metres, 3 decimetres 47°38'36.9"N 058°30'23.4"W
(See Chart No. 1, I10)

DFO(6307813-01)

06-APR-2018

LNМ/D. 25-APR-2014

Add depth of 1 metre, 9 decimetres 47°38'37.7"N 058°30'25.5"W
(See Chart No. 1, I10)

DFO(6307813-02)

06-APR-2018

LNМ/D. 25-APR-2014

Delete depth of 9 metres, 8 decimetres 47°38'30.3"N 058°29'37.1"W
(See Chart No. 1, I10)

DFO(6307813-03)

06-APR-2018

LNМ/D. 25-APR-2014

Replace depth of 5 metres, 5 decimetres with depth of 3 metres, 8
decimetres

47°38'31.0"N 058°29'38.7"W

(See Chart No. 1, I10)

DFO(6307813-04)

This notice affects Electronic Navigational Chart: CA376616

06-APR-2018

LNМ/D. 25-APR-2014



Chart no. 4639

Add depth of 5 metres, 6 decimetres 47°38'28.8"N 058°29'30.2"W
(See Chart No. 1, I10)

DFO(6307813-06)

06-APR-2018

LNM/D. 25-APR-2014

Add depth of 6 metres, 3 decimetres
(See Chart No. 1, I10)

47°38'20.2"N 058°29'26.7"W

This notice affects Electronic Navigational Chart: CA376616

DFO(6307813-07)

06-APR-2018

LNM/D. 25-APR-2014

Add depth of 3 metres
(See Chart No. 1, I10)

47°38'53.6"N 058°29'48.1"W

This notice affects Electronic Navigational Chart: CA376616

DFO(6307813-08)

06-APR-2018

LNM/D. 25-APR-2014

Add depth of 7 metres, 3 decimetres 47°37'47.8"N 058°29'26.8"W
(See Chart No. 1, I10)

DFO(6307813-09)

06-APR-2018

LNM/D. 25-APR-2014

Delete depth of 5 metres, 5 decimetres 47°39'00.2"N 058°29'15.7"W
(See Chart No. 1, I10)

DFO(6307813-10)

06-APR-2018

LNM/D. 25-APR-2014

Add depth of 0 metres, 6 decimetres 47°38'10.6"N 058°28'58.2"W
(See Chart No. 1, I10)

DFO(6307813-11)

06-APR-2018

LNM/D. 25-APR-2014

Delete depth of 11 metres 47°38'43.3"N 058°29'27.2"W
(See Chart No. 1, I10)

DFO(6307813-16)

06-APR-2018

LNM/D. 25-APR-2014

Add depth of 3 metres, 3 decimetres
(See Chart No. 1, I10)

47°38'42.3"N 058°29'24.9"W

This notice affects Electronic Navigational Chart: CA376616

DFO(6307813-17)



Chart no. 4639

- 06-APR-2018** LNM/D. 25-APR-2014
Replace depth of 14 metres, 6 decimetres with depth of 5 metres, 9 decimetres 47°38'47.6"N 058°29'27.1"W
(See Chart No. 1, I10) *DFO(6307813-18)*
- 06-APR-2018** LNM/D. 25-APR-2014
Add depth of 3 metres, 7 decimetres 47°39'10.1"N 058°28'56.8"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA376616 *DFO(6307813-19)*
- 06-APR-2018** LNM/D. 25-APR-2014
Replace depth of 3 metres, 7 decimetres with depth of 1 metre, 9 decimetres 47°38'46.2"N 058°28'52.9"W
(See Chart No. 1, I10) *DFO(6307813-20)*
This notice affects Electronic Navigational Chart: CA376616
- 06-APR-2018** LNM/D. 25-APR-2014
Add depth of 2 metres, 5 decimetres 47°38'26.7"N 058°28'59.0"W
(See Chart No. 1, I10) *DFO(6307813-22)*
- 06-APR-2018** LNM/D. 25-APR-2014
Delete depth of 12 metres, 8 decimetres 47°38'26.7"N 058°28'53.7"W
(See Chart No. 1, I10) *DFO(6307813-23)*
- 06-APR-2018** LNM/D. 25-APR-2014
Add depth of 0 metres, 7 decimetres 47°38'25.2"N 058°28'53.1"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA376616 *DFO(6307813-24)*
- 06-APR-2018** LNM/D. 25-APR-2014
Delete depth of 16 metres, 5 decimetres 47°37'46.1"N 058°29'26.7"W
(See Chart No. 1, I10) *DFO(6307813-25)*
- 06-APR-2018** LNM/D. 25-APR-2014



Chart no. 4639

Delete depth of 10 metres, 1 decimetre 47°38'51.0"N 058°29'49.1"W
(See Chart No. 1, I10)

DFO(6307813-26)

06-APR-2018

LNM/D. 25-APR-2014

Add depth of 5 metres, 4 decimetres 47°38'53.5"N 058°29'24.8"W
(See Chart No. 1, I10)

DFO(6307813-27)

06-APR-2018

LNM/D. 25-APR-2014

Add depth of 2 metres, 2 decimetres 47°38'59.7"N 058°29'18.9"W
(See Chart No. 1, I10)

DFO(6307813-28)

06-APR-2018

LNM/D. 25-APR-2014

Add depth of 4 metres, 8 decimetres 47°37'59.3"N 058°29'07.7"W
(See Chart No. 1, I10)

DFO(6307813-30)

25-APR-2014

LNM/D. 03-JAN-2014

Delete legend Fog Sig 30s against light
(See Chart No. 1, R1, R20)

47°36'08.1"N 058°42'05.4"W

(N2014023) LL(151.07) DFO(6306719-01)

03-JAN-2014

LNM/D. 09-NOV-2012

Delete green port hand lighted spar buoy FlG, marked
QR1
(See Chart No. 1, Qg)

47°36'01.9"N 058°42'30.7"W

(N2013041) LL(151.3) DFO(6306593-01)

03-JAN-2014

LNM/D. 09-NOV-2012

Delete green port hand lighted spar buoy FlG, marked
QT3
(See Chart No. 1, Qg)

47°36'57.6"N 058°38'55.0"W

(N2013042) LL(149.4) DFO(6306593-02)

09-NOV-2012

LNM/D. 08-JUN-2012

Add red starboard hand lighted spar buoy QR, marked
QE2.2
(See Chart No. 1, Qf)

47°37'13.7"N 058°35'55.1"W

(N2012027) LL(145.81) DFO(6306224-01)



Chart no. 4639

09-NOV-2012

LNM/D. 08-JUN-2012

Amend Fog Sig 60s to read Fog Sig 30s against light
(See Chart No. 1, R20)

47°36'08.1"N 058°42'05.4"W

(N2012032) LL(151.07) DFO(6306238-01)

08-JUN-2012

LNM/D. 30-JAN-2009

Delete light FLG
(See Chart No. 1, P1)

47°37'01.2"N 058°38'05.5"W

(N2012008) LL(149.6) DFO(6306016-01)

30-JAN-2009

LNM/D. 01-AUG-2008

Add submarine cable joining 47°36'05.6"N 058°28'52.0"W
(See Chart No 1 L30.1)

47°35'46.3"N 058°41'41.1"W

47°36'02.4"N 058°42'18.2"W

47°36'06.8"N 058°42'16.1"W

47°36'24.1"N 058°41'48.4"W

and 47°36'28.2"N 058°41'50.6"W

DFO(6304181-01)

01-AUG-2008

LNM/D. 24-JUN-2005

Add submarine cable

joining 47°36'28.1"N 058°41'50.6"W

47°36'24.1"N 058°41'49.6"W

47°36'05.4"N 058°42'21.5"W

This notice affects Electronic Navigational Chart:
CA179172, CA276271, CA576095

47°36'00.0"N 058°42'20.9"W

47°35'56.6"N 058°42'13.1"W

47°35'39.0"N 058°41'51.8"W

47°35'34.0"N 058°41'50.6"W

47°35'10.9"N 058°42'22.2"W

47°34'54.0"N 058°42'24.8"W

and 47°34'30.0"N 058°42'54.2"W

DFO(6303984-01)

24-JUN-2005

LNM/D. 18-FEB-2005

Add WHIS to red and white fairway pillar light buoy,
marked QRB

47°35'28.1"N 058°41'42.8"W

(N2005025) LL(148.9) DFO(6302326-01)

24-JUN-2005

LNM/D. 18-FEB-2005



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4639

Amend 'Adjoining chart/Carte adjacente 4635' to read 'Adjoining chart/Carte adjacente 4823' Left bottom

DFO(6302333-01)

24-JUN-2005

LNM/D. 18-FEB-2005

Amend 'Adjoining chart/Carte adjacente 4635' to read 'Adjoining chart/Carte adjacente 4823' Centre bottom

DFO(6302333-02)

24-JUN-2005

LNM/D. 18-FEB-2005

Amend 'Adjoining chart/Carte adjacente 4635' to read 'Adjoining chart/Carte adjacente 4823' Right bottom

DFO(6302333-03)

18-FEB-2005

LNM/D. 24-SEP-2004

Delete red starboard hand spar light buoy F1R, marked QT6 47°36'40.0"N 058°38'22.1"W

(N2005001) LL(149.5) DFO(6302217-01)

20-AUG-2004

LNM/D. 04-JUN-2004

Reposition green port hand spar light buoy F1G, marked QR1 from 47°35'58.8"N 058°42'35.4"W to 47°36'01.9"N 058°42'30.7"W

(N2004111) LL(151.3) DFO(6301610-01)

04-JUN-2004

LNM/D. 12-MAR-2004

Add red and white fairway pillar light buoy Mo (A), marked QRB 47°35'28.1"N 058°41'42.8"W

LL(148.9) DFO(6301438-01)

12-MAR-2004

LNM/D. 13-FEB-2004

Delete light F1R 6s 29m 3M, Fog Sig 60s 47°36'06.3"N 058°41'40.6"W

(N2004008) LL(150.19) DFO(6301252-01)

12-MAR-2004

LNM/D. 13-FEB-2004

Add light F1R 10s 29m 13M 47°36'06.5"N 058°41'40.4"W

(N2004008) LL(150.19) DFO(6301252-02)



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4639

12-MAR-2004

LN/D. 13-FEB-2004

Add light FLR 6s 2m 3M, Fog Sig 60s

47°36'08.1"N 058°42'05.4"W

(N2002092) LL(151.07) DFO(6301252-05)

13-FEB-2004

LN/D. 05-DEC-2003

Reposition green port hand spar light buoy FIG, marked
QR1

from 47°35'57.6"N 058°42'45.6"W
to 47°35'58.8"N 058°42'35.4"W

(N2003027) LL(151.3) DFO(6300999-01)

05-DEC-2003

LN/D. 22-AUG-2003

Add green port hand pillar light buoy FIG, marked QR
1/1

47°35'44.0"N 058°42'07.2"W

(N2002164) LL(149.09) DFO(6300662-01)

22-AUG-2003

Delete light FIR 10s 15m 13M

47°36'05.9"N 058°42'02.0"W

(N2002088) LL(151) DFO(6300499-01)

22-AUG-2003

Delete Lt Ho/Phare Aband

47°36'06.3"N 058°41'40.6"W

(N2002089) LL(151.07) DFO(6300500-01)

22-AUG-2003

Add light FIR 6s 29m 3M

47°36'06.3"N 058°41'40.6"W

(N2002089) LL(151.07) DFO(6300500-02)

22-AUG-2003

Delete Fog Sig 60s

47°36'05.9"N 058°42'02.0"W

(N2002090) LL(151.09) DFO(6300501-01)

22-AUG-2003



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4639

Add Fog Sig 60s 47°36'06.3"N 058°41'40.6"W

(N2002092) LL(151.08) DFO(6300503-01)

22-AUG-2003

Delete red and white fairway pillar light buoy Mo(A), WHIS, 47°35'28.4"N 058°41'41.7"W
marked QR

(N2002135) LL(149) DFO(6300573-01)

4639 - Petites - New Edition - 10-MAY-2002 - NAD 1983

03-JAN-2014

Delete green port hand lighted spar buoy FlG, marked 47°36'57.6"N 058°38'55.0"W
QT3

(See Chart No. 1, Qg)

(N2013042) LL(149.4) DFO(6306593-02)

08-JUN-2012

Delete light FlG LNM/D. 30-JAN-2009
47°37'01.2"N 058°38'05.5"W
(See Chart No. 1, P1)

(N2012008) LL(149.6) DFO(6306016-01)

08-JUN-2012

Replace wharf with wharf in ruins with legend Ru LNM/D. 30-JAN-2009
47°37'01.2"N 058°38'05.5"W
(See Chart No. 1 F33.1)

DFO(6306016-02)

08-JUN-2012

Delete legend Public against wharf LNM/D. 30-JAN-2009
47°37'02.5"N 058°38'05.8"W
(See Chart No. 1, F13)

(N2012008) DFO(6306016-03)

4639 - Rose Blanche - New Edition - 10-MAY-2002 - NAD 1983

15-MAY-2020

LNM/D. 06-APR-2018



Chart no. 4639

Delete legend WHIS against red and white fairway pillar light buoy Mo(A), marked QRB
(See Chart No. 1, Qd)
This notice affects Electronic Navigational Chart:
CA276271, CA376625

47°35'28.1"N 058°41'42.8"W

(N2020012) LL(148.9) DFO(6308958-01)

25-APR-2014

LNM/D. 03-JAN-2014

Delete legend Fog Sig 30s against light
(See Chart No. 1, R1, R20)

47°36'08.1"N 058°42'05.4"W

(N2014023) LL(151.07) DFO(6306719-01)

03-JAN-2014

LNM/D. 09-NOV-2012

Delete green port hand lighted spar buoy FlG, marked QR1
(See Chart No. 1, Qg)

47°36'01.9"N 058°42'30.7"W

(N2013041) LL(151.3) DFO(6306593-01)

09-NOV-2012

LNM/D. 08-JUN-2012

Amend Fog Sig 60s to read Fog Sig 30s against light
(See Chart No. 1, R20)

47°36'08.1"N 058°42'05.4"W

(N2012032) LL(151.07) DFO(6306238-01)

30-JAN-2009

LNM/D. 01-AUG-2008

Add submarine cable joining
(See Chart No 1 L30.1)

47°35'47.1"N 058°41'12.0"W

47°35'46.3"N 058°41'41.1"W

47°36'00.0"N 058°42'14.8"W

47°36'02.4"N 058°42'18.2"W

47°36'06.8"N 058°42'16.1"W

47°36'24.1"N 058°41'48.4"W

and 47°36'28.2"N 058°41'50.6"W

DFO(6304181-02)

01-AUG-2008

LNM/D. 24-JUN-2005



Chart no. 4639

Add submarine cable

joining 47°36'28.1"N 058°41'50.6"W
47°36'24.1"N 058°41'49.6"W
47°36'05.4"N 058°42'21.5"W
47°36'00.0"N 058°42'20.9"W
47°35'56.6"N 058°42'13.1"W
47°35'39.0"N 058°41'51.8"W
47°35'34.0"N 058°41'50.6"W
and 47°35'18.0"N 058°42'12.4"W

This notice affects Electronic Navigational Chart:
CA179172, CA276271, CA576095

DFO(6303984-01)

24-JUN-2005

LNM/D. 18-FEB-2005

Add WHIS to red and white fairway pillar light buoy,
marked QRB

47°35'28.1"N 058°41'42.8"W

(N2005025) LL(148.9) DFO(6302326-01)

24-SEP-2004

LNM/D. 20-AUG-2004

Delete legend "FlG 6s 29m 3M" 47°36'04.0"N 058°41'20.0"W

DFO(6301899-01)

20-AUG-2004

LNM/D. 04-JUN-2004

Reposition green port hand spar light buoy FlG, marked
QR1

from 47°35'58.8"N 058°42'35.4"W
to 47°36'01.9"N 058°42'30.7"W

(N2004111) LL(151.3) DFO(6301610-01)

04-JUN-2004

LNM/D. 12-MAR-2004

Add red and white fairway pillar light buoy Mo (A), marked QRB 47°35'28.1"N 058°41'42.8"W

LL(148.9) DFO(6301438-01)

12-MAR-2004

LNM/D. 13-FEB-2004

Delete light FlR 6s 29m 3M, Fog Sig 60s

47°36'06.3"N 058°41'40.6"W

(N2004008) LL(150.19) DFO(6301252-01)

12-MAR-2004

LNM/D. 13-FEB-2004



Chart no. 4639

Add light FLR 10s 29m 13M 47°36'06.5"N 058°41'40.4"W

(N2004008) LL(150.19) DFO(6301252-02)

12-MAR-2004

LN/D. 13-FEB-2004

Add light FLR 6s 2m 3M, Fog Sig 60s 47°36'08.1"N 058°42'05.4"W

(N2002092) LL(151.07) DFO(6301252-05)

13-FEB-2004

LN/D. 05-DEC-2003

Add green port hand spar light buoy FlG, marked QR1 47°35'58.8"N 058°42'35.4"W

(N2003027) LL(151.3) DFO(6300999-02)

05-DEC-2003

LN/D. 22-AUG-2003

Add green port hand pillar light buoy FlG, marked QR
1/1 47°35'44.0"N 058°42'07.2"W

(N2002164) LL(149.09) DFO(6300662-01)

22-AUG-2003

Delete light FIR 10s 15m 13M 47°36'05.9"N 058°42'02.0"W

(N2002088) LL(151) DFO(6300499-01)

22-AUG-2003

Delete Lt Ho/Phare Aband 47°36'06.3"N 058°41'40.6"W

(N2002089) LL(151.07) DFO(6300500-01)

22-AUG-2003

Add light FIR 6s 29m 3M 47°36'06.3"N 058°41'40.6"W

(N2002089) LL(151.07) DFO(6300500-02)

22-AUG-2003

Delete Fog Sig 60s 47°36'05.9"N 058°42'02.0"W

(N2002090) LL(151.09) DFO(6300501-01)



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 4639

22-AUG-2003

Add Fog Sig 60s 47°36'06.3"N 058°41'40.6"W

(N2002092) LL(151.08) DFO(6300503-01)

22-AUG-2003

Delete red and white fairway pillar light buoy Mo(A), WHIS, 47°35'28.4"N 058°41'41.7"W
marked QR

(N2002135) LL(149) DFO(6300573-01)