



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 4731

### 4731 - Forteau Bay to / à Domino Run - New Edition - 13-JUN-2003 - Unknown

**19-APR-2024**

LNМ/D. 16-FEB-2024

Amend Fl 4s92ft to read Fl 5s92ft4M against light  
(See Chart 1, P16)

53°00'36.6"N 055°45'49.8"W

*(N2023191) LL(280) DFO(6310970-01)*

**19-APR-2024**

LNМ/D. 16-FEB-2024

Amend Fl 4s179ft4M to read Fl 5s179ft4M against light  
(See Chart 1, P16)

52°50'11.1"N 055°48'45.4"W

*(N2023192) LL(279.8) DFO(6310971-01)*

**19-APR-2024**

LNМ/D. 16-FEB-2024

Amend Fl 4s127ft to read Fl 5s127ft against light  
(See Chart 1, P16)

53°27'39.4"N 055°44'51.3"W

*(N2023232) LL(281) DFO(6311033-01)*

**19-APR-2024**

LNМ/D. 16-FEB-2024

Amend Fl R 4s67ft to read Fl R 5s65ft against light  
(See Chart 1, P16)

52°30'47.1"N 055°45'58.9"W

*(N2023236) LL(270.5) DFO(6311037-01)*

**19-APR-2024**

LNМ/D. 16-FEB-2024

Amend Fl to read Fl 5s against light  
(See Chart 1, P16)

52°33'52.2"N 055°42'11.3"W

*(N2023237) LL(270.1) DFO(6311038-01)*

**16-FEB-2024**

LNМ/D. 02-DEC-2022

Amend Fl to read Fl 5s against light  
(See Chart 1, P16)

52°40'19.7"N 055°45'02.3"W

This notice affects Electronic Navigational Chart: *(N2023197) LL(279.3) DFO(6310976-02)*  
CA476634

**02-DEC-2022**

LNМ/D. 14-OCT-2022

Amend Fl 6s58ft to read Fl 5s56ft against light  
(See Chart 1, P16)

53°12'47.5"N 055°43'28.5"W

*(N2022243) LL(280.05) DFO(6310417-01)*

This notice affects Electronic Navigational Chart:  
CA376429



### Chart no. 4731

**02-DEC-2022**

LNM/D. 14-OCT-2022

Amend Fl 4s107ft to read Fl 5s107ft against light  
(See Chart 1, P16)

53°25'54.8"N 055°44'57.2"W

This notice affects Electronic Navigational Chart: (N2022244) LL(280.9) DFO(6310418-01)  
CA376596

**02-DEC-2022**

LNM/D. 14-OCT-2022

Amend Fl 6s 72ft to read Fl 5s69ft against light  
(See Chart 1, P16)

53°34'33.7"N 056°01'45.8"W

This notice affects Electronic Navigational Chart: (N2022246) LL(282) DFO(6310433-01)  
CA376596

**14-OCT-2022**

LNM/D. 19-AUG-2022

Add maritime limit in general implying: permanent physical  
obstructions  
(See Chart 1, N1.1)

joining 51°33'10.7"N 055°25'25.4"W

51°34'54.1"N 055°13'19.3"W

and 51°35'56.7"N 055°07'11.0"W

This notice affects Electronic Navigational Chart:  
CA376094

DFO(6310321-01)

**14-OCT-2022**

LNM/D. 19-AUG-2022

Add note: SCIENTIFIC MOORINGS Acoustic sensors, one metre high  
and positioned approximately 750 metres apart, along the line,  
directly on the seabed. Mariners are advised to avoid anchoring  
or conducting seabed operations in the vicinity of submarine  
moorings MOUILLAGES SCIENTIFIQUES Des capteurs  
acoustiques, d'une hauteur d'un mètre et positionnés à intervalles  
d'environ 750 mètres le long de la ligne, reposent directement sur  
le fond marin. Nous avisons les navigateurs d'éviter de mouiller  
ou d'effectuer des travaux sur le fond marin à proximité de ces  
mouillages sous-marins.

52°47'52.0"N 056°33'47.0"W

DFO(6310321-02)

**14-OCT-2022**

LNM/D. 19-AUG-2022

Add maritime limit in general implying: permanent physical  
obstructions  
(See Chart 1, N1.1)

joining 52°26'58.4"N 055°37'31.1"W

52°28'42.7"N 055°28'51.8"W

and 52°32'29.5"N 055°12'22.1"W

This notice affects Electronic Navigational Chart:  
CA476380

DFO(6310321-03)

**14-OCT-2022**

LNM/D. 19-AUG-2022



### Chart no. 4731

Add See/Voir note SCIENTIFIC MOORINGS MOUILLAGES  
SCIENTIFIQUES 51°35'45.0"N 055°14'53.0"W  
(See Chart No 1, A14) *DFO(6310321-05)*  
This notice affects Electronic Navigational Chart: CA376094

**14-OCT-2022** LNM/D. 19-AUG-2022  
Add See/Voir note SCIENTIFIC MOORINGS MOUILLAGES 52°28'32.0"N 055°22'10.0"W  
SCIENTIFIQUES  
(See Chart No 1, A14) *DFO(6310321-06)*  
This notice affects Electronic Navigational Chart: CA476380

**19-AUG-2022** LNM/D. 05-AUG-2022  
Amend Fl R 3s67ft to read Fl R 4s67ft against light 52°30'46.3"N 055°45'57.6"W  
(See Chart No. 1, P16)  
This notice affects Electronic Navigational Chart: *(N2022100) LL(270.5) DFO(6310164-01)*  
CA276113

**19-AUG-2022** LNM/D. 05-AUG-2022  
Amend Fl 6s127ft to read Fl 4s127ft against light 53°27'40.0"N 055°44'50.1"W  
(See Chart No. 1, P16)  
This notice affects Electronic Navigational Chart: *(N2022116) LL(281) DFO(6310177-01)*  
CA276113, CA376596

**19-AUG-2022** LNM/D. 05-AUG-2022  
Amend Fl 3s 95ft to read Fl 4s92ft against light 53°00'36.3"N 055°45'50.2"W  
(See Chart No. 1, P16)  
This notice affects Electronic Navigational Chart: *(N2022119) LL(280) DFO(6310180-01)*  
CA276113, CA476630

**05-AUG-2022** LNM/D. 09-JUL-2021  
Delete fog signal Fog Sig 60 s against light 52°10'01.7"N 055°38'34.5"W  
(See Chart No. 1, R1, R20)  
This notice affects Electronic Navigational Chart: *(N2022122) LL(279) DFO(6310182-01)*  
CA476360

**09-JUL-2021** LNM/D. 25-JUN-2021  
Add subsurface Ocean Data Acquisition system ODAS/SADO with 51°34'28.2"N 056°37'05.4"W  
known depth of 34 fathoms  
(See Chart No. 1, L25) *DFO(6309414-02)*  
This notice affects Electronic Navigational Chart: CA376094



### Chart no. 4731

#### 25-JUN-2021

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 22 fathoms

(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA276113

LNМ/D. 26-MAR-2021

53°26'56.0"N 055°17'59.0"W

*DFO(6309413-06)*

#### 26-MAR-2021

Amend Fl 6s 179ft 6M to read Fl 4s179ft4M against light

(See Chart No. 1, P16)

This notice affects Electronic Navigational Chart: (N2021002) LL(279.8) DFO(6309370-01)  
CA276113, CA376429, CA476634

LNМ/D. 11-MAY-2018

52°50'12.0"N 055°48'45.4"W

#### 11-MAY-2018

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 45 fathoms

(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA476380

LNМ/D. 01-DEC-2017

52°27'25.0"N 055°35'35.0"W

*DFO(6308207-04)*

#### 01-DEC-2017

Amend depth of 41 fathoms to read 13 fathoms against subsurface Ocean Data Acquisition system ODAS/SADO

(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA176030

LNМ/D. 06-MAY-2016

51°35'47.1"N 054°35'48.8"W

*DFO(6308149-02)*

#### 06-MAY-2016

Delete fog signal Fog Sig 30s against light

(See Chart No. 1, R1, R20)

This notice affects Electronic Navigational Chart: (N2016002) LL(227) DFO(6307500-01)  
CA276138, CA376094

LNМ/D. 20-NOV-2015

51°27'37.7"N 056°51'29.3"W

#### 20-NOV-2015

Delete legend Fog Sig 60s against light

(See Chart No. 1, R20)

This notice affects Electronic Navigational Chart: (N2015050) LL(233) DFO(6307272-01)  
CA376094

LNМ/D. 22-MAY-2015

51°52'48.1"N 055°22'54.4"W

#### 20-NOV-2015

LNМ/D. 22-MAY-2015



### Chart no. 4731

Delete legend Fog Sig 30s against light  
(See Chart No. 1, R20) 52°00'49.1"N 055°16'49.3"W  
This notice affects Electronic Navigational Chart: (N2015051) LL(232) DFO(6307272-02)  
CA376094

#### 22-MAY-2015

Add obstruction with known depth of 41 fathoms and legend  
ODAS/SADO LNM/D. 19-SEP-2014  
(See Chart No. 1, K41) 51°35'48.1"N 054°35'53.4"W  
This notice affects Electronic Navigational Chart: CA176030 DFO(6307116-02)

#### 19-SEP-2014

Delete tower with elevation of 786 feet, WLts LNM/D. 25-APR-2014  
(See chart No. 1, E20) 52°22'36.0"N 055°42'30.0"W  
This notice affects Electronic Navigational Chart: CA176030, DFO(6306799-01)  
CA476380

#### 25-APR-2014

Delete legend Fog Sig 30s against light LNM/D. 25-NOV-2011  
(See Chart No. 1, R1, R20) 51°37'44.6"N 055°54'19.8"W  
This notice affects Electronic Navigational Chart: (N2014024) LL(223) DFO(6306720-01)  
CA376094

#### 25-APR-2014

Delete legend Fog Sig 30s against light LNM/D. 25-NOV-2011  
(See Chart No. 1, R1, R20) 51°43'28.6"N 056°26'09.0"W  
This notice affects Electronic Navigational Chart: (N2014025) LL(230) DFO(6306720-02)  
CA376094

#### 25-APR-2014

Delete legend Fog Sig 30s against light LNM/D. 25-NOV-2011  
(See Chart No. 1, R1, R20) 51°38'21.9"N 055°25'32.7"W  
This notice affects Electronic Navigational Chart: (N2014026) LL(225) DFO(6306720-03)  
CA376094

#### 25-NOV-2011

Amend obstruction with depth of 41 metres and legend ODAS/SADO LNM/D. 04-NOV-2011  
to read obstruction with depth of 41 fathoms and legend 51°34'48.0"N 056°37'12.0"W  
ODAS/SADO DFO(6305827-01)



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 4731

**04-NOV-2011**

LNМ/D. 31-DEC-2010

Delete obstruction with known depth of 57 fathoms and legend Obstn 51°21'06.0"N 056°52'30.0"W  
(See Chart No. 1, K41)

*DFO(6305791-01)*

**04-NOV-2011**

LNМ/D. 31-DEC-2010

Add obstruction with depth of 41 metres and legend ODAS/SADO 51°34'48.0"N 056°37'12.0"W

*DFO(6305791-02)*

**31-DEC-2010**

LNМ/D. 12-MAR-2010

Delete legend Loran against tower 52°22'30.0"N 055°42'30.0"W  
(See Chart No. 1, E20)

*(N2010064) DFO(6305145-01)*

**12-MAR-2010**

LNМ/D. 04-SEP-2009

Delete light Fl R 3s 35ft  
(See Chart 1 P16)

51°35'43.0"N 056°42'10.0"W

*(N2010010) LL(229) DFO(6304748-01)*

This notice affects Electronic Navigational Chart:  
CA376094

**04-SEP-2009**

LNМ/D. 27-MAR-2009

Amend legend Fl 15s 177ft 23M to read Fl 15s 177ft 17M against light 51°38'24.2"N 055°25'35.9"W  
(See Chart No 1 P16)

*LL(225) DFO(6304515-01)*

This notice affects Electronic Navigational Chart: CA376094

**27-MAR-2009**

LNМ/D. 27-FEB-2009

Delete Fog Sig 20s against light FlR 3s 35ft  
(See Chart No 1 R20)

51°35'43.0"N 056°42'04.0"W

*(N2009002) LL(229.09) DFO(6304270-01)*

This notice affects Electronic Navigational Chart:  
CA376094

**27-FEB-2009**

LNМ/D. 26-OCT-2007



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 4731

Delete light Fl 4s 55ft  
(See Chart No 1 P1)

51°34'52.5"N 055°25'16.3"W

*(N2008048) LL(238) DFO(6304258-01)*

This notice affects Electronic Navigational Chart:  
CA376094

#### **26-OCT-2007**

Amend note Adjoining Chart/Carte adjacente 4510 to read Adjoining  
Chart/Carte adjacente 4822

LNM/D. 06-APR-2007

right side of south border

*DFO(6303536-04)*

#### **06-APR-2007**

LNM/D. 24-SEP-2004

Delete depth of 45 fathoms 51°54'00.0"N 055°51'45.0"W

*DFO(6303366-01)*

#### **06-APR-2007**

LNM/D. 24-SEP-2004

Add depth of 39 fathoms 51°54'00.0"N 055°51'49.0"W

*DFO(6303366-02)*

#### **06-APR-2007**

LNM/D. 24-SEP-2004

Delete depth of 40 fathoms 51°49'28.0"N 056°00'35.0"W

*DFO(6303366-03)*

#### **06-APR-2007**

LNM/D. 24-SEP-2004

Add depth of 32 fathoms 51°49'43.0"N 055°59'58.0"W

*DFO(6303366-04)*

#### **06-APR-2007**

LNM/D. 24-SEP-2004

Add depth of 24 fathoms 51°49'17.0"N 055°34'33.0"W

*DFO(6303366-06)*

#### **06-APR-2007**

LNM/D. 24-SEP-2004



**Chart no. 4731**

Add depth of 19 fathoms 51°58'24.0"N 055°25'56.0"W

*DFO(6303366-08)*

**06-APR-2007** LNM/D. 24-SEP-2004

Add depth of 22 fathoms 51°55'27.0"N 055°30'33.0"W

*DFO(6303366-09)*

**06-APR-2007** LNM/D. 24-SEP-2004

Delete depth of 29 fathoms 51°50'45.0"N 055°31'15.0"W

*DFO(6303366-10)*

**06-APR-2007** LNM/D. 24-SEP-2004

Add depth of 20 fathoms 51°50'25.0"N 055°31'48.0"W

*DFO(6303366-11)*

**06-APR-2007** LNM/D. 24-SEP-2004

Add depth of 30 fathoms 51°49'24.0"N 055°27'12.0"W

*DFO(6303366-12)*

**24-SEP-2004** LNM/D. 16-JUL-2004

Amend "Fl 6s 66ft 13M" to read "Fl 6s 66ft 6M" against light 51°58'19.9"N 055°51'11.3"W

*LL(270) DFO(6301894-01)*

**16-JUL-2004**

Add obstruction with a known depth of 57 fathoms and legend Obstn 51°21'06.0"N 056°52'30.0"W

*DFO(6301779-01)*