



## Chart no. 4825

### 4825 - Burgeo - New Chart - 01-MAR-2002 - NAD 1983

**28-APR-2023**

LN/D. 13-MAY-2022

Delete legend BELL against green port hand lighted pillar  
buoy Fl G, marked QG3  
(See Chart No. 1, Qc)  
This notice affects Electronic Navigational Chart:  
CA476622, CA576623

47°37'03.7"N 057°35'06.9"W

(N2023054) LL(143.5) DFO(6310653-01)

**28-APR-2023**

LN/D. 13-MAY-2022

Delete green port hand lighted spar buoy Fl G, marked  
QG5.1  
(See Chart 1, Qc)  
This notice affects Electronic Navigational Chart:  
CA576623

47°37'01.1"N 057°36'25.1"W

(N2023055) LL(143.71) DFO(6310654-01)

**28-APR-2023**

LN/D. 13-MAY-2022

Add green port hand lighted spar buoy Q G, marked  
QG5.1  
(See Chart 1, Qc)  
This notice affects Electronic Navigational Chart:  
CA576623

47°37'01.4"N 057°36'26.6"W

(N2023055) LL(143.71) DFO(6310654-02)

**13-MAY-2022**

LN/D. 18-MAR-2022

Reposition red starboard hand lighted spar buoy FIR,  
marked QV4  
(See Chart No. 1, Qf)  
This notice affects Electronic Navigational  
Chart: CA576623

from 47°36'17.0"N 057°36'48.4"W  
to 47°36'16.7"N 057°36'53.6"W

(N2022048) LL(144.56) DFO(6310070-01)

**18-FEB-2022**

LN/D. 06-DEC-2019

Add green port hand lighted spar buoy Fl G, marked  
QG5.3  
(See Chart No. 1, Qg)  
This notice affects Electronic Navigational Chart:  
CA576623

47°36'49.4"N 057°36'25.4"W

(N2021186) LL(143.74) DFO(6309904-01)

**23-AUG-2013**

LN/D. 29-MAR-2013

Delete depth of 29 metres, 2 decimetres 47°36'23.4"N 057°36'02.6"W  
(See Chart No. 1, I10)

DFO(6306408-01)



### Chart no. 4825

**23-AUG-2013**

LN/D. 29-MAR-2013

Add depth of 27 metres, 6 decimetres 47°36'24.0"N 057°36'01.8"W  
(See Chart No. 1, I10)

*DFO(6306408-02)*

**23-AUG-2013**

LN/D. 29-MAR-2013

Delete depth of 7 metres, 8 decimetres 47°36'17.5"N 057°36'45.5"W  
(See Chart No. 1, I10)

*DFO(6306408-03)*

**23-AUG-2013**

LN/D. 29-MAR-2013

Add depth of 3 metres, 9 decimetres 47°36'17.1"N 057°36'44.5"W  
(See Chart No. 1, I10)

*DFO(6306408-04)*

**23-AUG-2013**

LN/D. 29-MAR-2013

Replace depth of 13 metres, 3 decimetres with depth of 9 metres, 6  
decimetres  
(See Chart No. 1, I10)

47°36'19.6"N 057°36'45.7"W

*DFO(6306408-05)*

**23-AUG-2013**

LN/D. 29-MAR-2013

Add depth of 6 metres, 7 decimetres 47°36'21.5"N 057°36'38.1"W  
(See Chart No. 1, I10)

*DFO(6306408-06)*

**23-AUG-2013**

LN/D. 29-MAR-2013

Delete depth of 12 metres, 6 decimetres 47°36'21.6"N 057°36'40.9"W  
(See Chart No. 1, I10)

*DFO(6306408-07)*

**23-AUG-2013**

LN/D. 29-MAR-2013

Replace depth of 20 metres, 3 decimetres with depth of 17 metres, 4  
decimetres  
(See Chart No. 1, I10)

47°36'24.6"N 057°36'35.9"W

*DFO(6306408-08)*

**23-AUG-2013**

LN/D. 29-MAR-2013



**Chart no. 4825**

Replace depth of 12 metres, 3 decimetres with depth of 9 metres, 7  
decimetres  
(See Chart No. 1, I10) 47°36'26.8"N 057°36'45.3"W  
*DFO(6306408-09)*

**23-AUG-2013**

Replace depth of 8 metres, 1 decimetre with depth of 5 metres, 3  
decimetres  
(See Chart No. 1, I10) LNM/D. 29-MAR-2013  
47°36'33.9"N 057°36'26.4"W  
*DFO(6306408-10)*

**21-SEP-2012**

Delete ferry route joining LNM/D. 28-OCT-2011  
(See Chart No. 1, M50) 47°36'31.2"N 057°36'34.5"W  
47°36'24.0"N 057°36'34.8"W  
47°36'21.9"N 057°36'37.7"W  
47°36'19.7"N 057°36'46.2"W  
47°36'18.6"N 057°37'00.8"W  
and 47°36'13.0"N 057°37'21.9"W  
*DFO(6305927-01)*

**28-OCT-2011**

Add green port hand lighted pillar buoy FIG, marked QV9 LNM/D. 14-OCT-2011  
47°36'15.5"N 057°35'23.5"W  
*(N2011076) LL(144.6) DFO(6305766-01)*  
(See Chart No. 1, Qg)

**28-OCT-2011**

Add green port hand lighted pillar buoy FIG, marked LNM/D. 14-OCT-2011  
47°36'24.6"N 057°35'41.4"W  
QV7  
(See Chart No. 1, Qg) *(N2011077) LL(144.58) DFO(6305767-01)*

**28-OCT-2011**

Add red starboard hand lighted pillar buoy FIR, marked LNM/D. 14-OCT-2011  
47°36'24.6"N 057°35'37.2"W  
QV8  
(See Chart No. 1, Qf) *(N2011078) LL(144.59) DFO(6305768-01)*

**30-JAN-2009**

LNM/D. 31-OCT-2008



**Chart no. 4825**

Add submarine cable joining 47°36'39.7"N 057°36'23.2"W  
(See Chart No 1 L30.1) 47°36'33.7"N 057°36'23.7"W  
47°36'31.4"N 057°36'22.8"W  
47°36'29.9"N 057°36'20.9"W  
47°36'29.2"N 057°36'17.7"W  
47°36'29.9"N 057°36'10.7"W  
47°36'53.5"N 057°35'11.5"W  
and 47°36'55.0"N 057°34'58.5"W

*DFO(6304184-02)*

**30-JAN-2009**

LNМ/D. 31-OCT-2008

Add submarine cable joining 47°36'59.2"N 057°34'58.5"W  
(See Chart No 1 L30.1) 47°36'56.3"N 057°35'12.4"W  
47°36'32.3"N 057°36'08.5"W  
47°36'30.2"N 057°36'22.2"W  
and 47°36'39.7"N 057°36'23.1"W

*DFO(6304184-04)*

**31-AUG-2007**

LNМ/D. 03-NOV-2006

Reposition red starboard hand lighted pillar buoy FLR,  
marked QF2

from 47°36'33.6"N 057°36'20.9"W  
to 47°36'33.6"N 057°36'17.0"W

*(N2007024) LL(145.9) DFO(6303560-01)*

**02-JUL-2004**

LNМ/D. 27-FEB-2004

Delete depth of 5 metres 1 decimetre 47°36'51.0"N 057°36'25.7"W

*DFO(6301627-01)*

**02-JUL-2004**

LNМ/D. 27-FEB-2004

Add depth of 0 metres 3 decimetres 47°36'51.8"N 057°36'25.4"W

*DFO(6301627-02)*

**02-JUL-2004**

LNМ/D. 27-FEB-2004

Add depth of 4 metres 9 decimetres 47°36'51.1"N 057°36'26.0"W

*DFO(6301627-03)*



## Chart no. 4825

### 27-SEP-2002

Reposition green port hand spar light buoy FlG, marked  
QG5.1

from 47°37'00.6"N 057°36'15.0"W  
to 47°37'01.1"N 057°36'25.1"W

(N2002085) LL(958.5) DFO(6300496-02)

## 4825 - Burgeo and / et Ramea Islands - New Chart - 01-MAR-2002 - NAD 1983

### 28-APR-2023

Delete legend BELL against green port hand lighted pillar  
buoy Fl G, marked QG3

(See Chart No. 1, Qc)

This notice affects Electronic Navigational Chart:  
CA476622, CA576623

LNm/D. 13-MAY-2022

47°37'03.7"N 057°35'06.9"W

(N2023054) LL(143.5) DFO(6310653-01)

### 18-MAR-2022

Reposition green port hand lighted spar buoy Fl G,  
marked QV3.7

(See Chart No. 1, Qg)

This notice affects Electronic Navigational  
Chart: CA376616, CA476622

LNm/D. 18-FEB-2022

from 47°35'56.0"N 057°39'00.0"W  
to 47°35'55.2"N 057°38'45.0"W

(N2022012) LL(144.54) DFO(6310014-01)

### 06-DEC-2019

Affix patch

[PDF](#)

This notice affects Electronic Navigational Chart: CA476622

LNm/D. 08-DEC-2017

47°38'00.0"N 057°32'00.0"W

DFO(6308812-01)

### 06-DEC-2019

Affix patch

[PDF](#)

This notice affects Electronic Navigational Chart: CA476622

LNm/D. 08-DEC-2017

47°38'00.0"N 057°28'00.0"W

DFO(6308812-02)

### 08-DEC-2017

Replace depth of 9.8 metres with depth of 8.2 metres

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA276284,  
CA376616, CA476622

LNm/D. 17-MAR-2017

47°35'55.4"N 057°42'18.3"W

DFO(6308153-01)

### 08-DEC-2017

LNm/D. 17-MAR-2017



### Chart no. 4825

- Delete depth of 12.8 metres  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA476622
- 47°36'50.7"N 057°41'30.5"W  
*DFO(6308153-02)*
- 08-DEC-2017**
- Delete depth of 8.2 metres  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA376616,  
CA476622
- 47°36'52.5"N 057°41'23.8"W  
*DFO(6308153-03)*
- 08-DEC-2017**
- Add depth of 4 metres  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA376616,  
CA476622
- 47°36'51.9"N 057°41'28.5"W  
*DFO(6308153-04)*
- 08-DEC-2017**
- Replace depth of 17 metres with depth of 7.8 metres  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA276284,  
CA376619, CA476622
- 47°34'25.5"N 057°38'05.9"W  
*DFO(6308153-05)*
- 08-DEC-2017**
- Add depth of 9.1 metres  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA376619,  
CA476622
- 47°37'54.2"N 057°33'59.9"W  
*DFO(6308153-06)*
- 08-DEC-2017**
- Add depth of 6.2 metres  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA476622
- 47°37'38.5"N 057°32'07.5"W  
*DFO(6308153-07)*
- 08-DEC-2017**
- Replace depth of 31 metres with depth of 2.4 metres  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA376619,  
CA476622
- 47°37'50.9"N 057°31'36.7"W  
*DFO(6308153-08)*



### Chart no. 4825

**08-DEC-2017**

LNМ/D. 17-MAR-2017

Delete depth of 20.1 metres

47°37'20.6"N 057°29'08.4"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA476622

*DFO(6308153-09)*

**08-DEC-2017**

LNМ/D. 17-MAR-2017

Delete depth of 20.1 metres

47°37'18.0"N 057°29'04.4"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA476622

*DFO(6308153-10)*

**08-DEC-2017**

LNМ/D. 17-MAR-2017

Delete depth of 12.8 metres

47°37'18.2"N 057°29'08.8"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA476622

*DFO(6308153-11)*

**08-DEC-2017**

LNМ/D. 17-MAR-2017

Add depth of 9.3 metres

47°37'18.9"N 057°29'05.4"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA476622

*DFO(6308153-12)*

**08-DEC-2017**

LNМ/D. 17-MAR-2017

Add depth of 7.1 metres

47°37'32.1"N 057°28'17.7"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA476622

*DFO(6308153-14)*

**08-DEC-2017**

LNМ/D. 17-MAR-2017

Delete depth of 18.1 metres

47°37'55.0"N 057°34'03.0"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA476622

*DFO(6308153-16)*

**17-MAR-2017**

LNМ/D. 03-FEB-2017

Delete black, yellow and black East cardinal lighted  
pillar buoy Q(3)10s, marked QV

47°35'54.6"N 057°37'39.9"W

(See Chart No. 1, Q130.3)

*(N2016077P) LL(144.3) DFO(6307798-01)*

This notice affects Electronic Navigational Chart:

CA376619, CA476622

**03-FEB-2017**

LNМ/D. 01-APR-2016



### Chart no. 4825

Affix patch 47°35'00.0"N 057°41'00.0"W  
[PDF](#)

This notice affects Electronic Navigational Chart: CA476622 *DFO(6307860-01)*

**01-APR-2016** LNM/D. 14-AUG-2015

Add depth of 12 metres, 3 decimetres 47°36'04.1"N 057°41'45.4"W  
(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA476622 *DFO(6307497-03)*

**14-AUG-2015** LNM/D. 12-JUN-2015

Affix patch 47°34'18.0"N 057°42'00.0"W  
[PDF](#)

*DFO(6307248-01)*

**12-JUN-2015** LNM/D. 08-AUG-2014

Delete depth of 10 metres, 1 decimetre 47°34'20.5"N 057°42'03.6"W  
(See Chart No. 1, I10)

*DFO(6307139-01)*

**12-JUN-2015** LNM/D. 08-AUG-2014

Add depth of 3 metres, 3 decimetres 47°34'18.5"N 057°42'02.5"W  
(See Chart No. 1, I10)

*DFO(6307139-02)*

**23-AUG-2013** LNM/D. 29-MAR-2013

Affix patch 47°38'00.0"N 057°36'00.0"W  
[PDF](#)

*DFO(6306408-11)*

**23-AUG-2013** LNM/D. 29-MAR-2013

Affix patch 47°36'00.0"N 057°36'00.0"W  
[PDF](#)

*DFO(6306408-12)*

**29-MAR-2013** LNM/D. 21-SEP-2012

Add depth of 13 metres, 3 decimetres 47°34'17.5"N 057°41'47.7"W  
(See Chart No. 1, I10)

*DFO(6306336-01)*





**Chart no. 4825**

**29-MAR-2013**

LNМ/D. 21-SEP-2012

Add depth of 9 metres, 9 decimetres 47°34'26.9"N 057°41'45.4"W  
(See Chart No. 1, I10)

*DFO(6306336-03)*

**21-SEP-2012**

LNМ/D. 28-OCT-2011

Delete ferry route  
(See Chart No. 1, M50)  
Ferry route between LaPoile and Burgeo is  
discontinued

joining 47°36'31.2"N 057°36'34.5"W  
47°36'24.2"N 057°36'35.3"W  
47°36'20.2"N 057°36'42.9"W  
47°36'19.0"N 057°36'58.1"W  
47°35'42.0"N 057°39'27.9"W  
and 47°35'23.0"N 057°42'30.0"W

*DFO(6305927-01)*

**28-OCT-2011**

LNМ/D. 14-OCT-2011

Add green port hand lighted pillar buoy FlG, marked QV9  
(See Chart No. 1, Qg)

47°36'15.5"N 057°35'23.5"W

*(N2011076) LL(144.6) DFO(6305766-01)*

**14-OCT-2011**

LNМ/D. 30-JAN-2009

Add light FlG  
(See Chart No. 1, P1)

47°31'15.2"N 057°23'12.7"W

*(N2011060) LL(139.85) DFO(6305738-01)*

**30-JAN-2009**

LNМ/D. 31-OCT-2008

Add submarine cable  
(See Chart No 1 L30.1)

joining 47°36'29.9"N 057°36'10.7"W  
47°36'53.5"N 057°35'11.5"W  
47°36'55.4"N 057°34'54.8"W  
47°36'54.2"N 057°34'39.1"W  
47°36'41.5"N 057°34'20.8"W  
47°36'26.7"N 057°34'18.7"W  
47°36'13.8"N 057°33'59.7"W  
47°35'31.4"N 057°34'09.9"W  
47°35'23.1"N 057°34'16.8"W  
47°34'15.4"N 057°36'31.4"W  
47°32'39.5"N 057°39'54.0"W  
47°32'33.2"N 057°40'30.9"W  
and 47°32'52.1"N 057°42'30.0"W

*DFO(6304184-01)*



**Chart no. 4825**

**30-JAN-2009**

LNM/D. 31-OCT-2008

Add submarine cable joining 47°32'43.2"N 057°16'00.0"W  
(See Chart No 1 L30.1) 47°34'47.3"N 057°30'56.1"W  
47°35'49.8"N 057°32'42.7"W  
47°36'26.7"N 057°33'04.0"W  
47°36'46.3"N 057°34'17.1"W  
47°36'56.7"N 057°34'36.0"W  
47°36'59.3"N 057°34'59.6"W  
47°36'56.3"N 057°35'12.4"W  
and 47°36'32.3"N 057°36'08.5"W

*DFO(6304184-03)*

**31-OCT-2008**

LNM/D. 31-AUG-2007

Delete depth of 16 metres, 5 decimetres 47°30'01.9"N 057°23'25.0"W  
(See Chart No. 1, I10)

*DFO(6304083-01)*

**31-OCT-2008**

LNM/D. 31-AUG-2007

Delete depth of 27 metres, 4 decimetres 47°29'58.8"N 057°23'22.9"W  
(See Chart No. 1, I10)

*DFO(6304083-02)*

**31-OCT-2008**

LNM/D. 31-AUG-2007

Add depth of 10 metres, 4 decimetres 47°30'00.2"N 057°23'25.5"W  
(See Chart No. 1, I10)

*DFO(6304083-03)*

**31-OCT-2008**

LNM/D. 31-AUG-2007

Add depth of 5 metres, 1 decimetre 47°30'03.5"N 057°23'33.8"W  
(See Chart No. 1, I10)

*DFO(6304083-04)*

**31-OCT-2008**

LNM/D. 31-AUG-2007

Delete depth of 27 metres, 4 decimetres 47°29'50.9"N 057°23'48.0"W  
(See Chart No. 1, I10)

*DFO(6304083-05)*

**31-OCT-2008**

LNM/D. 31-AUG-2007



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 4825

Delete depth of 15 metres, 5 decimetres 47°29'52.4"N 057°23'38.0"W  
(See Chart No. 1, I10)

*DFO(6304083-06)*

**31-OCT-2008**

LNM/D. 31-AUG-2007

Add depth of 9 metres, 2 decimetres 47°29'52.4"N 057°23'50.1"W  
(See Chart No. 1, I10)

*DFO(6304083-07)*

**31-OCT-2008**

LNM/D. 31-AUG-2007

Add depth of 11 metres 47°27'48.6"N 057°16'34.2"W  
(See Chart No. 1, I10)

*DFO(6304083-09)*

**31-OCT-2008**

LNM/D. 31-AUG-2007

Delete depth of 42 metres 47°28'09.8"N 057°16'37.0"W  
(See Chart No. 1, I10)

*DFO(6304083-10)*

**31-OCT-2008**

LNM/D. 31-AUG-2007

Add depth of 16 metres, 4 decimetres 47°28'08.1"N 057°16'35.3"W  
(See Chart No. 1, I10)

*DFO(6304083-11)*

**31-OCT-2008**

LNM/D. 31-AUG-2007

Add depth of 12 metres, 4 decimetres 47°29'50.5"N 057°23'38.9"W  
(See Chart No. 1, I10)

*DFO(6304083-24)*

**03-NOV-2006**

LNM/D. 08-JUL-2005

Amend "Adjoining Chart/Carte adjacente 4633" to read "Adjoining Chart/Carte centre of east border  
adjacente 4826"

*DFO(6303058-01)*

**03-NOV-2006**

LNM/D. 08-JUL-2005

Amend "Adjoining Chart/Carte adjacente 4633" to read "Adjoining  
Chart/Carte adjacente 4826 "

right side of north border

*DFO(6303058-02)*



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 4825

### 03-NOV-2006

Amend "Adjoining Chart/Carte adjacente 4634" to read "Adjoining Chart/Carte adjacente 4824 "

LNМ/D. 08-JUL-2005  
centre of west border

*DFO(6303058-03)*

### 08-JUL-2005

Delete green port hand lighted pillar buoy FlG, marked QS1

LNМ/D. 10-JUN-2005  
47°29'44.9"N 057°27'03.2"W

*(N2005026) LL(140.9) DFO(6302329-01)*

### 10-JUN-2005

Delete green port hand pillar light buoy FlG, marked QV3

LNМ/D. 31-DEC-2004  
47°35'53.5"N 057°37'39.4"W

*(N2005018) LL(144.3) DFO(6302284-01)*

### 10-JUN-2005

Add black, yellow and black East cardinal pillar light buoy "Q(3) 10s", marked QV

LNМ/D. 31-DEC-2004  
47°35'54.6"N 057°37'39.9"W

*(N2005018) LL(144.3) DFO(6302284-02)*

### 31-DEC-2004

Amend "Fl 3s 38m 13M" to read "Fl 3s 38m 14M" against light 47°30'44.9"N 057°24'31.5"W

LNМ/D. 10-DEC-2004

*LL(141) DFO(6302111-03)*

### 10-DEC-2004

Delete green port hand pillar light and whistle buoy FlG, WHIS marked Q29

LNМ/D. 27-AUG-2004  
47°31'54.4"N 057°18'57.1"W

*(N2004184) LL(140) DFO(6302057-01)*

### 27-FEB-2004

Replace red starboard hand pillar light buoy FlR, WHIS, marked QS2, with red starboard hand spar light buoy FlR, marked QS2

LNМ/D. 27-SEP-2002  
47°30'16.8"N 057°25'04.1"W

*(N2003059) LL(140.7) DFO(6301163-01)*

### 27-FEB-2004

LNМ/D. 27-SEP-2002



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 4825

Replace red starboard hand pillar light buoy FIR, BELL,  
marked QQ2, with red starboard hand spar light  
buoy FIR, marked QQ2

47°29'55.7"N 057°21'48.1"W

(N2003060) LL(140.5) DFO(6301164-01)

### 4825 - Ship Cove - New Chart - 01-MAR-2002 - NAD 1983

**08-AUG-2014**

LNМ/D. 23-AUG-2013

Add floating dock with legend 'Flo' joining 47°31'19.2"N 057°23'13.8"W  
(See Chart No. 1, F16)

47°31'19.0"N 057°23'14.5"W  
and 47°31'18.0"N 057°23'13.8"W

DFO(6306761-01)

**14-OCT-2011**

LNМ/D. 30-JAN-2009

Add light FLG  
(See Chart No. 1, P1)

47°31'15.2"N 057°23'12.7"W

(N2011060) LL(139.85) DFO(6305738-01)

**27-AUG-2004**

LNМ/D. 02-JUL-2004

Add green port hand spar light buoy FLG, marked QR5/1

47°31'19.4"N 057°22'50.6"W

(N2004118) LL(140.54) DFO(6301626-01)