



### Chart no. 5031

#### 5031 - Battle Harbour - New Edition - 31-DEC-1999 - NAD 1983

**27-MAR-2020**

LNМ/D. 11-MAY-2018

Affix patch

52°16'25.8"N 055°35'12.6"W

[PDF](#)

This notice affects Electronic Navigational Chart: CA576382

*DFO(6308917-01)*

**30-DEC-2016**

LNМ/D. 19-SEP-2014

Replace wharf with wharf in ruins with legend Ru  
(See Chart No. 1 F33.1)

joining 52°16'26.2"N 055°35'09.7"W

52°16'26.2"N 055°35'10.8"W

This notice affects Electronic Navigational Chart:  
CA576382

52°16'26.5"N 055°35'11.5"W

52°16'26.4"N 055°35'11.7"W

52°16'26.1"N 055°35'10.9"W

and 52°16'26.0"N 055°35'09.9"W

*DFO(6307804-01)*

#### 5031 - Caribou Run - New Edition - 31-DEC-1999 - NAD 1983

**19-OCT-2001**

LNМ/D. 29-JUN-2001

Replace red starboard hand spar buoy, marked NU6,  
with red starboard hand spar light buoy Fl R,  
marked NU6

52°15'55.2"N 055°39'49.2"W

*(N2001098) LL(277.56) DFO(6829698-01)*

#### 5031 - Fox Harbour - New Edition - 31-DEC-1999 - NAD 1983

**03-DEC-2021**

LNМ/D. 12-NOV-2021

Add green port hand lighted spar buoy Fl G, marked  
NF1

52°21'37.2"N 055°41'49.6"W

(See Chart No. 1, Qg)

*(N2021067P) LL(276.3) DFO(6500453-01)*

This notice affects Electronic Navigational Chart:  
CA576381

**12-NOV-2021**

LNМ/D. 27-MAR-2020

Affix patch

52°22'00.0"N 055°42'00.0"W

[PDF](#)

This notice affects Electronic Navigational Chart: CA576381

*DFO(6309786-01)*

**14-NOV-2003**

LNМ/D. 19-OCT-2001



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 5031

Reposition red starboard hand pillar light buoy FLR,  
marked NF2

from 52°21'36.5"N 055°41'44.0"W  
to 52°21'35.7"N 055°41'41.4"W

*(N2002161) LL(276.4) DFO(6300636-01)*

#### 19-OCT-2001

Delete green port hand pillar light buoy FLG, marked NF1

LNM/D. 29-JUN-2001

52°21'37.2"N 055°41'46.8"W

*(N2000007) LL(276.3) DFO(6600265-01)*

#### 29-JUN-2001

Add depth of 5.9 metres 52°21'36.2"N 055°41'48.0"W

LNM/D. 23-FEB-2001

*DFO(6829521-01)*

#### 29-JUN-2001

Delete depth of 6.4 metres 52°21'36.2"N 055°41'48.6"W

LNM/D. 23-FEB-2001

*DFO(6829521-02)*

#### 23-FEB-2001

Add depth of 4 metres 52°21'37.6"N 055°41'50.8"W

*DFO(6829228-01)*

### 5031 - Mary's Harbour - New Edition - 31-DEC-1999 - NAD 1983

#### 03-FEB-2023

Delete green port hand lighted spar buoy Fl G, marked  
NMH5

(See Chart 1, Qc)

This notice affects Electronic Navigational  
Chart: CA576503

LNM/D. 28-OCT-2022

52°18'35.5"N 055°50'11.4"W

*(N2022295) LL(276.772) DFO(6500463-01)*

#### 28-OCT-2022

LNM/D. 14-OCT-2022



### Chart no. 5031

Add breakwater with legend Bkw  
(See Chart 1, F4.1)

This notice affects Electronic Navigational Chart:  
CA576503

joining 52°18'47.2"N 055°50'17.8"W  
52°18'45.5"N 055°50'14.6"W  
and 52°18'46.4"N 055°50'10.7"W

*DFO(6310323-01)*

#### 28-OCT-2022

Delete pontoon

(See Chart 1, F16)

This notice affects Electronic Navigational Chart:  
CA576503

LNLM/D. 14-OCT-2022  
between 52°18'48.3"N 055°50'13.1"W  
and 52°18'47.8"N 055°50'12.7"W

*DFO(6310323-02)*

#### 28-OCT-2022

Add pontoon

(See Chart 1, F16)

This notice affects Electronic Navigational Chart:  
CA576503

LNLM/D. 14-OCT-2022  
between 52°18'48.4"N 055°50'13.2"W  
and 52°18'47.3"N 055°50'12.4"W

*DFO(6310323-03)*

#### 08-DEC-2017

Affix patch

[PDF](#)

This notice affects Electronic Navigational Chart: CA576503

LNLM/D. 17-NOV-2017  
52°18'30.0"N 055°50'00.0"W

*DFO(6308154-01)*

#### 19-OCT-2001

Replace green port hand spar buoy, marked NMH3, with  
green port hand spar light buoy FIG, marked  
NMH3

LNLM/D. 29-JUN-2001  
52°18'35.1"N 055°50'01.3"W  
(N2001099) LL(276.78) *DFO(6829699-01)*

#### 19-OCT-2001

Replace red starboard hand spar buoy, marked NMH4,  
with red starboard hand spar light buoy, FIR,  
marked NMH4

LNLM/D. 29-JUN-2001  
52°18'37.0"N 055°50'02.9"W  
(N2001100) LL(276.771) *DFO(6829700-01)*

#### 19-OCT-2001

Replace green port hand spar buoy, marked NMH5,  
with green port hand spar light buoy FIG,  
marked NMH5

LNLM/D. 29-JUN-2001  
52°18'35.5"N 055°50'11.4"W  
(N2001101) LL(276.772) *DFO(6829701-01)*



## Chart no. 5031

### 5031 - St Lewis Sound and / et Inlet - New Edition - 31-DEC-1999 - NAD 1983

**14-OCT-2022**

LNM/D. 03-DEC-2021

Add maritime limit in general implying: permanent physical obstructions between 52°26'58.4"N 055°37'31.1"W and 52°28'00.0"N 055°32'23.3"W  
(See Chart 1, N1.1)  
This notice affects Electronic Navigational Chart: CA476380

*DFO(6310321-03)*

**14-OCT-2022**

LNM/D. 03-DEC-2021

Add note: SCIENTIFIC MOORINGS Acoustic sensors, one metre high and positioned approximately 750 metres apart, along the line, directly on the seabed. Mariners are advised to avoid anchoring or conducting seabed operations in the vicinity of submarine moorings MOUILLAGES SCIENTIFIQUES Des capteurs acoustiques, d'une hauteur d'un mètre et positionnés à intervalles d'environ 750 mètres le long de la ligne, reposent directement sur le fond marin. Nous avisons les navigateurs d'éviter de mouiller ou d'effectuer des travaux sur le fond marin à proximité de ces mouillages sous-marins.

52°13'11.0"N 055°50'09.0"W

*DFO(6310321-04)*

**14-OCT-2022**

LNM/D. 03-DEC-2021

Add See/Voir note SCIENTIFIC MOORINGS MOUILLAGES SCIENTIFIQUES  
(See Chart No 1, A14)  
This notice affects Electronic Navigational Chart: CA476380

52°27'28.0"N 055°34'21.0"W

*DFO(6310321-06)*

**03-DEC-2021**

LNM/D. 12-NOV-2021

Delete black, red and black isolated danger lighted pillar buoy Fl (2) 5s, marked NS  
(See Chart No. 1, Q130.4)

52°16'30.8"N 055°42'54.4"W

*(N2021083) LL(276.9) DFO(6500454-01)*

This notice affects Electronic Navigational Chart:  
CA376358, CA476380

**03-DEC-2021**

LNM/D. 12-NOV-2021

Add green port hand lighted pillar buoy Fl G, marked NUB1  
(See Chart No. 1, Qg)  
This notice affects Electronic Navigational Chart: CA476380

52°17'27.0"N 055°35'24.0"W

*(N2021094) LL(278.1) DFO(6500455-01)*



## Chart no. 5031

### 03-DEC-2021

Add red starboard hand lighted pillar buoy Fl R, marked  
NMS2

(See Chart No. 1, Qf)

This notice affects Electronic Navigational Chart:  
CA476380

LNМ/D. 12-NOV-2021

52°20'27.7"N 055°44'34.1"W

(N2021095) LL(276.55) DFO(6500456-01)

### 11-MAY-2018

Add subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 22 metres

(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA476380

LNМ/D. 08-DEC-2017

52°27'00.0"N 055°37'36.0"W

DFO(6308207-01)

### 11-MAY-2018

Add subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 19 metres

(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA476380

LNМ/D. 08-DEC-2017

52°27'08.0"N 055°36'56.0"W

DFO(6308207-02)

### 11-MAY-2018

Add subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 42 metres

(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA476380

LNМ/D. 08-DEC-2017

52°27'17.0"N 055°36'16.0"W

DFO(6308207-03)

### 11-MAY-2018

Add subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 82 metres

(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA476380

LNМ/D. 08-DEC-2017

52°27'25.0"N 055°35'35.0"W

DFO(6308207-04)

### 08-DEC-2017

Add pier extension

(See Chart No. 1, F14)

This notice affects Electronic Navigational Chart:  
CA476380

LNМ/D. 17-NOV-2017

between 52°18'41.4"N 055°49'48.0"W  
and 52°18'42.6"N 055°49'48.4"W

DFO(6308154-02)

### 08-DEC-2017

LNМ/D. 17-NOV-2017



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 5031

Add pier (See Chart No. 1, F14)  
This notice affects Electronic Navigational Chart:  
CA476380

between 52°18'28.0"N 055°49'59.4"W  
and 52°18'27.6"N 055°49'57.4"W

*DFO(6308154-03)*

**17-NOV-2017** LNM/D. 30-DEC-2016  
Amend Fl 19m to read Fl 14m against light 52°17'36.0"N 055°41'02.7"W  
(See Chart No. 1, P16)  
*LL(276.87) DFO(6308128-01)*

**19-SEP-2014** LNM/D. 31-DEC-2010  
Delete tower with elevation of 240 metres, WLts 52°22'35.2"N 055°42'27.7"W  
(See chart No. 1, E20)  
This notice affects Electronic Navigational Chart: CA176030,  
CA476380 *DFO(6306799-01)*

**31-DEC-2010** LNM/D. 25-DEC-2009  
Delete legend Loran against tower 52°22'35.0"N 055°42'28.0"W  
(See Chart No. 1, E20)  
*(N2010064) DFO(6305145-01)*

**25-DEC-2009** LNM/D. 06-OCT-2006  
Delete light FLR 52°20'29.5"N 055°44'46.0"W  
(See Chart No 1 P1)  
*(N2009052) LL(276.6) DFO(6304660-01)*

**06-OCT-2006** LNM/D. 11-AUG-2006  
Reposition light Fl from 52°26'38.0"N 055°37'42.0"W  
to 52°26'41.5"N 055°37'48.3"W  
*(N2006104) LL(276.2) DFO(6303016-01)*

**11-AUG-2006** LNM/D. 21-JUL-2006  
Amend "NS3" to read "NMS1" against green port hand  
lighted pillar buoy FLG 52°19'47.4"N 055°46'48.6"W  
*(N2006026) LL(276.7) DFO(6302917-01)*

**11-AUG-2006** LNM/D. 21-JUL-2006



**Chart no. 5031**

Delete red starboard hand lighted pillar buoy FIR,  
marked NS8

52°18'10.2"N 055°46'42.0"W

(N2006027) LL(276.75) DFO(6302918-01)

**11-AUG-2006**

LNМ/D. 21-JUL-2006

Add red starboard hand lighted spar buoy FIR, marked  
NS2

52°18'10.2"N 055°46'42.0"W

(N2006027) LL(276.75) DFO(6302918-02)

**11-AUG-2006**

LNМ/D. 21-JUL-2006

Delete green port hand lighted pillar buoy FIG, marked  
NS9

52°17'40.0"N 055°45'41.0"W

(N2006028) LL(276.8) DFO(6302919-01)

**11-AUG-2006**

LNМ/D. 21-JUL-2006

Add green port hand lighted pillar buoy FIG, marked NS1

52°17'43.8"N 055°45'44.4"W

(N2006028) LL(276.8) DFO(6302919-02)

**21-JUL-2006**

LNМ/D. 14-NOV-2003

Delete red starboard hand conical buoy, marked NR8

52°13'13.2"N 055°36'17.4"W

(N2006024) LL(277.6) DFO(6302915-01)

**21-JUL-2006**

LNМ/D. 14-NOV-2003

Add red starboard hand lighted pillar buoy FIR, marked  
NUC2

52°13'13.2"N 055°36'17.4"W

(N2006024) LL(277.6) DFO(6302915-02)

**19-OCT-2001**

LNМ/D. 29-JUN-2001

Replace red starboard hand spar buoy, marked NU6,  
with red starboard hand spar light buoy Fl R,  
marked NU6

52°15'55.2"N 055°39'49.2"W

(N2001098) LL(277.56) DFO(6829698-01)