



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 6022

6022 - Lake Rosseau and/et Lake Joseph - Sheet/Feuille 1 - New Edition - 04-MAR-2005 - NAD 1983

16-DEC-2022

LNM/D. 03-AUG-2018

Add green port hand can buoy, marked KA5/1 45°08'58.9"N 079°35'08.3"W
(See Chart No.1, Qc)

(D2022045) DFO(6604960-01)

16-DEC-2022

LNM/D. 03-AUG-2018

Reposition green port hand spar buoy, marked KE9 from 45°09'49.4"N 079°38'44.2"W
(See Chart 1, Qc) to 45°09'48.0"N 079°38'44.7"W

(D2022047) DFO(6604962-01)

16-DEC-2022

LNM/D. 03-AUG-2018

Reposition green port hand spar buoy, marked KH3 from 45°09'44.1"N 079°38'02.4"W
(See Chart 1, Qc) to 45°09'43.0"N 079°38'01.5"W

(D2022048) DFO(6604963-01)

16-DEC-2022

LNM/D. 03-AUG-2018

Reposition green port hand spar buoy, marked KA5 from 45°08'56.1"N 079°35'08.3"W
(See Chart No.1, Qc) to 45°08'57.9"N 079°35'07.7"W

(D2022053) DFO(6604974-01)

16-DEC-2022

LNM/D. 03-AUG-2018

Reposition red starboard hand spar buoy, marked KA6 from 45°08'57.6"N 079°35'06.6"W
(See Chart No.1, Qb) to 45°08'58.0"N 079°35'07.1"W

(D2022054) DFO(6604975-01)

03-AUG-2018

LNM/D. 13-MAY-2016

Add yellow cautionary spar buoy, marked YKD 45°08'51.7"N 079°35'33.1"W

(D2018017) DFO(6604430-01)

13-MAY-2016

LNM/D. 19-JUL-2013



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 6022

Reposition red starboard hand spar buoy, marked M2 (See Chart No. 1, Qf) from 45°08'12.0"N 079°33'56.3"W to 45°08'11.0"N 079°33'59.5"W

(D2016001) DFO(6604211-01)

13-MAY-2016

LNM/D. 19-JUL-2013

Reposition red starboard hand lighted spar buoy Fl R, marked M2/2 (See Chart No. 1, Qf & P10.4)

from 45°08'11.0"N 079°33'58.0"W to 45°08'13.8"N 079°33'54.0"W

(D2016002) LL(1397.1) DFO(6604212-01)

19-JUL-2013

LNM/D. 28-JUN-2013

Delete light, Fl R
(See Chart No. 1, P1, P10.4 & P11.2)

45°05'41.0"N 079°33'41.0"W

(D2013005) LL(1395) DFO(6603892-01)

19-JUL-2013

LNM/D. 28-JUN-2013

Add red starboard hand lighted spar buoy Fl R, marked A20
(See Chart No. 1, Qf, P1, P10.4 & P11.2)

45°05'39.3"N 079°33'39.2"W

(D2013006) LL(1395.3) DFO(6603893-01)

19-JUL-2013

LNM/D. 28-JUN-2013

Amend PRIV to read MA6 against red starboard hand buoy
(See Chart No. 1, Qf)

45°07'18.5"N 079°33'15.3"W

(D2013007) DFO(6603894-01)

28-JUN-2013

LNM/D. 18-FEB-2011

Add rock with known depth of 8 feet, Rep (2011), dangerous to surface navigation
(See Chart No. 1, K14.2 & I3.2)

45°15'02.6"N 079°38'51.4"W

DFO(6603884-01)

18-FEB-2011

LNM/D. 12-JUN-2009

Delete port hand daybeacon
(See Chart No. 1, Qt)

45°08'10.0"N 079°36'42.3"W
(D2011002) DFO(6603666-01)

18-FEB-2011

LNM/D. 12-JUN-2009



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 6022

Add islet $45^{\circ}08'10.2''N$ $079^{\circ}36'42.3''W$
(See Chart No. 1, K10)

DFO(6603666-02)

22-AUG-2008

LNМ/D. 01-AUG-2008

Add submarine cable between $45^{\circ}09'22.8''N$ $079^{\circ}40'39.8''W$
(See Chart No.1, L30.1) and $45^{\circ}09'22.6''N$ $079^{\circ}40'35.5''W$

DFO(6603225-01)

22-AUG-2008

LNМ/D. 01-AUG-2008

Add vertical clearance of 30ft $45^{\circ}15'22.5''N$ $079^{\circ}38'45.5''W$
(See Chart No.1, D20)

DFO(6603225-03)

22-AUG-2008

LNМ/D. 01-AUG-2008

Add vertical clearance of 39ft $45^{\circ}08'16.0''N$ $079^{\circ}40'59.0''W$
(See Chart No.1, D20)

DFO(6603225-04)

22-AUG-2008

LNМ/D. 01-AUG-2008

Add rock with known depth of 5ft $45^{\circ}11'13.2''N$ $079^{\circ}37'02.4''W$
(See Chart No.1, K14.2)

DFO(6603225-05)

08-JUN-2007

Add submarine cable joining $45^{\circ}05'51.0''N$ $079^{\circ}30'26.0''W$
(See Chart No.1, L30.1) $45^{\circ}05'45.0''N$ $079^{\circ}30'35.0''W$
 $45^{\circ}05'45.0''N$ $079^{\circ}30'50.0''W$
and $45^{\circ}05'58.2''N$ $079^{\circ}31'00.0''W$

DFO(6602903-01)

6022 - Port Carling - Sheet/Feuille 1 - New Edition - 04-MAR-2005 - NAD 1983

16-FEB-2024

LNМ/D. 16-DEC-2022

Add red starboard hand spar buoy, marked K4/2 (See Chart 1, Qb) $45^{\circ}07'08.0''N$ $079^{\circ}34'30.7''W$

(D2024001) DFO(6605212-01)



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 6022

22-AUG-2008

LNМ/D. 01-AUG-2008

Add submarine cable between 45°07'08.0"N 079°34'32.0"W
(See Chart No.1, L30.1) and 45°07'06.0"N 079°34'27.8"W

DFO(6603225-02)

6022 - Lake Rosseau and/et Lake Joseph - Sheet/Feuille 2 - New Edition - 04-MAR-2005 - NAD 1983

16-DEC-2022

LNМ/D. 03-AUG-2018

Reposition green port hand spar buoy, marked KE9 from 45°09'49.4"N 079°38'44.2"W
(See Chart 1, Qc) to 45°09'48.0"N 079°38'44.7"W

(D2022047) DFO(6604962-01)

16-DEC-2022

LNМ/D. 03-AUG-2018

Reposition green port hand spar buoy, marked KH3 from 45°09'44.1"N 079°38'02.4"W
(See Chart 1, Qc) to 45°09'43.0"N 079°38'01.5"W

(D2022048) DFO(6604963-01)

28-JUN-2013

LNМ/D. 18-FEB-2011

Add rock with known depth of 8 feet, Rep (2011), dangerous to
surface navigation
(See Chart No. 1, K14.2 & I3.2)

45°15'02.6"N 079°38'51.4"W

DFO(6603884-01)

18-FEB-2011

LNМ/D. 12-JUN-2009

Delete port hand daybeacon 45°08'10.0"N 079°36'42.3"W
(See Chart No. 1, Qt)

(D2011002) DFO(6603666-01)

18-FEB-2011

LNМ/D. 12-JUN-2009

Add islet 45°08'10.2"N 079°36'42.3"W
(See Chart No. 1, K10)

DFO(6603666-02)

12-JUN-2009

LNМ/D. 22-AUG-2008



Chart no. 6022

Add submarine cable joining $45^{\circ}09'13.5''\text{N } 079^{\circ}44'15.0''\text{W}$
(See Chart No.1, L30.1) $45^{\circ}09'04.5''\text{N } 079^{\circ}44'15.5''\text{W}$
and $45^{\circ}09'06.5''\text{N } 079^{\circ}44'12.3''\text{W}$

DFO(6603400-01)

22-AUG-2008 LNM/D. 01-AUG-2008

Add submarine cable between $45^{\circ}09'22.5''\text{N } 079^{\circ}40'40.0''\text{W}$
(See Chart No.1, L30.1) and $45^{\circ}09'22.8''\text{N } 079^{\circ}40'35.5''\text{W}$

DFO(6603225-01)

22-AUG-2008 LNM/D. 01-AUG-2008

Add vertical clearance of 30ft $45^{\circ}15'22.2''\text{N } 079^{\circ}38'45.5''\text{W}$
(See Chart No.1, D20)

DFO(6603225-03)

22-AUG-2008 LNM/D. 01-AUG-2008

Add vertical clearance of 39ft $45^{\circ}08'16.2''\text{N } 079^{\circ}40'59.2''\text{W}$
(See Chart No.1, D20)

DFO(6603225-04)

22-AUG-2008 LNM/D. 01-AUG-2008

Add rock with known depth of 5ft $45^{\circ}11'13.2''\text{N } 079^{\circ}37'02.4''\text{W}$
(See Chart No.1, K14.2)

DFO(6603225-05)

01-AUG-2008 LNM/D. 08-JUN-2007

Add submarine cable joining $45^{\circ}10'50.0''\text{N } 079^{\circ}42'36.3''\text{W}$
(See Chart No.1, L30.1) $45^{\circ}10'49.0''\text{N } 079^{\circ}42'17.0''\text{W}$
and $45^{\circ}10'45.0''\text{N } 079^{\circ}42'00.8''\text{W}$

DFO(6603220-01)