



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 6259

**6259 - Kettle Island to/à Martin Point - Sheet/Feuille 1 - New Chart - 23-FEB-1990 - NAD 1983**

**08-NOV-2024**

LNМ/D. 09-DEC-2022

Reposition green port hand spar buoy, marked P27 from 53°51'29.6"N 097°59'34.6"W  
(See Chart 1, Qc) to 53°51'29.8"N 097°59'36.5"W

*(P2024052) DFO(6605322-01)*

**09-DEC-2022**

LNМ/D. 01-NOV-2019

Add green port hand lighted spar buoy Q G, marked P11  
(See Chart 1, Qc) 53°53'12.3"N 097°58'47.9"W

*(P2022036) LL(1624.5) DFO(6604968-01)*

**09-DEC-2022**

LNМ/D. 01-NOV-2019

Amend green port hand spar buoy, marked P9 to read  
green port hand lighted spar buoy Fl G, marked  
P9 53°53'32.8"N 097°58'42.8"W

*(P2022037) LL(1624.4) DFO(6604969-01)*

(See Chart 1, Qc)

**09-DEC-2022**

LNМ/D. 01-NOV-2019

Amend red starboard hand spar buoy, marked P16 to  
read red starboard hand lighted spar buoy Fl R,  
marked P16 (See Chart 1, Qb) 53°52'09.8"N 097°58'57.8"W

*(P2022038) LL(1624.7) DFO(6604970-01)*

**01-NOV-2019**

LNМ/D. 10-MAR-2017

Reposition green port hand spar buoy, marked P31 from 53°50'51.8"N 097°59'45.6"W  
(See Chart No. 1, Qg) to 53°50'51.8"N 097°59'46.0"W

*(A2019021) DFO(6604581-01)*

**10-MAR-2017**

LNМ/D. 03-FEB-2017

Reposition green port hand spar buoy, marked PP1 from 53°55'23.7"N 097°56'43.9"W  
(See Chart No. 1, Qg) to 53°55'22.6"N 097°56'43.7"W

*(A2017002) DFO(6604275-01)*

**10-MAR-2017**

LNМ/D. 03-FEB-2017



### Chart no. 6259

Reposition green port hand spar buoy, marked PP5 from 53°54'03.5"N 097°58'20.2"W  
(See Chart No. 1, Qg) to 53°54'03.7"N 097°58'18.7"W

(A2017004) DFO(6604277-01)

**10-MAR-2017**

LNM/D. 03-FEB-2017

Reposition green port hand spar buoy, marked PX5 from 53°50'55.5"N 097°58'55.0"W  
(See Chart No. 1, Qg) to 53°50'55.3"N 097°58'53.2"W

(A2017005) DFO(6604278-01)

**10-MAR-2017**

LNM/D. 03-FEB-2017

Reposition green port hand spar buoy, marked P3 from 53°54'24.3"N 097°57'28.5"W  
(See Chart No. 1, Qg) to 53°54'24.7"N 097°57'31.2"W

(A2017006) DFO(6604279-01)

**03-FEB-2017**

LNM/D. 27-SEP-2013

Reposition green port hand spar buoy, marked P5 from 53°54'18.4"N 097°57'38.6"W  
(See Chart No. 1, Qg) to 53°54'19.9"N 097°57'38.3"W

(A2016023) DFO(6604257-01)

**03-FEB-2017**

LNM/D. 27-SEP-2013

Reposition red starboard hand spar buoy, marked P6 from 53°54'07.6"N 097°58'01.6"W  
(See Chart No. 1, Qf) to 53°54'10.1"N 097°57'55.5"W

(A2016024) DFO(6604258-01)

**03-FEB-2017**

LNM/D. 27-SEP-2013

Reposition green port hand spar buoy, marked P9 from 53°53'31.9"N 097°58'41.6"W  
(See Chart No. 1, Qg) to 53°53'32.8"N 097°58'43.0"W

(A2016025) DFO(6604259-01)

**03-FEB-2017**

LNM/D. 27-SEP-2013

Reposition green port hand spar buoy, marked P27 from 53°51'30.0"N 097°59'33.4"W  
(See Chart No.1, Qg) to 53°51'33.9"N 097°59'43.1"W

(A2016026) DFO(6604260-01)



**Chart no. 6259**

**03-FEB-2017**

LNМ/D. 27-SEP-2013

Delete depth of 9.1 metres 53°51'33.9"N 097°59'43.1"W  
(See Chart No. 1, I10)

*DFO(6604260-02)*

**03-FEB-2017**

LNМ/D. 27-SEP-2013

Reposition green port hand spar buoy, marked P29 from 53°50'58.6"N 097°59'41.8"W  
(See Chart No.1, Qg) to 53°50'57.1"N 097°59'43.7"W

*(A2016027) DFO(6604261-01)*

**27-SEP-2013**

LNМ/D. 27-MAY-2005

Add light, Fl 53°45'09.5"N 098°04'28.9"W  
(See Chart No. 1, P1 & P10.4)

*LL(1625) DFO(6603910-02)*

**27-MAY-2005**

LNМ/D. 04-MAR-2005

Add recommended track joining 53°51'59.1"N 097°59'24.8"W  
53°52'13.7"N 097°58'45.0"W  
53°53'09.0"N 097°58'40.0"W  
53°53'13.0"N 097°58'47.0"W  
and 53°53'32.6"N 097°58'43.0"W

*DFO(6602299-01)*

**27-MAY-2005**

LNМ/D. 04-MAR-2005

Reposition red starboard hand spar buoy, marked P12 from 53°53'09.0"N 097°58'40.0"W  
to 53°53'09.0"N 097°58'44.0"W

*(D2005017) DFO(6602342-01)*

**04-MAR-2005**

LNМ/D. 01-AUG-2003

Delete recommended track between 53°53'13.5"N 097°59'28.0"W  
and 53°52'52.8"N 097°59'35.5"W

*DFO(6602245-01)*

**01-AUG-2003**

LNМ/D. 30-JUN-2000



**Chart no. 6259**

Delete front range beacon 53°53'33.4"N 097°59'49.0"W

*(D2003052) DFO(6600914-01)*

**01-AUG-2003**

LNM/D. 30-JUN-2000

Delete rear range beacon, leading line and legends 349° 349°, 400 metres from front range beacon and 169°

*(D2003054) DFO(6600915-02)*

**01-AUG-2003**

LNM/D. 30-JUN-2000

Delete rear range beacon, leading line and legends 055°, 1080 metres from front range beacon 055° and 235°

*(D2003056) DFO(6600916-02)*

**01-AUG-2003**

LNM/D. 30-JUN-2000

Delete front range beacon 53°53'42.0"N 097°58'22.0"W

*(D2003057) DFO(6600917-01)*

**01-AUG-2003**

LNM/D. 30-JUN-2000

Delete port daybeacon 53°52'17.0"N 097°59'21.0"W

*(D2003058) DFO(6600918-01)*

**01-AUG-2003**

LNM/D. 30-JUN-2000

Add rock which covers and uncovers with drying height of 0 metres, 3 53°52'17.0"N 097°59'21.0"W decimetres

*DFO(6600918-02)*

**01-AUG-2003**

LNM/D. 30-JUN-2000

Delete front range beacon 53°51'48.5"N 097°59'27.5"W

*(D2003059) DFO(6600919-01)*

**01-AUG-2003**

LNM/D. 30-JUN-2000

Delete rear range beacon, leading line and legend 187° - 187°, 70 metres from front range beacon 007°

*(D2003060) DFO(6600923-02)*



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

**Chart no. 6259**

**30-JUN-2000**

Reposition red, starboard hand, spar buoy, marked  
P12

LN/D. 04-JUN-1999

from 53°53'09.0"N 097°58'44.0"W  
to 53°53'09.0"N 097°58'40.0"W

*(CCG-D00-076) LL(9688.5) DFO(6601134-01)*