



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 8007

8007 - Halifax to / à Sable Island / Île de Sable, Including / y compris Emerald Bank / Banc d'Émeraude and / et Sable Island Bank / Banc de l'Île de Sable - New Edition - 30-AUG-2002 - NAD 1983

26-NOV-2004

Add pipeline, Gas/Gaz

This notice affects Electronic Navigational Chart:
CA376137

LNM/D. 01-OCT-2004

joining 43°35'48.7"N 060°41'20.8"W
43°36'50.8"N 060°40'24.4"W
43°39'29.6"N 060°35'53.8"W
43°48'31.2"N 060°17'31.6"W
43°52'37.4"N 060°12'40.7"W
and 43°53'28.9"N 060°12'05.7"W

DFO(6300633-01)

26-NOV-2004

Add production platform with legend "Alma" 43°35'47.2"N 060°41'19.3"W

LNM/D. 01-OCT-2004

DFO(6300633-02)

26-NOV-2004

Add light Mo(U) 15s 13M 43°35'47.2"N 060°41'19.3"W

LNM/D. 01-OCT-2004

DFO(6300633-03)

26-NOV-2004

Add fog signal 'FogSig 30s' 43°35'47.2"N 060°41'19.3"W

LNM/D. 01-OCT-2004

DFO(6300633-04)

07-MAY-2004

Add yellow cautionary can light buoy Fl Y, marked NAVY 44°05'58.4"N 063°30'03.0"W

DFO(6301249-01)

07-MAY-2004

Amend "Fl 10s 52ft 13M" to read "Fl 10s 52ft 8M" against
light

44°34'51.7"N 063°27'28.1"W

(F2004016) LL(545) DFO(6301329-01)

28-MAY-2004

LNM/D. 07-MAY-2004



Chart no. 8007

Delete radar transponder beacon Racon against red and white fairway pillar light buoy Mo (A), WHIS

44°21'45.0"N 063°24'15.0"W

(F2004054) LL(510) DFO(6301423-01)

01-OCT-2004

Delete light Fl 15s 99ft 20M

LNМ/D. 28-MAY-2004

43°55'54.7"N 060°01'22.1"W

(F2004109) LL(665) DFO(6301913-01)

This notice affects Electronic Navigational Chart:
CA376137

25-NOV-2005

Amend "6Lts Q (Hor)" to read "Mo(U) 8M" against Thebaud production platform

LNМ/D. 26-NOV-2004

43°53'27.0"N 060°11'58.0"W

DFO(6302596-01)

This notice affects Electronic Navigational Chart: CA376137

25-NOV-2005

Amend "4Lts Q (Hor)" to read "Mo(U) 10M" against North Triumph production platform

LNМ/D. 26-NOV-2004

43°41'56.0"N 059°51'16.0"W

DFO(6302596-03)

17-FEB-2006

(P>Delete the Cohasset and Panuke platform structures
A patch will be issued for chart 8007 in the future.
A chart patch has been released. The Preliminary action dated 17-FEB-2006, is now a permanent action. See reference DFO(6302721) appearing in this edition.
Cancelled on 02-JUN-06

LNМ/D. 25-NOV-2005

43°50'00.0"N 060°40'00.0"W

DFO(6302718-01)

This notice affects Electronic Navigational Chart: CA376137

02-JUN-2006

LNМ/D. 17-FEB-2006

Affix patch 43°50'00.0"N 060°40'00.0"W

DFO(6302721-02)

[PDF](#)

01-DEC-2006

LNМ/D. 02-JUN-2006



Chart no. 8007

(T)Add scientific subsurface mooring at a depth of 1822 metres below the surface 42°59'54.0"N 060°54'34.8"W

The mooring is temporary and will be removed by August 2008.

DFO(6303127-01)

The mooring has been removed. Notice 01-December-2006(T), DFO (6303127) is now cancelled.
Cancelled on 19-DEC-08

01-DEC-2006

LNLM/D. 02-JUN-2006

(T)Add scientific subsurface mooring at a depth of 2212 metres below the surface 42°55'37.8"N 060°51'40.8"W

The mooring is temporary and will be removed by August 2008.

DFO(6303127-02)

The mooring has been removed. Notice 01-December-2006(T), DFO (6303127) is now cancelled.
Cancelled on 19-DEC-08

06-JUL-2007

LNLM/D. 01-DEC-2006

(T)Add yellow ODAS/SADO lighted super-buoy Fl (5) Y 44°17'18.0"N 063°14'18.0"W

Proposed date of removal is November 2007

Caution note advertised on Chart 4320. See Notice 14-December-2007, DFO(6303647). Notice 6-July-2007(T), DFO(6303535) is now cancelled.

DFO(6303535-01)

Cancelled on 14-DEC-07

06-JUL-2007

LNLM/D. 01-DEC-2006

(T)Add yellow ODAS/SADO lighted super-buoy Fl (5) Y 44°17'46.3"N 063°14'19.0"W

Proposed date of removal is November, 2007

Caution note advertised on Chart 4320. See Notice 14-December-2007, DFO(6303647). Notice 6-July-2007(T), DFO(6303535) is now cancelled.

DFO(6303535-02)

Cancelled on 14-DEC-07

06-JUL-2007

LNLM/D. 01-DEC-2006

(T)Add yellow ODAS/SADO lighted super-buoy Fl (5) Y 44°17'50.6"N 063°15'41.6"W

Proposed date of removal is November 2007

Caution note advertised on Chart 4320. See Notice 14-December-2007, DFO(6303647). Notice 6-July-2007(T), DFO(6303535) is now cancelled.

DFO(6303535-03)

Cancelled on 14-DEC-07

06-JUL-2007

LNLM/D. 01-DEC-2006



Chart no. 8007

(T)Add yellow ODAS/SADO lighted super-buoy Fl (5) Y 44°17'15.7"N 063°14'12.7"W
Proposed date of removal is November 2007
Caution note advertised on Chart 4320. See Notice 14-
December-2007, DFO(6303647). Notice 6-July-2007(T), *DFO(6303535-04)*
DFO(6303535) is now cancelled.
Cancelled on 14-DEC-07

06-JUL-2007

(T)Add subsurface mooring LNM/D. 01-DEC-2006
44°17'15.6"N 063°14'12.6"W
Proposed date of removal is November 2007
Caution note advertised on Chart 4320. See Notice 14-
December-2007, DFO(6303647). Notice 6-July-2007(T), *DFO(6303535-05)*
DFO(6303535) is now cancelled.
Cancelled on 14-DEC-07

04-APR-2008

(T)Add scientific subsurface mooring at a depth of 1282 fathoms LNM/D. 06-JUL-2007
below the surface 42°52'35.0"N 060°49'12.0"W
Proposed date of removal is November 2008. *DFO(6303820-01)*
The mooring has been removed. Notice 04-April-2008(T), DFO
(6303820) is now cancelled.
Cancelled on 19-DEC-08

04-APR-2008

(T)Add scientific subsurface mooring at a depth of 107 fathoms below LNM/D. 06-JUL-2007
the surface 44°02'58.0"N 063°04'58.0"W
Proposed date of removal is June 2008. *DFO(6303821-01)*
The mooring has been removed. Notice 04-April-2008(T), DFO
(6303821) is now cancelled.
Cancelled on 26-SEP-08

04-APR-2008

(T)Add scientific subsurface mooring at a depth of 74 fathoms below LNM/D. 06-JUL-2007
the surface 43°40'59.0"N 062°39'57.0"W
Proposed date of removal is June 2008. *DFO(6303821-02)*
The mooring has been removed. Notice 04-April-2008(T), DFO
(6303821) is now cancelled.
Cancelled on 26-SEP-08

26-SEP-2008

LNM/D. 04-APR-2008



Chart no. 8007

Amend Fl 5s 140ft 24M to read Fl 6s 140ft 23M against
light
(See Chart No 1 P16)

44°26'12.0"N 063°33'48.0"W

(F2008068) LL(507) DFO(6303952-01)

This notice affects Electronic Navigational Chart:
CA476009

19-DEC-2008

LNМ/D. 26-SEP-2008

(T)Add scientific subsurface mooring at a depth of 561 fathoms below
the surface
Proposed date of removal is November 2009. (contact Murray
Scotney, Bedford Institute of Oceanography, 902-426-3495)
The removal date has been extended. Notice 2008-12-19(T),
DFO(6304151-01) is cancelled. See Notice 2011-02-11(T),
DFO(6305220-01) appearing in this edition.
Cancelled on 11-FEB-11

42°50'59.0"N 061°37'50.9"W

DFO(6304151-01)

19-DEC-2008

LNМ/D. 26-SEP-2008

(T)Add scientific subsurface mooring at a depth of 863 fathoms below
the surface
Proposed date of removal is November 2009. (contact Murray
Scotney, Bedford Institute of Oceanography, 902-426-3495)
The removal date has been extended. Notice 2008-12-19(T),
DFO(6304151-02) is cancelled. See Notice 2011-02-11(T),
DFO(6305220-02) appearing in this edition.
Cancelled on 11-FEB-11

42°44'20.7"N 061°34'29.9"W

DFO(6304151-02)

07-AUG-2009

LNМ/D. 10-JUL-2009



Chart no. 8007

Add note:

in the lower right hand margin of the chart

PRODUCTION PLATFORMS

Production Platforms and associated structures exhibit white lights Mo(U)15M and red air obstruction lights, and sound fog signals Mo(U)30s. SAFETY ZONES have been established for the protection of the production facilities, other vessels, and the marine environment. Unauthorized navigation within the Safety Zone is prohibited. Mariners are advised any vessel proposing to transit the Safety Zone must contact the operator on VHF Channel 16 and, if approved, comply with the instructions given while transiting the area. Vessel movement in the area is monitored on a 24-hour basis. For additional information, consult Notices to Mariners No. 20, Annual Edition.

DFO(6304296-01)

07-AUG-2009

LN/D. 10-JUL-2009

Add note:

in the lower right hand margin of the chart

PLATEFORMES DE PRODUCTION

Les plateformes de production et leurs structures annexes sont signalées par des feux blancs Mo(U)15M, des feux rouges d'obstacle aérien et par un signal de brume sonore Mo(U)30s. Des ZONES DE SÉCURITÉ ont été établies pour protéger les installations de production, les autres bâtiments et l'environnement marin. Toute navigation non autorisée est interdite à l'intérieur des limites de la zone de sécurité. Les navigateurs qui désirent traverser la zone de sécurité doivent contacter les responsables de la plateforme sur la voie VHF 16 et, le cas échéant, se conformer aux instructions reçues pour traverser la zone de sécurité. Le trafic maritime est surveillé jour et nuit. Pour plus d'informations, reportez-vous aux Avis aux navigateurs n° 20, Édition annuelle.

DFO(6304296-02)

17-APR-2009

LN/D. 19-DEC-2008

Amend Mo(U) 15s 13M Fog Sig 30s to read Mo(U) 15M FogSig(U)30s 43°35'47.2"N 060°41'19.3"W against light

(See Chart No 1 P16 and R20)

DFO(6304299-02)

This notice affects Electronic Navigational Chart: CA176140



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 8007

17-APR-2009

Amend Mo(U) 8M Fog Sig 20s to read Mo(U) 15M FogSig(U)30s
against light
(See Chart No 1 P16 and R20)

LNМ/D. 19-DEC-2008

43°53'28.2"N 060°12'00.0"W

DFO(6304301-01)

This notice affects Electronic Navigational Chart: CA176140,
CA276204, CA376289

17-APR-2009

Amend Fog Sig 20s to read FogSig(U)30s against light
(See Chart No 1 R20)

LNМ/D. 19-DEC-2008

43°41'56.2"N 059°51'16.4"W

DFO(6304310-01)

This notice affects Electronic Navigational Chart: CA176140,
CA276090, CA376289

03-JUL-2009

Add limit of safety zone
(See Chart No 1 L3)
Encana has commenced construction of the Deep Panuke
Gasfield. The proposed completion date is December
2010.

LNМ/D. 19-JUN-2009

joining 43°51'43.9"N 060°36'25.8"W
43°49'58.5"N 060°36'59.5"W
43°46'52.1"N 060°45'49.6"W
and 43°48'08.2"N 060°45'25.4"W

DFO(6304408-01)

This notice affects Electronic Navigational Chart:
CA376137

03-JUL-2009

Add wellhead
(See Chart No 1 L21.1)

LNМ/D. 19-JUN-2009

43°49'17.2"N 060°40'17.5"W

DFO(6304409-01)

This notice affects Electronic Navigational Chart: CA376137

03-JUL-2009

LNМ/D. 19-JUN-2009



Chart no. 8007

(T)Add lighted offshore platform with legend Rowan Gorilla III 43°48'28.0"N 060°43'49.7"W
(See Chart No 1 L10)
Mariners are advised that the drilling rig Rowan Gorilla III DFO(6304411-01)
will commence drilling August 2009. It will move it's Deep
Panuke location periodically until its expected departure in
December 2010.
The work is now completed and the Rowan Gorilla III has been
demobilized. Notice 2009-07-03(T), DFO(6304411) is
cancelled.
Cancelled on 26-NOV-10

03-JUL-2009

LNM/D. 19-JUN-2009

(P)Add lighted offshore platform and legend Deep Panuke 43°48'45.7"N 060°41'18.1"W
(See Chart No 1 L2 and P2)
Encana has commenced construction of the Deep Panuke DFO(6304412-01)
Gasfield. The proposed completion date is December 2010.
The completion date has been extended. Notice 2009-07-03(P),
DFO(6304412) is cancelled. See Notice 2010-11-26(P), (DFO
6305130) appearing in this edition.
Cancelled on 26-NOV-10

19-JUN-2009

LNM/D. 17-APR-2009

Delete abandoned submarine cable between 43°55'45.0"N 060°54'45.0"W
(See Chart No 1 L32) and 43°55'00.0"N 060°53'00.0"W

DFO(6304421-01)

10-JUL-2009

LNM/D. 03-JUL-2009

(P)Add pipeline and legend Gas/Gaz joining 44°52'00.3"N 061°23'35.0"W
(See Chart No 1 L40.1) 44°28'39.6"N 061°10'24.5"W
Encana will commence constructing a gas pipeline 44°23'24.9"N 061°08'31.3"W
from Goldboro to the Deep Panuke Gasfield in July 44°19'57.2"N 061°09'39.8"W
2009. The proposed completion date is October 2009. 44°18'01.9"N 061°05'54.9"W
The work is completed. Notice 10-JUL-2009(P), 44°09'53.5"N 060°55'54.0"W
DFO(6304487) is cancelled. 44°07'14.1"N 060°54'57.2"W
Cancelled on 14-JAN-11 44°06'28.0"N 060°53'49.1"W
and 43°48'45.3"N 060°41'24.1"W

DFO(6304487-01)

13-NOV-2009

LNM/D. 07-AUG-2009



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 8007

Delete depth of 25 fathoms
(See Chart No. 1, I10)

44°35'34.2"N 062°54'26.5"W

DFO(6304642-01)

This notice affects Electronic Navigational Chart: CA276801

13-NOV-2009

LNМ/D. 07-AUG-2009

Add depth of 16 fathoms
(See Chart No. 1, I10)

44°35'53.5"N 062°54'14.3"W

DFO(6304642-02)

This notice affects Electronic Navigational Chart: CA276801

13-NOV-2009

LNМ/D. 07-AUG-2009

Add depth of 6 fathoms, 1 foot 44°36'12.8"N 062°55'38.1"W
(See Chart No. 1, I10)

DFO(6304649-02)

05-MAR-2010

LNМ/D. 12-FEB-2010

Add private yellow lighted spar buoy Fl(5) Y 20s
(See Chart No 1 Q24)

43°48'33.6"N 060°40'42.0"W

DFO(6304700-01)

This notice affects Electronic Navigational Chart: CA376137

05-MAR-2010

LNМ/D. 12-FEB-2010

Add private yellow lighted spherical buoy Fl(5) Y 20s
(See Chart No 1 Q22)

43°48'35.4"N 060°40'31.8"W

DFO(6304700-02)

This notice affects Electronic Navigational Chart: CA376137

12-FEB-2010

LNМ/D. 13-NOV-2009

Amend Fl 15s 84ft 9M to read LFl 6s 84ft 14M against light
(See Chart 1 P16)

44°39'57.0"N 062°51'51.0"W

(F2009078) LL(580) DFO(6304719-01)

This notice affects Electronic Navigational Chart:
CA176140, CA276801, CA376083

08-FEB-2013

LNМ/D. 12-OCT-2012



Chart no. 8007

Add maritime limit in general implying: permanent physical obstructions between 44°28'42.0"N 063°32'00.0"W
and 44°16'12.0"N 063°18'00.0"W

(see Chart 1, N1.1)

This notice affects Electronic Navigational Chart:
CA276801, CA376032, CA476009

DFO(6304781-01)

08-FEB-2013

LNM/D. 12-OCT-2012

Add See/Voir note

44°17'40.0"N 063°12'00.0"W

SCIENTIFIC MOORINGS

MOUILLAGES SCIENTIFIQUES

DFO(6304781-02)

08-FEB-2013

LNM/D. 12-OCT-2012

Add note:

to the lower east margin of chart

SCIENTIFIC MOORINGS

Acoustic sensors, one metre high and positioned approximately 800 metres apart, along the line, directly on the seabed. Mariners are advised to avoid anchoring or conducting seabed operations in the vicinity of submarine moorings.

DFO(6304781-03)

MOUILLAGES SCIENTIFIQUES

Des capteurs acoustiques, d'une hauteur d'un mètre et positionnés à intervalles d'environ 800 mètres le long de la ligne, reposent directement sur le fond marin. Nous avisons les navigateurs d'éviter de mouiller ou d'effectuer des travaux sur le fond marin à proximité de ces mouillages sous-marins.

04-JUN-2010

LNM/D. 05-MAR-2010

Amend Fl 20s 162ft 16M to read Fl 20s 157ft 10M against light
(See Chart 1 P16)

44°30'26.6"N 063°31'21.8"W

LL(513) DFO(6304817-01)

This notice affects Electronic Navigational Chart: CA176140

26-NOV-2010

LNM/D. 04-JUN-2010



Chart no. 8007

(P)Add lighted offshore platform and legend Deep Panuke 43°48'45.7"N 060°41'18.1"W
(See Chart No 1 L2 and P2)
Encana has extended the Deep Panuke Gasfield proposed completion date from December 2010 to December 2011. *DFO(6305130-01)*
Work is complete. Notice 2010-11-26(P), DFO(6305130) is cancelled. See notice 2012-10-12 (DFO 6305929) appearing in this edition.
Cancelled on 12-OCT-12

14-JAN-2011 LNM/D. 26-NOV-2010

Add pipeline with legend Gas/Gaz joining 44°52'00.7"N 061°23'35.2"W
(See Chart No 1 L40.1) 44°28'31.0"N 061°10'25.3"W
44°23'14.7"N 061°08'36.2"W
44°20'59.4"N 061°09'14.0"W
44°19'51.4"N 061°08'54.0"W
44°17'57.2"N 061°05'49.1"W
44°10'25.0"N 060°56'32.5"W
44°09'29.0"N 060°55'46.6"W
44°07'23.3"N 060°54'56.1"W
44°06'12.4"N 060°53'38.0"W
and 43°48'45.5"N 060°41'23.7"W

DFO(6305196-01)

11-FEB-2011 LNM/D. 14-JAN-2011

(T)Add scientific subsurface mooring at a depth of 561 fathoms below 42°50'59.0"N 061°37'50.9"W
the surface
This notice replaces Notice 2008-12-19(T), DFO(6304151-01). *DFO(6305220-01)*
The proposed date of removal has been extended to September 2011. (contact Richard Boyce, Bedford Institute of Oceanography, 902-426-3495).
The mooring has been removed. Notice 11-Feb-2011(T), DFO (6305220-01) is cancelled.
Cancelled on 25-NOV-11

11-FEB-2011 LNM/D. 14-JAN-2011

(T)Add scientific subsurface mooring at a depth of 863 fathoms below 42°44'20.7"N 061°34'29.9"W
the surface
This notice replaces Notice 2008-12-19(T), DFO(6304151-02). *DFO(6305220-02)*
The proposed date of removal has been extended to September 2011. (contact Richard Boyce, Bedford Institute of Oceanography, 902-426-3495).
The mooring has been removed. Notice 11-Feb-2011(T), DFO (6305220-02) is cancelled.
Cancelled on 25-NOV-11



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 8007

22-APR-2011

Add pipeline
(See Chart No 1 L40.1)

LNМ/D. 11-FEB-2011

joining 43°47'20.6"N 060°45'16.5"W
43°48'10.8"N 060°42'19.7"W
and 43°48'42.8"N 060°41'17.1"W

This notice affects Electronic Navigational Chart:
CA376137

DFO(6305357-01)

22-APR-2011

Add pipeline
(See Chart No 1 L40.1)

LNМ/D. 11-FEB-2011

between 43°48'42.9"N 060°41'14.6"W
and 43°50'08.7"N 060°37'18.6"W

This notice affects Electronic Navigational Chart:
CA376137

DFO(6305357-05)

22-JUL-2011

Reposition private yellow lighted spherical buoy Fl(5) Y 20s from 43°48'35.4"N 060°40'31.8"W
(See Chart No. 1, Qm) to 43°48'46.0"N 060°39'55.0"W

LNМ/D. 22-APR-2011

DFO(6305578-01)

22-JUL-2011

Reposition private yellow lighted spar buoy Fl(5) Y 20s from 43°48'33.6"N 060°40'42.0"W
(See Chart No 1 Q24) to 43°48'43.0"N 060°39'55.0"W

LNМ/D. 22-APR-2011

DFO(6305578-02)

12-AUG-2011

Add yellow ODAS/SADO lighted spar buoy Fl(5)Y 20s & Q 43°49'52.0"N 062°58'55.3"W
(See Chart No. 1, Q58)

LNМ/D. 22-JUL-2011

DFO(6305658-01)

12-AUG-2011

Add obstruction with known depth of 16 fathoms with legend
ODAS/SADO

LNМ/D. 22-JUL-2011

43°50'29.2"N 062°55'46.3"W

DFO(6305658-03)

12-AUG-2011

LNМ/D. 22-JUL-2011



Chart no. 8007

Add obstruction with known depth of 16 fathoms with legend
ODAS/SADO

43°49'46.0"N 062°55'20.2"W

DFO(6305658-04)

12-AUG-2011

LNLM/D. 22-JUL-2011

Add obstruction with known depth of 66 fathoms with legend
ODAS/SADO

44°20'51.3"N 063°18'20.8"W

The mooring is temporary. The proposed date of removal is July
2012.

DFO(6305660-04)

12-AUG-2011

LNLM/D. 22-JUL-2011

Add obstruction with known depth of 91 fathoms with legend
ODAS/SADO

44°14'57.8"N 063°10'00.0"W

The mooring is temporary. The proposed date of removal is July
2012.

DFO(6305660-05)

This notice affects Electronic Navigational Chart: CA376032

12-AUG-2011

LNLM/D. 22-JUL-2011

Add obstruction with known depth of 93 fathoms with legend
ODAS/SADO

44°08'01.9"N 063°01'53.1"W

The mooring is temporary. The proposed date of removal is July
2012.

DFO(6305660-06)

This notice affects Electronic Navigational Chart: CA376032

18-NOV-2011

LNLM/D. 12-AUG-2011

Delete light Fl 10s 52ft 8M
(See Chart No. 1, P1)

44°34'50.0"N 063°27'30.0"W

(F2011184) LL(545) DFO(6305805-01)

This notice affects Electronic Navigational Chart:
CA276801, CA476009

25-NOV-2011

LNLM/D. 18-NOV-2011

Add obstruction with depth of 506 fathoms and legend ODAS/SADO
The proposed date for removing the mooring is October 2014.

42°51'08.0"N 061°37'59.7"W

DFO(6305815-01)

This notice affects Electronic Navigational Chart: CA176140

25-NOV-2011

LNLM/D. 18-NOV-2011



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Chart no. 8007

Add obstruction with depth of 834 fathoms and legend ODAS/SADO 42°44'18.9"N 061°34'21.2"W
The proposed date for removing the mooring is October 2014.

DFO(6305815-02)

This notice affects Electronic Navigational Chart: CA176140

12-OCT-2012

LNM/D. 29-JUN-2012

Add lighted offshore platform Mo(U) 15M and legend Deep Panuke 43°48'45.7"N 060°41'18.1"W
(See Chart No. 1, P2)

DFO(6305929-01)

This notice affects Electronic Navigational Chart: CA376137

12-OCT-2012

LNM/D. 29-JUN-2012

Add fog signal FogSig
(See Chart No. 1, R1)

43°48'45.7"N 060°41'18.1"W

DFO(6305929-03)

This notice affects Electronic Navigational Chart: CA376137

18-MAY-2012

LNM/D. 25-NOV-2011

Add private yellow spherical buoy, Priv
(See Chart No 1 Q22)

43°51'28.5"N 060°11'30.0"W

DFO(6305977-01)

This notice affects Electronic Navigational Chart: CA376289

29-JUN-2012

LNM/D. 18-MAY-2012

Delete light Fl10s118ft18M
(See Chart No. 1, P1)

43°57'35.9"N 059°47'26.4"W

(F2012021) LL(666) DFO(6306034-01)

29-JUN-2012

LNM/D. 18-MAY-2012

Add abandoned lighthouse with legend Lt Ho/Phare Aband

43°57'35.9"N 059°47'26.4"W

(F2012021) DFO(6306034-02)

This notice affects Electronic Navigational Chart: CA176140,
CA276204, CA376289

01-MAR-2013

LNM/D. 08-FEB-2013



Chart no. 8007

Add private yellow spherical buoy
(See Chart No. 1, Q22)

43°51'56.0"N 060°11'11.9"W

This notice affects Electronic Navigational Chart: CA376289

DFO(6306330-01)

08-NOV-2013

LNM/D. 01-MAR-2013

Add maritime limit in general implying: permanent physical
obstructions

joining 44°16'12.0"N 063°18'00.0"W

(See Chart No. 1, N1.1)

44°03'58.9"N 063°04'27.6"W

This notice affects Electronic Navigational Chart:

43°51'45.8"N 063°13'38.6"W

CA276801, CA376032

43°48'00.0"N 063°20'00.0"W

43°41'33.5"N 063°23'59.8"W

43°38'01.1"N 063°23'58.4"W

43°29'41.3"N 063°30'15.0"W

and 42°50'13.5"N 063°30'15.0"W

DFO(6306496-01)

08-NOV-2013

LNM/D. 01-MAR-2013

Add See/Voir note SCIENTIFIC MOORINGS MOUILLAGES
SCIENTIFIQUES
(see Chart 1, A14)

43°27'30.0"N 063°22'00.0"W

DFO(6306496-02)

28-AUG-2015

LNM/D. 08-NOV-2013

Add subsurface Ocean Data Acquisition system ODAS/SADO with
known depth of 95 fathoms.

43°36'31.4"N 062°52'06.0"W

(See Chart No. 1, L25)

DFO(6307180-01)

This notice affects Electronic Navigational Chart: CA176140,
CA276801

04-DEC-2015

LNM/D. 28-AUG-2015

Add submarine cable

joining 44°52'00.7"N 061°15'56.6"W

(See Chart No. 1, L30.1)

44°34'24.4"N 062°19'10.9"W

44°27'02.1"N 062°46'56.0"W

44°25'27.6"N 063°02'25.1"W

44°25'06.1"N 063°05'48.5"W

44°25'19.8"N 063°07'38.5"W

44°26'32.3"N 063°10'47.6"W

44°33'53.2"N 063°25'29.2"W

and 44°33'34.0"N 063°33'27.0"W

DFO(6307338-01)

25-DEC-2015

LNM/D. 04-DEC-2015



Chart no. 8007

Add subsurface Ocean Data Acquisition system ODAS/SADO with
known depth of 15 fathoms 44°03'00.0"N 060°35'40.0"W
(See Chart No. 1, L25) *DFO(6307350-03)*
This notice affects Electronic Navigational Chart: CA276204,
CA376137

06-MAY-2016

Amend LFl 6s 84ft 14M to read LFl 6s 25ft 12M against
light 44°40'00.0"N 062°51'50.0"W
(See Chart No. 1, P16) *(F2016011) LL(580) DFO(6307493-01)*
This notice affects Electronic Navigational Chart:
CA176140, CA276801, CA376083

10-AUG-2018

Add private yellow spherical buoy LNM/D. 27-JUL-2018
(See Chart No. 1, Q22) 43°51'08.8"N 060°12'25.2"W
This notice affects Electronic Navigational Chart: CA376289 *DFO(6308321-01)*

10-AUG-2018

Delete private yellow spherical buoy LNM/D. 27-JUL-2018
(See Chart No 1 Q22) 43°51'28.5"N 060°11'30.0"W
This notice affects Electronic Navigational Chart: CA376289 *DFO(6308321-03)*

10-AUG-2018

Delete private yellow spherical buoy LNM/D. 27-JUL-2018
(See Chart No 1 Q22) 43°51'56.0"N 060°11'11.9"W
This notice affects Electronic Navigational Chart: CA376289 *DFO(6308321-04)*

10-AUG-2018

Delete yellow ODAS/SADO lighted super-buoy Fl (5) Y 20s LNM/D. 27-JUL-2018
(See Chart No. 1, Q58) 43°52'02.9"N 060°11'56.5"W
This notice affects Electronic Navigational Chart: CA376289 *DFO(6308321-05)*

27-JUL-2018

Add subsurface Ocean Data Acquisition system ODAS/SADO with
known depth of 48 fathoms LNM/D. 06-MAY-2016
(See Chart No. 1, L25) 43°29'51.4"N 062°52'11.9"W
This notice affects Electronic Navigational Chart: CA176140,
CA276801 *DFO(6308323-01)*



Chart no. 8007

12-OCT-2018

Delete subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 15 fathoms
(See Chart No. 1, L25)
This notice affects Electronic Navigational Chart: CA276204, CA376137

LNМ/D. 10-AUG-2018
44°02'54.1"N 060°35'41.1"W
DFO(6308453-01)

23-NOV-2018

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 757 fathoms
(See Chart No. 1, L25)
This notice affects Electronic Navigational Chart: CA176140

LNМ/D. 12-OCT-2018
43°08'39.5"N 061°06'57.9"W
DFO(6308500-01)

23-NOV-2018

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 846 fathoms
(See Chart No. 1, L25)
This notice affects Electronic Navigational Chart: CA176140, CA276090

LNМ/D. 12-OCT-2018
43°26'33.4"N 059°56'49.7"W
DFO(6308501-01)

07-DEC-2018

Delete subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 66 fathoms
(See Chart No. 1, L25)
This notice affects Electronic Navigational Chart: CA476009

LNМ/D. 23-NOV-2018
44°20'52.0"N 063°18'21.0"W
DFO(6308508-01)

07-DEC-2018

Add yellow ODAS/SADO lighted pillar Fl(5) Y 20s
(See Chart No. 1, Q58)
This notice affects Electronic Navigational Chart: CA176140, CA276801, CA476009

LNМ/D. 23-NOV-2018
44°20'52.0"N 063°18'21.0"W
DFO(6308508-02)

08-NOV-2019

Amend depth of 91 fathoms to read 89 fathoms against subsurface Ocean Data Acquisition system ODAS/SADO
(See Chart No. 1, L25)

LNМ/D. 07-DEC-2018
44°14'56.9"N 063°09'53.6"W
DFO(6308831-01)

This notice affects Electronic Navigational Chart: CA376032



Chart no. 8007

20-MAR-2020

Amend depth of 48 fathoms to read 51 fathoms against
subsurface Ocean Data Acquisition system
ODAS/SADO
(See Chart No. 1, L25)
This notice affects Electronic Navigational Chart: CA176140,
CA276801

LNМ/D. 08-NOV-2019
43°29'47.4"N 062°52'09.1"W
DFO(6308935-03)

29-MAY-2020

Delete private yellow ODAS/SADO lighted pillar Fl(5)Y 20s, Priv 43°48'40.4"N 060°39'53.3"W
(See Chart No. 1, Q58)

LNМ/D. 20-MAR-2020
DFO(6308977-01)

29-MAY-2020

Reposition private yellow ODAS/SADO lighted spherical buoy
Fl(5)Y 20s, Priv
(See Chart No. 1, Q58)
This notice affects Electronic Navigational Chart:
CA376137

LNМ/D. 20-MAR-2020
from 43°48'46.1"N 060°39'53.8"W
to 43°48'06.8"N 060°39'06.8"W
DFO(6308977-02)

10-JUL-2020

Delete depth of 23 fathoms
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA276801

LNМ/D. 29-MAY-2020
44°37'51.0"N 063°02'52.0"W
DFO(6309000-02)

10-JUL-2020

Add depth of 7 fathoms, 2 feet
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA276801,
CA376083

LNМ/D. 29-MAY-2020
44°37'47.4"N 063°02'34.8"W
DFO(6309000-03)

10-JUL-2020

Delete legend 'Fog Sig' against light
(See Chart No. 1, R20)
This notice affects Electronic Navigational Chart:
CA176140, CA276204, CA376102

LNМ/D. 29-MAY-2020
44°49'26.0"N 062°20'11.0"W
(F2020025) LL(602) DFO(6309001-01)