



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 8011

### 8011 - Grand Bank / Grand Banc: Northern Portion / Partie Nord - New Edition - 30-AUG-2002 - NAD 1983

**30-JUN-2023**

LNМ/D. 02-OCT-2020

Add suspended well, depth over wellhead unknown.  
(See Chart 1, L21.1)

46°26'43.2"N 048°30'53.9"W

This notice affects Electronic Navigational Chart: CA276101

*DFO(6310672-01)*

**30-JUN-2023**

LNМ/D. 02-OCT-2020

Add suspended well, depth over wellhead unknown.  
(See Chart 1, L21.1)

46°26'42.4"N 048°28'45.5"W

This notice affects Electronic Navigational Chart: CA276101

*DFO(6310672-02)*

**02-OCT-2020**

LNМ/D. 08-MAR-2019

Delete subsurface Ocean Data Acquisition system ODAS/SADO with  
known depth of 9 metres (See Chart No. 1, L25)

44°58'04.0"N 048°44'00.9"W

This notice affects Electronic Navigational Chart: CA276515

*DFO(6309223-04)*

**08-MAR-2019**

LNМ/D. 01-JUN-2018

Reposition private yellow ODAS/SADO lighted pillar buoy Fl Y  
(See Chart No. 1, Q58)

from 46°31'55.0"N 048°32'37.5"W  
to 46°31'24.8"N 048°33'41.7"W

This notice affects Electronic Navigational Chart:  
CA276101

*DFO(6308566-01)*

**01-JUN-2018**

LNМ/D. 28-JUL-2017

Delete yellow ODAS/SADO lighted spherical buoy Fl (5) Y 20s  
(See Chart No. 1, Q58)

46°42'28.7"N 048°51'31.6"W

This notice affects Electronic Navigational Chart: CA276101

*DFO(6308270-01)*

**28-JUL-2017**

LNМ/D. 05-MAY-2017

Add lighted offshore platform Mo(U) 15M  
(See Chart No. 1, P2)

46°32'38.6"N 048°29'53.0"W

This notice affects Electronic Navigational Chart: CA176030,  
CA276101

*DFO(6308008-01)*

**28-JUL-2017**

LNМ/D. 05-MAY-2017

Add Fog signal FogSig Mo(U) 30s against light  
(See Chart No. 1, R20)

46°32'38.6"N 048°29'53.0"W

This notice affects Electronic Navigational Chart: CA276101

*DFO(6308008-02)*



**Chart no. 8011**

**05-MAY-2017**

Add private yellow ODAS/SADO lighted pillar FIY, priv  
(See Chart No. 1, Q58)  
This notice affects Electronic Navigational Chart: CA176030,  
CA276101

LNM/D. 14-APR-2017  
46°31'51.4"N 048°32'33.5"W  
*DFO(6307915-01)*

**14-APR-2017**

LNM/D. 31-MAR-2017

Affix patch 46°30'00.0"N 048°30'00.0"W  
[PDF](#)

*DFO(6307901-02)*

**31-MAR-2017**

Add submarine cable  
(See Chart No. 1, L30.1)  
This notice affects Electronic Navigational Chart:  
CA276091, CA276101, CA376015, CA376070, CA376075

LNM/D. 02-DEC-2016  
joining 47°07'59.9"N 049°54'20.0"W  
46°47'12.0"N 048°53'45.0"W  
46°46'03.0"N 048°44'42.0"W  
46°42'30.0"N 048°42'06.0"W  
46°34'04.0"N 048°32'00.0"W  
46°34'30.0"N 050°46'55.0"W  
46°49'23.0"N 051°33'38.0"W  
46°51'40.0"N 051°36'38.0"W  
46°54'31.0"N 051°47'12.0"W  
46°59'24.0"N 052°15'20.0"W  
47°04'10.0"N 052°28'44.8"W  
47°04'27.0"N 052°41'32.0"W  
47°05'56.0"N 052°48'26.3"W  
47°06'00.0"N 052°50'16.0"W  
47°05'13.0"N 052°51'42.0"W  
and 47°05'13.0"N 052°53'48.0"W

*DFO(6307887-01)*

**31-MAR-2017**

Add submarine cable  
(See Chart No. 1, L30.1)  
This notice affects Electronic Navigational Chart:  
CA276101

LNM/D. 02-DEC-2016  
between 46°34'04.0"N 048°32'00.0"W  
and 46°32'20.0"N 048°30'15.0"W

*DFO(6307887-03)*

**02-DEC-2016**

Add subsurface Ocean Data Acquisition system (ODAS/SADO) with  
known depth of 9 metres  
(See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA176030,  
CA276515

LNM/D. 25-DEC-2015  
44°58'04.0"N 048°44'00.9"W  
*DFO(6307699-08)*



### Chart no. 8011

#### 25-DEC-2015

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 43 fathoms.

(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA276101

LNМ/D. 11-DEC-2015

45°42'00.0"N 051°14'00.0"W

*DFO(6307350-01)*

#### 25-DEC-2015

Add subsurface Ocean Data Acquisition system ODAS/SADO with known depth of 44 fathoms.

(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA276101

LNМ/D. 11-DEC-2015

46°54'30.0"N 048°30'15.0"W

*DFO(6307350-04)*

#### 11-DEC-2015

Add yellow ODAS/SADO lighted spherical buoy Fl (5) Y 20s

(See Chart No. 1, Q58)

This notice affects Electronic Navigational Chart: CA276101

LNМ/D. 04-DEC-2015

46°42'28.7"N 048°51'31.6"W

*DFO(6307345-01)*

#### 04-DEC-2015

Add submarine cable joining 47°07'59.9"N 050°32'56.1"W

(See Chart No. 1, L30.1) 46°58'11.8"N 051°08'08.9"W

46°47'48.8"N 051°44'27.5"W

46°37'34.3"N 052°19'34.0"W

46°27'27.2"N 052°53'29.2"W

and 46°25'10.8"N 053°08'56.2"W

LNМ/D. 07-NOV-2014

*DFO(6307370-01)*

#### 07-NOV-2014

Add suspended well, depth over wellhead unknown.

(See Chart No. 1, L21.1)

This notice affects Electronic Navigational Chart: CA276101

LNМ/D. 12-SEP-2014

46°28'19.0"N 048°32'38.0"W

*DFO(6306937-02)*

#### 12-SEP-2014

LNМ/D. 16-MAR-2012

Affix patch 47°00'00.0"N 049°00'00.0"W

[PDF](#)

*DFO(6306817-01)*

#### 16-MAR-2012

LNМ/D. 31-DEC-2010



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 8011

Add private yellow lighted spherical buoy Fl(5) Y 20s, Priv  
(See Chart No 1 Q22)

46°43'46.0"N 048°49'13.0"W

*DFO(6305946-01)*

This notice affects Electronic Navigational Chart: CA276101

### 31-DEC-2010

Delete legend Loran against tower  
(See Chart No. 1, E20)

LNМ/D. 09-APR-2010

upper west border

*(N2010062) DFO(6305143-01)*

This notice affects Electronic Navigational Chart: CA176030,  
CA276091, CA376106

### 09-APR-2010

Amend Fl to read Fl 5s 108ft 15M against light  
(See Chart No 1 P16)

LNМ/D. 07-AUG-2009

46°56'25.9"N 052°53'34.4"W

*LL(512) DFO(6304778-01)*

This notice affects Electronic Navigational Chart: CA276091

### 07-AUG-2009

Delete note:

#### PRODUCTION PLATFORMS

The Hibernia Platform exhibit white lights Mo(U), red lights Mo(U) R and red air obstruction lights, and sound fog horns Mo(U)30s. Unauthorized navigation within 500 metres of any platform and its associated structures is prohibited.

LNМ/D. 24-APR-2009

in right hand margin of the chart

*DFO(6304297-01)*

#### PLATES-FORMES DE PRODUCTION

Les plates-forme Hibernia porte des feux blancs Mo(U), des feux rouges Mo(U) R et des feux d'obstacles aériens rouges et sonnent des cornets de brume Mo(U)30s. Il est interdit de naviguer sans autorisation à moins de 500 mètres d'une plate-forme et de ses structures associées.

### 07-AUG-2009

LNМ/D. 24-APR-2009



## Chart no. 8011

Add note:

in right hand margin of the chart

### PRODUCTION PLATFORMS

Production Platforms and associated structures exhibit white lights Mo(U)15M and red air obstruction lights, and sound fog signals Mo(U)30s. SAFETY ZONES have been established for the protection of the production facilities, other vessels, and the marine environment. Unauthorized navigation within the Safety Zone is prohibited. Mariners are advised any vessel proposing to transit the Safety Zone must contact the operator on VHF Channel 16 and, if approved, comply with the instructions given while transiting the area. Vessel movement in the area is monitored on a 24-hour basis. For additional information, consult Notices to Mariners No. 20, Annual Edition.

*DFO(6304297-02)*

### 07-AUG-2009

LNM/D. 24-APR-2009

Add note:

in right hand margin of the chart

### PLATEFORMES DE PRODUCTION

Les plateformes de production et leurs structures annexes sont signalées par des feux blancs Mo(U)15M, des feux rouges d'obstacle aérien et par un signal de brume sonore Mo(U)30s. Des ZONES DE SÉCURITÉ ont été établies pour protéger les installations de production, les autres bâtiments et l'environnement marin. Toute navigation non autorisée est interdite à l'intérieur des limites de la zone de sécurité. Les navigateurs qui désirent traverser la zone de sécurité doivent contacter les responsables de la plateforme sur la voie VHF 16 et, le cas échéant, se conformer aux instructions reçues pour traverser la zone de sécurité. Le trafic maritime est surveillé jour et nuit. Pour plus d'informations, reportez-vous aux Avis aux navigateurs n<sup>o</sup> 20, Édition annuelle.

*DFO(6304297-03)*

### 24-APR-2009

LNM/D. 10-APR-2009



## Chart no. 8011

Delete note:

in eastern margin

PRECAUTIONARY AREA Any ship planning to transit the precautionary area is advised to contact the Floating Production Storage and Offloading Vessel (FPSO) on VHF channel 16 and to comply with the instructions given while transiting the area. Ship movement in the area is monitored on a 24 hour basis.

*DFO(6304284-02)*

ZONE DE PRUDENCE Tout navire prévoyant de passer par la zone de prudence devrait contacter Floating Production Storage and Offloading Vessel (FPSO) sur la voie VHF 16 et de respecter les instructions qui lui seront données pendant le transit de cette zone. Les mouvements de navires dans la zone sont surveillés vingt-quatre heures sur vingt-quatre.

This notice affects Electronic Navigational Chart: CA276101

**24-APR-2009**

LNM/D. 10-APR-2009

Add note:

in eastern margin

PRECAUTIONARY AREA Any ship planning to transit the precautionary area is advised to contact the Production Platform on VHF channel 16 and to comply with the instructions given while transiting the area. Ship movement in the area is monitored on a 24 hour basis.

*DFO(6304284-04)*

ZONE DE PRUDENCE Tout navire prévoyant de passer par la zone de prudence devrait contacter la Plate-forme de production sur la voie VHF 16 et de respecter les instructions qui lui seront données pendant le transit de cette zone. Les mouvements de navires dans la zone sont surveillés vingt-quatre heures sur vingt-quatre.

**10-APR-2009**

LNM/D. 27-MAR-2009

Delete Terra Nova  
(See Chart No 1 L1)

46°27'45.0"N 048°32'00.0"W

*DFO(6304280-02)*

This notice affects Electronic Navigational Chart: CA276101

**10-APR-2009**

LNM/D. 27-MAR-2009



### Chart no. 8011

Add lighted offshore platform Mo(U) 15M and legend Terra Nova  
FPSO  
(See Chart No 1 L2 and P2)

46°28'31.8"N 048°28'51.6"W

*DFO(6304280-03)*

This notice affects Electronic Navigational Chart: CA276101

#### 10-APR-2009

LNM/D. 27-MAR-2009

Add fog signal Mo(U) 30s  
(See Chart No 1 R20)

46°28'31.8"N 048°28'51.6"W

*DFO(6304280-04)*

This notice affects Electronic Navigational Chart: CA276101

#### 10-APR-2009

LNM/D. 27-MAR-2009

Add See/Voir Note PRODUCTION PLATFORMS PLATES-FORMES DE  
PRODUCTION  
(See Chart No 1 A14)

46°26'30.0"N 048°35'00.0"W

*DFO(6304282-01)*

This notice affects Electronic Navigational Chart: CA276101

#### 27-MAR-2009

LNM/D. 17-MAR-2006

Delete Mo(U) R 5M against light  
(See Chart No 1 P1)

46°45'00.0"N 048°46'57.0"W

*DFO(6304286-01)*

This notice affects Electronic Navigational Chart: CA276101

#### 17-MAR-2006

Delete yellow ODAS/SADO lighted super-buoy Fl (5) Y, marked 44153 46°43'30.0"N 048°48'30.0"W

*DFO(6302762-01)*