



## Chart no. 8012

### 8012 - Flemish Pass / Passe Flamande - New Edition - 11-OCT-2002 - NAD 1983

- 30-JUN-2023** LNM/D. 31-DEC-2021  
Add suspended well, depth over wellhead unknown. 46°26'43.2"N 048°30'53.9"W  
(See Chart 1, L21.1)  
This notice affects Electronic Navigational Chart: CA276101 *DFO(6310672-01)*
- 30-JUN-2023** LNM/D. 31-DEC-2021  
Add suspended well, depth over wellhead unknown. 46°26'42.4"N 048°28'45.5"W  
(See Chart 1, L21.1)  
This notice affects Electronic Navigational Chart: CA276101 *DFO(6310672-02)*
- 30-JUN-2023** LNM/D. 31-DEC-2021  
Add suspended well, depth over wellhead unknown. 46°25'38.3"N 048°24'01.7"W  
(See Chart 1, L21.1)  
This notice affects Electronic Navigational Chart: CA276101 *DFO(6310672-03)*
- 30-JUN-2023** LNM/D. 31-DEC-2021  
Add suspended well, depth over wellhead unknown. 46°28'04.7"N 048°24'58.8"W  
(See Chart 1, L21.1)  
This notice affects Electronic Navigational Chart: CA276101 *DFO(6310672-04)*
- 31-DEC-2021** LNM/D. 10-DEC-2021  
Add Suspended well, depth over wellhead unknown. 46°46'19.2"N 048°02'49.5"W  
(See Chart no 1, L21.1)  
This notice affects Electronic Navigational Chart: CA276101 *DFO(6309919-01)*
- 10-DEC-2021** LNM/D. 30-OCT-2020  
Delete private orange ODAS/SADO spherical buoy 47°57'44.3"N 046°23'02.8"W  
(See Chart No. 1, Q58)  
This notice affects Electronic Navigational Chart: CA276477 *DFO(6309777-01)*
- 10-DEC-2021** LNM/D. 30-OCT-2020  
Delete private orange ODAS/SADO spherical buoy 47°57'39.8"N 046°12'59.6"W  
(See Chart No. 1, Q58)  
This notice affects Electronic Navigational Chart: CA276477 *DFO(6309778-01)*
- 30-OCT-2020** LNM/D. 14-AUG-2020



### Chart no. 8012

Add Submerged production well, with depth over an artificial feature of 332 fathoms  
(See chart no 1, L20)  
This notice affects Electronic Navigational Chart: CA276101

47°51'18.0"N 046°59'06.0"W  
*DFO(6309264-01)*

#### 14-AUG-2020

Delete subsurface Ocean Data Acquisition system ODAS/SADO with unknown depth  
(See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA176030, CA276101

LNLM/D. 15-NOV-2019  
47°30'46.3"N 047°21'26.5"W  
*DFO(6309106-02)*

#### 14-AUG-2020

Delete subsurface Ocean Data Acquisition system ODAS/SADO with unknown depth  
(See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA176030, CA276101

LNLM/D. 15-NOV-2019  
47°16'03.4"N 047°07'06.0"W  
*DFO(6309106-03)*

#### 14-AUG-2020

Delete subsurface Ocean Data Acquisition system ODAS/SADO with unknown depth  
(See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA176030

LNLM/D. 15-NOV-2019  
47°01'23.1"N 046°52'43.4"W  
*DFO(6309106-04)*

#### 15-NOV-2019

Add suspended well, depth over wellhead unknown.  
(See Chart no 1, L21.1)  
This notice affects Electronic Navigational Chart: CA276101

LNLM/D. 25-OCT-2019  
46°47'14.2"N 048°10'43.0"W  
*DFO(6308837-01)*

#### 25-OCT-2019

Add subsurface Ocean Data Acquisition system ODAS/SADO with unknown depth.  
(See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA176030, CA276101

LNLM/D. 08-MAR-2019  
47°30'46.3"N 047°21'26.5"W  
*DFO(6308815-02)*

#### 25-OCT-2019

LNLM/D. 08-MAR-2019



### Chart no. 8012

Add subsurface Ocean Data Acquisition system ODAS/SADO with unknown depth. 47°16'03.4"N 047°07'06.0"W  
(See Chart No. 1, L25) *DFO(6308815-03)*  
This notice affects Electronic Navigational Chart: CA176030,  
CA276101

**25-OCT-2019** LNM/D. 08-MAR-2019  
Add subsurface Ocean Data Acquisition system ODAS/SADO with unknown depth. 47°01'23.1"N 046°52'43.4"W  
(See Chart No. 1, L25) *DFO(6308815-04)*  
This notice affects Electronic Navigational Chart: CA176030

**25-OCT-2019** LNM/D. 08-MAR-2019  
Delete lighted offshore platform, Mo(U) 15M, Fog Sig 30s with legend "GSF Grand Banks" 46°44'41.7"N 048°00'40.2"W  
(See Chart No. 1, P2, L2, R20) *DFO(6308816-01)*  
This notice affects Electronic Navigational Chart: CA176030,  
CA276101

**25-OCT-2019** LNM/D. 08-MAR-2019  
Delete obstruction, depth unknown 48°19'07.9"N 046°17'31.1"W  
(See Chart No. 1, K40) *DFO(6308817-01)*  
This notice affects Electronic Navigational Chart: CA176030,  
CA276477

**25-OCT-2019** LNM/D. 08-MAR-2019  
Delete obstruction and legend "ODAS/SADO" 48°19'07.1"N 047°17'35.2"W  
(See Chart No. 1, K40) *DFO(6308817-02)*  
This notice affects Electronic Navigational Chart: CA176030

**08-MAR-2019** LNM/D. 28-DEC-2018  
Reposition private yellow ODAS/SADO lighted pillar buoy Fl Y from 46°31'55.0"N 048°32'37.5"W  
(See Chart No. 1, Q58) to 46°31'24.8"N 048°33'41.7"W  
This notice affects Electronic Navigational Chart: CA276101 *DFO(6308566-01)*

**28-DEC-2018** LNM/D. 07-SEP-2018  
Add private orange ODAS/SADO spherical buoy 47°57'39.6"N 046°12'59.4"W  
(See Chart No. 1, Q22, Q70, Qb) *DFO(6308529-01)*  
This notice affects Electronic Navigational Chart: CA276477



## Chart no. 8012

### 28-DEC-2018

LNМ/D. 07-SEP-2018

Add private orange ODAS/SADO spherical buoy  
(See Chart No. 1, Q22, Q70, Qb)

47°57'44.3"N 046°23'02.8"W

This notice affects Electronic Navigational Chart: CA276477

*DFO(6308529-02)*

### 07-SEP-2018

LNМ/D. 01-JUN-2018

Add Submerged production well, with depth over wellhead of 66  
fathoms

46°53'08.9"N 048°03'07.3"W

(See chart no 1, L20)

*DFO(6308387-01)*

This notice affects Electronic Navigational Chart: CA276101

### 01-JUN-2018

LNМ/D. 01-DEC-2017

Delete yellow ODAS/SADO lighted spherical buoy Fl (5) Y 20s  
(See Chart No. 1, Q58)

46°42'28.7"N 048°51'31.6"W

This notice affects Electronic Navigational Chart: CA276101

*DFO(6308270-01)*

### 01-DEC-2017

LNМ/D. 28-JUL-2017

Add Submerged production well, with depth over wellhead of 608  
fathoms

48°15'47.1"N 046°14'09.4"W

(See chart no 1, L20)

*DFO(6308147-01)*

This notice affects Electronic Navigational Chart: CA276477

### 01-DEC-2017

LNМ/D. 28-JUL-2017

Add Submerged production well, with depth over wellhead of 624  
fathoms

47°58'24.6"N 046°12'52.3"W

(See chart no 1, L20)

*DFO(6308147-02)*

This notice affects Electronic Navigational Chart: CA276477

### 01-DEC-2017

LNМ/D. 28-JUL-2017

Add Submerged production well, with depth over wellhead of 636  
fathoms

47°57'21.4"N 046°20'44.4"W

(See chart no 1, L20)

*DFO(6308147-03)*

This notice affects Electronic Navigational Chart: CA276477

### 01-DEC-2017

LNМ/D. 28-JUL-2017

Add Submerged production well, with depth over wellhead of 637  
fathoms

47°56'19.0"N 046°24'42.0"W

(See chart no 1, L20)

*DFO(6308147-04)*

This notice affects Electronic Navigational Chart: CA276477



## Chart no. 8012

### 01-DEC-2017

Add Submerged production well, with depth over wellhead of 636 fathoms

(See chart no 1, L20)

This notice affects Electronic Navigational Chart: CA276477

LNМ/D. 28-JUL-2017

47°57'46.7"N 046°25'44.9"W

*DFO(6308147-05)*

### 28-JUL-2017

Add lighted offshore platform Mo(U) 15M

(See Chart No. 1, P2)

This notice affects Electronic Navigational Chart: CA176030,  
CA276101

LNМ/D. 05-MAY-2017

46°32'38.6"N 048°29'53.0"W

*DFO(6308008-01)*

### 28-JUL-2017

Add Fog signal FogSig Mo(U) 30s against light

(See Chart No. 1, R20)

This notice affects Electronic Navigational Chart: CA276101

LNМ/D. 05-MAY-2017

46°32'38.6"N 048°29'53.0"W

*DFO(6308008-02)*

### 05-MAY-2017

Add private yellow ODAS/SADO lighted pillar FLY, priv

(See Chart No. 1, Q58)

This notice affects Electronic Navigational Chart: CA176030,  
CA276101

LNМ/D. 14-APR-2017

46°31'51.4"N 048°32'33.5"W

*DFO(6307915-01)*

### 14-APR-2017

LNМ/D. 31-MAR-2017

Affix patch 46°30'00.0"N 048°30'00.0"W

[PDF](#)

*DFO(6307901-03)*

### 31-MAR-2017

Add submarine cable

(See Chart No. 1, L30.1)

This notice affects Electronic Navigational Chart:  
CA276091, CA276101, CA376015, CA376070, CA376075

LNМ/D. 23-DEC-2016

joining 46°49'20.0"N 048°59'56.0"W

46°47'12.0"N 048°53'45.0"W

46°46'03.0"N 048°44'42.0"W

46°42'30.0"N 048°42'06.0"W

46°34'04.0"N 048°32'00.0"W

and 46°34'09.0"N 048°59'56.0"W

*DFO(6307887-01)*

### 31-MAR-2017

LNМ/D. 23-DEC-2016



### Chart no. 8012

Add submarine cable  
(See Chart No. 1, L30.1)  
This notice affects Electronic Navigational Chart:  
CA276101

between 46°34'04.0"N 048°32'00.0"W  
and 46°32'20.0"N 048°30'15.0"W

*DFO(6307887-03)*

**23-DEC-2016** LNM/D. 01-JUL-2016

Delete suspended well with depth over wellhead of 633 fathoms 48°04'52.0"N 046°12'18.7"W  
(See Chart No. 1, L20)  
This notice affects Electronic Navigational Chart: CA276477 *DFO(6307731-01)*

**01-JUL-2016** LNM/D. 24-JUN-2016

Delete private yellow ODAS/SADO lighted spherical Fl(5)Y 20s, Priv, 48°09'55.3"N 046°14'18.2"W  
marked AMEC  
(See Chart No. 1, Q58) *DFO(6307562-01)*  
This notice affects Electronic Navigational Chart: CA176030

**01-JUL-2016** LNM/D. 24-JUN-2016

Delete obstruction, depth unknown 48°00'21.8"N 046°19'14.5"W  
(See Chart No. 1, K40)  
This notice affects Electronic Navigational Chart: CA176030, *DFO(6307562-02)*  
CA276477

**24-JUN-2016** LNM/D. 13-MAY-2016

Delete private yellow ODAS/SADO lighted pillar buoy FLY, priv 47°58'43.2"N 046°48'28.8"W  
(See Chart No. 1, Q58)  
This notice affects Electronic Navigational Chart: CA176030 *DFO(6307548-01)*

**13-MAY-2016** LNM/D. 25-DEC-2015

Add private yellow ODAS/SADO lighted pillar buoy FLY, priv 47°58'43.2"N 046°48'28.8"W  
(See Chart No. 1, Q58)  
This notice affects Electronic Navigational Chart: CA176030 *DFO(6307522-01)*

**25-DEC-2015** LNM/D. 11-DEC-2015

Add subsurface Ocean Data Acquisition system ODAS/SADO with 46°54'30.0"N 048°30'15.0"W  
known depth of 44 fathoms.  
(See Chart No. 1, L25) *DFO(6307350-04)*  
This notice affects Electronic Navigational Chart: CA276101

**11-DEC-2015** LNM/D. 04-DEC-2015



### Chart no. 8012

Add yellow ODAS/SADO lighted spherical buoy Fl (5) Y 20s 46°42'28.7"N 048°51'31.6"W  
(See Chart No. 1, Q58)  
This notice affects Electronic Navigational Chart: CA276101 *DFO(6307345-01)*

**04-DEC-2015** LNM/D. 17-JUL-2015  
Add submarine cable joining 47°32'41.2"N 048°59'56.0"W  
(See Chart No. 1, L30.1) 47°45'26.5"N 048°09'19.1"W  
48°01'57.5"N 047°01'02.5"W  
48°19'11.0"N 046°23'17.1"W  
and 48°21'59.7"N 046°15'02.5"W  
*DFO(6307371-01)*

**17-JUL-2015** LNM/D. 29-MAY-2015  
Delete lighted offshore platform Mo(U) 15M with FogSig30s and 46°44'38.0"N 047°00'37.0"W  
legend GSF Grand Banks  
(See Chart No. 1, L2, P2 and R20) *DFO(6307163-02)*  
This notice affects Electronic Navigational Chart: CA276101

**17-JUL-2015** LNM/D. 29-MAY-2015  
Delete safety zone with radius of 500 metres and legend See/Voir 46°44'48.0"N 047°00'37.0"W  
Note PRODUCTION PLATFORMS PLATES-FORMES DE  
PRODUCTION *DFO(6307163-03)*  
(See Chart No. 1, L3)  
This notice affects Electronic Navigational Chart: CA276101

**17-JUL-2015** LNM/D. 29-MAY-2015  
Add lighted offshore platform Mo(U) 15M with FogSig30s and legend 46°44'39.0"N 048°00'38.0"W  
GSF Grand Banks  
(See Chart No. 1, L2, P2 and R20) *DFO(6307163-04)*  
This notice affects Electronic Navigational Chart: CA276101

**29-MAY-2015** LNM/D. 24-APR-2015  
Add obstruction with unknown depth and legend ODAS/SADO 48°19'05.6"N 047°17'31.3"W  
(See Chart No. 1, L25)  
This notice affects Electronic Navigational Chart: CA176030 *DFO(6307122-01)*

**24-APR-2015** LNM/D. 07-NOV-2014



### Chart no. 8012

Add lighted offshore platform Mo(U) 15M and legend GSF Grand Banks  
(See Chart No. 1, L2 and P2)  
This notice affects Electronic Navigational Chart: CA176030, CA276101

46°44'38.0"N 047°00'37.0"W  
*DFO(6307105-01)*

**24-APR-2015** LNM/D. 07-NOV-2014  
Add fog signal FogSig30s against light  
(See Chart No. 1, R20)  
This notice affects Electronic Navigational Chart: CA276101

46°44'38.0"N 047°00'37.0"W  
*DFO(6307105-02)*

**24-APR-2015** LNM/D. 07-NOV-2014  
Add safety zone with radius of 500 metres and legend See/Voir Note  
PRODUCTION PLATFORMS PLATES-FORMES DE PRODUCTION  
(See Chart No. 1, L3)  
This notice affects Electronic Navigational Chart: CA276101

46°44'38.0"N 047°00'37.0"W  
*DFO(6307105-03)*

**07-NOV-2014** LNM/D. 26-SEP-2014  
Add suspended well, depth over wellhead unknown.  
(See Chart No. 1, L21.1)  
This notice affects Electronic Navigational Chart: CA276101

46°28'19.0"N 048°32'38.0"W  
*DFO(6306937-02)*

**26-SEP-2014** LNM/D. 12-SEP-2014  
Add private yellow ODAS/SADO lighted spherical Fl (5) Y20s, Priv,  
marked AMEC  
(See Chart No. 1, Q58)  
This notice affects Electronic Navigational Chart: CA176030,  
CA276477

48°09'55.3"N 046°14'18.2"W  
*DFO(6306825-01)*

**26-SEP-2014** LNM/D. 12-SEP-2014  
Add obstruction, depth unknown  
(See Chart No. 1, K40)  
This notice affects Electronic Navigational Chart: CA176030,  
CA276477

48°00'21.8"N 046°19'14.5"W  
*DFO(6306825-02)*

**26-SEP-2014** LNM/D. 12-SEP-2014  
Add obstruction, depth unknown  
(See Chart No. 1, K40)  
This notice affects Electronic Navigational Chart: CA176030,  
CA276477

48°19'07.9"N 046°17'31.1"W  
*DFO(6306825-03)*





## Chart no. 8012

**12-SEP-2014** LNM/D. 28-FEB-2014

Affix patch 47°00'00.0"N 048°30'00.0"W

[PDF](#)

*DFO(6306817-02)*

**28-FEB-2014** LNM/D. 03-MAY-2013

Add suspended well with depth over wellhead of 633 fathoms 48°04'52.0"N 046°12'18.7"W  
(See Chart No 1 L21.2)

This notice affects Electronic Navigational Chart: CA276477 *DFO(6306674-01)*

**28-FEB-2014** LNM/D. 03-MAY-2013

Add suspended well with depth over wellhead of 634 fathoms 47°57'00.2"N 046°26'28.7"W  
(See Chart No 1 L21.2)

This notice affects Electronic Navigational Chart: CA276477 *DFO(6306674-02)*

**03-MAY-2013** LNM/D. 05-APR-2013

Delete suspended well with depth over wellhead unknown 46°36'14.0"N 047°57'54.0"W  
(See Chart No 1 L21.1)

This notice affects Electronic Navigational Chart: CA276101 *DFO(6306349-01)*

**05-APR-2013** LNM/D. 01-MAR-2013

Add suspended well with depth over wellhead unknown 46°36'14.0"N 047°57'54.0"W  
(See Chart No 1 L21.1)

This notice affects Electronic Navigational Chart: CA276101 *DFO(6306338-01)*

**05-APR-2013** LNM/D. 01-MAR-2013

Delete private yellow spherical buoy 46°38'47.2"N 047°56'33.0"W  
(See Chart No 1 Q22)

This notice affects Electronic Navigational Chart: CA276101 *DFO(6306344-01)*

**01-MAR-2013** LNM/D. 07-DEC-2012

Add private yellow spherical buoy 46°38'47.2"N 047°56'33.0"W  
(See Chart No 1 Q22)

This notice affects Electronic Navigational Chart: CA276101 *DFO(6306331-01)*

**07-DEC-2012** LNM/D. 16-MAR-2012



### Chart no. 8012

Delete safety zone area defined by the following points joining 46°52'48.3"N 048°02'56.7"W  
(See Chart No. 1, L3)

46°45'56.0"N 047°59'05.7"W  
46°43'28.6"N 048°02'51.5"W  
46°43'30.6"N 048°04'11.2"W  
46°44'37.8"N 048°04'52.8"W  
and 46°52'12.0"N 048°05'02.3"W

*DFO(6306272-01)*

#### 07-DEC-2012

LNM/D. 16-MAR-2012

Add safety zone area defined by the following points joining 46°52'48.3"N 048°02'56.7"W  
(See Chart No. 1, L3)

46°45'56.0"N 047°59'05.7"W  
46°43'59.3"N 047°59'22.5"W  
46°43'25.0"N 048°01'54.7"W  
46°43'30.6"N 048°04'11.1"W  
46°44'37.8"N 048°04'52.8"W  
and 46°52'12.0"N 048°05'02.2"W

*DFO(6306272-02)*

#### 16-MAR-2012

LNM/D. 17-FEB-2012

Add private yellow lighted spherical buoy Fl(5) Y 20s, Priv  
(See Chart No 1 Q22)

46°43'46.0"N 048°49'13.0"W

*DFO(6305946-01)*

This notice affects Electronic Navigational Chart: CA276101

#### 17-FEB-2012

LNM/D. 25-NOV-2011

Add wellhead with depth over an artificial feature of 581 fathoms 48°18'21.7"N 046°15'52.7"W  
(See Chart No 1 L21.2)

*DFO(6305916-01)*

This notice affects Electronic Navigational Chart: CA276477

#### 25-NOV-2011

LNM/D. 09-SEP-2011

(T)Add lighted offshore platform  
(See Chart No. 1, L10)

46°47'22.0"N 048°02'37.0"W

Drilling rig Global Sante Fe Grand Banks is moored on eight  
anchors. It will move it's White Rose location periodically until  
its expected departure in January 2013.

*DFO(6305825-01)*

#### 09-SEP-2011

LNM/D. 30-OCT-2009



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

### Chart no. 8012

Add private yellow lighted spar buoy Fl(5) Y 20s 48°18'07.4"N 046°14'50.6"W  
(See Chart No 1 Q24 and Q70)

*DFO(6305690-01)*

**09-SEP-2011**

LNM/D. 30-OCT-2009

Add private yellow lighted spherical buoy Fl(5) Y 20s 48°19'05.6"N 046°12'43.8"W  
(See Chart No 1 Q22 and Q70)

*DFO(6305690-02)*

**30-OCT-2009**

LNM/D. 07-AUG-2009

Add suspended well with depth over wellhead of 599 fathoms 48°15'55.6"N 046°17'06.8"W  
(See Chart No 1 L21.2)

*DFO(6304633-01)*

This notice affects Electronic Navigational Chart: CA276477

**07-AUG-2009**

LNM/D. 24-APR-2009

Delete note:

in the southern margin of the chart

#### PRODUCTION PLATFORMS

The Hibernia Platform exhibit white lights Mo(U), red lights Mo(U) R and red air obstruction lights, and sound fog horns Mo(U)30s. Unauthorized navigation within 500 metres of any platform and its associated structures is prohibited.

*DFO(6304298-01)*

#### PLATES-FORMES DE PRODUCTION

Les plates-forme Hibernia porte des feux blancs Mo(U), des feux rouges Mo(U) R et des feux d'obstacles aériens rouges et sonnent des cornets de brume Mo(U)30s. Il est interdit de naviguer sans autorisation à moins de 500 mètres d'une plate-forme et de ses structures associées.

**07-AUG-2009**

LNM/D. 24-APR-2009



## Chart no. 8012

Add note:

in the southern margin of the chart

### PRODUCTION PLATFORMS

Production Platforms and associated structures exhibit white lights Mo(U)15M and red air obstruction lights, and sound fog signals Mo(U)30s. SAFETY ZONES have been established for the protection of the production facilities, other vessels, and the marine environment. Unauthorized navigation within the Safety Zone is prohibited. Mariners are advised any vessel proposing to transit the Safety Zone must contact the operator on VHF Channel 16 and, if approved, comply with the instructions given while transiting the area. Vessel movement in the area is monitored on a 24-hour basis. For additional information, consult Notices to Mariners No. 20, Annual Edition.

*DFO(6304298-02)*

### 07-AUG-2009

LNLM/D. 24-APR-2009

Add note:

in the southern margin of the chart

### PLATEFORMES DE PRODUCTION

Les plateformes de production et leurs structures annexes sont signalées par des feux blancs Mo(U)15M, des feux rouges d'obstacle aérien et par un signal de brume sonore Mo(U)30s. Des ZONES DE SÉCURITÉ ont été établies pour protéger les installations de production, les autres bâtiments et l'environnement marin. Toute navigation non autorisée est interdite à l'intérieur des limites de la zone de sécurité. Les navigateurs qui désirent traverser la zone de sécurité doivent contacter les responsables de la plateforme sur la voie VHF 16 et, le cas échéant, se conformer aux instructions reçues pour traverser la zone de sécurité. Le trafic maritime est surveillé jour et nuit. Pour plus d'informations, reportez-vous aux Avis aux navigateurs n<sup>o</sup> 20, Édition annuelle.

*DFO(6304298-03)*

### 24-APR-2009

LNLM/D. 10-APR-2009



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 8012

Delete note:

45°18'00.0"N 046°10'00.0"W

PRECAUTIONARY AREA Any ship planning to transit the precautionary area is advised to contact the Floating Production Storage and Offloading Vessel (FPSO) on VHF channel 16 and to comply with the instructions given while transiting the area. Ship movement in the area is monitored on a 24 hour basis.

*DFO(6304284-01)*

ZONE DE PRUDENCE Tout navire prévoyant de passer par la zone de prudence devrait contacter Floating Production Storage and Offloading Vessel (FPSO) sur la voie VHF 16 et de respecter les instructions qui lui seront données pendant le transit de cette zone. Les mouvements de navires dans la zone sont surveillés vingt-quatre heures sur vingt-quatre.

### 24-APR-2009

LNM/D. 10-APR-2009

Add note:

45°18'00.0"N 046°10'00.0"W

PRECAUTIONARY AREA Any ship planning to transit the precautionary area is advised to contact the Production Platform on VHF channel 16 and to comply with the instructions given while transiting the area. Ship movement in the area is monitored on a 24 hour basis.

*DFO(6304284-03)*

ZONE DE PRUDENCE Tout navire prévoyant de passer par la zone de prudence devrait contacter la Plate-forme de production sur la voie VHF 16 et de respecter les instructions qui lui seront données pendant le transit de cette zone. Les mouvements de navires dans la zone sont surveillés vingt-quatre heures sur vingt-quatre.

### 24-APR-2009

LNM/D. 10-APR-2009

Add non-dangerous wreck 48°08'48.0"N 046°51'24.0"W  
(See Chart No. 1, K29)

*DFO(6304342-01)*

### 10-APR-2009

LNM/D. 27-MAR-2009

Delete Terra Nova  
(See Chart No 1 L1)

46°28'50.0"N 048°25'15.0"W

*DFO(6304280-02)*

This notice affects Electronic Navigational Chart: CA276101



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

## Chart no. 8012

**10-APR-2009**

LNM/D. 27-MAR-2009

Add lighted offshore platform Mo(U) 15M and legend Terra Nova  
FPSO  
(See Chart No 1 L2 and P2)

46°28'31.8"N 048°28'51.6"W

*DFO(6304280-03)*

This notice affects Electronic Navigational Chart: CA276101

**10-APR-2009**

LNM/D. 27-MAR-2009

Add fog signal Mo(U) 30s  
(See Chart No 1 R20)

46°28'31.8"N 048°28'51.6"W

*DFO(6304280-04)*

This notice affects Electronic Navigational Chart: CA276101

**10-APR-2009**

LNM/D. 27-MAR-2009

Add private yellow lighted spherical buoy Fl(5) Y 20s  
(See Chart No 1 Q22 and Q70)

46°28'36.0"N 048°26'03.6"W

*DFO(6304281-01)*

This notice affects Electronic Navigational Chart: CA276101

**10-APR-2009**

LNM/D. 27-MAR-2009

Add private orange spherical buoy  
(See Chart No 1 Q22 and Q70)

46°29'15.0"N 048°25'46.2"W

*DFO(6304281-02)*

This notice affects Electronic Navigational Chart: CA276101

**10-APR-2009**

LNM/D. 27-MAR-2009

Add See/Voir Note PRODUCTION PLATFORMS PLATES-FORMES DE  
PRODUCTION  
(See Chart No 1 A14)

46°26'45.0"N 048°35'00.0"W

*DFO(6304282-01)*

This notice affects Electronic Navigational Chart: CA276101

**10-APR-2009**

LNM/D. 27-MAR-2009



**Chart no. 8012**

Replace limit of restricted area with marine limit in general with  
radius of 10 NM  
(See Chart No 1 M15)

46°28'31.8"N 048°28'51.6"W

*DFO(6304283-01)*

This notice affects Electronic Navigational Chart: CA176030,  
CA276101

**27-MAR-2009**

LN/D. 13-MAR-2009

Delete Mo(U) R 5M against light  
(See Chart No 1 P1)

46°45'00.0"N 048°47'05.0"W

*DFO(6304286-01)*

This notice affects Electronic Navigational Chart: CA276101

**13-MAR-2009**

LN/D. 16-MAY-2008

Replace the safety zone area defined by joining the following  
points 46°52'37.9"N 48°03'06.0W, 46°47'41.3"N  
47°59'54.6"W, 46°45'46.5"N 47°59'22.9"W,  
46°45'21.1"N 48°00'48.42"W, 46°46'57.6"N  
48°03'38.5"W and 46°52'07.0"N 48°04'53.9"W with the  
safety zone area defined by  
(See Chart No 1 L3)

joining 46°52'48.3"N 048°02'56.7"W  
46°45'56.0"N 047°59'05.7"W  
46°43'28.6"N 048°02'51.5"W  
46°43'30.6"N 048°04'11.2"W  
46°44'37.8"N 048°04'52.8"W  
and 46°52'12.0"N 048°05'02.3"W

*DFO(6303819-02)*

This notice affects Electronic Navigational Chart:  
CA276101

**16-MAY-2008**

LN/D. 04-APR-2008

Delete private yellow lighted pillar buoy Fl G  
(See Chart No 1 Q23)

46°49'55.8"N 048°06'23.8"W

*DFO(6303826-01)*

This notice affects Electronic Navigational Chart: CA276101

**16-MAY-2008**

LN/D. 04-APR-2008

Delete private yellow lighted spherical buoy Fl Y  
(See Chart No 1 Q22)

46°49'37.3"N 048°06'30.4"W

*DFO(6303826-02)*

This notice affects Electronic Navigational Chart: CA276101



## Chart no. 8012

### 16-MAY-2008

Add private yellow lighted pillar buoy Fl Y 10s  
(See Chart No 1 Q23)

LNМ/D. 04-APR-2008

46°48'46.8"N 048°00'00.0"W

*DFO(6303826-03)*

This notice affects Electronic Navigational Chart: CA276101

### 16-MAY-2008

Add private yellow lighted spherical buoy Fl(5) Y 20s  
(See Chart No 1 Q22)

LNМ/D. 04-APR-2008

46°49'16.2"N 048°00'06.6"W

*DFO(6303826-04)*

This notice affects Electronic Navigational Chart: CA276101

### 04-APR-2008

(T)Add lighted offshore platform

Drilling rig Global Sante Fe Grand Banks is moored on eight anchors. It will move it's White Rose location periodically until its expected departure in December 2010.

The departure date has been extended. See reference DFO(6305825-1) appearing in this edition. Notice 04-April-2008(T), DFO (63053825(T)-01) is cancelled.  
Cancelled on 25-NOV-11

LNМ/D. 08-FEB-2008

46°47'22.0"N 048°02'37.0"W

*DFO(6303825-01)*

### 08-FEB-2008

(T)Add subsurface mooring at a depth of 1475 metres below the surface

The mooring is temporary and will be removed by June 2008. The mooring has been removed. The notice advertised in Edition 2 2008 record reference number 6303538 dated 08-FEB-2008 is now cancelled.  
Cancelled on 09-JAN-09

LNМ/D. 17-MAR-2006

48°12'00.6"N 047°52'59.4"W

*DFO(6303538-01)*

### 08-FEB-2008

(T)Add subsurface mooring at a depth of 1875 metres below the surface

The mooring is temporary and will be removed by June 2008. The mooring has been removed. The notice advertised in Edition 2 2008 record reference number 6303538 dated 08-FEB-2008 is now cancelled.  
Cancelled on 09-JAN-09

LNМ/D. 17-MAR-2006

48°19'45.6"N 047°48'15.6"W

*DFO(6303538-02)*





**Chart no. 8012**

**17-MAR-2006**

LNM/D. 06-JAN-2006

Delete yellow ODAS/SADO lighted super-buoy Fl (5) Y, marked 44153 46°43'30.0"N 048°48'30.0"W

*DFO(6302762-01)*

**06-JAN-2006**

LNM/D. 17-SEP-2004

Add production platform with light and legend "SeaRose FPSO" 46°47'31.0"N 048°01'24.1"W

*DFO(6302551-01)*

**06-JAN-2006**

LNM/D. 17-SEP-2004

Add light Mo(U) 15M 46°47'31.0"N 048°01'24.1"W

*DFO(6302551-02)*

**06-JAN-2006**

LNM/D. 17-SEP-2004

Add fog signal "Fog Sig Mo(U)" 46°47'31.0"N 048°01'24.1"W

*DFO(6302551-03)*

**06-JAN-2006**

LNM/D. 17-SEP-2004

Add private yellow lighted pillar buoy Fl G 46°49'55.8"N 048°06'23.8"W

*DFO(6302551-04)*

**06-JAN-2006**

LNM/D. 17-SEP-2004

Add private yellow lighted spherical buoy Fl Y 46°49'37.3"N 048°06'30.4"W

*DFO(6302551-05)*

**06-JAN-2006**

LNM/D. 17-SEP-2004

Add safety zone with legend "See/Voir Note PRODUCTION  
PLATFORMS PLATES-FORMES DE PRODUCTION" joining 46°52'37.9"N 048°03'06.0"W  
46°47'41.3"N 047°59'54.6"W  
46°45'46.5"N 047°59'22.9"W  
46°45'21.1"N 048°00'48.4"W  
46°46'57.6"N 048°03'38.5"W  
and 46°52'07.0"N 048°04'53.9"W

*DFO(6302551-06)*



### Chart no. 8012

#### 17-SEP-2004

(T)Add scientific subsurface mooring at a depth of 98 metres below the surface 48°12'02.5"N 047°53'13.5"W

The mooring is temporary, from June 2004 to July 2005.

*DFO(6301824-01)*

The mooring has been removed. Notice 17-September-2004(T),  
DFO (6301824) is now cancelled.

Cancelled on 06-JUL-07

#### 17-SEP-2004

(T)Add scientific subsurface mooring at a depth of 693 metres below the surface 48°19'44.3"N 047°48'30.5"W

The mooring is temporary, from June 2004 to July 2005.

*DFO(6301824-02)*

The mooring has been removed. Notice 17-September-2004(T),  
DFO (6301824) is now cancelled.

Cancelled on 06-JUL-07