

## List of Lights, Buoys and Fog Signals – Arctic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>HUDSON BAY</b>							
1060	Akulivik Breakwater Port Entrance	60 48 30.6 078 12 19.5	FI G 4s	.....	2	.....	Private aid. Seasonal.
1065	Akulivik Breakwater Starboard Entrance	60 48 30.2 078 12 22.4	FI R 4s	.....	2	.....	Private aid. Seasonal.
1070	Akulivik Breakwater	60 48 29.1 078 12 28.5	FI Y 4s	.....	2	.....	Private aid. Seasonal.
1075	Inukjuak Breakwater Port Entrance	58 27 07.3 078 08 07.2	FI G 4s	.....	2	.....	Private aid. Seasonal.
1080	Inukjuak Breakwater Starboard Entrance	58 27 08.4 078 08 10.3	FI R 4s	.....	2	.....	Private aid. Seasonal.
1085	Inukjuak Breakwater	58 27 03.0 078 08 11.4	FI Y 4s	.....	2	.....	Private aid. Seasonal.
1090 <i>H0036.4</i>	Broomfield Island Light and Racon	55 40 24.3 079 14 16.5	FI R 6s	44.0	7	Square skeleton tower, orange rectangular daymark.	Seasonal (in place year round). Flash 1 s; eclipse 5 s.
	<b>Racon N (- .)</b> <b>X &amp; S Bands</b>						
1095 <i>H0025.5</i>	Sentry Island Light and Racon	Western Hudson Bay. 61 09 35.6 093 52 14.6	FI W 6s	35.0	7	Square skeleton tower. 18.4	Seasonal (in place year round). Flash 1 s; eclipse 5 s.
	<b>Racon C (- . - .)</b> <b>X &amp; S Bands</b>						
1100	Walrus Island Light and Racon	Mistake Bay. 61 57 59.4 092 28 41.1	FI W 6s	29.0	7	Square skeleton mast, orange rectangular daymark. 11.0	Seasonal. Flash 1 s; eclipse 5 s.
	<b>Racon Y (- . - -)</b> <b>X &amp; S Bands</b>						
1105 <i>H0024</i>	Dunne Foxe Island	On easternmost island. 62 15 42.3 091 59 19.5	FI W 6s	21.7	7	Square skeleton tower. 10.0	Seasonal (in place year round). Flash 1 s; eclipse 5 s.
1110 <i>H0033.4</i>	Walrus Island (Fisher Strait)	Centre of island. 63 16 28.5 083 41 05.2	FI W 6s	54.9	8	Square skeleton tower, orange rectangular daymark. 9.8	Seasonal (in place year round). Flash 1 s; eclipse 5 s. Radar reflector.
1115 <i>H0032</i>	Coats Island Light and Racon	On Carys Swan Nest, SE. point of island. 62 10 25.9 083 07 42.3	FI W 6s	13.0	8	Skeleton tower, orange rectangular daymark. 11.2	Seasonal (in place year round). Flash 1 s; eclipse 5 s. Radar reflector. Shoal water surrounds this point and should not be approached nearer than 5 miles.
1120 <i>H0033</i>	Cape Pembroke	NE. end of Coats Island. 62 54 53.6 081 52 13.0	FI W 5s	16.5	8	Square tower, orange rectangular daymark. 10.9	Seasonal (in place year round). Flash 1 s; eclipse 4 s.
1125 <i>H0036</i>	Mansel Island Light and Racon	N. extremity of island. 62 24 51.6 079 36 18.2	FI W 5s	18.6	8	Square tower, orange rectangular daymark. 15.5	Seasonal (in place year round). Flash 1 s; eclipse 4 s. Radar reflector.
	<b>Racon K (- . -)</b> <b>X &amp; S Bands</b>						

## List of Lights, Buoys and Fog Signals – Arctic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>HUDSON BAY</b>							
1130 <i>H0036.1</i>	Cape Acadia	S. extremity of Mansel Island. 61 34 43.9 079 46 22.3	Fl W 5s	23.5	8	Square tower, orange rectangular daymark. 19.2	Seasonal (in place year round). Flash 1 s; eclipse 4 s. Radar reflector.
<b>Churchill Harbour</b>							
1135 <i>H0027</i>	Churchill Front Range Light and Racon	58 47 01.0 094 13 59.2	F W .....	23.0	14	Tripod skeleton tower, orange trapezoidal daymark.	Seasonal (in place year round). Operates 24 h.
<b>Racon G (- - .) X &amp; S Bands</b>							
1136	Churchill Rear Range Light	58 46 31.8 094 15 23.9  236°25' 1632.8 m from front.	F W .....	47.1	14	Tripod skeleton tower, orange daymark with black vertical stripe.	Seasonal (in place year round). Operates 24 h.
1140 <i>H0028</i>	Fort Prince of Wales Front Range Light	58 47 39.4 094 12 56.0	F W .....	7.9	14	Skeleton tower, orange daymark with black vertical stripe.	Seasonal (in place year round). Operates 24 h.
1141	Fort Prince of Wales Rear Range Light	58 47 51.3 094 13 02.7  343°49' 385.2 m from front.	F W .....	10.9	14	Tripod skeleton tower, orange daymark with black vertical stripe.	Seasonal (in place year round). Operates 24 h.
1145 <i>H0029</i>	Ship Point Front Range Light	58 47 28.1 094 13 22.7	F W .....	9.1	14	Square skeleton tower, orange daymark with black vertical stripe. 6.1	Seasonal (in place year round). Operates 24 h.
1146	Ship Point Rear Range Light	58 47 32.8 094 13 31.0  317°37' 196.4 m from front.	F W .....	13.3	14	Tripod skeleton tower, orange daymark with black vertical stripe.	Seasonal (in place year round). Operates 24 h.
1150	<i>Merry Rock light buoy C1</i>	58 47 31.5 094 12 23.0	Q G 1s	.....	.....	<i>Green, pillar, marked "C1".</i>	<i>Private aid. Seasonal.</i>
1155	<i>Merry Rock light buoy C2</i>	58 47 40.8 094 12 23.5	Q R 1s	.....	.....	<i>Red, pillar, marked "C2".</i>	<i>Private aid. Seasonal.</i>
1160	<i>Cape Merry light buoy C3</i>	58 47 16.4 094 12 34.7	Fl G 4s	.....	.....	<i>Green, pillar, marked "C3".</i>	<i>Private aid. Seasonal.</i>
1165	<i>Merry Rock light buoy C4</i>	58 47 22.8 094 12 57.0	Fl R 4s	.....	.....	<i>Red, pillar, marked "C4".</i>	<i>Private aid. Seasonal.</i>
1170	<i>Cape Merry light buoy C5</i>	58 47 09.8 094 12 33.0	Fl G 4s	.....	.....	<i>Green, pillar, marked "C5".</i>	<i>Private aid. Seasonal.</i>
1175	<i>Cape Merry light buoy C6</i>	58 47 01.3 094 12 43.0	Fl R 4s	.....	.....	<i>Red, pillar, marked "C6".</i>	<i>Private aid. Seasonal.</i>
1180	<i>Churchill Wharf Approach light buoy C7</i>	58 46 50.8 094 12 12.9	Fl G 4s	.....	.....	<i>Green, pillar, marked "C7".</i>	<i>Private aid. Seasonal.</i>

## List of Lights, Buoys and Fog Signals – Arctic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

## HUDSON BAY

1185	Churchill Wharf light buoy C8	58 46 44.6 094 12 15.2	Fl R 4s	.....	.....	Red, pillar, marked "C8".	Private aid. Seasonal.
1190	Churchill Wharf light buoy C10	S. end of wharf. 58 46 16.8 094 11 40.0	Fl R 4s	.....	.....	Red, pillar, marked "C10".	Private aid. Seasonal.