

## List of Lights, Buoys and Fog Signals – Arctic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
<b>NUNATSIAVUT</b>								
1345 H0059.2	Stirrup Island Light	E. of Okak Islands. 57 34 12.4 061 18 49.0	LFI W 10s	74.8	6	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.	
1350 H0059.25	Beachy Island Light	57 08 06.3 061 20 09.5	FI W 5s	65.9	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal. Flash 1 s; eclipse 4 s.	
1355 H0059.3	Little Fish Island Light	56 54 55.5 061 18 30.9	FI R 5s	49.2	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal. Flash 1 s; eclipse 4 s.	
1360 H0059.35	Black Island Light	56 47 40.7 061 20 02.1	FI G 5s	52.2	5	Square skeleton tower, green and white rectangular daymark. 4.7	Seasonal. Flash 1 s; eclipse 4 s.	
1365 H0059.5	The Turnpikes Light	Nain. 56 36 04.3 061 38 09.9	FI W 5s	17.2	4	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal. Flash 1 s; eclipse 4 s.	
1370 H0059.55	Nain Wharf Light	56 32 36.4 061 41 11.3	FI R 5s	.....	1	Mast. 2.4	Seasonal. Flash 1 s; eclipse 4 s.	
1375	Strathcona Run (Labrador) light buoy NNS3	56 33 42.3 061 35 45.0	FI G 4s	.....	.....	Green, spar, marked "NNS3".	Seasonal.	
1380	Strathcona Run (Nain) light buoy NNS2	56 32 10.5 061 22 07.8	FI R 4s	.....	.....	Red, pillar, marked "NNS2".	Seasonal.	
1385 H0060	Ford Harbour Light	56 28 19.9 061 10 08.4	FI W 5s	13.7	5	Square skeleton tower, red and white rectangular daymark. 5.7	Year round. Flash 1 s; eclipse 4 s.	
1390 H0060.11	Dugong Island Light	56 30 15.0 061 08 47.0	FI R 4s	.....	4	Square skeleton tower.	Private aid. Year round.	
1395 H0060.12	Turtle Island Light	56 30 10.0 061 07 23.0	FI G 4s	.....	4	Square skeleton tower.	Private aid. Year round.	
1400 H0060.1	Wood Island Light	56 32 23.3 060 56 23.4	FI R 5s	10.8	5	Square skeleton tower, red and white rectangular daymark.	Year round. Flash 1 s; eclipse 4 s.	
1405	Fairway Rock South Cardinal light buoy NN	Stratacona Run. 56 31 53.0 060 47 08.5	VQ(6) + LFI	W 10s	.....	.....	Yellow-black, pillar, marked "NN".	Seasonal.
1410 H0059.6	Hen and Chickens Light	56 30 39.5 060 38 37.5	LFI W 6s	24.2	5	Cylindrical tower, red and white horizontal band. 4.7	Year round. Flash 2 s; eclipse 4 s.	
<b>Racon W (- - ) X &amp; S Bands</b>								
1415 H0060.18	Laura's Point Light	56 26 17.4 061 57 30.2	FI G 4s	.....	4	Square skeleton tower.	Private aid. Year round.	

## List of Lights, Buoys and Fog Signals – Arctic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
<b>NUNATSIAVUT</b>								
1420	Satasoak Light Buoy	56 25 12.0 061 50 00.0	Fl G 4s	.....	.....	Green, spar, marked "PRIV".	Private aid. Seasonal.	
1425 H0060.17	Kikkertavak Island Light	56 24 57.5 061 45 44.0	Fl G 4s	.....	4	Square skeleton tower.	Private aid. Year round.	
1430	Jenks Rock light buoy NNB5	W. of Glasis Point. 56 28 25.5 061 39 03.3	Fl G 4s	.....	.....	Green, spar, marked "NNB5".	Seasonal.	
1435 H0059.7	Riflesight Hill Light	56 29 35.1 061 38 37.5	Fl W 5s	22.8	5	Square skeleton tower, red and white rectangular daymark. 4.8	Seasonal. Flash 1 s; eclipse 4 s.	
1440	The Bridges Passage light buoy NNB3	56 27 09.6 061 33 58.2	Q G 1s	.....	.....	Green, spar, marked "NNB3".	Seasonal.	
1445	Palungitak (Bridges Passage) light buoy NNB2	56 26 59.4 061 33 25.1	Fl R 4s	.....	.....	Red, spar, marked "NNB2".	Seasonal.	
1450 H0060.16	Sentinel Hill Light	56 25 21.0 061 32 24.0	Fl R 4s	.....	4	Square skeleton tower.	Private aid. Year round.	
1455 H0060.2	Taktok Point Light	56 24 13.5 061 27 40.3	Fl W 5s	21.4	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal. Flash 1 s; eclipse 4 s.	
1460 H0060.05	Uigortlek Island Front Range Light	56 24 52.4 061 16 14.7	Fl G 4s	18.3	.....	Square skeleton tower, white daymark with red vertical stripe.	Private aid. Year round.	
1461 H0060.051	Uigortlek Island Rear Range Light	56 24 50.8 061 16 06.2  109°30' 154.0 m from front.	Fl G 4s	25.6	.....	Square skeleton tower, white daymark with red vertical stripe.	Private aid. Year round.	
1465 H0060.155	Mount Pickle Sector Light	56 23 12.4 061 11 34.8	F R W G	.....	35.2	.....	Square skeleton tower, red and white rectangular daymark.	Private aid. Year round. Operates 24 h.
1466 H0060.141	Unknown Island Rear Range Light	56 22 08.6 061 09 28.4  204°40' 266.0 m from front.	Fl G 4s	22.9	.....	Square skeleton tower, white daymark with red vertical stripe.	Private aid. Year round. Operates 24 h.	
1470 H0060.14	Unknown Island Front Range Light	56 22 16.4 061 09 21.7	Fl G 4s	18.3	.....	Square skeleton tower, white daymark with red vertical stripe.	Private aid. Year round. Operates 24 h.	
1475	Sandy Island Shoal light buoy NNA2	56 23 48.2 061 07 52.4	Q R 1s	.....	.....	Red, pillar, marked "NNA2".	Seasonal.	
1480	Amushavik Islet light buoy NNA3	W. of Sandy Island. 56 25 22.9 061 07 10.3	Q G 1s	.....	.....	Green, pillar, marked "NNA3".	Seasonal.	
1485 H0060.13	False Start Island Light	56 27 06.5 061 05 56.0	Fl G 4s	.....	4	Square skeleton tower.	Private aid. Year round.	

## List of Lights, Buoys and Fog Signals – Arctic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>NUNATSIAVUT</b>							
1490 H0060.15	Small Unnamed Island Light	Seniartlit Islands to Nain. 56 22 35.6 061 06 30.1	Fl(2) W 5s	5.0	5	Square skeleton tower, red and white rectangular daymark.	Year round.
1495 H0060.47	Potuk Island Light	56 22 47.2 060 59 52.7	Fl R 5s	20.9	5	Square skeleton tower, red and white rectangular daymark.	Year round. Flash 1 s; eclipse 4 s.
1500 H0060.43	Amatut Islands Light	56 21 45.0 060 51 13.7	Fl G 5s	7.1	4	Square skeleton tower, green and white rectangular daymark.	Year round. Flash 1 s; eclipse 4 s.
1505 H0060.3	Black Top Island Light <b>Racon Z (- - - ) X &amp; S Bands</b>	56 21 05.8 060 32 40.8	Fl W 5s	12.9	5	Square skeleton tower, red and white rectangular daymark.	Year round. Flash 1 s; eclipse 4 s.
1510 H0060.4	Nochalik Island Light	56 19 38.2 061 22 20.6	Fl W 5s	18.5	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal. Flash 1 s; eclipse 4 s.
1515 H0060.5	Crown Island Light	56 16 55.5 060 56 47.5	Fl R 5s	31.1	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal. Flash 1 s; eclipse 4 s.
1520 H0061	Big Island Light	56 13 20.5 061 19 25.0	Fl W 4s	22.1	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.
1525	Tom Gears Run South light buoy NT3	56 06 20.7 061 14 54.3	Fl G 4s	.....	.....	Green, spar, marked "NT3".	Seasonal.
1530	Tom Gears Run light buoy NT4	56 06 59.0 061 13 37.2	Fl R 4s	.....	.....	Red, spar, marked "NT4".	Seasonal.
1535	Tom Gears Run North light buoy NT5	56 07 20.2 061 12 38.4	Fl G 4s	.....	.....	Green, spar, marked "NT5".	Seasonal.
1540	Perrett's Tickle light buoy NT7	56 08 49.8 061 14 36.0	Fl G 4s	.....	.....	Green, spar, marked "NT7".	Seasonal.
1545 H0061.5	Nameless Island Light	W. of Drawbucket Tickle. 56 08 14.5 060 57 59.5	Fl W 4s	23.0	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.
1550 H0062	Drawbucket Tickle Light	56 08 59.1 060 52 19.7	Fl W 3s	14.0	5	Rectangular skeleton tower, red and white rectangular daymark. 5.8	Seasonal. Flash 0.5 s; eclipse 2.5 s.
1555 H0062.1	Drawbucket Tickle East Light	56 08 43.2 060 50 51.0	Q R 1s	12.7	7	Square skeleton tower, red and white square daymark. 4.7	Seasonal.
1560 H0062.15	The Horses Light	56 03 41.7 060 44 18.2	Fl W 3s	16.9	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal. Flash 0.5 s; eclipse 2.5 s.

## List of Lights, Buoys and Fog Signals – Arctic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>NUNATSIAVUT</b>							
1565	Pigeon Island light buoy NT1	Tom Gears Run. 56 02 23.9 061 14 20.4	Fl G 4s	.....	.....	Green, spar, marked "NT1".	Seasonal.
1570	Pigeon Island (Inlet) light buoy NT2	Tom Gears Run. 56 02 27.4 061 14 02.5	Fl R 4s	.....	.....	Red, spar, marked "NT2".	Seasonal.
1575	Natuashish Wharf Light	55 56 39.2 061 05 26.5	Fl Y 5s	.....	4	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
1580	Uyagaksuak Rock light buoy NV2	55 56 55.8 061 03 39.0	Fl R 4s	.....	.....	Red, spar, marked "NV2".	Seasonal.
1585 H0062.2	Ukasiksalik Island Light	55 56 26.5 060 44 57.9	Fl W 5s	21.1	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal. Flash 1 s; eclipse 4 s.
1590 H0062.7	Entry Island Light	55 51 25.7 060 43 18.7	Fl W 4s	22.9	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.
1595 H0062.6	Katauyak Island Light	55 54 00.1 060 33 27.1	Fl W 4s	43.5	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.
1600 H0062.5	4 Meter Islet Light	55 57 28.7 060 24 43.5	Fl W 5s	7.6	7	Square skeleton tower, red and white rectangular daymark. 4.1	Seasonal. Flash 1 s; eclipse 4 s.
1605 H0063.8	South Tikigakjuk Island Light	55 48 20.0 060 29 16.1	Fl G 4s	37.3	4	Square skeleton tower, green and white rectangular daymark. 4.7	Seasonal.
1610 H0064	Cape Harrigan Light  <b>Racon K (- - ) X &amp; S Bands</b>	55 50 34.0 060 18 56.8	Fl W 6s	44.0	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 0.5 s; eclipse 5.5 s.
1615 H0064.4	Farmyard Island Light	55 49 27.9 059 54 07.7	Fl W 5s	53.9	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal. Flash 1 s; eclipse 4 s.
1620 H0064.3	Windy Tickle Light	55 46 35.6 060 19 38.3	Fl W 5s	7.1	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal. Flash 1 s; eclipse 4 s.
1625	Windy Tickle light buoy NVW2	55 45 33.2 060 19 40.1	Fl R 4s	.....	.....	Red, spar, marked "NVW2".	Seasonal.
1630 H0065	Gourley Island Light	N. of Hopedale. 55 43 26.6 060 20 31.8	Fl W 4s	11.5	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.

## List of Lights, Buoys and Fog Signals – Arctic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>NUNATSIAVUT</b>							
1635 H0066	Cant Island Light	N. of Hopedale. 55 38 22.1 060 23 42.3	FI W 4s	22.9	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.
1640 H0067	Cross Island Light	N. of Hopedale. 55 36 06.3 060 18 24.1	FI W 3s	23.1	5	Square skeleton tower, red and white rectangular daymark. 4.8	Seasonal. Flash 0.5 s; eclipse 2.5 s.
1645 H0068	Napakataktalik (Manuel) Island Light	55 33 06.6 060 14 54.0	FI W 4s	35.2	5	Square skeleton tower, red and white rectangular daymark. 4.6	Seasonal.
1650 H0068.4	Achvitoaksoak Island Light	55 29 34.8 060 13 42.6	FI W 4s	48.6	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.
1655 H0068.42	Umiaginak Island Light	55 28 48.2 060 12 37.5	Q R 1s	15.8	4	Square skeleton tower, red and white rectangular daymark. 2.1	Seasonal.
1660 H0068.5	Hopedale Harbour Front Range Light	55 27 18.6 060 13 30.1	F R .....	20.1	11	Skeleton tower, white daymark with red vertical stripe. 5.7	Seasonal.
1661 H0068.51	Hopedale Harbour Rear Range Light	55 27 18.9 060 13 33.5  278°00' 60.0 m from front.	F R .....	25.9	11	Skeleton tower, white daymark with red vertical stripe. 3.2	Seasonal.
1665	Hopedale Harbour light buoy NH2	55 27 22.6 060 12 59.8	FI R 4s	.....	.....	Red, spar, marked "NH2".	Seasonal.
1670	Hopedale Harbour light buoy NH1	55 27 13.3 060 12 55.9	FI G 4s	.....	.....	Green, spar, marked "NH1".	Seasonal.
1675	Seneraluk Rock (Hopedale) East Cardinal light buoy NH	55 27 30.4 060 12 01.7	Q(3) W 10s	.....	.....	Black-yellow-black, pillar, marked "NH".	Seasonal.
1680	Hopedale Shoal West Cardinal light buoy NHH	55 27 23.2 060 11 54.7	Q(9) W 15s	.....	.....	Yellow-black-yellow, pillar, marked "NHH".	Seasonal.
1685 H0068.3	Satoarsook Island Light	55 26 09.6 060 11 22.1	LFI W 10s	10.0	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.
1690 H0068.6	Landmark Point Light	Hopedale. 55 24 55.1 060 01 51.8	FI G 4s	34.4	4	Square skeleton tower, green and white rectangular daymark. 4.7	Seasonal.
1695	Napojotalik Shoal light buoy NHH2	Approaches to Hopedale. 55 24 15.6 059 57 30.0	FI R 4s	.....	.....	Red, spar, marked "NHH2".	Seasonal.

## List of Lights, Buoys and Fog Signals – Arctic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>NUNATSIAVUT</b>							
1700 H0068.1	Annaltalik Island Light	55 27 12.6 059 46 00.1	FI W 6s	33.4	6	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal. Flash 1 s; eclipse 5 s.
1705 H0069	White Bear Island Light (Nanuaktok)	55 26 00.7 059 30 40.9	FI W 6s	23.5	5	Square skeleton tower, red and white rectangular daymark. 7.6	Seasonal. Flash 0.5 s; eclipse 5.5 s.
	<b>Racon N (-.) X &amp; S Bands</b>						
1710 H0070	Winsor Point Light	Winsor Harbour Island. 55 20 54.2 059 43 55.9	FI W 3s	27.8	5	Red and white cylindrical tower. 4.9	Seasonal. Flash 0.5 s; eclipse 2.5 s.
1715 H0070.5	Striped Island Light	55 19 04.6 059 38 31.9	FI W 5s	37.3	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal. Flash 1 s; eclipse 4 s.
1720 H0071	The Clusters Light	W. of Turnavik Island. 55 16 49.2 059 30 13.1	FI R 4s	5.0	7	Square skeleton tower, red daymark. 4.7	Seasonal.
1725 H0071.2	Drunken Harbour Island Light	Drunken Harbour. 55 13 20.3 059 30 16.9	FI W 3s	7.3	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal. Flash 0.5 s; eclipse 2.5 s.
1730 H0071.27	West Turnavik Island Light	55 15 40.2 059 20 05.9	FI G 3s	24.5	4	Square skeleton tower, green and white rectangular daymark. 4.7	Seasonal. Flash 0.5 s; eclipse 2.5 s.
1735 H0071.3	Pigeon Island Light	55 11 07.7 059 23 01.2	FI W 4s	27.1	5	Square skeleton tower, red and white rectangular daymark. 7.2	Seasonal.
1740 H0071.26	Long Island Point Light	55 08 38.1 059 22 19.2	FI G 3s	22.4	4	Square skeleton tower, green and white rectangular daymark. 4.7	Seasonal. Flash 0.5 s; eclipse 2.5 s.
1745	Cape Roy Light	55 09 30.4 059 24 56.9	FI R 4s	23.5	4	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.
1750 H0071.25	Alkami Island Light	55 00 05.1 059 34 15.7	FI G 4s	35.2	4	Square skeleton tower, green and white rectangular daymark. 5.9	Seasonal.
1755	Harrys Reef light buoy NY1	Postville. 54 55 07.4 059 43 56.3	FI G 4s	.....	.....	Green, spar, marked "NY1".	Seasonal.
1760 H0071.24	Postville Wharf Light	54 54 25.3 059 46 02.0	FI R 4s	4.8	1	Mast. 2.4	Seasonal.

## List of Lights, Buoys and Fog Signals – Arctic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>NUNATSIAVUT</b>							
1765 H0071.33	Aillik Islands Light	55 13 31.0 059 14 15.9	Q R 1s	11.4	3	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.
1770 H0071.36	Sisters Island Light	55 13 43.3 059 07 39.3	LFI W 10s	17.6	6	Square skeleton tower, red and white rectangular daymark. 5.9	Seasonal.
1775	North East Breaker West Cardinal light buoy NQB	Makkovik. 55 10 42.0 059 07 00.0	VQ(9) W 10s	.....	.....	Yellow-black-yellow, pillar, marked "NQB".	Seasonal.
1780 H0071.39	Ikey's Point Light	55 08 58.5 059 08 33.6	FI R 4s	12.3	4	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.
1785 H0071.45	Jackos Island Light	55 09 46.5 059 05 08.4	Mo(A) W 6s	18.6	5	Square skeleton tower, red and white rectangular daymark. 5.9	Seasonal.
1790	Makkovik Cautionary Wharf Light	55 05 06.2 059 10 15.4	FI Y 5s	.....	1	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
1795 H0071.4	Makkovik Wharf Light	55 05 07.1 059 10 11.0	FI R 4s	2.8	2	Mast. 2.5	Seasonal.
1800	Tobins Shoal light buoy NQ3	E. of Pomiadluk Point. 55 07 48.0 058 56 41.4	FI G 4s	.....	.....	Green, pillar, marked "NQ3".	Seasonal.
1805 H0071.48	Green Island Light	E. of Pomiadluk Point. 55 07 48.3 058 53 35.4	FI R 4s	21.0	4	Square skeleton tower, red and white rectangular daymark. 5.9	Seasonal.
1810 H0071.5	Kidialuit Island Light	55 11 58.3 058 45 36.4	FI W 6s	143.0	7	Square skeleton tower, red and white rectangular daymark. 5.2	Seasonal. Flash 1 s; eclipse 5 s.
1815 H0071.54	Double Island Light	55 04 20.3 058 54 44.0	FI W 4s	70.6	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.
1820 H0071.53	Blandford Island Light	55 03 33.3 058 44 26.4	Q R 1s	32.9	4	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.
1825	Conical Island Light	54 55 39.3 058 50 33.7	FI R 4s	30.4	4	Square skeleton tower, red and white rectangular daymark. 7.2	Seasonal.

## List of Lights, Buoys and Fog Signals – Arctic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>NUNATSIAVUT</b>							
1830	Quaker Hat light buoy NQ1	E. of Quaker Hat Island. 54 59 55.9 058 30 48.7	Fl G 4s	.....	.....	Green, pillar, marked "NQ1".	Seasonal.
1835 H0071.7	Northern Island Light	N. of Kettle Bay. 54 58 52.8 058 17 43.2	Mo(A) W 6s	57.8	5	Square skeleton tower, red and white rectangular daymark. 7.2	Seasonal.
1840 H0071.75	Double Point Light	54 50 24.0 058 22 25.0	Fl W 4s	32.2	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.
1845 H0071.8	Cape Harrison Light	54 55 30.0 057 56 27.0	Fl W 4s	185.9	7	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.
1850 H0071.85	False Cape Island Light	False Cape. 54 50 08.5 057 49 50.0	Fl W 4s	25.8	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.
1855 H0071.95	Duck Island Light	N. of Byron Bay. 54 43 41.0 057 41 23.0	Fl W 4s	20.1	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.
1860 H0071.98	Pigeon Island Light	SW. of Quaker Hat. 54 40 24.0 057 29 55.2	Fl W 4s	34.0	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.
1865 H0071.55	Quaker Hat Light <b>Racon Q (- - -) X &amp; S Bands</b>	Quaker Hat Island. 54 44 12.5 057 20 37.7	LFI W 10s	36.0	6	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.
1870 H0071.98	Holton Island Light	54 37 37.5 057 16 24.2	Fl W 4s	46.2	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.
1875 H0072	Sloop Harbour Point Light	Brig Harbour Island. 54 34 05.2 057 09 15.1	Fl W 3s	20.4	7	Square skeleton tower, red and white rectangular daymark. 4.1	Seasonal. Flash 0.5 s; eclipse 2.5 s.
1880 H0073	Run By Guess Light	S. of Run By Guess Island. 54 28 00.5 057 19 22.1	Fl W 3s	17.5	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal. Flash 0.5 s; eclipse 2.5 s.
1885 H0074	Cut Throat Point Light	On Cut Throat Island. 54 29 25.5 057 06 26.5	Fl W 4s	28.0	7	Square skeleton tower, red and white rectangular daymark. 5.2	Seasonal.
1890 H0074.2	East Big Island Light	E. of Mundy Island. 54 27 13.7 057 05 37.7	Fl W 3s	48.1	5	Square skeleton tower, red and white rectangular daymark. 4.5	Seasonal. Flash 0.5 s; eclipse 2.5 s.

## List of Lights, Buoys and Fog Signals – Arctic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--------------------------------------------------	--------------------------	------------------------------------------	--------------------------	--------------------------------------------------------------------------	-----------------------------------------------------

## NUNATSIAVUT

1895 H0074.5	Grappling Island Light  <b>Racon G (- - .) X &amp; S Bands</b>	54 27 22.5 056 52 51.5	Fl W 4s	31.5	7	Square skeleton tower, red and white rectangular daymark.  4.1	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
1900 H0074.7	Herring Islands Light	54 20 11.5 057 05 32.7	Fl W 3s	35.2	7	Square skeleton tower, red and white rectangular daymark.  4.3	Seasonal. Operates 24 h. Flash 0.5 s; eclipse 2.5 s.