

List of Lights, Buoys and Fog Signals – Arctic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
MACKENZIE RIVER - SOUTH							
255	Lobstick Island Fairway light buoy AM	Off E. end of island, S. channel entrance, danger zone 1. 61 04 42.0 116 25 49.0	Mo(A) W 6s	Red-white, pillar, marked "AM".	Seasonal.
260	Lobstick Island (Mile 2.9) Front Range Light	61 03 56.0 116 32 35.0	F W	16.5	11	Tripod skeleton tower, red daymark with black vertical stripe. 12.2	Seasonal. Radar reflector.
261	Lobstick Island (Mile 2.9) Rear Range Light	61 03 54.0 116 32 50.0 256°00' 228.6 m from front.	F W	24.4	11	Tripod skeleton tower, red daymark with black vertical stripe. 18.3	Seasonal. Radar reflector.
265	Brabant Island (Mile 3.9) Front Range Light	W. end of island, danger zone 1. 61 03 31.0 116 34 34.0	F G	13.0	17	Square skeleton tower, white daymark with red vertical stripe. 6.1	Seasonal.
266	Brabant Island (Mile 3.9) Rear Range Light	61 03 30.0 116 34 43.0 254°00' 144.0 m from front.	F G	21.0	17	Square skeleton tower, white daymark with red vertical stripe. 12.2	Seasonal.
270	Naylor Island (Mile 4.4) Front Range Light	W. end of island, danger zone 1. 61 04 09.0 116 34 29.0	F W	13.7	9	Tripod skeleton tower, white daymark with red vertical stripe. 12.2	Seasonal.
271	Naylor Island (Mile 4.4) Rear Range Light	61 04 12.0 116 34 09.0 070°00' 320.0 m from front.	F W	21.0	9	Tripod skeleton tower, white daymark with red vertical stripe. 18.3	Seasonal.
275	Beaver Lake South Channel (Mile 13.4) Front Range Light	SW. shore of island, danger zone 1. 61 05 06.0 116 49 21.0	F W	10.7	9	Square skeleton tower, white daymark with red vertical stripe. 6.1	Seasonal.
276	Beaver Lake South Channel (Mile 13.4) Rear Range Light	61 05 08.0 116 49 29.0 303°00' 137.2 m from front.	F W	19.8	9	Tripod skeleton tower, white daymark with red vertical stripe. 12.2	Seasonal.
280	Beaver Lake (Mile 13.8) Front Range Light	SE. end of island, danger zone 1. 61 05 05.0 116 49 21.0	F W	16.7	9	Tripod skeleton tower, red daymark with black vertical stripe. 9.1	Seasonal. Radar reflector.
281	Beaver Lake (Mile 13.8) Rear Range Light	61 05 15.0 116 49 47.0 108°00' 74.3 m from front.	F W	32.0	9	Tripod skeleton tower, red daymark with black vertical stripe. 18.3	Seasonal.

List of Lights, Buoys and Fog Signals – Arctic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
MACKENZIE RIVER - SOUTH							
285	Beaver Lake light buoy	N. centre of lake, danger zone 1. 61 06 55.7 117 00 10.8	Fl G 4s	Green, pillar.	Seasonal.
290	Point Sarristo light buoy	W. centre of lake, danger zone 1. 61 10 24.0 117 17 42.0	Fl G 4s	Green, pillar.	Seasonal.
295	Whitlock Island (Mile 54.0) Front Range Light	N. side of island, danger zone 1. 61 23 41.0 117 45 15.0	F W	10.7	9 Tripod skeleton tower, red daymark with white vertical stripe. 6.1	Seasonal.
296	Whitlock Island (Mile 54.0) Rear Range Light	61 23 46.0 117 45 29.0 311°00' 274.3 m from front.	F W	18.3	9 Tripod skeleton tower, red daymark with white vertical stripe. 12.2	Seasonal.
300	Mile 55.3 Front Range Light	W. end of Whitlock Island, danger zone 1. 61 23 35.0 117 47 02.0	F W	9.1	9 Tripod skeleton tower, white daymark with red vertical stripe. 6.1	Seasonal.
301	Mile 55.3 Rear Range Light	61 23 34.0 117 46 54.0 097°00' 91.4 m from front.	F W	17.0	9 Tripod skeleton tower, white daymark with red vertical stripe. 12.2	Seasonal.
305	Mile 60.0 Front Range Light	NE. side of island, danger zone 1. 61 25 00.0 117 55 16.0	F W	22.0	9 Square skeleton tower, red daymark with white vertical stripe. 6.1	Seasonal.
306	Mile 60.0 Rear Range Light	61 25 02.0 117 55 20.0 293°00' 78.6 m from front.	F W	29.0	9 Square skeleton tower, red daymark with white vertical stripe. 12.2	Seasonal.
310	Mills Lake (Mile 65.6) Front Range Light	On N. shore, S. of Horn River entrance. 61 28 06.0 118 02 56.0	F W	15.0	9 Tripod skeleton tower, red daymark with white vertical stripe. 12.2	Seasonal.
311	Mills Lake (Mile 65.6) Rear Range Light	61 28 07.0 118 02 35.0 087°00' 243.8 m from front.	F W	19.8	9 Tripod skeleton tower, red daymark with white vertical stripe. 18.3	Seasonal.
315	Mills Lake North light buoy	Centre of lake. 61 27 10.0 118 17 01.0	Fl R 4s	Red, pillar.	Seasonal.
320	Mills Lake light buoy	NW. side of lake. 61 25 13.0 118 21 38.0	Fl R 4s	Red, pillar.	Seasonal.

List of Lights, Buoys and Fog Signals – Arctic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
MACKENZIE RIVER - SOUTH							
325	Mills Lake (Mile 78.6) Front Range Light	On W. side of lake. 61 24 11.0 118 24 21.0	F W	7.7	9	Tripod skeleton tower, red daymark with white vertical stripe. 6.1	Seasonal.
326	Mills Lake (Mile 78.6) Rear Range Light	61 24 05.0 118 24 35.0 228°00' 335.0 m from front.	F W	15.2	9	Tripod skeleton tower, white daymark with red vertical stripe. 12.2	Seasonal.
330	Mills Lake (Mile 83.2) Front Range Light	S. side of lake. 61 19 50.0 118 24 21.0	F W	10.7	9	Tripod skeleton tower, red daymark with white vertical stripe. 9.1	Seasonal.
331	Mills Lake (Mile 83.2) Rear Range Light	61 19 36.0 118 24 29.0 195°00' 436.5 m from front.	F W	19.8	9	Tripod skeleton tower, red daymark with white vertical stripe. 18.3	Seasonal.
335	<i>Mills Lake West light buoy</i>	<i>W. side of lake. 61 19 57.0 118 28 30.0</i>	<i>Fl G 4s</i>	<i>Green, pillar.</i>	<i>Seasonal.</i>
340	Mills Lake (Mile 87.1) Front Range Light	On S. shore, SW. of Mills Lake. 61 18 19.0 118 31 38.0	F W	7.6	9	Square skeleton tower, red daymark with white vertical stripe. 6.1	Seasonal.
341	Mills Lake (Mile 87.1) Rear Range Light	61 18 15.0 118 31 45.0 230°00' 168.0 m from front.	F W	15.2	9	Tripod skeleton tower, red daymark with white vertical stripe. 12.2	Seasonal.
345	Browning Point Crossing (Mile 132.9) Front Range Light	NE. of point, Trout River entrance, danger zone 1. 61 18 40.0 119 45 52.0	F W	11.6	14	Square skeleton tower, white daymark with red vertical stripe. 9.1	Seasonal.
346	Browning Point Crossing (Mile 132.9) Rear Range Light	61 18 40.0 119 45 42.0 102°30' 150.9 m from front.	F W	20.7	14	Tripod skeleton tower, white daymark with red vertical stripe. 18.3	Seasonal.
350	Trout River (Mile 136) Front Range Light	N. of Browning Point, river entrance, danger zone 2. 61 20 02.0 119 50 42.0	F W	7.6	14	Tripod skeleton tower, white daymark with red vertical stripe. 6.1	Seasonal.
351	Trout River (Mile 136) Rear Range Light	61 20 05.0 119 50 48.0 308°00' 125.9 m from front.	F W	14.6	14	Tripod skeleton tower, white daymark with red vertical stripe. 12.2	Seasonal.

List of Lights, Buoys and Fog Signals – Arctic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
MACKENZIE RIVER - SOUTH							
355	Mile 174.9 Front Range Light	S. side of river, S. of NW. end of danger zone 2. 61 37 02.0 120 45 06.0	F W	16.8	14	Square skeleton tower, white daymark with red vertical stripe. 6.1	Seasonal.
356	Mile 174.9 Rear Range Light	61 37 06.0 120 45 12.0 321°00' 212.5 m from front.	F W	35.0	14	Square skeleton tower, white daymark with red vertical stripe. 6.1	Seasonal.
360	Martin Island (Mile 205.6) Front Range Light	SE. shore of island, danger zone 2. 61 51 04.0 121 14 15.0	F W	18.6	14	Tripod skeleton tower, white daymark with red vertical stripe. 6.1	Seasonal.
361	Martin Island (Mile 205.6) Rear Range Light	61 51 07.0 121 14 34.0 288°00' 254.4 m from front.	F W	29.3	14	Tripod skeleton tower, white daymark with red vertical stripe. 18.3	Seasonal.
365	Mile 206.7 Front Range Light	On S. shore, E. of Gros Cap Point, danger zone 2. 61 50 54.0 121 16 31.0	F W	22.9	14	Square skeleton tower, white daymark with red vertical stripe. 9.1	Seasonal.
366	Mile 206.7 Rear Range Light	61 51 50.0 121 17 34.0 273°00' 147.5 m from front.	F W	33.8	14	Square skeleton tower, white daymark with red vertical stripe. 6.1	Seasonal.
370	Liard River East (Mile 208) Front Range Light	On E. shore. 61 44 26.0 121 12 49.0	F W	15.0	14	Square skeleton tower, red daymark with white vertical stripe. 3.1	Seasonal.
371	Liard River East (Mile 208) Rear Range Light	61 44 26.0 121 12 48.0 071°00' 11.0 m from front.	F W	20.0	14	Square skeleton tower, red daymark with white vertical stripe. 6.1	Seasonal.
375	Liard River West (Mile 208) Front Range Light	On W. shore, S. of Fort Simpson. 61 44 37.0 121 13 30.0	F W	11.0	14	Square skeleton tower, red daymark with white vertical stripe. 3.1	Seasonal.
376	Liard River West (Mile 208) Rear Range Light	61 44 38.0 121 13 31.0 337°00' 33.0 m from front.	F W	15.0	14	Square skeleton tower, red daymark with white vertical stripe. 6.1	Seasonal.
380	Harris River (Mile 210.2) Front Range Light	N. shore of river entrance across from Fort Simpson. 61 52 49.0 121 21 11.0	F W	24.4	9	Tripod skeleton tower, white daymark with red vertical stripe. 6.1	Seasonal.

List of Lights, Buoys and Fog Signals – Arctic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
MACKENZIE RIVER - SOUTH							
381	Harris River (Mile 210.2) Rear Range Light	61 52 45.0 121 20 55.0 117°00' 249.9 m from front.	F W	33.5	9	Tripod skeleton tower, white daymark with red vertical stripe. 12.2	Seasonal.
385	Mile 222 Front Range Light	On N. shore. 61 58 14.0 121 39 33.0	F W	18.0	9	Square skeleton tower, white daymark with red vertical stripe. 6.1	Seasonal.
386	Mile 222 Rear Range Light	61 58 16.0 121 39 42.0 307°00' 139.9 m from front.	F W	26.8	9	Square skeleton tower, white daymark with red vertical stripe. 15.2	Seasonal.
390	Mile 223.4 Front Range Light	On S. bank, S. of Spruce Creek entrance. 61 57 47.0 121 42 45.0	F W	40.0	9	Square skeleton tower, white daymark with red vertical stripe. 6.1	Seasonal.
391	Mile 223.4 Rear Range Light	61 57 47.0 121 42 57.0 265°00' 164.0 m from front.	F W	53.5	9	Square skeleton tower, white daymark with red vertical stripe. 6.1	Seasonal.
395	Mackenzie River (Mile 230.7) Front Range Light	On N. shore, N. of Spruce Creek entrance. 62 01 20.7 121 53 44.8	F W	33.0	9	Square skeleton tower, white daymark with red vertical stripe. 10.7	Seasonal.
396	Mackenzie River (Mile 230.7) Rear Range Light	62 01 25.0 121 53 56.0 302°05' 186.0 m from front.	F W	47.0	9	Tripod skeleton tower, white daymark with red vertical stripe. 18.3	Seasonal.
400	Mackenzie River (Mile 254.7) Front Range Light	On N. shore, E. of Burnt Island. 62 09 13.0 122 32 10.0	F W	13.1	14	Square skeleton tower, white daymark with red vertical stripe. 6.1	Seasonal.
401	Mackenzie River (Mile 254.7) Rear Range Light	62 09 14.0 122 32 04.0 074°00' 91.7 m from front.	F W	26.8	14	Square skeleton tower, white daymark with red vertical stripe. 9.1	Seasonal.
405	Mackenzie River (Mile 256.7) Front Range Light	On SE. shore of Burnt Island. 62 09 00.0 122 36 29.0	F W	14.6	9	Square skeleton tower, white daymark with red vertical stripe. 6.1	Seasonal.
406	Mackenzie River (Mile 256.7) Rear Range Light	62 09 01.0 122 36 37.0 284°00' 100.3 m from front.	F W	23.8	9	Square skeleton tower, white daymark with red vertical stripe. 15.2	Seasonal.

List of Lights, Buoys and Fog Signals – Arctic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
MACKENZIE RIVER - SOUTH							
410	Mile 259.8 Front Range Light	On S. shore, S. of Burnt Island. 62 07 53.0 122 41 58.0	F W	10.9	14	Square skeleton tower, white daymark with red vertical stripe. 6.1	Seasonal.
411	Mile 259.8 Rear Range Light	62 07 53.0 122 42 04.0 254°00' 89.0 m from front.	F W	15.1	14	Square skeleton tower, white daymark with red vertical stripe. 10.7	Seasonal.
415	Mackenzie River (Mile 286.9) Front Range Light	On NE. shore of large island across from Camsell Bend, danger zone 3. 62 17 46.0 123 24 32.0	F W	14.3	14	Square skeleton tower, white daymark with red vertical stripe. 9.1	Seasonal.
416	Mackenzie River (Mile 286.9) Rear Range Light	62 17 48.0 123 24 35.0 315°00' 75.0 m from front.	F W	22.9	14	Tripod skeleton tower, white daymark with red vertical stripe. 18.3	Seasonal.
420	Mile 300.3 Front Range Light	On E. side of small island, N. of Root River entrance, danger zone 3. 62 27 52.0 123 15 10.0	F W	16.0	14	Square skeleton tower, white daymark with red vertical stripe. 9.1	Seasonal.
421	Mile 300.3 Rear Range Light	62 27 46.0 123 15 10.0 182°00' 165.0 m from front.	F W	26.5	14	Tripod skeleton tower, white daymark with red vertical stripe. 18.3	Seasonal.
425	Mile 300.6 Front Range Light	On E. shore, N. of Root River entrance, danger zone 3. 62 27 57.0 123 14 11.0	F W	16.5	14	Square skeleton tower, white daymark with red vertical stripe. 9.1	Seasonal.
426	Mile 300.6 Rear Range Light	62 28 00.0 123 14 08.0 031°00' 96.0 m from front.	F W	25.2	9	Tripod skeleton tower, white daymark with red vertical stripe. 18.3	Seasonal.
430	McGern Island (Mile 307.2) Front Range Light	On SW. side of island, danger zone 3. 62 34 03.0 123 14 25.0	F W	10.7	9	Square skeleton tower, white daymark with red vertical stripe. 6.1	Seasonal.
431	McGern Island (Mile 307.2) Rear Range Light	62 34 07.0 123 14 24.0 008°00' 182.9 m from front.	F W	16.8	9	Tripod skeleton tower, white daymark with red vertical stripe. 9.1	Seasonal.

List of Lights, Buoys and Fog Signals – Arctic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
MACKENZIE RIVER - SOUTH							
435	Mile 336.6 Front Range Light	On E. side across from Old Fort Island. 62 58 44.0 123 13 30.0	F W	16.4	14	Square skeleton tower, white daymark with red vertical stripe. 9.1	Seasonal.
436	Mile 336.6 Rear Range Light	62 58 48.0 123 13 30.0 359°00' 136.0 m from front.	F W	27.0	14	Tripod skeleton tower, white daymark with red vertical stripe. 18.3	Seasonal.
440	Mile 414.9 Front Range Light	On N. shore, NW. of Blackwater River. 63 58 38.0 124 12 50.0	F W	13.7	14	Square skeleton tower, white daymark with red vertical stripe.	Seasonal.
441	Mile 414.9 Rear Range Light	63 58 39.0 124 12 44.0 072°00' 85.3 m from front.	F W	25.9	14	Square skeleton tower, white daymark with red vertical stripe.	Seasonal.
445	Steep Bank (Mile 427.2) Front Range Light	On W. shore, N. of Dahadinni River entrance, danger zone 4. 64 03 51.0 124 27 08.0	F W	51.1	14	Square skeleton tower, white daymark with red vertical stripe. 6.1	Seasonal.
446	Steep Bank (Mile 427.2) Rear Range Light	64 03 46.0 124 27 14.0 206°00' 243.8 m from front.	F W	66.1	14	Square skeleton tower, white daymark with red vertical stripe. 9.1	Seasonal.
450	Mile 432.4 Front Range Light	On W. shore, S. of Birch Island. 64 07 59.0 124 26 41.0	F W	41.7	14	Square skeleton tower, white daymark with red vertical stripe. 7.6	Seasonal.
451	Mile 432.4 Rear Range Light	64 08 02.0 124 26 44.0 336°00' 91.4 m from front.	F W	51.2	14	Square skeleton tower, white daymark with red vertical stripe. 7.6	Seasonal.
455	Birch Island (Mile 436.5) Front Range Light	On N. tip of island, danger zone 4. 64 11 14.0 124 25 27.0	F W	15.8	14	Square skeleton tower, white daymark with red vertical stripe. 7.6	Seasonal.
456	Birch Island (Mile 436.5) Rear Range Light	64 11 09.0 124 25 27.0 174°00' 140.0 m from front.	F W	22.9	14	Square skeleton tower, white daymark with red vertical stripe. 15.2	Seasonal.
460	Saline Island (Mile 450.3) Front Range Light	On N. shore of island, danger zone 4. 64 19 11.1 124 43 05.4	F W	15.8	9	Square skeleton tower, white daymark with red vertical stripe. 9.1	Seasonal.

List of Lights, Buoys and Fog Signals – Arctic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
MACKENZIE RIVER - SOUTH							
461	Saline Island (Mile 450.3) Rear Range Light	64 19 05.6 124 43 00.0 161°00' 182.9 m from front.	F W	25.3	9	Tripod skeleton tower, white daymark with red vertical stripe. 18.3	Seasonal.
465	Mile 464.4 Front Range Light	On NE. side of large island, danger zone 4. 64 29 19.0 124 53 59.0	F W	10.0	14	Square skeleton tower, white daymark with red vertical stripe. 9.1	Seasonal.
466	Mile 464.4 Rear Range Light	64 29 15.0 124 53 50.0 138°00' 182.9 m from front.	F W	21.3	14	Tripod skeleton tower, white daymark with red vertical stripe. 18.3	Seasonal.
470	Dry Island (Mile 469.2) Front Range Light	On E. shore, S. of Big Smith Creek, danger zone 4. 64 32 50.0 124 54 02.0	F W	49.0	9	Square skeleton tower, white daymark with red vertical stripe. 6.1	Seasonal.
471	Dry Island (Mile 469.2) Rear Range Light	64 32 52.0 124 53 56.0 046°00' 100.0 m from front.	F W	62.0	9	Square skeleton tower, white daymark with red vertical stripe. 9.1	Seasonal.
475	Mile 482.8 Front Range Light	On E. shore. 64 42 06.0 124 57 09.0	F W	33.0	14	Square skeleton tower, white daymark with red vertical stripe. 6.1	Seasonal.
476	Mile 482.8 Rear Range Light	64 42 07.0 124 57 05.0 062°00' 73.0 m from front.	F W	43.0	14	Square skeleton tower, white daymark with red vertical stripe. 6.1	Seasonal.
480	Mile 495.9 Front Range Light	On E. shore, S. of Police Island. 64 48 24.0 125 05 43.0	F W	21.0	14	Square skeleton tower, white daymark with red vertical stripe. 12.2	Seasonal.
481	Mile 495.9 Rear Range Light	64 48 30.0 125 05 38.0 017°00' 182.9 m from front.	F W	42.4	14	Square skeleton tower, white daymark with red vertical stripe. 6.1	Seasonal.
485	Mile 506.4 Front Range Light	On N. shore across from S. end of 4 Mile Island. 64 53 43.0 125 20 23.0	F W	18.3	14	Square skeleton tower, white daymark with red vertical stripe. 9.1	Seasonal.
486	Mile 506.4 Rear Range Light	64 53 47.0 125 20 35.0 306°00' 189.0 m from front.	F W	54.0	14	Square skeleton tower, white daymark with red vertical stripe. 6.1	Seasonal.

List of Lights, Buoys and Fog Signals – Arctic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
MACKENZIE RIVER - SOUTH							
490	Mile 522.8 Front Range Light	On N. shore across from Little Bear Island entrance. 64 56 00.0 125 52 39.0	F W	31.1	14	Square skeleton tower, white daymark with red vertical stripe. 6.1	Seasonal.
491	Mile 522.8 Rear Range Light	64 55 01.0 125 52 51.0 289°00' 149.0 m from front.	F W	40.2	15	Square skeleton tower, white daymark with red vertical stripe. 13.7	Seasonal.
495	Mile 526.8 Front Range Light	On N. shore of large island, N. of Gaudet Island. 64 56 03.0 126 01 24.0	F W	12.5	9	Square skeleton tower, white daymark with red vertical stripe. 6.1	Seasonal.
496	Mile 526.8 Rear Range Light	64 56 04.0 126 01 30.0 288°30' 75.0 m from front.	F W	18.2	9	Square skeleton tower, white daymark with red vertical stripe. 12.2	Seasonal.
500	Halfway Islands Channel (Mile 532.7) Front Range Light	On E. side of river across from island. 65 00 29.0 126 05 08.0	F W	22.0	14	Square skeleton tower, white daymark with red vertical stripe. 7.6	Seasonal.
501	Halfway Islands Channel (Mile 532.7) Rear Range Light	65 00 27.0 126 05 02.0 128°00' 100.0 m from front.	F W	39.3	14	Square skeleton tower, white daymark with red vertical stripe. 12.2	Seasonal.
505	Jungle Ridge Creek (Mile 537.1) Front Range Light	On E. side of river, N. of creek entrance. 65 03 23.0 126 10 15.0	F W	15.0	14	Square skeleton tower, white daymark with red vertical stripe. 6.1	Seasonal.
506	Jungle Ridge Creek (Mile 537.1) Rear Range Light	65 03 29.0 126 10 18.0 350°00' 195.9 m from front.	F W	22.0	14	Square skeleton tower, white daymark with red vertical stripe. 9.1	Seasonal.
510	Vermilion Creek (Mile 537.4) Front Range Light	On E. side of river between creek entrances. 65 03 35.0 126 10 29.0	F W	17.0	14	Square skeleton tower, white daymark with red vertical stripe. 6.1	Seasonal.
511	Vermilion Creek (Mile 537.4) Rear Range Light	65 03 25.3 126 10 09.0 139°00' 379.0 m from front.	F W	27.0	14	Square skeleton tower, white daymark with red vertical stripe. 9.1	Seasonal.
515	Prohibition Creek (Mile 544.4) Front Range Light	On N. side of river, N. of creek entrance. 65 08 15.0 126 19 44.0	F W	14.6	14	Square skeleton tower, white daymark with red vertical stripe. 7.6	Seasonal.

List of Lights, Buoys and Fog Signals – Arctic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
MACKENZIE RIVER - SOUTH							
516	Prohibition Creek (Mile 544.4) Rear Range Light	65 08 22.0 126 19 54.0 322°00' 182.9 m from front.	F W	16.8	14	Tripod skeleton tower, white daymark with red vertical stripe. 12.2	Seasonal.
520	Ten Mile Island (Mile 552.0) Front Range Light	On N. side of river, S. of Canyon Creek entrance. 65 12 37.0 126 32 18.0	F W	13.7	14	Square skeleton tower, white daymark with red vertical stripe. 9.1	Seasonal.
521	Ten Mile Island (Mile 552.0) Rear Range Light	65 12 40.1 126 32 26.4 311°00' 137.0 m from front.	F W	24.4	14	Tripod skeleton tower, white daymark with red vertical stripe. 18.3	Seasonal.
525	Canyon Creek (Mile 552.5) Front Range Light	On N. side of river, N. of creek entrance. 65 12 57.6 126 32 51.2	F W	12.0	14	Square skeleton tower, white daymark with red vertical stripe. 7.6	Seasonal.
526	Canyon Creek (Mile 552.5) Rear Range Light	65 12 57.2 126 32 41.9 095°00' 121.9 m from front.	F W	15.2	14	Tripod skeleton tower, white daymark with red vertical stripe. 9.1	Seasonal.
530	Six Mile Island (Mile 556.9) Front Range Light	On N. side of island. 65 14 12.0 126 41 39.0	F W	12.5	14	Square skeleton tower, white daymark with red vertical stripe. 7.6	Seasonal.
531	Six Mile Island (Mile 556.9) Rear Range Light	65 14 07.7 126 41 19.0 117°00' 282.9 m from front.	F W	23.2	14	Tripod skeleton tower, white daymark with red vertical stripe. 18.3	Seasonal.
535	Mile 557.4 Front Range Light	On S. shore across from 6 Mile Island. 65 13 18.0 126 43 30.0	F W	65.5	14	Square skeleton tower, white daymark with red vertical stripe. 7.6	Seasonal.
536	Mile 557.4 Rear Range Light	65 13 14.0 126 43 24.0 147°00' 121.9 m from front.	F W	73.2	14	Tripod skeleton tower, white daymark with red vertical stripe. 12.2	Seasonal.
540	Mile 560.0 light buoy	W. side of Six Mile Island, NE. of Frenchy Island. 65 15 18.0 126 46 36.0	Fl R 4s	Red, pillar.	Seasonal.