

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NORTHUMBERLAND STRAIT - WEST							
1085	Tidnish River Entrance light buoy XA2	Off Tidnish Head. 46 00 54.2 064 02 17.5	Fl R 4s	Red, pillar, marked "XA2".	Seasonal.
1089	Tormentine Reefs light and bell buoy X5	E. of Indian Point. 46 06 34.1 063 41 04.7	Fl G 4s	Green, pillar, marked "X5".	Seasonal. Audible signal: Bell
1090 H1308	Cape Tormentine Outer Wharf	On outer end of pier. 46 08 05.4 063 46 20.0	Iso R 2s	12.0	5	White pyramid tower with red upper portion and red vertical stripe. 10.1	Seasonal.
1091.5 H1316	Cape Tormentine Breakwater	At NE. end of breakwater. 46 08 02.8 063 46 11.8	Fl G 4s	5.5	4	Square skeleton tower, green, white and black square daymark. 3.6	Seasonal. Flash 1 s; eclipse 3 s.
1094 H1313.1	Cape Tormentine Inner Wharf	46 08 00.5 063 46 27.7	Fl R 3s	6.3	6	Cylindrical mast. 3.8	Seasonal. Flash 1 s; eclipse 2 s.
1094.6 H1313	Cape Tormentine Fisherman's Wharf	On outer end of breakwater. 46 08 00.6 063 46 37.9	Fl G 4s	6.8	3	Pipe swing pole, green and white square daymark. 3.8	Seasonal.
1095.1	Cape Tormentine light buoy XD4	46 08 09.1 063 46 11.8	Fl R 4s	Red, spar, marked "XD4".	Seasonal.
1096	Cape Tormentine light buoy XD5	46 07 58.3 063 46 26.0	Q G 1s	Green, spar, marked "XD5".	Seasonal.
1097 H1319	Botsford Breakwater	On SE. corner of breakwater. 46 10 07.2 063 56 01.1	Fl R 4s	6.0	3	Pipe swing pole. 5.3	Year round. Flash 1 s; eclipse 3 s.
1099.5 H1322	Little Cape Outer Breakwater	46 11 55.3 064 09 42.7	LFl R 6s	7	Square skeleton tower, red and white triangular daymark with red triangle in center.	Seasonal. Flash 2 s; eclipse 4 s.
1100 H1323	Little Cape Breakwater	On SE. corner of breakwater. 46 11 56.9 064 09 45.3	Fl R 5s	10.6	10	Square skeleton tower. 10.0	Seasonal. Flash 1 s; eclipse 4 s.
1100.5 H1324.4	Bas-Cap-Pelé Wharf	On end of wharf. 46 14 09.0 064 15 39.0	Fl R 3s	6.1	5	Square skeleton tower. 5.2	Seasonal. Flash 1 s; eclipse 2 s.
1101 H1324	Bas-Cap-Pelé Approach	S. of breakwater, on shore. 46 14 04.3 064 15 49.6	Fl W 5s	12.6	11	Square skeleton tower, red and white rectangular daymark. 6.9	Seasonal. Flash 1 s; eclipse 4 s.
1102 H1325.1	Cape Bald	NW. corner of E. breakwater. 46 13 53.6 064 17 55.7	Fl G 3s	9.5	5	Square skeleton tower, green, white and black square daymark. 8.3	Year round. Flash 1 s; eclipse 2 s.
1102.1	Harshman's Brook light buoy XJ4	46 14 03.5 064 17 58.1	Fl R 4s	Red, spar, marked "XJ4".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NORTHUMBERLAND STRAIT - WEST							
1102.11	Harshman's Brook light buoy XJ5	46 14 03.5 064 17 56.0	Fl G 4s	Green, spar, marked "XJ5".	Seasonal.
1102.12	Harshman's Brook light buoy XJ6	46 13 59.3 064 17 57.1	Fl R 4s	Red, spar, marked "XJ6".	Seasonal.
1102.13	Harshman's Brook light buoy XJ7	46 13 59.4 064 17 55.9	Fl G 4s	Green, spar, marked "XJ7".	Seasonal.
1102.3	Robichaud light buoy XK2	46 14 00.5 064 22 42.4	Fl R 4s	Red, spar, marked "XK2".	Seasonal.
1102.5	Robichaud light buoy XK6	N. of wharf. 46 13 37.8 064 23 01.0	Q R 1s	Red, pillar, marked "XK6".	Seasonal.
1103 H1326	Robichaud Wharf	On NW. corner of wharf. 46 13 29.6 064 23 02.8	Fl W 4s	Pipe swing pole, red and white rectangular daymark.	Seasonal. Flash 1 s; eclipse 3 s.
1103.5	Robichaud Wharf Breakwater	Robichaud Harbour. 46 13 28.6 064 22 58.4	Fl R 4s	4	Pipe tower.	Seasonal. Flash 1 s; eclipse 3 s.
1105	Shediac light buoy XN	On E. side of channel. 46 16 38.0 064 29 05.0	Mo(A) W 6s	Red-white, pillar, marked "XN".	Seasonal. Buoy may be repositioned due to shifting channel.
1105.1	Shediac light buoy XN2	46 16 28.2 064 29 40.8	Fl R 4s	Red, spar, marked "XN2".	Seasonal. Operates 24 h.
1105.2	Shediac light buoy XN3	46 16 17.2 064 29 44.5	Fl G 4s	Green, spar, marked "XN3".	Seasonal. Operates 24 h.
1105.3	Shediac light buoy XN4	46 16 13.9 064 30 27.0	Fl R 4s	Red, spar, marked "XN4".	Seasonal. Operates 24 h.
1105.4	Shediac light buoy XN5	46 16 02.0 064 30 16.3	Fl G 4s	Green, pillar, marked "XN5".	Seasonal. Operates 24 h.
1105.5	Shediac light buoy XN6	46 15 43.0 064 30 25.8	Fl R 4s	Red, pillar, marked "XN6".	Seasonal. Operates 24 h.
1106	Shediac light buoy XN12	Shediac Harbour. 46 15 26.8 064 30 34.6	Q R 1s	Red, pillar, marked "XN12".	Seasonal. Buoy may be repositioned due to shifting channel.
1109	Shediac light buoy XN18	On N. side of turn in channel. 46 15 23.2 064 31 23.6	Q R 1s	Red, spar, marked "XN18".	Seasonal. Buoy may be repositioned due to shifting channel.
1109.2	Shediac Harbour light buoy XN19	46 15 17.0 064 31 28.4	Q G 1s	Green, spar, marked "XN19".	Seasonal. Buoy may be repositioned due to shifting channel.
1109.4	Shediac Harbour light buoy XN20	At the entrance to harbour. 46 15 09.7 064 31 38.2	Fl R 4s	Red, spar, marked "XN20".	Seasonal. Buoy may be repositioned due to shifting channel.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NORTHUMBERLAND STRAIT - WEST							
1109.6	Shediac Harbour light buoy XN21	46 15 03.4 064 31 31.1	Fl G 4s	Green, spar, marked "XN21".	Seasonal. Buoy may be repositioned due to shifting channel.
1109.8	Shediac Harbour light buoy XN22	46 14 55.9 064 31 43.9	Fl R 4s	Red, spar, marked "XN22".	Seasonal. Buoy may be repositioned due to shifting channel.
1109.81	Pointe-du-Chêne light buoy XP3	46 14 29.3 064 31 39.3	Q G 1s	Green, pillar, marked "XP3".	Seasonal. Operates 24 h.
1109.82	Shediac Harbour light buoy XN24	46 14 38.9 064 32 02.5	Fl R 4s	Red, spar, marked "XN24".	Seasonal.
1109.83	Shediac light buoy XN30	46 14 38.2 064 32 13.6	Q R 1s	Red, pillar, marked "XN30".	Seasonal. Operates 24 h.
1110.5	Pointe-du-Chêne Wharf	On W. end of pier. 46 14 30.0 064 31 48.4	LFl Y 6s	7	Square skeleton tower, red and white rectangular daymark. 5.1	Seasonal. Flash 2 s; eclipse 4 s.
1111.01	Pointe-du-Chêne North Breakwater Light	46 14 31.6 064 31 43.1	Fl G 5s	7	Square skeleton tower, green and white rectangular daymark.	Seasonal. Flash 1 s; eclipse 4 s.
1111.1 H1329	Pointe-du-Chêne Breakwater	On outer end of breakwater. 46 14 29.2 064 31 40.4	Fl R 5s	6.0	4	Cylindrical mast, red and white triangular daymark. 3.5	Seasonal. Flash 1 s; eclipse 4 s.
1111.2	Shediac Bay light buoy XN34	46 14 21.5 064 32 24.2	Fl R 4s	Red, spar, marked "XN34".	Seasonal. Buoy may be repositioned due to shifting channel.
1111.41	Shediac Bay light buoy XN37	46 14 03.0 064 32 41.6	Fl G 4s	Green, spar, marked "XN37".	Seasonal. Buoy may be repositioned due to shifting channel.
1111.45	Shediac Bay light buoy XN41	46 13 49.9 064 32 44.7	Fl G 4s	Green, spar, marked "XN41".	Seasonal. Buoy may be repositioned due to shifting channel.
1111.46	Shediac Bay light buoy XN42	46 13 50.9 064 32 46.1	Fl R 4s	Red, spar, marked "XN42".	Seasonal. Buoy may be repositioned due to shifting channel.
1111.48	Shediac Bay light buoy XN46	46 13 41.6 064 32 53.6	Q R 1s	Red, spar, marked "XN46".	Seasonal. Buoy may be repositioned due to shifting channel.
1111.5 H1334	Shediac Bay Yacht Club Breakwater	46 13 41.2 064 32 49.5	Fl G 5s	5.3	4	Pipe Swing Pole, green, white and black square daymark. 3.7	Seasonal. Flash 1 s; eclipse 4 s.
1112 H1348	Cap de Caissie Breakwater	On outer end of N. breakwater. 46 18 46.0 064 30 34.8	Fl R 4s	5.9	5	Square skeleton tower. 4.9	Seasonal. Flash 1 s; eclipse 3 s.
1113.01	Cocagne Harbour Fairway light buoy XT	46 23 19.7 064 32 38.5	Mo(A) W 6s	Red-white, conical, marked "XT".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NORTHUMBERLAND STRAIT - WEST							
1113.04	Cocagne Harbour light buoy XT4	46 22 28.4 064 34 00.9	Fl R 4s	Red, conical, marked "XT4".	Seasonal. Buoy may be repositioned due to shifting channel.
1113.14	Cocagne Harbour light buoy XT14	46 21 42.4 064 35 00.4	Fl R 4s	Red, pillar, marked "XT14".	Seasonal.
1113.17	Cocagne Harbour light buoy XT17	46 21 17.0 064 35 13.4	Q G 1s	Green, pillar, marked "XT17".	Seasonal.
1113.22	Cocagne River light buoy XT22	46 20 21.7 064 36 25.8	Fl R 4s	Red, conical, marked "XT22".	Seasonal. Buoy may be repositioned due to shifting channel.
1113.48	Cocagne River light buoy XT48	46 19 53.8 064 37 15.1	Q R 1s	Red, spar, marked "XT48".	Seasonal.
1114 H1352	Cap-de-Cocagne Wharf	On SW. corner of wharf extension. 46 21 15.5 064 34 33.0	Fl G 4s	4	Pipe Swing Pole, green, white and black square daymark. 4.0	Seasonal. Flash 1 s; eclipse 3 s.
1118.5 H1359	Cormierville	On SE. corner of wharf. 46 24 28.3 064 36 55.3	Fl R 3s	5.7	5	Pipe swing pole. 5.1	Seasonal. Flash 1 s; eclipse 2 s.
1119	Cormierville light buoy XU2	46 25 05.6 064 34 57.8	Q R 1s	Red, conical, marked "XU2".	Seasonal. Buoy may be repositioned due to shifting channel.
1119.1	The Bluff East Cardinal light buoy XVB	46 25 15.5 064 36 09.3	Q(3) W 10s	Black-yellow-black, can, marked "XVB".	Seasonal. Buoy may be repositioned due to shifting channel.
1119.2	The Dune East Cardinal light buoy XVA	46 27 22.8 064 35 41.3	VQ(3) W 5s	Black-yellow-black, spar, marked "XVA".	Seasonal. Buoy may be repositioned due to shifting channel.
1119.3	Buctouche Harbour light buoy XV10	46 27 20.9 064 38 11.9	Q R 1s	Red, pillar, marked "XV10".	Seasonal. Buoy may be repositioned due to shifting channel.
1119.5 H1360	St. Thomas-de-Kent	On NW. corner of wharf. 46 26 51.5 064 38 12.5	Fl G 4s	5.1	5	Square skeleton tower. 3.1	Seasonal. Flash 1 s; eclipse 3 s.
1119.64	Buctouche Harbour light buoy XV4	46 27 08.1 064 36 33.0	Q R 1s	Red, pillar, marked "XV4".	Seasonal. Buoy may be repositioned due to shifting channel.
1119.65	Buctouche Harbour light buoy XV6	46 27 09.4 064 37 15.1	Fl R 4s	Red, pillar, marked "XV6".	Seasonal. Buoy may be repositioned due to shifting channel.
1122 H1362	Buctouche Bar	On S. extremity of bar. 46 27 40.1 064 36 46.2	Fl W 4s	11.0	7	White pyramid tower. 11.4	Seasonal. Flash 1 s; eclipse 3 s.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NORTHUMBERLAND STRAIT - WEST							
1125.17	Buctouche Harbour Light buoy XV16	46 27 56.3 064 39 05.0	Fl R 4s	Red, pillar, marked "XV16".	Seasonal. Buoy may be repositioned due to shifting channel.
1125.18	Buctouche Harbour light buoy XV20	46 28 19.4 064 39 36.4	Fl R 4s	Red, pillar, marked "XV20".	Seasonal. Buoy may be repositioned due to shifting channel.
1125.19	Buctouche Harbour light buoy XV15	46 27 41.8 064 38 52.3	Fl G 4s	Green, pillar, marked "XV15".	Seasonal. Buoy may be repositioned due to shifting channel.
1125.21	Buctouche Harbour light buoy XV19	46 28 05.3 064 39 23.0	Fl G 4s	Green, pillar, marked "XV19".	Seasonal. Buoy may be repositioned due to shifting channel.
1125.23	Buctouche Harbour light buoy XV23	46 28 35.1 064 40 00.8	Q G 1s	Green, pillar, marked "XV23".	Seasonal. Buoy may be repositioned due to shifting channel.
1125.24	Buctouche Harbour light buoy XV26	46 28 40.1 064 40 13.7	Fl R 4s	Red, spar, marked "XV26".	Seasonal. Buoy may be repositioned due to shifting channel.
1125.25	Buctouche Harbour light buoy XV29	46 28 36.8 064 40 26.9	Q G 1s	Green, spar, marked "XV29".	Seasonal. Buoy may be repositioned due to shifting channel.
1125.26	Buctouche Harbour light buoy XV32	46 28 32.8 064 40 54.1	Fl R 4s	Red, spar, marked "XV32".	Seasonal. Buoy may be repositioned due to shifting channel.
1125.27	Buctouche Harbour light buoy XV36	46 28 25.6 064 41 18.4	Fl R 4s	Red, spar, marked "XV36".	Seasonal. Buoy may be repositioned due to shifting channel.
1125.28	Buctouche Harbour light buoy XV37	46 28 23.9 064 41 16.9	Fl G 4s	Green, spar, marked "XV37".	Seasonal. Buoy may be repositioned due to shifting channel.
1125.29	Buctouche Harbour light buoy XV41	46 28 19.7 064 41 42.1	Fl G 4s	Green, spar, marked "XV41".	Seasonal. Buoy may be repositioned due to shifting channel.
1125.3	Buctouche Harbour light buoy XV51	46 28 27.0 064 42 31.8	Q G 1s	Green, spar, marked "XV51".	Seasonal. Buoy may be repositioned due to shifting channel.
1125.31	Buctouche Harbour light buoy XV44	46 28 15.8 064 42 05.9	Q R 1s	Red, spar, marked "XV44".	Seasonal. Buoy may be repositioned due to shifting channel.
1126 H1372	Saint-Edouard-de- Kent	On SW. corner of pierhead. 46 32 26.0 064 41 52.5	Fl R 5s	5.3	13	Square skeleton tower, red and white rectangular daymark. 4.1	Seasonal. Operates 24 h. Flash 0.2 s; eclipse 4.8 s.
1126.1	Saint-Édouard-de- Kent light buoy XW1	Near the wharf. 46 32 27.2 064 41 42.5	Fl G 4s	Green, spar, marked "XW1".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NORTHUMBERLAND STRAIT - WEST							
1126.2	Saint-Édouard-de-Kent light buoy XW2	Near the wharf. 46 32 28.4 064 41 43.3	Fl R 4s	Red, spar, marked "XW2".	Seasonal.
1127 H1374	Chockpish Breakwater	On N. breakwater. 46 34 59.0 064 43 07.5	Fl R 4s	5.7	3	Cylindrical mast. 3.2	Seasonal. Flash 1 s; eclipse 3 s.
1127.2	Chockpish South Breakwater	On outermost end of S. breakwater. 46 34 58.1 064 43 10.5	Fl G 4s	3	Pipe Swing Pole, green, white and black square daymark. 3.0	Seasonal.
1127.3	Chockpish light buoy XR1	46 34 56.8 064 43 01.5	Fl G 4s	Green, spar, marked "XR1".	Seasonal.
1127.4	Chockpish light buoy XR2	46 34 58.1 064 43 01.4	Fl R 4s	Red, spar, marked "XR2".	Seasonal.
1128 H1376	Richibucto Cape	On headland. 46 40 11.3 064 42 42.0	Fl W 5s	18.1	11	White square tower with red upper portion. 10.5	Year round. Flash 1 s; eclipse 4 s.
1129 H1378	Richibucto Cape Breakwater	46 40 23.9 064 42 38.1	Fl R 4s	4.3	5	Cylindrical mast. 2.8	Seasonal. Flash 1 s; eclipse 3 s.
1129.1	Cap-Lumière light buoy QX1	46 40 21.6 064 42 36.1	Fl G 4s	Green, can, marked "QX1".	Seasonal.
1131	Richibucto light and bell buoy Q	E. of Richibucto Beach. 46 43 30.2 064 44 27.7	Mo(A) W 6s	Red-white, pillar, marked "Q".	Seasonal. Buoy may be repositioned due to shifting channel. Audible signal: Bell
1132	Richibucto Gully Entrance light buoy Q3	46 42 52.9 064 44 40.9	Q G 1s	Green, can, marked "Q3".	Seasonal. Buoy may be repositioned due to shifting channel.
1133.1	Richibucto light buoy Q5	46 42 32.7 064 44 50.3	Fl G 4s	Green, can, marked "Q5".	Seasonal. Buoy may be repositioned due to shifting channel.
1133.6	Richibucto Gully Outer light buoy Q10	46 42 24.8 064 45 09.1	Q R 1s	Red, conical, marked "Q10".	Seasonal. Buoy may be repositioned due to shifting channel.
1134	Richibucto Gully Inner light buoy Q11	46 42 28.0 064 45 34.3	Q G 1s	Green, pillar, marked "Q11".	Seasonal. Buoy may be repositioned due to shifting channel.
1135	Richibucto Gully Channel light buoy Q18	46 42 40.4 064 46 11.7	Fl R 4s	Red, pillar, marked "Q18".	Seasonal. Buoy may be repositioned due to shifting channel.
1136	North Richibucto Beach Breakwater light buoy Q22	46 42 47.2 064 46 55.7	Q R 1s	Red, pillar, marked "Q22".	Seasonal. Buoy may be repositioned due to shifting channel.
1136.1	North Richibucto Dune light buoy Q24	46 42 52.4 064 47 34.9	Fl R 4s	Red, conical, marked "Q24".	Seasonal. Operates 24 h.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NORTHUMBERLAND STRAIT - WEST							
Richibucto Harbour							
1141	Richibucto Floating Dock Light	46 40 44.0 064 51 39.5	FI G 4s	2	Cylindrical mast, green, white and black square daymark.	Seasonal. Flash 1 s; eclipse 3 s.
1142 H1394	North Richibucto Beach Inner front range light	On shore behind breakwater. 46 42 57.5 064 47 58.9	Iso W 1s	8.1	6	Square skeleton tower, red and white rectangular daymark. 6.3	Seasonal.
1143 H1394.1	North Richibucto Beach Inner rear range light	46 43 03.5 064 47 51.1 042°09' 247.7 m from front.	Iso W 4s	13.7	7	Square skeleton tower, red daymark with white vertical stripe. 9.3	Seasonal.
1144	North Richibucto Beach light buoy Q25	S. of S. end of North Richibucto Beach. 46 42 50.6 064 47 59.9	Q G 1s	Green, pillar, marked "Q25".	Seasonal. Buoy may be repositioned due to shifting channel.
1144.5	Richibucto Harbour light buoy Q28	46 42 31.3 064 48 38.5	FI R 4s	Red, pillar, marked "Q28".	Seasonal. Buoy may be repositioned due to shifting channel.
1145 H1400	South Richibucto Beach Inner front range light	On W. end of South Richibucto Beach. 46 42 29.5 064 48 02.1	Iso R 1s	7.7	6	Square skeleton tower, red daymark with white vertical stripe. 4.8	Seasonal.
1146 H1400.1	South Richibucto Beach Inner rear range light	46 42 33.5 064 47 49.3 065°44' 296.3 m from front.	Iso R 4s	11.3	7	Square skeleton tower, red daymark with white vertical stripe. 9.4	Seasonal.
1147	Richibucto Harbour Outer light buoy Q32	46 42 15.1 064 49 00.9	Q R 1s	Red, conical, marked "Q32".	Seasonal. Buoy may be repositioned due to shifting channel.
1147.5	Richibucto Harbour light buoy Q34	46 42 04.4 064 49 26.8	FI R 4s	Red, conical, marked "Q34".	Seasonal. Operates 24 h.
1148	Richibucto Harbour light buoy QA2	N. of Pagan Point. 46 41 51.9 064 50 15.4	Q R 1s	Red, pillar, marked "QA2".	Seasonal. Buoy may be repositioned due to shifting channel.
1148.4	Richibucto Harbour Northwest Branch light buoy QA6	N. of McGuires Point. 46 42 04.2 064 51 05.3	Q R 1s	Red, spar, marked "QA6".	Seasonal. Buoy may be repositioned due to shifting channel.
1148.5	Richibucto Harbour Northwest Branch light buoy QA7	46 42 19.1 064 51 20.2	Q G 1s	Green, spar, marked "QA7".	Seasonal. Buoy may be repositioned due to shifting channel.
1149	Richibucto Northwest Branch light buoy QA8	46 42 17.8 064 51 41.0	Q R 1s	Red, pillar, marked "QA8".	Seasonal. Buoy may be repositioned due to shifting channel.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NORTHUMBERLAND STRAIT - WEST							
1149.3	Pointe de Forgeron light buoy QA11	46 42 42.4 064 51 36.1	Q G 1s	Green, spar, marked "QA11".	Seasonal. Buoy may be repositioned due to shifting channel.
1149.6	Richibucto Northwest Branch light buoy QA13	46 43 03.1 064 51 57.9	Q G 1s	Green, spar, marked "QA13".	Seasonal. Buoy may be repositioned due to shifting channel.
1150	Pagan Point light buoy Q38	46 41 32.8 064 50 37.1	Fl R 4s	Red, pillar, marked "Q38".	Seasonal. Buoy may be repositioned due to shifting channel.
1150.1	Richibucto River light buoy Q39	Richibucto Harbour. 46 41 18.3 064 50 55.7	Fl G 4s	Green, spar, marked "Q39".	Seasonal. Operates 24 h.
1150.11	Richibucto River light buoy Q42	46 41 05.9 064 51 18.8	Q R 1s	Red, pillar, marked "Q42".	Seasonal. Operates 24 h.
1151 H1402	Richibucto Town front range light	On E. side of Main Street. 46 40 48.5 064 51 45.1	Iso G 1s	15.3	13	Square skeleton tower, red daymark with white vertical stripe. 12.4	Seasonal. Operates 24 h.
1152 H1402.1	Richibucto Town rear range light	46 40 42.3 064 51 55.1 227°29' 287.4 m from front.	Iso G 4s	22.7	11	Square skeleton tower, red daymark with white vertical stripe. 18.6	Seasonal. Operates 24 h.
1152.5	Richibucto Wharf Light	46 00 00.0 064 00 00.0	Fl G 4s	2	Pipe Swing Pole, green, white and black square daymark.	Seasonal. Flash 1 s; eclipse 3 s.
1152.8	Blacklands Gully light buoy XX	46 46 24.2 064 50 15.7	Mo(A) W 6s	Red-white, spar, marked "XX".	Seasonal. Buoy may be repositioned due to shifting channel.
1154	Goulet de Terre-noire light buoy XX4	46 46 05.6 064 50 49.7	Fl R 4s	Red, pillar, marked "XX4".	Seasonal. Buoy may be repositioned due to shifting channel.
1154.1	Kouchibouguacis River light buoy XX9	46 46 01.2 064 51 06.7	Fl G 4s	Green, can, marked "XX9".	Seasonal. Buoy may be repositioned due to shifting channel.
1154.2	Kouchibouguacis River light buoy XX19	46 45 54.1 064 51 32.8	Q G 1s	Green, pillar, marked "XX19".	Seasonal. Buoy may be repositioned due to shifting channel.
1154.4	Goulet de Terre-noire light buoy XX14	46 45 59.3 064 51 21.2	Q R 1s	Red, pillar, marked "XX14".	Seasonal. Buoy may be repositioned due to shifting channel.
1154.45	Goulet de Terre-Noire light buoy XX31	46 46 15.2 064 52 10.0	Fl G 4s	Green, pillar, marked "XX31".	Seasonal. Buoy may be repositioned due to shifting channel.
1154.5	Goulet de Terre-noire light buoy XX36	46 46 21.5 064 52 27.1	Q R 1s	Red, pillar, marked "XX36".	Seasonal. Buoy may be repositioned due to shifting channel.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NORTHUMBERLAND STRAIT - WEST							
1154.6	Kouchibouguacis River light buoy XX37	46 47 00.4 064 53 06.8	Q G 1s	Green, pillar, marked "XX37".	Seasonal. Buoy may be repositioned due to shifting channel.
1154.8	Kouchibouguacis River light buoy XX39	46 46 45.8 064 54 00.7	Q G 1s	Green, pillar, marked "XX39".	Seasonal. Buoy may be repositioned due to shifting channel.
1154.85	Kouchibouguacis River light buoy XX41	46 46 31.0 064 54 19.4	Fl G 4s	Green, pillar, marked "XX41".	Seasonal. Buoy may be repositioned due to shifting channel.
1154.9	Kouchibouguacis River light buoy XX42	46 46 16.7 064 54 41.8	Q R 1s	Red, pillar, marked "XX42".	Seasonal. Buoy may be repositioned due to shifting channel.
1154.95	Kouchibouguacis River light buoy XX43	46 46 11.3 064 54 44.6	Fl G 4s	Green, pillar, marked "XX43".	Seasonal. Buoy may be repositioned due to shifting channel.
1157	Kouchibouguac Gully light buoy XY2	46 49 53.9 064 53 44.0	Fl R 4s	Red, spar, marked "XY2".	Seasonal. Buoy may be repositioned due to shifting channel.
1157.33	Kouchibouguac light buoy XY4	46 49 51.3 064 54 06.6	Fl R 4s	Red, pillar, marked "XY4".	Seasonal. Buoy may be repositioned due to shifting channel.
1158.5	Kouchibouguac Gully light buoy XY9	46 49 49.8 064 54 05.6	Fl G 4s	Green, pillar, marked "XY9".	Seasonal. Buoy may be repositioned due to shifting channel.
1158.6	Kouchibouguac Gully light buoy XY17	46 50 00.8 064 54 42.9	Fl G 4s	Green, pillar, marked "XY17".	Seasonal. Buoy may be repositioned due to shifting channel.
1159	Kouchibouguac Gully Inner light buoy XY21	46 50 13.8 064 54 44.7	Q G 1s	Green, pillar, marked "XY21".	Seasonal. Buoy may be repositioned due to shifting channel.
1159.5 H1418.5	Pointe Sapin Outer Breakwater	SW. end of breakwater. 46 57 38.3 064 49 46.7	Fl W 4s	8	Square skeleton tower, red and white rectangular daymark.	Seasonal. Flash 0.1 s; eclipse 3.9 s.
1159.6	Pointe-Sapin Sector Light	46 57 47.3 064 49 49.9	F R W G	13	Square skeleton tower. Operates 24 h. R 003°51'39"-002°07'25"; W 005°51'39"-003°51'39"; G 023°51'39"-005°51'39". Obscured 002°07'25"- 002°06'33".
1161.2 H1419	Pointe-Sapin	On end of E. breakwater. 46 57 40.2 064 49 50.1	Fl R 4s	7.4	5	Square skeleton tower, red and white rectangular daymark. 6.6	Seasonal. Flash 1 s; eclipse 3 s.
1161.5	Sapin Ledge light buoy X25	Off Sapin Ledge. 46 58 23.9 064 44 38.0	Fl G 4s	Green, spar, marked "X25".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

NORTHUMBERLAND STRAIT - WEST

1162	Point Escuminac light buoy X31	NE. of point. 47 07 09.0 064 47 05.6	Fl G 4s	Green, pillar, marked "X31".	Year round.
1162.3 H1420	Point Sapin Western Breakwater light	On the W. end of breakwater. 46 57 39.5 064 49 51.5	Fl G 4s	5	Square skeleton tower, green and white rectangular daymark.	Seasonal. Flash 1 s; eclipse 3 s.
1163 H1424	Point Escuminac	On point. 47 04 22.5 064 47 52.3	Fl W 3s	22.0	13	White hexagonal tower with red top. 22.4	Year round. Operates 24 h. Flash 1 s; eclipse 2 s. Fog Horn Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s.
1165.8 H1430	Escuminac Breakwater	On outer end of middle breakwater. 47 04 57.3 064 53 14.6	LFl Y 6s	8.2	11	Square skeleton tower, red and white rectangular daymark. 6.9	Year round. Operates 24 h. Flash 2 s; eclipse 4 s.
1165.9	Escuminac Outer Breakwater Light	47 04 58.1 064 53 16.6	Fl G 4s	3	Pipe swing pole. 3.0	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.