

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
SAINT JOHN RIVER								
114.5	Rowans Point light buoy JE2	45 16 15.4 066 05 18.7	Fl R 4s	Red, spar, marked "JE2".	Seasonal (in place year round).	
116 H4090	Swift Point	W. of point. 45 16 56.7 066 07 16.8	Fl G 4s	28.1	5	White square tower with red upper portion. 13.9	Seasonal. Flash 1 s; eclipse 3 s.	
116.3	Ketepec light buoy JK1	Entrance to marina. 45 16 55.8 066 09 17.4	Fl G 4s	Green, spar, marked "JK1".	Seasonal (in place year round).	
116.5	Brothers Cove light buoy AM2	45 18 22.3 066 06 36.9	Fl R 4s	Red, spar, marked "AM2".	Seasonal (in place year round).	
118	Red Rock light buoy AM3	W. of rock. 45 18 30.3 066 06 16.9	Fl G 4s	Green, spar, marked "AM3".	Seasonal (in place year round).	
118.3	Rothsay light buoy AP1	45 23 40.3 066 00 17.8	Fl G 4s	Green, spar, marked "AP1".	Seasonal (in place year round).	
119 H4090.1	McColgan Point	N. of point. 45 19 56.0 066 06 34.4	LFl W 12s	11.3	6	White square tower with red upper portion. 8.2	Seasonal. Flash 2 s; eclipse 10 s.	
119.5	McColgan Point South Cardinal light buoy JN	45 19 41.4 066 06 27.0	Q(6) + LFl	W 15s	Yellow-black, spar, marked "JN".	Seasonal (in place year round).	
120.5	Brandy Point light buoy J25	Off point. 45 19 55.3 066 11 12.9	Fl G 4s	Green, can, marked "J25".	Seasonal (in place year round).	
121 H4090.3	Sand Point	E. side of river. 45 20 33.4 066 11 55.8	F R	22.8	7	White skeleton tower, red enclosed upper portion. 17.7	Seasonal.
122 H4090.5	Belyeas Point	On W. side of river. 45 22 41.4 066 12 57.8	Fl G 5s	12.7	4	White square tower with red upper portion. 11.9	Seasonal. Flash 1 s; eclipse 4 s.	
122.1	Purdys Point light buoy J38	Off point. 45 22 37.8 066 12 37.9	Fl R 4s	Red, spar, marked "J38".	Seasonal (in place year round).	
122.2	Belyeas Point light buoy J37	Off point. 45 22 38.7 066 12 54.3	Fl G 4s	Green, spar, marked "J37".	Seasonal (in place year round).	
122.4	Victoria Beach light buoy J41	45 25 45.7 066 10 03.9	Fl G 4s	Green, spar, marked "J41".	Seasonal (in place year round).	
123	Catons Island light buoy JP	Off S. side of island. 45 27 55.3 066 06 38.9	F(2+1) G 6s	Green-red-green, spar, marked "JP".	Seasonal (in place year round).	
124.5	Isle of Pines light buoy J48	45 29 05.2 066 05 02.8	Fl R 4s	Red, spar, marked "J48".	Seasonal (in place year round).	

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
SAINT JOHN RIVER								
125 H4090.7	Oak Point	On E. extremity of point, W. side of river. 45 30 26.7 066 04 49.1	LFI G 10s	15.5	8	White square tower with red upper portion. 14.1	Seasonal.	
126 H4090.9	Oak Point Wharf	On S. side of wharf, W. side of river. 45 31 09.8 066 04 35.8	FI G 4s	3.0	5	Pipe swing pole. 3.0	Seasonal.	
131.1	Evandale ODAS light buoy	45 36 12.8 066 03 02.5	Fl(5) Y 20s	Yellow, ODAS.	Seasonal.	
131.5 H4091	Gorhams Bluff	On the bluff. 45 32 28.9 066 02 05.0	FI R 4s	7.7	3	Triangular skeleton tower. 3.6	Seasonal.	
135 H4091.1	Gagetown	W. side of river. 45 46 06.9 066 08 25.2	F G	11.9	8	White square tower with red top. 9.8	Seasonal.
136 H4091.2	Lower Jemseg	On Huestis Island. 45 46 52.0 066 06 21.5	FI R 4s	8.7	4	Square skeleton tower, orange and white rectangular daymark. 6.6	Seasonal.	
Grand Lake								
137 H4091.3	Robertson Point	45 52 20.1 066 06 10.8	FI R 4s	12.3	4	White cylindrical tower. 7.6	Seasonal.	
137.7	Channel Entrance light buoy EA	45 52 18.3 066 08 13.9	Mo(A) W 6s	Red-white, spar, marked "EA".	Seasonal (in place year round).	
138	Douglas Harbour light buoy EN1	W. side of channel entrance. 45 54 30.2 066 05 47.9	FI G 4s	Green, spar, marked "EN1".	Seasonal (in place year round).	
139	Grand Point Bar South Cardinal light buoy EAB	At outer end of bar. 45 54 12.2 066 04 04.9	Q(6) + LFI W 15s	Yellow-black, spar, marked "EAB".	Seasonal (in place year round).	
139.75	Goat Island light buoy E75	Grand Lake. 46 00 42.2 066 00 31.0	FI G 4s	Green, spar, marked "E75".	Seasonal (in place year round).	
140 H4091.4	Fanjoys Point	45 54 27.9 066 01 22.1	Iso R 4s	12.2	4	White cylindrical tower with red horizontal band. 7.4	Seasonal.	
141 H4091.5	Cox Point	On point. 46 01 02.8 065 59 43.7	FI R 4s	9.4	4	Triangular skeleton tower, red and white rectangular slatwork daymark. 3.6	Seasonal.	
141.3	Barton Island light buoy E86	46 03 56.2 065 56 17.4	FI R 4s	Red, spar, marked "E86".	Seasonal (in place year round).	

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

SAINT JOHN RIVER

141.4 H4091.7	Newcastle Creek	On seaward end of breakwater. 46 03 22.0 066 00 07.6	Fl R 4s	3.0	Mast.	Private aid. Seasonal.
141.5 H4091.9	Hawkes Point	W. side of point. 46 04 47.8 065 55 08.8	Iso W 10s	11.2	7	White cylindrical tower with red horizontal band. 7.3	Seasonal.