

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

GASPÉ - CHALEUR BAY

Miramichi Bay and River

1169.1	Huckleberry Gully light buoy MN25	Off McLeans Cove. 47 04 17.0 064 57 07.0	Q G 1s	Green, pillar, marked "MN25".	Seasonal.
1169.2	Huckleberry Gully light buoy MN28	Off McLeans Cove. 47 04 06.0 064 57 12.0	Q R 1s	Red, pillar, marked "MN28".	Seasonal.
1170	Miramichi Bar light buoy M2	S. end of outer bar. 47 05 51.9 064 56 30.0	Q R 1s	Red, spar, marked "M2".	Seasonal (in place year round).
1170.5 H1440	Fox Island South front range light	SE. end of island. 47 05 14.5 064 58 42.0	Iso W 4s	8.7	11	Square skeleton tower, red daymark with white vertical stripe. 6.5	Year round. Operates 24 h.
1170.6 H1440.1	Fox Island South rear range light	47 05 12.0 064 58 51.5 248°28' 214.7 m from front.	Iso W 4s	13.6	12	Square skeleton tower, red daymark with white vertical stripe. 12.6	Year round. Operates 24 h.
1170.7	The Lump light buoy M3	47 06 12.8 064 57 42.8	Fl G 4s	Green, spar, marked "M3".	Seasonal (in place year round).
1171	Miramichi Outer Bar light buoy M4	47 05 55.0 064 56 54.0	Fl R 4s	Red, spar, marked "M4".	Seasonal (in place year round).
1172	The Lump light buoy M5	47 06 21.0 064 57 56.2	Q G 1s	Green, spar, marked "M5".	Seasonal (in place year round).
1172.5	The Lump light buoy M6	47 06 23.8 064 58 09.7	Q R 1s	Red, spar, marked "M6".	Seasonal (in place year round).
1172.51	The Lump light buoy M7	47 06 20.8 064 58 16.3	Fl G 4s	Green, spar, marked "M7".	Seasonal (in place year round).
1172.6	The Lump light buoy M8	47 06 34.5 064 58 25.8	Fl R 4s	Red, spar, marked "M8".	Seasonal (in place year round).
1173	The Swashway light buoy M10	47 06 55.4 064 58 40.5	Fl R 4s	Red, spar, marked "M10".	Seasonal (in place year round).
1173.01	The Swashway light buoy M12	47 07 21.5 064 59 02.5	Fl R 4s	Red, spar, marked "M12".	Seasonal (in place year round).
1173.5	Miramichi Bar light buoy M14	47 07 46.3 064 59 21.4	Fl R 4s	Red, spar, marked "M14".	Seasonal (in place year round).
1173.71	Miramichi Bar light buoy M15	47 08 08.7 064 59 49.4	Fl G 4s	Green, spar, marked "M15".	Seasonal (in place year round).
1173.72	Miramichi Bar light buoy M15/1	47 08 23.5 065 00 07.3	Q G 1s	Green, spar, marked "M15/1".	Seasonal (in place year round).
1173.8	Spit Shoal light buoy M15/3	47 08 32.1 065 00 25.3	Fl G 4s	Green, spar, marked "M15/3".	Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GASPÉ - CHALEUR BAY							
1173.81	Spit Shoal light buoy M16	47 08 29.6 065 00 01.9	Fl R 4s	Red, spar, marked "M16".	Seasonal (in place year round).
1173.91	Portage Island Channel Fairway light buoy ME	Miramichi Bar. 47 09 19.9 064 58 15.1	Mo(A) W 6s	Red-white, spar, marked "ME".	Seasonal.
1174	Portage Island Channel light buoy ME4	E. edge, Miramichi Bar. 47 09 03.8 064 58 56.2	Fl R 4s	Red, spar, marked "ME4".	Seasonal.
1174.5	Portage Island Channel light buoy ME3	47 08 59.8 064 58 45.1	Fl G 4s	Green, spar, marked "ME3".	Seasonal.
1175	Portage Island Channel light buoy ME8	W. edge, Miramichi Bar. 47 08 48.1 064 59 25.0	Fl R 4s	Red, spar, marked "ME8".	Seasonal.
1179	Miramichi Bar light buoy M17	47 08 41.2 065 01 01.1	Fl G 4s	Green, spar, marked "M17".	Seasonal (in place year round).
1179.1	Portage Island Cautionary light buoy MHC	47 09 29.3 065 01 55.0	Fl Y 4s	Yellow, spar, marked "MHC".	Seasonal.
1179.5	North Miramichi Bar light buoy M18	47 08 56.6 065 01 10.5	Q R 1s	Red, spar, marked "M18".	Seasonal (in place year round).
1180.5	Miramichi Bar light buoy M19	47 08 38.5 065 02 39.8	Fl G 4s	Green, spar, marked "M19".	Seasonal (in place year round).
1181	Horse Shoe Bar light buoy M21	47 08 32.2 065 03 18.6	Q G 1s	Green, spar, marked "M21".	Seasonal (in place year round).
1181.5	Horse Shoe Bar light buoy M21/3	47 08 04.4 065 03 58.9	Fl G 4s	Green, spar, marked "M21/3".	Seasonal.
1182	Horse Shoe Bar light buoy M22	47 08 29.4 065 03 29.3	Fl R 4s	Red, spar, marked "M22".	Seasonal (in place year round).
1182.5	Horse Shoe Bar light buoy M22/2	47 08 02.5 065 04 09.0	Fl R 4s	Red, spar, marked "M22/2".	Seasonal (in place year round).
1184.5	Horse Shoe Bar light buoy M24	47 07 39.0 065 04 42.5	Q R 1s	Red, spar, marked "M24".	Seasonal (in place year round).
1186	Horse Shoe Bar light buoy M26	47 07 20.9 065 06 37.6	Q R 1s	Red, spar, marked "M26".	Seasonal (in place year round).
1187 H1452	Grand Dune Outer front range light	47 06 48.3 065 02 35.6	Iso W 1s	8.5	14	Pile, red daymark with black vertical stripe. 8.0	Year round.
1187.1 H1452.1	Grand Dune Outer rear range light	47 06 24.3 064 59 53.3 102°11' 3499.8 m from front.	Iso W 4s	32.5	17	Triangular skeleton tower, red daymark with black vertical stripe. 29.9	Year round.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GASPÉ - CHALEUR BAY							
1188	Grand Dune Flats light buoy M28	47 07 18.8 065 05 52.8	Q R 1s	Red, spar, marked "M28".	Seasonal (in place year round).
1189.2	Grand Dune Channel Middle light buoy M30	47 07 45.3 065 08 53.9	Fl R 4s	Red, spar, marked "M30".	Seasonal (in place year round).
1190	French River Point light buoy MP22	47 05 20.0 065 01 22.6	Fl R 4s	Red, pillar, marked "MP22".	Seasonal.
1191 H1464	Bay du Vin Island Sector	On S. side of island opposite Point Gardiner. 47 05 20.7 065 06 06.8	F R W G	9.5 5	Square skeleton tower, red and white rectangular daymark. 6.8	Seasonal. R 284°30'-042°; W 042°-044°; G 044°-049°.
1192	Bay du Vin Outer light buoy MS1	47 02 57.7 065 09 09.0	Fl G 4s	Green, pillar, marked "MS1".	Seasonal.
1193	Bay du Vin Inner light buoy MS9	47 02 52.5 065 08 33.0	Q G 1s	Green, pillar, marked "MS9".	Seasonal.
1194	Bay du Vin Wharf light buoy MQ2	47 03 27.0 065 08 19.0	Fl R 4s	Red, pillar, marked "MQ2".	Seasonal.
1195	Grand Dune range turning light buoy M31	47 08 09.0 065 11 52.7	Q G 1s	Green, spar, marked "M31".	Seasonal (in place year round).
1195.5	Grand Dune range turning light buoy M33	47 08 03.7 065 12 19.2	Q G 1s	Green, spar, marked "M33".	Seasonal (in place year round).
1196 H1472	Grand Dune Flats front range light	Near shore on mainland. 47 08 25.4 065 13 38.3	F W	14.8 13	Triangular skeleton tower, red daymark with black vertical stripe. 14.1	Year round. Operates 24 h.
1197 H1472.1	Grand Dune Flats rear range light	47 08 33.7 065 14 34.5 282°04' 1211.3 m from front.	F W	26.4 14	Triangular skeleton tower, red daymark with black vertical stripe. 20.9	Year round. Operates 24 h.
1198	Grand Dune Flats North light buoy M34	47 07 47.6 065 12 48.7	Fl R 4s	Red, spar, marked "M34".	Seasonal (in place year round).
1198.3	Grand Dune Flats South light buoy M35	47 07 17.0 065 13 28.8	Fl G 4s	Green, spar, marked "M35".	Seasonal (in place year round).
1198.6	Robichaud Spit light buoy M36	47 06 52.9 065 14 12.9	Q R 1s	Red, spar, marked "M36".	Seasonal (in place year round).
1198.8 H1477	Moody Point front range light	47 06 02.1 065 19 28.5	Iso Y 1s	10.3	13	Triangular skeleton tower, red daymark with black vertical stripe. 8.9	Year round.
1198.9	Moody Point rear range light	47 05 49.5 065 20 51.7 257°24' 1810.4 m from front.	Iso Y 4s	18.6	15	Triangular skeleton tower, red daymark with black vertical stripe. 13.9	Year round.
1199	The Willows light buoy M37	47 06 30.8 065 16 03.5	Q G 1s	Green, spar, marked "M37".	Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GASPÉ - CHALEUR BAY							
1200 H1478	Oak Channel front range light	47 04 19.9 065 19 10.5	Iso Y 2s	8.9	12	Triangular skeleton tower, red daymark with black vertical stripe. 6.9	Year round.
1201 H1478.1	Oak Channel rear range light	47 03 51.5 065 19 49.2 223°13' 1200.0 m from front.	Fl Y 3s	21.1	13	Triangular skeleton tower, red daymark with black vertical stripe. 16.9	Year round. Flash 1 s; eclipse 2 s.
1202	<i>Oak Channel light buoy M39</i>	47 05 45.6 065 17 09.3	Q G 1s	<i>Green, spar, marked "M39".</i>	<i>Seasonal (in place year round).</i>
1202.5 H1479	Oak Point front range light	47 06 48.9 065 16 30.0	Iso W 1s	8.5	8	Triangular skeleton tower, red daymark with black vertical stripe. 5.5	Year round.
1202.6 H1479.1	Oak Point rear range light	47 07 28.2 065 16 04.2 024°08' 1324.7 m from front.	Iso W 4s	17.1	11	Triangular skeleton tower, red daymark with black vertical stripe. 7.5	Year round.
1203	<i>Oak Channel South light buoy M40</i>	47 05 08.5 065 17 38.3	Q R 1s	<i>Red, spar, marked "M40".</i>	<i>Seasonal (in place year round).</i>
1203.1	<i>Oak Channel light buoy M44</i>	47 04 55.4 065 18 05.7	Fl R 4s	<i>Red, spar, marked "M44".</i>	<i>Seasonal (in place year round).</i>
1206	<i>Sheldrake Channel East light buoy M46</i>	47 04 44.8 065 18 51.0	Q R 1s	<i>Red, spar, marked "M46".</i>	<i>Seasonal (in place year round).</i>
1207 H1491	Grants Beach front range light	47 05 02.9 065 22 29.4	Iso R 1s	21.0	10	Triangular skeleton tower, red daymark with black vertical stripe. 12.9	Year round.
1208 H1491.1	Grants Beach rear range light	47 05 07.1 065 23 10.5 278°03' 875.6 m from front.	Iso R 4s	40.8	11	Triangular skeleton tower, red daymark with black vertical stripe. 23.9	Year round.
1208.8 H1493	St. Andrews Bank front range light	47 04 14.6 065 25 08.0	Iso Y 2s	9.2	7	Triangular skeleton tower, red daymark with black vertical stripe. 4.9	Year round.
1208.9 H1493.1	St. Andrews Bank rear range light	47 04 11.2 065 25 20.7 247°53' 294.2 m from front.	Fl Y 3s	13.8	7	Triangular skeleton tower, red daymark with black vertical stripe. 5.9	Year round. Flash 1 s; eclipse 2 s.
1209	<i>Sheldrake Channel West light buoy M51</i>	47 04 56.7 065 21 47.3	Q G 1s	<i>Green, spar, marked "M51".</i>	<i>Seasonal (in place year round).</i>
1209.5 H1492	Lower Newcastle front range light	47 04 31.0 065 24 35.5	Iso W 1s	12.8	9	Triangular skeleton tower, red daymark with black vertical stripe. 5.9	Year round.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GASPÉ - CHALEUR BAY							
1209.6 <i>H1492.1</i>	Lower Newcastle rear range light	47 04 27.6 065 24 56.9 256°15' 467.0 m from front.	Iso W 4s	21.9	9	Triangular skeleton tower, red daymark with black vertical stripe. 5.9	Year round.
1209.7 <i>H1494</i>	Leggett Shoal front range light	On N. shore of river. 47 04 42.3 065 23 56.7	Iso R 1s	14.0	5	Pipe swing pole, red daymark with black vertical stripe.	Year round.
1209.8 <i>H1494.1</i>	Leggett Shoal rear range light	47 04 49.7 065 23 46.6 043°27' 308.8 m from front.	Iso R 4s	21.4	7	Triangular skeleton tower, red daymark with black vertical stripe. 5.4	Year round.
1210	<i>Gordon Point light buoy M53</i>	47 04 41.4 065 23 27.6	Q G 1s	<i>Green, spar, marked "M53".</i>	<i>Seasonal (in place year round).</i>
1211	<i>Leggett Shoal light buoy M55</i>	47 04 28.1 065 24 13.2	Q G 1s	<i>Green, spar, marked "M55".</i>	<i>Seasonal (in place year round).</i>
1212	<i>Leggett Shoal West light buoy M56</i>	47 03 57.2 065 25 04.6	Q R 1s	<i>Red, spar, marked "M56".</i>	<i>Seasonal (in place year round).</i>
1212.5 <i>H1496</i>	Millbank front range light	47 03 21.8 065 27 34.0	Iso R 1s	16.1	9	Triangular skeleton tower, red daymark with black vertical stripe. 6.0	Year round.
1212.6 <i>H1496.1</i>	Millbank rear range light	47 03 18.8 065 27 48.3 252°26' 305.6 m from front.	Iso R 4s	31.1	9	Triangular skeleton tower, red daymark with black vertical stripe. 12.0	Year round.
1213	<i>Millbank light buoy M57</i>	47 03 27.4 065 27 03.0	Q G 1s	<i>Green, spar, marked "M57".</i>	<i>Seasonal (in place year round).</i>
1214	<i>Millbank Channel West light buoy M59</i>	47 03 16.9 065 27 27.4	Q G 1s	<i>Green, spar, marked "M59".</i>	<i>Seasonal (in place year round).</i>
1215	<i>Middle Island light buoy M61</i>	47 02 59.2 065 27 47.4	Q G 1s	<i>Green, spar, marked "M61".</i>	<i>Seasonal (in place year round).</i>
1215.2	<i>Chatham Wharf light buoy M62</i>	47 02 13.3 065 28 07.0	Q R 1s	<i>Red, spar, marked "M62".</i>	<i>Seasonal (in place year round).</i>
1215.5 <i>H1505</i>	Chatham Bridge Pier North	On bridge pier, N. side of channel. 47 01 39.5 065 28 46.5	Iso R 2s	4.5	5	Pipe swing pole.	Year round.
1215.6 <i>H1505.2</i>	Chatham Bridge Pier South	On bridge pier, S. side of channel. 47 01 35.4 065 28 41.6	Iso G 2s	4.5	5	Pipe swing pole. 4.5	Year round.
1216	<i>Wright Bank light buoy M64</i>	47 01 11.2 065 29 31.7	Q R 1s	<i>Red, spar, marked "M64".</i>	<i>Seasonal (in place year round).</i>

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GASPÉ - CHALEUR BAY							
1216.5	Wright Bank light buoy M66	47 00 58.0 065 30 56.5	Fl R 4s	Red, spar, marked "M66".	Seasonal (in place year round).
1217	Wright Bank light buoy M68	47 00 54.4 065 31 46.7	Fl R 4s	Red, spar, marked "M68".	Seasonal (in place year round).
1217.5	Newcastle Reach light buoy M67	47 00 51.1 065 31 49.9	Fl G 4s	Green, spar, marked "M67".	Seasonal (in place year round).
1220	Wright Bank West light buoy M69	47 00 55.1 065 32 28.0	Q G 1s	Green, spar, marked "M69".	Seasonal (in place year round).
1222	Newcastle North light buoy M71	47 00 29.8 065 33 33.3	Q G 1s	Green, spar, marked "M71".	Seasonal (in place year round).
1223	Newcastle North light buoy M73	47 00 16.1 065 33 39.5	Fl G 4s	Green, spar, marked "M73".	Seasonal (in place year round).
1224	Newcastle Wharf light buoy M75	47 00 03.2 065 33 28.7	Q G 1s	Green, spar, marked "M75".	Seasonal (in place year round).
1228 H1514	Burnt Church Wharf	On E. side of wharf. 47 11 24.9 065 08 07.4	Fl R 4s	7.0	4	Square skeleton tower, red and white triangular daymark with red triangle in center. 6.6	Seasonal. Flash 1 s; eclipse 3 s.
1229 H1515	Neguac Wharf	Outer end of breakwater extension. 47 14 24.3 065 04 23.2	Fl R 4s	6.3	4	Cylindrical mast. 3.3	Seasonal.
1229.2	Lower Neguac Breakwater Light	47 15 23.4 065 03 10.8	Fl R 4s	4	Pipe swing pole, red and white triangular daymark.	Seasonal. Flash 1 s; eclipse 3 s.
1232	Hay Island light buoy MH31	E. of island. 47 14 08.5 065 03 23.2	Q G 1s	Green, can, marked "MH31".	Seasonal.
1233	Gammon Point West Cardinal light buoy MK	Off point. 47 11 35.4 065 04 18.7	Q(9) W 15s	Yellow-black-yellow, can, marked "MK".	Seasonal.
1234	Lower Portage Island light buoy MJ6	47 13 24.0 065 02 46.7	Fl R 4s	Red, conical, marked "MJ6".	Seasonal.
1234.4	Portage Gully light buoy MJ2	47 13 06.4 065 02 30.8	Q R 1s	Red, conical, marked "MJ2".	Seasonal.
1235	Portage Gully, North Side Channel Entrance bifurcation light buoy MJ	On N. side of gully. 47 12 21.0 065 02 16.6	Fl(2+1) G 6s	Green-red-green, conical, marked "MJ".	Seasonal.
1235.9	Portage Gully light buoy MH26	47 12 45.1 065 04 05.8	Fl R 4s	Red, spar, marked "MH26".	Seasonal.
1236	Portage Gully light buoy MH11	E. of N. point, Portage Island. 47 11 32.9 065 02 15.2	Fl G 4s	Green, pillar, marked "MH11".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GASPÉ - CHALEUR BAY							
1236.1	Portage Gully light buoy MH6.2	47 10 04.9 065 02 00.6	Q R 1s	Red, conical, marked "MH6.2".	Seasonal.
1236.3	Portage Gully light buoy MH6	47 09 59.0 065 01 58.8	Q R 1s	Red, conical, marked "MH6".	Seasonal.
1236.5	Portage Gully light buoy MH3	47 09 54.6 065 01 02.3	Fl G 4s	Green, can, marked "MH3".	Seasonal.
1236.6	Portage Gully light buoy MH2	47 10 18.2 064 59 53.5	Q R 1s	Red, spar, marked "MH2".	Seasonal.
1237.99	Tabusintac light buoy TA1	47 18 25.4 064 55 39.5	Fl G 4s	Green, spar, marked "TA1".	Seasonal. Buoy may be repositioned due to shifting channel.
1238	Tabusintac Gully light and bell buoy TA2	47 17 22.2 064 55 13.1	Fl R 4s	Red, pillar, marked "TA2".	Seasonal. Buoy may be repositioned due to shifting channel. Audible signal: Bell
1238.05	Tabusintac light buoy TA2/2	47 18 27.7 064 55 36.4	Q R 1s	Red, spar, marked "TA2/2".	Seasonal. Buoy may be repositioned due to shifting channel.
1238.1	Tabusintac South Gully Approach light buoy TA4	47 18 26.8 064 55 41.5	Fl R 4s	Red, pillar, marked "TA4".	Seasonal. Buoy may be repositioned due to shifting channel.
1238.13	Tabusintac light buoy TA6	47 18 27.2 064 55 45.0	Q R 1s	Red, spar, marked "TA6".	Seasonal. Buoy may be repositioned due to shifting channel.
1238.16	Tabusintac South Gully Approach light buoy TA9	47 18 45.7 064 55 46.5	Fl G 4s	Green, spar, marked "TA9".	Seasonal. Buoy may be repositioned due to shifting channel.
1238.17	Tabusintac light buoy TA10	47 18 32.2 064 55 46.2	Fl R 4s	Red, spar, marked "TA10".	Seasonal. Buoy may be repositioned due to shifting channel.
1238.2	Tabusintac South Gully Approach light buoy TA12	47 18 41.6 064 55 43.3	Fl R 4s	Red, pillar, marked "TA12".	Seasonal. Buoy may be repositioned due to shifting channel.
1238.21	Tabusintac light buoy TA13	47 18 59.0 064 55 51.4	Fl G 4s	Green, pillar, marked "TA13".	Seasonal. Buoy may be repositioned due to shifting channel.
1238.23	Tabusintac light buoy TA15	47 19 02.3 064 55 54.9	Fl G 4s	Green, spar, marked "TA15".	Seasonal. Buoy may be repositioned due to shifting channel.
1238.24	Tabusintac light buoy TA16	47 18 59.7 064 55 46.5	Fl R 4s	Red, pillar, marked "TA16".	Seasonal. Buoy may be repositioned due to shifting channel.
1238.26	Tabusintac South Gully light buoy TA18	47 19 02.6 064 55 48.8	Fl R 4s	Red, pillar, marked "TA18".	Seasonal. Buoy may be repositioned due to shifting channel.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GASPÉ - CHALEUR BAY							
1238.27	Tabusintac light buoy TA19	47 19 10.3 064 56 03.7	Fl G 4s	Green, pillar, marked "TA19".	Seasonal. Buoy may be repositioned due to shifting channel.
1238.28	Tabusintac light buoy TA20	47 19 11.2 064 55 59.3	Q R 1s	Red, spar, marked "TA20".	Seasonal. Buoy may be repositioned due to shifting channel.
1238.29	Tabusintac light buoy TA21	47 19 14.2 064 56 11.0	Fl G 4s	Green, pillar, marked "TA21".	Seasonal. Buoy may be repositioned due to shifting channel.
1238.3	Tabusintac South Gully light buoy TA22	47 19 15.1 064 56 06.9	Q R 1s	Red, pillar, marked "TA22".	Seasonal. Buoy may be repositioned due to shifting channel.
1238.31	Tabusintac light buoy TA22/2	47 19 26.0 064 56 07.6	Fl R 4s	Red, pillar, marked "TA22/2".	Seasonal. Buoy may be repositioned due to shifting channel.
1238.32	Tabusintac light buoy TA22/4	47 19 36.5 064 56 07.2	Fl R 4s	Red, pillar, marked "TA22/4".	Seasonal. Buoy may be repositioned due to shifting channel.
1238.4	Tabusintac Gully light buoy TA23	47 19 21.4 064 56 13.1	Fl G 4s	Green, spar, marked "TA23".	Seasonal. Buoy may be repositioned due to shifting channel.
1238.45	Tabusintac light buoy TA26/2	47 19 43.7 064 56 05.9	Q R 1s	Red, pillar, marked "TA26/2".	Seasonal. Buoy may be repositioned due to shifting channel.
1238.5	Tabusintac Bay light buoy TA34	47 19 54.8 064 56 07.9	Fl R 4s	Red, pillar, marked "TA34".	Seasonal. Buoy may be repositioned due to shifting channel.
1238.6	Tabusintac Bay light buoy TA37	47 19 52.4 064 56 08.7	Q G 1s	Green, pillar, marked "TA37".	Seasonal. Buoy may be repositioned due to shifting channel.
1238.65	Tabusintac Bay light buoy TA39	47 20 02.0 064 56 18.1	Fl G 4s	Green, pillar, marked "TA39".	Seasonal. Buoy may be repositioned due to shifting channel.
1238.66	Tabusintac Bay light buoy TA41	47 20 19.1 064 56 56.7	Fl G 4s	Green, spar, marked "TA41".	Seasonal. Buoy may be repositioned due to shifting channel.
1238.7 H1520	McEacherns Point Wharf	On SE. corner of wharf. 47 20 23.3 064 58 02.9	Fl R 4s	5.5	4	Pipe swing pole.	Seasonal. Flash 1 s; eclipse 3 s.
1238.8	South Tracadie light buoy TC	47 28 40.0 064 50 58.0	Mo(A) W 6s	Red-white, spar, marked "TC".	Seasonal. Buoy may be repositioned due to shifting channel.
1238.9	South Tracadie Entrance light buoy TC6	47 28 49.5 064 51 38.2	Q R 1s	Red, conical, marked "TC6".	Seasonal. Buoy may be repositioned due to shifting channel.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GASPÉ - CHALEUR BAY							
1239 H1521	South Tracadie	On the end of S. breakwater. 47 28 47.4 064 52 15.8	Fl G 4s	5.8	3	Cylindrical mast. 3.5	Seasonal. Flash 1 s; eclipse 3 s.
1239.1	South Tracadie Entrance light buoy TC12	47 28 44.6 064 52 29.4	Q R 1s	Red, spar, marked "TC12".	Seasonal. Buoy may be repositioned due to shifting channel.
1239.12	Tabusintac light buoy TA5	47 18 28.2 064 55 48.7	Q G 1s	Green, spar, marked "TA5".	Seasonal.
1239.2	South Tracadie light buoy TC14	47 28 40.3 064 52 31.6	Q R 1s	Red, pillar, marked "TC14".	Seasonal. Buoy may be repositioned due to shifting channel.
1239.3	South Tracadie light buoy TC19	47 28 30.7 064 52 32.4	Q G 1s	Green, pillar, marked "TC19".	Seasonal. Buoy may be repositioned due to shifting channel.
1239.4	South Tracadie light buoy TC22	47 28 20.7 064 52 35.2	Q R 1s	Red, pillar, marked "TC22".	Seasonal. Buoy may be repositioned due to shifting channel.
1239.44	South Tracadie light buoy TC24	47 28 00.1 064 52 57.3	Q R 1s	Red, pillar, marked "TC24".	Seasonal. Buoy may be repositioned due to shifting channel.
1239.5	South Tracadie bifurcation light buoy TD	47 28 11.3 064 52 45.3	Fl(2+1) R 6s	Red-green-red, pillar, marked "TD".	Seasonal. Buoy may be repositioned due to shifting channel.
1239.6	South Tracadie light buoy TD4	47 28 05.7 064 54 20.7	Q R 1s	Red, pillar, marked "TD4".	Seasonal. Buoy may be repositioned due to shifting channel.
1239.65	South Tracadie light buoy TD5	47 28 10.1 064 53 39.0	Q G 1s	Green, pillar, marked "TD5".	Seasonal. Buoy may be repositioned due to shifting channel.
1239.7	South Tracadie light buoy TD8	47 28 17.4 064 53 26.3	Fl R 4s	Red, pillar, marked "TD8".	Seasonal. Buoy may be repositioned due to shifting channel.
1239.8 H1520.5	Val-Comeau Wharf	On outer end of wharf. 47 27 56.1 064 52 55.6	Fl G 4s	5.8	6	Pipe swing pole.	Seasonal. Flash 1 s; eclipse 3 s.
1239.85	Val Comeau Cautionary Light	47 27 54.9 064 53 04.3	Fl Y 4s	2	Pipe swing pole.	Seasonal. Operates 24 h.
1240.22	Tabusintac Gully light buoy TA47	47 20 27.1 064 57 30.1	Q G 1s	Green, spar, marked "TA47".	Seasonal. Buoy may be repositioned due to shifting channel.
1240.5	North Tracadie Approach light buoy TE4	47 28 51.8 064 52 33.7	Fl R 4s	Red, pillar, marked "TE4".	Seasonal. Buoy may be repositioned due to shifting channel.
1241	North Tracadie Harbour Entrance light buoy TE12	47 29 08.7 064 52 50.3	Fl R 4s	Red, pillar, marked "TE12".	Seasonal. Buoy may be repositioned due to shifting channel.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GASPÉ - CHALEUR BAY							
1241.2	North Tracadie Harbour light buoy TE15	47 29 25.1 064 53 02.6	Q G 1s	Green, pillar, marked "TE15".	Seasonal. Buoy may be repositioned due to shifting channel.
1241.4	North Tracadie light buoy TE25	47 30 04.1 064 52 45.4	Q G 1s	Green, pillar, marked "TE25".	Seasonal. Buoy may be repositioned due to shifting channel.
1241.6	Tracadie light buoy TE34	47 30 38.1 064 53 05.0	Q R 1s	Red, pillar, marked "TE34".	Seasonal. Buoy may be repositioned due to shifting channel.
1241.8	North Tracadie Gully light buoy TE38	47 30 36.0 064 53 33.2	Q R 1s	Red, pillar, marked "TE38".	Seasonal. Buoy may be repositioned due to shifting channel.
1242	North Harbour Gully light buoy TE46	47 30 46.8 064 54 13.0	Q R 1s	Red, pillar, marked "TE46".	Seasonal. Buoy may be repositioned due to shifting channel.
1242.2	North Harbour Gully light buoy TE48	47 30 58.1 064 54 19.6	Q R 1s	Red, pillar, marked "TE48".	Seasonal. Buoy may be repositioned due to shifting channel.
1242.4	Tracadie Gully light buoy TE49	47 31 09.5 064 54 16.5	Q G 1s	Green, pillar, marked "TE49".	Seasonal. Buoy may be repositioned due to shifting channel.
1244.9 H1525	North Tracadie Wharf	SE. corner of wharf. 47 31 21.7 064 54 30.4	FI G 4s	5.9	6	Pipe swing pole. 5.3	Seasonal. Flash 1 s; eclipse 3 s.
1246.5	Pokemouche Gully light buoy TH2	47 38 59.3 064 46 09.3	FI R 4s	Red, pillar, marked "TH2".	Seasonal. Buoy may be repositioned due to shifting channel.
1246.71	Pokemouche Gully light buoy TH10	47 40 08.4 064 48 31.2	Q R 1s	Red, pillar, marked "TH10".	Seasonal. Buoy may be repositioned due to shifting channel.
1246.72	Pokemouche Gully light buoy TH11	47 39 24.0 064 47 01.1	Q G 1s	Green, pillar, marked "TH11".	Seasonal. Buoy may be repositioned due to shifting channel.
1246.75	Baie de Pokemouche light buoy TH46	47 40 07.7 064 48 28.9	Q R 1s	Red, pillar, marked "TH46".	Seasonal. Buoy may be repositioned due to shifting channel.
1246.76	Baie de Pokemouche light buoy TH27	47 39 41.6 064 47 10.3	Q G 1s	Green, pillar, marked "TH27".	Seasonal. Buoy may be repositioned due to shifting channel.
1246.77	Pokemouche Gully light buoy TH15	47 39 35.2 064 47 10.7	Q G 1s	Green, pillar, marked "TH15".	Seasonal. Buoy may be repositioned due to shifting channel.
1246.8 H1526.4	Pokemouche Gully Wharf	On SW. corner. 47 40 20.3 064 48 42.9	FI R 5s	5.7	4	Pipe swing pole, red and white triangular daymark.	Seasonal. Flash 1 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GASPÉ - CHALEUR BAY							
1248	Shippegan Fairway light buoy TJ	S. entrance to Shippegan Gully. 47 42 30.2 064 39 53.9	Mo(A) W 6s	Red-white, spar, marked "TJ".	Seasonal. Buoy may be repositioned due to shifting channel.
1248.101	Shippegan Gully light buoy TJ3	47 42 36.7 064 40 02.6	Fl G 4s	Green, can, marked "TJ3".	Seasonal.
1248.11	Shippegan Gully light buoy TJ4	47 42 38.1 064 40 01.1	Q R 1s	Red, spar, marked "TJ4".	Seasonal. Operates 24 h.
1248.12	Shippegan Gully light buoy TJ5	47 42 40.1 064 40 03.1	Q G 1s	Green, spar, marked "TJ5".	Seasonal. Buoy may be repositioned due to shifting channel.
1248.13	Shippegan Gully light buoy TJ6	47 42 40.9 064 39 56.3	Q R 1s	Red, spar, marked "TJ6".	Seasonal. Buoy may be repositioned due to shifting channel.
1248.132	Shippegan Gully light buoy TJ6/2	47 42 42.2 064 39 48.6	Q R 1s	Red, conical, marked "TJ6/2".	Seasonal.
1248.133	Shippegan Gully light buoy TJ7	47 42 46.0 064 39 52.6	Q G 1s	Green, spar, marked "TJ7".	Seasonal. Operates 24 h. Buoy may be repositioned due to shifting channel.
1248.151	Shippegan Gully light buoy TJ8	47 42 46.2 064 39 45.5	Q R 1s	Red, spar, marked "TJ8".	Seasonal.
1248.51	Shippegan Gully light buoy TJ9	47 42 51.7 064 39 52.9	Fl G 4s	Green, spar, marked "TJ9".	Seasonal. Operates 24 h.
1248.511	Shippegan Gully light buoy TJ10	47 42 55.8 064 39 50.8	Q R 1s	Red, conical, marked "TJ10".	Seasonal.
1248.71	Shippegan Gully light buoy TJ14	47 43 07.5 064 40 00.2	Fl R 4s	Red, conical, marked "TJ14".	Seasonal.
1249.1	Shippegan Gully light buoy TJ12	47 43 01.9 064 39 52.0	Fl R 4s	Red, conical, marked "TJ12".	Seasonal. Operates 24 h.
1250.5 H1531	Shippegan Gully Breakwater	Outer end of W. breakwater. 47 43 04.6 064 39 57.8	Fl G 4s	4.5	6	Cylindrical mast, green, white and black square daymark.	Seasonal. Flash 1 s; eclipse 3 s.
1250.7	Shippegan Gully Cautionary light buoy TJA	47 43 23.3 064 40 05.8	Fl Y 4s	Yellow, can, marked "TJA".	Seasonal. Buoy may be repositioned due to shifting channel.
1251.51	Shippegan Gully light buoy TJ11	47 43 00.2 064 39 56.3	Fl G 4s	Green, can, marked "TJ11".	Seasonal.
1253	Shippegan Gully light buoy TJ20	47 43 12.5 064 40 04.4	Q R 1s	Red, conical, marked "TJ20".	Seasonal. (Winter spar.) Buoy may be repositioned due to shifting channel.
1253.1	Shippegan Gully light buoy TJ22	47 43 19.2 064 40 01.7	Q R 1s	Red, conical, marked "TJ22".	Seasonal. (Winter spar.)

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GASPÉ - CHALEUR BAY							
1254 H1530	Big Shippagan	On sand bar, E. side of S. entrance to Shippegan Gully. 47 43 19.7 064 39 38.2	LFI W 6s	13		White octagonal tower with red top. 16.1	Year round. Flash 2 s; eclipse 4 s.
1257.3	Shippegan Gully light buoy TJ26	47 43 27.5 064 39 59.0	FI R 4s			Red, conical, marked "TJ26".	Seasonal. (Winter spar.)
1257.5	Shippegan Gully light buoy TJ27	47 43 27.4 064 40 02.9	FI G 4s			Green, can, marked "TJ27".	Seasonal. (Winter spar.) Buoy may be repositioned due to shifting channel.
1257.7	Shippegan Gully light buoy TJ29	47 43 33.8 064 40 02.2	Q G 1s			Green, spar, marked "TJ29".	Seasonal. Buoy may be repositioned due to shifting channel.
1258.1	Shippegan Gully light buoy TJ31	47 43 41.4 064 40 04.2	FI G 4s			Green, spar, marked "TJ31".	Seasonal. Buoy may be repositioned due to shifting channel.
1258.12	Shippegan Gully light buoy TJ32	47 43 41.6 064 40 00.5	FI R 4s			Red, spar, marked "TJ32".	Seasonal. Buoy may be repositioned due to shifting channel.
1258.125	Shippegan Gully light buoy TJ35	47 43 47.5 064 40 07.1	Q G 1s			Green, spar, marked "TJ35".	Seasonal. Buoy may be repositioned due to shifting channel.
1260	Shippegan Gully light buoy TJ36	47 43 48.2 064 40 04.1	Q R 1s			Red, pillar, marked "TJ36".	Seasonal. (Winter spar.) Buoy may be repositioned due to shifting channel.
1261	Shippegan Gully light buoy TJ40	47 43 54.5 064 40 11.7	FI R 4s			Red, spar, marked "TJ40".	Seasonal (in place year round). Buoy may be repositioned due to shifting channel.
1261.5	Shippegan Gully light buoy TJ51	47 44 07.2 064 40 48.7	FI G 4s			Green, spar, marked "TJ51".	Seasonal (in place year round). Buoy may be repositioned due to shifting channel.
1261.55	Shippegan Gully light buoy TJ55	47 44 19.1 064 41 06.8	FI G 4s			Green, spar, marked "TJ55".	Seasonal (in place year round). Buoy may be repositioned due to shifting channel.
1261.6	Shippegan Gully light buoy TJ60	47 44 33.2 064 41 13.6	Q R 1s			Red, spar, marked "TJ60".	Seasonal (in place year round). Buoy may be repositioned due to shifting channel.
1262 H1542	Sainte-Marie-sur-Mer Breakwater	On outer end of breakwater. 47 46 47.3 064 33 49.0	FI R 4s 7.0	3		Square skeleton tower, red and white triangular daymark with red triangle in center. 3.5	Seasonal. Flash 1 s; eclipse 3 s.
1262.11	Fox Dens Gully light buoy TK4	47 53 04.0 064 29 49.1	FI R 4s			Red, conical, marked "TK4".	Seasonal.
1262.12	Fox Dens Gully light buoy TK5	Inside gully entrance. 47 53 03.4 064 29 57.0	FI G 4s			Green, can, marked "TK5".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GASPÉ - CHALEUR BAY							
1262.121	Fox Dens Gully light buoy TK6	47 53 11.4 064 29 55.8	Fl R 4s	Red, conical, marked "TK6".	Seasonal.
1262.131	Fox Dens Gully light buoy TK7	47 53 09.2 064 29 54.1	Fl G 4s	Green, can, marked "TK7".	Seasonal.
1262.14	Fox Dens Gully light buoy TK8	47 53 05.0 064 30 01.3	Q R 1s	Red, conical, marked "TK8".	Seasonal. Operates 24 h.
1262.15	Fox Dens Gully light buoy TK9	47 53 08.3 064 30 05.2	Fl G 4s	Green, can, marked "TK9".	Seasonal. Operates 24 h.
1262.16	Fox Dens Gully light buoy TK10	47 53 08.9 064 30 19.9	Fl R 4s	Red, conical, marked "TK10".	Seasonal. Operates 24 h.
1262.17	Fox Dens Gully light buoy TK11	47 53 07.4 064 30 13.5	Fl G 4s	Green, can, marked "TK11".	Seasonal.
1262.18	Fox Dens Gully light buoy TK12	47 53 07.7 064 30 20.2	Fl R 4s	Red, conical, marked "TK12".	Seasonal.
1262.3 H1542.5	Sainte-Marie-sur-Mer	47 46 52.1 064 34 05.2	LFl W 6s	15.5	13	Square skeleton tower. 13.0	Year round. Flash 2 s; eclipse 4 s.
1262.5	Fox Dens Gully light buoy TK2	Île Lamèque. 47 53 14.9 064 29 44.5	Fl R 4s	Red, spar, marked "TK2".	Seasonal. Buoy may be repositioned due to shifting channel.
1262.6	Fox Dens Gully light buoy TK3	At gully entrance. 47 53 02.2 064 29 53.5	Fl G 4s	Green, can, marked "TK3".	Seasonal. Buoy may be repositioned due to shifting channel.
1262.75	Fox Dens Gully light buoy TK15	47 53 05.0 064 30 27.1	Q G 1s	Green, pillar, marked "TK15".	Seasonal. Buoy may be repositioned due to shifting channel.
1262.751	Miscou Harbour light buoy TK16	47 53 03.8 064 30 30.7	Fl R 4s	Red, conical, marked "TK16".	Seasonal. Operates 24 h.
1262.8 H1550	Fox Dens Gully Light	47 53 12.1 064 30 15.2	LFl W 6s	4.5	9	Square skeleton tower, red and white rectangular daymark.	Seasonal. Flash 2 s; eclipse 4 s.
1262.9 H1551	Pigeon Hill Wharf	47 52 43.7 064 30 26.1	Fl R 4s	4.0	5	Pipe swing pole, red and white triangular daymark. 3.6	Seasonal. Flash 1 s; eclipse 3 s.
1264.2	Miscou Island Bridge Pier light buoy MIS1	Centre piers side. 47 53 17.0 064 34 42.0	Fl G 4s	Green, pillar, marked "MIS 1".	Private aid. Seasonal.
1264.261	Miscou Harbour light buoy TK36	47 52 50.6 064 31 37.3	Q R 1s	Red, pillar, marked "TK36".	Seasonal. Operates 24 h.
1264.271	Miscou Harbour light buoy TK41	47 53 02.1 064 33 03.9	Fl G 4s	Green, can, marked "TK41".	Seasonal. Operates 24 h.
1264.3	Miscou Island Bridge Pier light buoy MIS2	Centre piers side. 47 53 17.0 064 34 39.5	Fl G 4s	Green, pillar, marked "MIS 2".	Private aid. Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GASPÉ - CHALEUR BAY							
1264.4	Miscou Island Bridge Pier light buoy MIS3	Centre piers side. 47 53 11.9 064 34 41.5	Fl R 4s	Red, pillar, marked "MIS 3".	Private aid. Seasonal.
1264.5	Miscou Island Bridge Pier light buoy MIS4	Centre piers side. 47 53 11.9 064 34 39.0	Fl R 4s	Red, pillar, marked "MIS 4".	Private aid. Seasonal.
1264.7 H1552	Miscou Island Racon K (-.-) X & S Bands	On Birch point. 48 00 33.7 064 29 34.7	Oc W 5s	24.5	12	White octagonal tower. 25.3	Year round. Operates 24 h. Flash 4 s; eclipse 1 s.
1264.77	Miscou Harbour light buoy TK25	47 52 56.3 064 30 59.5	Fl G 4s	Green, pillar, marked "TK25".	Seasonal. Operates 24 h.
1264.88	Miscou Harbour light buoy TK26	47 52 57.4 064 30 58.6	Fl R 4s	Red, pillar, marked "TK26".	Seasonal. Operates 24 h.
1265	Miscou Island West Cardinal light and whistle buoy EB	N. of island. 48 01 50.2 064 32 45.7	Q(9) W 15s	Yellow-black-yellow, pillar, marked "EB".	Seasonal. (Winter spar.) Buoy may be repositioned due to shifting channel. Audible signal: Whistle
Chaleur Bay							
1266	Miscou Flat West Cardinal light buoy EAE	47 56 54.2 064 38 21.6	Q(9) W 15s	Yellow-black-yellow, pillar, marked "EAE".	Seasonal. (Winter spar.) Buoy may be repositioned due to shifting channel.
1267	Miscou Channel Entrance Fairway light buoy EA	47 55 32.9 064 40 47.9	Mo(A) W 6s	Red-white, pillar, marked "EA".	Seasonal. Buoy may be repositioned due to shifting channel.
1268.1	Miscou Channel light buoy EA3	47 54 20.3 064 38 04.9	Fl G 4s	Green, can, marked "EA3".	Seasonal. Operates 24 h.
1268.2	Miscou Channel light buoy EA4	47 53 48.9 064 37 46.3	Fl R 4s	Red, spar, marked "EA4".	Seasonal. Operates 24 h.
1269.2	Miscou Channel light buoy EA5	47 54 19.5 064 37 58.6	Fl G 4s	Green, can, marked "EA5".	Seasonal.
1269.4	Miscou Channel light buoy EA6	47 53 36.2 064 37 01.7	Fl R 4s	Red, spar, marked "EA6".	Seasonal. Buoy may be repositioned due to shifting channel.
1270	Miscou Channel light buoy EA7	N. side of channel. 47 53 44.8 064 36 57.5	Fl G 4s	Green, spar, marked "EA7".	Seasonal. Buoy may be repositioned due to shifting channel.
1270.2	Miscou Channel light buoy EA8	47 53 25.7 064 36 28.9	Q R 1s	Red, spar, marked "EA8".	Seasonal. Buoy may be repositioned due to shifting channel.
1271	Miscou Channel light buoy EA9	N. side of channel. 47 53 28.6 064 36 21.2	Q G 1s	Green, can, marked "EA9".	Seasonal. Buoy may be repositioned due to shifting channel.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GASPÉ - CHALEUR BAY							
1272	Miscou Channel light buoy EA16	47 53 15.2 064 35 46.6	Fl R 4s	Red, conical, marked "EA16".	Seasonal. Buoy may be repositioned due to shifting channel.
1272.11	Miscou Channel light buoy EA17	47 53 18.4 064 35 12.4	Fl G 4s	Green, spar, marked "EA17".	Seasonal. Operates 24 h.
1272.141	Miscou Harbour light buoy TK17	47 53 03.7 064 30 32.6	Fl G 4s	Green, can, marked "TK17".	Seasonal. Operates 24 h.
1272.272	Miscou Harbour light buoy TK42	47 53 12.4 064 33 01.7	Fl R 4s	Red, spar, marked "TK42".	Seasonal. Operates 24 h.
1272.76	Miscou Harbour light buoy TK22	47 53 59.0 064 30 42.8	Fl R 4s	Red, pillar, marked "TK22".	Seasonal. Operates 24 h.
1273.01	Miscou Channel light buoy TK45	47 53 07.6 064 34 16.4	Q G 1s	Green, can, marked "TK45".	Seasonal. Operates 24 h.
1273.1	Shippegan Flat East light buoy EC1	Miscou Harbour. 47 53 39.2 064 38 52.6	Q G 1s	Green, can, marked "EC1".	Seasonal.
1273.15	Shippegan Flat light buoy EC4	Miscou Harbour. 47 53 12.3 064 40 04.6	Fl R 4s	Red, conical, marked "EC4".	Seasonal.
1273.41	Miscou Harbour light buoy TK46	47 53 21.2 064 34 14.6	Q R 1s	Red, conical, marked "TK46".	Seasonal. Operates 24 h.
1273.5 H1564.2	Shippegan Island West Wharf	On NW. corner of wharf. 47 53 00.2 064 34 32.0	Iso G 2s	4.2	5	Pipe Swing Pole, green, white and black square daymark.	Seasonal.
1274.1 H1559	Harper Point	W. side of Miscou Harbour entrance. 47 53 38.6 064 34 39.7	Fl G 4s	3.7	5	Pipe swing pole, green, white and green square daymark. 3.6	Seasonal. Flash 1 s; eclipse 3 s.
1274.2 H1562	Miscou Wharf	On outer end of wharf. 47 53 40.1 064 34 37.5	Fl R 4s	4.9	6	Pipe swing pole, red and white triangular daymark.	Seasonal. Flash 1 s; eclipse 3 s.
1275 H1556	Black Point	47 53 03.8 064 37 25.0	LFI W 6s	12	Skeleton tower with red top, enclosed central portion, red and white rectangular daymark. 17.7	Year round. Flash 2 s; eclipse 4 s.
1276.2	Shippegan North Channel light and whistle fairway buoy EG Racon G (- -) X Band	47 53 14.2 064 45 47.6	Mo(A) W 6s	Red-white, pillar, marked "EG".	Seasonal. (Winter spar.) Buoy may be repositioned due to shifting channel. Audible signal: Whistle
1277 H1567	Pointe de Petite- Lamèque front range light	N. of point. 47 48 56.4 064 42 16.8	F W	8.8	11 Square skeleton tower, black daymark with red vertical stripe. 8.1	Seasonal. Operates 24 h.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GASPÉ - CHALEUR BAY							
1278 H1567.1	Pointe de Petite- Lamèque rear range light	47 48 48.4 064 42 10.2 151°15' 281.3 m from front.	F W	16.5	11	Square skeleton tower, black daymark with red vertical stripe. 16.5	Seasonal. Operates 24 h.
1282	Shippegan Channel light buoy EG5	E. side of channel. 47 51 11.4 064 43 57.7	Fl G 4s	Green, spar, marked "EG5".	Seasonal (in place year round). Buoy may be repositioned due to shifting channel.
1282.5	Shippegan Channel light buoy EG8	47 50 41.0 064 43 42.9	Q R 1s	Red, spar, marked "EG8".	Seasonal (in place year round). Buoy may be repositioned due to shifting channel.
1283 H1568	Pointe à Marcelle front range light	On point. 47 47 10.3 064 44 58.4	F W	7.9	9	Square skeleton tower, black daymark with red vertical stripe. 6.8	Seasonal. Operates 24 h.
1283.1 H1568.1	Pointe à Marcelle rear range light	47 47 00.3 064 45 02.2 194°15' 28.0 m from front.	F W	17.9	9	Square skeleton tower, black daymark with red vertical stripe. 17.8	Seasonal. Operates 24 h.
1284	Shippegan Channel light buoy EG11	47 49 54.2 064 43 50.6	Q G 1s	Green, spar, marked "EG11".	Seasonal (in place year round). Buoy may be repositioned due to shifting channel.
1285.5	Shippegan Channel light buoy EG12	47 49 42.9 064 44 11.3	Fl R 4s	Red, spar, marked "EG12".	Seasonal (in place year round).
1286	Shippegan Channel light buoy EG14	47 48 50.0 064 43 27.2	Fl R 4s	Red, spar, marked "EG14".	Seasonal (in place year round). Buoy may be repositioned due to shifting channel.
1286.1	Miscou Channel light buoy EA2	47 54 21.4 064 39 35.3	Q R 1s	Red, spar, marked "EA2".	Seasonal. Operates 24 h.
1286.3 H1567.3	Pointe à Bernache front range light	47 45 27.9 064 43 17.0	F R	13	Square skeleton tower, black daymark with red vertical stripe. 6.6	Seasonal. Operates 24 h.
1286.4 H1567.31	Pointe à Bernache rear range light	47 45 22.4 064 43 16.8 179°25' 170.2 m from front.	F R	16.2	13	Square skeleton tower, black daymark with red vertical stripe. 15.8	Seasonal. Operates 24 h.
1286.6	Shippegan Channel light buoy EG17	47 47 03.2 064 43 17.6	Fl G 4s	Green, spar, marked "EG17".	Seasonal (in place year round). Buoy may be repositioned due to shifting channel.
1286.8	Shippegan Channel light buoy EG18	47 46 48.2 064 43 36.6	Q R 1s	Red, spar, marked "EG18".	Seasonal (in place year round). Buoy may be repositioned due to shifting channel.
1287 H1567.36	Shippegan Harbour West Entrance front range light	On outer end of wharf. 47 44 50.2 064 42 08.3	F R	10.9	10	Square skeleton tower, white daymark with red vertical stripe. 9.5	Seasonal. Operates 24 h. Synthetic AIS AtoN MMSI: 993161099

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GASPÉ - CHALEUR BAY							
1288 H1567.37	Shippegan Harbour West Entrance rear range light	47 44 36.5 064 41 58.5 154°24' 452.6 m from front.	F R	16.9	10	Square skeleton tower, white daymark with red vertical stripe. 16.4	Seasonal. Operates 24 h.
1289	Shippegan Channel light buoy EG21	47 46 06.7 064 42 00.0	Fl G 4s	Green, spar, marked "EG21".	Seasonal (in place year round). Buoy may be repositioned due to shifting channel.
1290	Shippegan Channel light buoy EG24	47 45 34.2 064 42 43.6	Fl R 4s	Red, spar, marked "EG24".	Seasonal (in place year round). Buoy may be repositioned due to shifting channel.
1291	Shippegan Channel light buoy EG25	47 45 02.0 064 42 15.7	Fl G 4s	Green, spar, marked "EG25".	Seasonal (in place year round). Buoy may be repositioned due to shifting channel.
1291.5	Shippegan Wharf	Outer end of wharf extension. 47 44 52.3 064 42 08.3	Iso R 1s	6.4	5	Pipe swing pole, red and white triangular daymark. 5.1	Seasonal.
1292 H1535	Savoy Landing	Outer end of wharf. 47 44 56.9 064 41 29.3	Fl W 3s	5.6	7	Square skeleton tower. 5.2	Seasonal. Flash 1 s; eclipse 2 s. Synthetic AIS AtoN MMSI: 993161098
1293	Shippegan Sound light buoy EJ3	Off Pointe Alexandre. 47 46 44.2 064 42 16.6	Q G 1s	Green, spar, marked "EJ3".	Seasonal (in place year round). Buoy may be repositioned due to shifting channel.
1295.3	Baie de Lamèque light buoy EJ5	At entrance to bay. 47 46 24.2 064 41 21.6	Fl G 4s	Green, spar, marked "EJ5".	Seasonal (in place year round). Buoy may be repositioned due to shifting channel.
1295.4	Baie de Lamèque light buoy EJ7	N. side of channel leading to wharf. 47 46 32.2 064 40 45.6	Q G 1s	Green, spar, marked "EJ7".	Seasonal (in place year round). Buoy may be repositioned due to shifting channel.
1296.1 H1571	Lamèque Wharf Light	47 47 25.9 064 39 32.6	Fl R 5s	5	Tower, red and white rectangular daymark.	Seasonal. Flash 1 s; eclipse 4 s.
1298	Baie de Lamèque light buoy EJ10	S. side of channel leading to wharf. 47 47 43.1 064 39 44.5	Fl R 4s	Red, spar, marked "EJ10".	Seasonal (in place year round). Buoy may be repositioned due to shifting channel.
1299	Baie de Lamèque light buoy EJ11	N. side of channel leading to wharf. 47 47 00.2 064 40 08.6	Fl G 4s	Green, spar, marked "EJ11".	Seasonal (in place year round). Buoy may be repositioned due to shifting channel.
1300	Baie de Lamèque light buoy EJ14	S. side of channel leading to wharf. 47 47 15.5 064 39 44.4	Fl R 4s	Red, spar, marked "EJ14".	Seasonal (in place year round). Buoy may be repositioned due to shifting channel.
1301 H1571	Lamèque Breakwater Light	On SE. corner of wharf. 47 47 25.7 064 39 35.7	Fl(2+1) G 6s	7.3	5	Tower, red and white rectangular daymark with red diamond and green square in the centre.	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GASPÉ - CHALEUR BAY							
1306.2	Caraquet Channel light buoy EM4	47 51 06.9 064 46 21.4	Fl R 4s	Red, spar, marked "EM4".	Seasonal (in place year round). (Winter spar.) Buoy may be repositioned due to shifting channel.
1306.3	Caraquet Channel light buoy EM2	47 52 03.0 064 45 12.0	Q R 1s	Red, spar, marked "EM2".	Seasonal (in place year round). (Winter spar.) Buoy may be repositioned due to shifting channel.
1306.5	Caraquet Channel light buoy EM3	47 51 29.9 064 45 38.0	Q G 1s	Green, spar, marked "EM3".	Seasonal (in place year round).
1306.6	Caraquet Channel light buoy EM5	47 50 38.9 064 47 00.7	Fl G 4s	Green, spar, marked "EM5".	Seasonal (in place year round).
1307	Caraquet Channel light buoy EM7	47 50 16.7 064 47 37.1	Q G 1s	Green, spar, marked "EM7".	Seasonal (in place year round). (Winter spar.) Buoy may be repositioned due to shifting channel.
1308	Caraquet Channel light buoy EM8	NW. side of channel. 47 49 57.8 064 48 07.0	Q R 1s	Red, spar, marked "EM8".	Seasonal (in place year round). (Winter spar.) Buoy may be repositioned due to shifting channel.
1308.5	Caraquet Channel light buoy EM10	47 49 34.9 064 48 54.4	Fl R 4s	Red, spar, marked "EM10".	Seasonal (in place year round). (Winter spar.) Buoy may be repositioned due to shifting channel.
1310 H1580	Caraquet front range light	NE. of Stoke Point. 47 48 30.0 064 50 27.8	F G	8.1	17 White pyramid tower with red vertical stripe. 7.1	Seasonal. Operates 24 h.
1310.5	Caraquet Channel light buoy EM12	47 49 12.8 064 50 01.0	Fl R 4s	Red, spar, marked "EM12".	Seasonal (in place year round).
1311 H1580.1	Caraquet rear range light	47 48 05.8 064 51 06.0 226°47' 1091.4 m from front.	F G	18 Square skeleton tower, white daymark with red vertical stripe.	Seasonal. Operates 24 h.
1311.5	Caraquet Harbour light buoy EM17	47 48 48.8 064 51 03.6	Fl G 4s	Green, spar, marked "EM17".	Seasonal (in place year round). (Winter spar.)
1312	Caraquet Harbour light buoy EM18	47 48 28.4 064 52 14.3	Q R 1s	Red, spar, marked "EM18".	Seasonal (in place year round). (Winter spar.) Buoy may be repositioned due to shifting channel.
1313	Caraquet Harbour East light buoy EM20	NE. of Middle Caraquet. 47 48 25.1 064 52 39.6	Fl R 4s	Red, spar, marked "EM20".	Seasonal (in place year round). (Winter spar.) Buoy may be repositioned due to shifting channel.
1313.2 H1581.5	Middle Caraquet front range light	47 48 09.7 064 53 09.0	F R	16 Square skeleton tower, red daymark with white vertical stripe.	Seasonal. Operates 24 h.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GASPÉ - CHALEUR BAY							
1313.3 <i>H1581.51</i>	Middle Caraquet rear range light	47 48 04.5 064 53 24.5 244°07' 355.0 m from front.	F R		17	Square skeleton tower, red daymark with white vertical stripe.	Seasonal. Operates 24 h.
1314 <i>H1582</i>	Middle Caraquet Wharf	On outer end of E. section of wharf. 47 48 13.4 064 52 22.4	FI W 4s 7.3	7.3	9	Pipe swing pole. 6.7	Seasonal. Flash 1 s; eclipse 3 s.
1314.1 <i>H1582.4</i>	Middle Caraquet East Wharf	47 48 14.3 064 52 22.6	FI G 4s 4.3	4.3	4	Pipe swing pole.	Seasonal. Flash 1 s; eclipse 3 s.
1314.2 <i>H1581.7</i>	Stoke Point front range light	47 48 21.4 064 51 34.2	F R		14	Square skeleton tower, red daymark with white vertical stripe.	Seasonal. Operates 24 h.
1314.3 <i>H1581.71</i>	Stoke Point rear range light	47 48 21.1 064 51 28.2 093°46' 124.2 m from front.	F R		14	Square skeleton tower, red daymark with white vertical stripe.	Seasonal. Operates 24 h.
1315	<i>Caraquet Harbour light buoy EM25</i>	47 48 20.5 064 54 04.6	FI G 4s			<i>Green, spar, marked "EM25".</i>	<i>Seasonal (in place year round).</i>
1317	<i>Caraquet Harbour West light buoy EM23</i>	<i>S. of Caraquet Island.</i> 47 48 24.7 064 53 34.6	Q G 1s			<i>Green, spar, marked "EM23".</i>	<i>Seasonal (in place year round). (Winter spar.) Buoy may be repositioned due to shifting channel.</i>
1318	<i>Île de Caraquet Harbour light buoy EM28</i>	<i>SW. of island.</i> 47 48 19.9 064 54 17.5	FI R 4s			<i>Red, spar, marked "EM28".</i>	<i>Seasonal (in place year round). (Winter spar.) Buoy may be repositioned due to shifting channel.</i>
1318.2	<i>Caraquet Harbour light buoy EM31</i>	47 47 53.5 064 55 23.3	FI G 4s			<i>Green, can, marked "EM31".</i>	<i>Seasonal. (Winter spar.) Buoy may be repositioned due to shifting channel.</i>
1318.6	<i>Caraquet Harbour light buoy EM34</i>	47 48 07.1 064 55 27.9	FI R 4s			<i>Red, pillar, marked "EM34".</i>	<i>Seasonal. (Winter spar.)</i>
1319 <i>H1583</i>	Young Wharf	On SE. corner of wharf. 47 47 48.9 064 55 31.3	FI R 5s 7.5	7.5	8	Pipe swing pole, red and white triangular daymark. 7.1	Seasonal. Flash 1 s; eclipse 4 s.
1319.1 <i>H1584</i>	Young Wharf West	On NW. corner of wharf. 47 47 51.3 064 55 46.7	LFI G 6s 5.4	5.4	8	Square skeleton tower, green and white rectangular daymark. 4.9	Seasonal. Flash 2 s; eclipse 4 s.
1319.5	Caraquet Harbour Breakwater Light	47 47 53.7 064 55 50.6	LFI R 6s		8	Pipe tower, red and white triangular daymark.	Seasonal. Flash 2 s; eclipse 4 s.
1319.6	Caraquet Inner Breakwater Light	On the inner corner of the breakwater. 47 47 49.7 064 55 52.8	FI R 4s		3	Pipe tower, red and white triangular daymark. 1.0	Private aid. Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GASPÉ - CHALEUR BAY							
1319.7	Caraquet Inner Breakwater Light	On the end of the inner breakwater. 47 47 48.6 064 55 52.7	Fl G 4s	3	Pipe tower, green, white and black square daymark. 1.0	Private aid. Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
1320	Baie de Caraquet light buoy EM42	47 48 03.2 064 57 27.6	Fl R 4s	Red, spar, marked "EM42".	Seasonal. (Winter spar.) Buoy may be repositioned due to shifting channel.
1320.5	Île de Caraquet light buoy EN3	47 49 28.5 064 54 56.2	Fl G 4s	Green, spar, marked "EN3".	Seasonal. (Winter spar.) Buoy may be repositioned due to shifting channel.
1320.51	Île de Caraquet light buoy EN4	47 49 10.2 064 54 43.3	Fl R 4s	Red, spar, marked "EN4".	Seasonal.
1320.6	Île de Caraquet light buoy EN6	Caraquet Harbour. 47 48 54.8 064 54 22.5	Fl R 4s	Red, spar, marked "EN6".	Seasonal.
1320.61	Île de Caraquet light buoy EN5	47 49 13.1 064 54 37.9	Fl G 4s	Green, spar, marked "EN5".	Seasonal.
1320.611	Île de Caraquet light buoy EN7	Caraquet Harbour. 47 48 56.2 064 54 20.2	Fl G 4s	Green, spar, marked "EN7".	Seasonal.
1320.62	Île de Caraquet light buoy EN8	47 48 46.7 064 54 14.1	Fl R 4s	Red, spar, marked "EN8".	Seasonal.
1321.5	Île de Caraquet light buoy EN9	47 48 47.1 064 54 09.5	Fl G 4s	Green, spar, marked "EN9".	Seasonal (in place year round). (Winter spar.) Buoy may be repositioned due to shifting channel.
1321.6	Île de Caraquet light buoy EN10	Caraquet Harbour. 47 48 34.6 064 54 09.3	Q R 1s	Red, spar, marked "EN10".	Seasonal.
1322 H1588	Île de Caraquet	On W. side of island. 47 49 21.2 064 54 16.0	Fl W 6s	22.3	9	Skeleton tower with red enclosed top, white slatwork daymark. 20.1	Year round. Flash 1 s; eclipse 5 s.
1322.2	Île de Caraquet West cardinal light buoy ENA	47 48 29.3 064 54 06.8	Q(9) W 15s	Yellow-black-yellow, spar, marked "ENA".	Seasonal.
1322.5	Maisonnette Ledge light buoy EN	NE. of ledge. 47 50 47.5 064 54 58.3	Mo(A) W 6s	Red-white, spar, marked "EN".	Seasonal (in place year round). (Winter spar.) Buoy may be repositioned due to shifting channel.
1324 H1590	Pointe de Maisonnette	On N. extremity of point. 47 50 15.0 065 00 13.0	LFl W 6s	17.0	13	Square skeleton tower. 13.1	Year round. Flash 2 s; eclipse 4 s.
1325 H1591.4	Anse Bleue Wharf Light	On outer end of wharf. 47 49 55.5 065 04 47.8	Fl G 6s	6.4	8	Square skeleton tower, green and white rectangular daymark. 5.3	Year round. Flash 1 s; eclipse 5 s.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GASPÉ - CHALEUR BAY							
1325.1 H1591.41	Anse Bleue Light	47 49 44.9 065 04 52.0	Fl W 6s	13.0	12	Square skeleton tower. 9.9	Year round. Flash 1 s; eclipse 5 s.
1325.4 H1591.8	Anse Bleue Breakwater Light	On outer end of breakwater. 47 49 55.8 065 04 50.8	Fl R 6s	7.9	8	Square skeleton tower. 3.7	Year round. Flash 1 s; eclipse 5 s.
1326.1 H1592.05	Grande-Anse South Breakwater	On outer end of E. breakwater. 47 49 07.9 065 10 35.1	Fl G 5s	7.4	8	Square skeleton tower, green and white rectangular daymark. 5.1	Seasonal. Flash 1 s; eclipse 4 s.
1327.1 H1592.06	Grande-Anse North Breakwater	On outer end of W. breakwater. 47 49 09.3 065 10 34.8	Fl R 5s	6.8	8	Square skeleton tower, red and white rectangular daymark. 5.1	Seasonal. Flash 1 s; eclipse 4 s.
1328 H1596	Stonehaven	On hill overlooking wharf. 47 45 12.3 065 21 42.3	Fl W 4s	10	Pipe swing pole.	Seasonal. Flash 1 s; eclipse 3 s.
1328.5 H1596.2	Stonehaven Breakwater	47 45 17.6 065 21 49.1	Fl G 4s	7.0	5	Pipe Swing Pole, green, white and black square daymark. 3.7	Seasonal. Flash 1 s; eclipse 3 s.
1330.45	<i>Bathurst Entrance Fairway light buoy EP</i>	47 40 32.4 065 36 15.0	<i>Mo(A) W 6s</i>	<i>Red-white, conical, marked "EP".</i>	<i>Seasonal.</i>
1330.55	<i>Bathurst Entrance light buoy EP15</i>	47 40 16.6 065 36 27.1	<i>Fl G 4s</i>	<i>Green, pillar, marked "EP15".</i>	<i>Seasonal.</i>
1330.6	<i>Bathurst Entrance light buoy EP25</i>	47 39 48.8 065 36 47.5	<i>Fl G 4s</i>	<i>Green, pillar, marked "EP25".</i>	<i>Seasonal. Buoy may be repositioned due to shifting channel.</i>
1330.7	<i>Bathurst Entrance light buoy EP28</i>	<i>Bathurst Harbour entrance. 47 39 20.9 065 37 13.9</i>	<i>Fl R 4s</i>	<i>Red, pillar, marked "EP28".</i>	<i>Seasonal. Buoy may be repositioned due to shifting channel.</i>
1330.8	<i>Bathurst Entrance light buoy EP29</i>	47 39 17.0 065 37 12.8	<i>Q G 1s</i>	<i>Green, can, marked "EP29".</i>	<i>Seasonal. Buoy may be repositioned due to shifting channel.</i>
1332.35	<i>Bathurst Harbour light buoy EP33</i>	47 39 00.9 065 37 51.1	<i>Fl G 4s</i>	<i>Green, pillar, marked "EP33".</i>	<i>Seasonal.</i>
1335.55	<i>Bathurst Harbour Turn light buoy EP50</i>	47 37 59.7 065 39 07.4	<i>Q R 1s</i>	<i>Red, spar, marked "EP50".</i>	<i>Seasonal.</i>
1336.8	<i>Bathurst Harbour light buoy EP65</i>	47 36 56.0 065 38 30.6	<i>Fl G 4s</i>	<i>Green, spar, marked "EP65".</i>	<i>Seasonal. Buoy may be repositioned due to shifting channel.</i>
1339 H1606	Petit-Rocher	On outer end of wharf ell. 47 46 54.6 065 42 27.2	Fl R 6s	7.5	8	Square skeleton tower, red and white rectangular daymark. 6.9	Seasonal. Flash 1 s; eclipse 5 s.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GASPÉ - CHALEUR BAY							
1339.2	Petit-Rocher Breakwater Light	On outer end of breakwater. 47 46 55.2 065 42 29.7	Fl G 6s	5		Pipe Swing Pole, green, white and black square daymark.	Seasonal. Operates 24 h. Flash 1 s; eclipse 5 s.
1339.5	<i>Petit-Rocher light buoy ES2</i>	47 46 55.2 065 42 08.7	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "ES2".</i>	<i>Seasonal. Buoy may be repositioned due to shifting channel.</i>
1339.8 <i>H1608</i>	Pointe-Verte Breakwater	On outer end of breakwater. 47 51 43.2 065 45 39.4	Fl R 4s 7.1	4		Square skeleton tower. 3.7	Seasonal. Flash 1 s; eclipse 3 s.
1340 <i>H1608.4</i>	Pointe-Verte	On NW. corner of wharf. 47 51 40.8 065 45 43.1	F R	7.4	10	Square skeleton tower. 6.9	Year round. Operates 24 h.
1340.05	<i>Pointe-Verte light buoy ET2</i>	47 51 46.5 065 45 25.0	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, conical, marked "ET2".</i>	<i>Seasonal. Buoy may be repositioned due to shifting channel.</i>
1340.1 <i>H1609</i>	Belledune Point	47 54 27.1 065 49 55.0	Oc G 3s 11.1	10		Square skeleton tower, green and white rectangular daymark. 9.9	Year round. Operates 24 h. Flash 2 s; eclipse 1 s.
1340.2 <i>H1610</i>	Belledune Wharf	On extreme outer end of breakwater. 47 54 47.0 065 50 18.7	Oc R 3s 10.0	10		Square skeleton tower, red and white rectangular daymark. 10.0	Year round. Operates 24 h. Flash 2 s; eclipse 1 s.
1340.8 <i>H1612</i>	New Mills West Breakwater	Outer end of wharf. 47 58 27.7 066 11 22.3	Fl G 4s 6.1	4		Pipe Swing Pole, green, white and black square daymark. 5.4	Seasonal. Flash 1 s; eclipse 3 s.
1343 <i>H1616</i>	Inch Arran Point front range light	On the point. 48 03 39.4 066 21 03.5	Iso W 6s 13.7	14		White square tower with red top and red vertical stripe. 10.9	Year round. Operates 24 h.
1343.1 <i>H1616.1</i>	Inch Arran Point rear range light	48 03 42.8 066 21 20.3 286°45' 364.5 m from front.	Iso W 6s 24.0	15		Square skeleton tower, white daymark with red vertical stripe.	Year round. Operates 24 h.
1343.2	<i>Dalhousie Harbour light buoy EX4</i>	<i>NE. of Dalhousie Island. 48 04 25.6 066 21 25.9</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "EX4".</i>	<i>Seasonal (in place year round). Buoy may be repositioned due to shifting channel.</i>
1343.3	<i>Dalhousie Harbour light buoy EX6</i>	48 04 25.9 066 21 44.7	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "EX6".</i>	<i>Seasonal (in place year round). Buoy may be repositioned due to shifting channel.</i>
1343.4	<i>Dalhousie Harbour light buoy EX8</i>	48 04 25.7 066 21 55.6	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "EX8".</i>	<i>Seasonal (in place year round). Buoy may be repositioned due to shifting channel.</i>

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GASPÉ - CHALEUR BAY							
1343.6 <i>H1618</i>	Dalhousie Wharf	Outer end of wharf. 48 04 17.8 066 21 37.0	Fl G 4s	5	Square skeleton tower, green, white and black square daymark.	Year round. Flash 1 s; eclipse 3 s.
1343.7 <i>H1619</i>	Dalhousie Harbour East front range light	48 04 15.2 066 21 57.5	F G	14.6	14 Square skeleton tower, white daymark with red vertical stripe. 12.7	Year round. Operates 24 h.
1343.8 <i>H1619.1</i>	Dalhousie Harbour East rear range light	48 04 15.1 066 21 59.9 268°10' 49.4 m from front.	F G	14 Square skeleton tower, white daymark with red vertical stripe.	Year round. Operates 24 h.
1344 <i>H1620</i>	Dalhousie (Douglas) Island	N. point of island. 48 04 20.2 066 21 51.5	Iso G	4s	5 Square skeleton tower, green, white and black square daymark.	Year round. Operates 24 h.
1345	Dalhousie Harbour Light	48 04 20.6 066 22 10.4	Fl G	4s	5 Square skeleton tower, green, white and black square daymark.	Year round. Flash 1 s; eclipse 3 s.
1345.6	<i>Dalhousie Harbour light buoy EX9</i>	48 04 15.9 066 23 08.2	Q G	1s <i>Green, spar, marked "EX9".</i>	<i>Seasonal. Buoy may be repositioned due to shifting channel.</i>
1361	Miguasha-Ouest	End of W. breakwater. 48 05 53.6 066 20 51.6	Fl Y	4s	2.6	3 Cylindrical mast. 2.4	Seasonal.
1362	<i>Banc de Miguasha light buoy EX2</i>	<i>At S. extremity of spit. 48 03 24.2 066 18 57.9</i>	Q R	1s <i>Red, spar, marked "EX2".</i>	<i>Seasonal (in place year round). Buoy may be repositioned due to shifting channel.</i>
1362.1	<i>East Bay light buoy EX3</i>	48 04 13.1 066 21 19.2	Fl G	4s <i>Green, spar, marked "EX3".</i>	<i>Seasonal (in place year round). Buoy may be repositioned due to shifting channel.</i>
1364	Carleton-sur-Mer	Carleton-sur-Mer wharf. 48 05 59.5 066 07 49.1	Iso G	2s	7.4	5 Square skeleton tower. 5.1	Seasonal.
1365 <i>H1638</i>	Carleton	On Pointe Tracadigache. 48 05 13.0 066 07 29.6	Fl R	5s	9.2	15 White square skeleton tower with red top. 8.6	Private aid. Seasonal. Flash 1 s; eclipse 4 s.
1369 <i>H1655</i>	Bonaventure front range light	Havre de Beaubassin. 48 02 09.3 065 28 56.8	Iso R	2s	6.3	13 Square skeleton tower, orange daymark with black vertical stripe. 4.6	Seasonal.
1369.1 <i>H1655.1</i>	Bonaventure rear range light	48 02 13.8 065 28 55.6 009°52' 141.7 m from front.	Iso R	2s	9.0	13 Square skeleton tower, orange daymark with black vertical stripe. 7.9	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GASPÉ - CHALEUR BAY							
1370	Pointe de Beaubassin light buoy AB1	Rivière Bonaventure. 48 01 52.7 065 29 02.2	Fl G 4s	Green, pillar, marked "AB1".	Seasonal.
1373	Paspébiac light buoy AP2	48 00 15.2 065 15 30.7	Fl R 4s	Red, pillar, marked "AP2".	Seasonal.
1373.3 H1665	Paspébiac Breakwater	On outer end of breakwater. 48 01 06.1 065 15 34.3	Fl G 6s	10.7	7	Square skeleton tower. 8.1	Year round. Flash 1 s; eclipse 5 s.
1374 H1666	Paspébiac Wharf	On W. end of wharf. 48 01 08.0 065 15 29.1	Fl R 6s	9.6	6	Pipe swing pole. 6.5	Year round. Flash 1 s; eclipse 5 s.
1375.5	Baie de Paspébiac Aquaculture Area light buoy PRIV	NW. corner of aquaculture area. 48 00 03.4 065 18 03.4	Fl Y 4s	Yellow, marked "PRIV".	Private aid. Seasonal.
1375.6	Baie de Paspébiac Aquaculture Area light buoy PRIV	NE. corner of aquaculture area. 48 00 07.0 065 17 52.1	Fl Y 4s	Yellow, marked "PRIV".	Private aid. Seasonal.
1375.7	Baie de Paspébiac Aquaculture Area light buoy PRIV	SE. corner of aquaculture area. 48 00 02.0 065 17 48.5	Fl Y 4s	Yellow, marked "PRIV".	Private aid. Seasonal.
1375.8	Baie de Paspébiac Aquaculture Area light buoy PRIV	SW. corner of aquaculture area. 47 59 58.3 065 17 59.8	Fl Y 4s	Yellow, marked "PRIV".	Private aid. Seasonal.
1376 H1674	St. Godefroi	On outer end of wharf. 48 04 23.4 065 06 52.1	Fl R 6s	7.9	5	Square skeleton tower. 6.5	Seasonal. Flash 1 s; eclipse 5 s.
1377	St. Godefroi light buoy AG1	48 04 20.7 065 06 59.3	Fl G 4s	Green, can, marked "AG1".	Seasonal.
1378	St. Godefroi light buoy AG2	48 04 19.9 065 06 57.9	Fl R 4s	Red, conical, marked "AG2".	Seasonal.
1379 H1680	Port Daniel West	On SW. Point. 48 09 04.8 064 56 59.1	Fl W 5s	23.1	22	White octagonal tower. 7.8	Year round. Operates 24 h. Flash 1 s; eclipse 4 s.
1379.5	Port-Daniel-Est	On outer end of breakwater. 48 10 55.0 064 57 42.1	Iso R 2s	4.0	3	Cylindrical mast. 2.3	Seasonal.
1380	Port Daniel light buoy AD4	48 10 43.1 064 57 33.1	Fl R 4s	Red, conical, marked "AD4".	Seasonal.
1381	Port Daniel light buoy AD2	48 10 32.3 064 57 11.8	Fl R 4s	Red, conical, marked "AD2".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GASPÉ - CHALEUR BAY							
1382 H1687	Anse aux Gascons front range light	48 11 28.6 064 51 46.7	F R 9.3	16	Square skeleton tower, orange daymark with black vertical stripe. 7.9	Seasonal.	
1382.1 H1687.1	Anse aux Gascons rear range light	48 11 30.3 064 51 48.9 319°26' 70.3 m from front.	F R 13.5	16	Square skeleton tower, orange daymark with black vertical stripe. 10.9	Seasonal.	
1383 H1686	Reddish Point Breakwater	48 11 23.8 064 51 38.6	Fl G 6s 4.9	3	Mast. 1.5	Seasonal. Flash 1 s; eclipse 5 s.	
1388	Fairway light and bell buoy NEWPO	S. of la pointe de Newport. 48 16 38.0 064 43 01.1	Mo(A) W 6s	Red-white, pillar, marked "NEWPO".	Seasonal. Audible signal: Bell	
1388.2	Light buoy AN1	Newport Point. 48 16 53.3 064 43 10.8	Q G 1s	Green, pillar, marked "AN1".	Year round. (Winter spar.)	
1388.4	Light buoy AN3	Newport Point. 48 16 58.3 064 43 13.2	Q G 1s	Green, pillar, marked "AN3".	Year round. (Winter spar.)	
1388.5	Light buoy AN4	Newport Point. 48 16 58.3 064 43 08.7	Fl R 4s	Red, pillar, marked "AN4".	Seasonal.	
1389 H1700	Pointe de Newport	On extremity S. of point. 48 17 02.7 064 43 05.6	Fl Y 6s 13.2	5	Square skeleton tower. 9.4	Seasonal. Flash 1 s; eclipse 5 s.	
1390 H1701	Pointe de Newport front range light	On outer end of wharf. 48 17 09.9 064 43 16.6	F R 9.1	7	Pipe swing pole. 8.2	Seasonal. Operates 24 h.	
1391 H1701.1	Pointe de Newport rear range light	48 17 12.8 064 43 18.0 341°50' 235.4 m from front.	F R 17.2	7	Square skeleton tower, orange daymark with black vertical stripe. 15.5	Seasonal. Operates 24 h.	
1393 H1706	Île Dupuis	On island. 48 20 23.7 064 40 09.5	Fl R 6s 12.6	6	Square skeleton tower. 9.6	Year round. Flash 1 s; eclipse 5 s.	
1394 H1708	Anse à l'Îlot	S. end of Marina de Chandler jetty. 48 20 38.2 064 40 09.2	Fl Y 4s 7.0	4	Mast. 5.0	Private aid. Year round.	
1399 H1712	Grande-Rivière North Breakwater	48 23 34.3 064 29 40.2	Iso G 2s 6.0	3	Cylindrical mast. 1.5	Seasonal.	
1399.2 H1713	Grande-Rivière South Breakwater	48 23 31.7 064 29 41.6	Iso R 2s 8.7	5	Square mast. 2.0	Seasonal.	

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GASPÉ - CHALEUR BAY							
1401.3	Sainte-Thérèse de Gaspé North Breakwater	On outer end of breakwater. 48 24 51.7 064 23 34.6	Iso R 2s	3.1	3	Mast. 2.2	Seasonal.
1401.4	Sainte-Thérèse-de-Gaspé South Breakwater	End of breakwater. 48 24 51.1 064 23 33.0	Iso G 2s	3.1	3	Mast. 2.1	Seasonal.
1401.5 H1715	Sainte-Thérèse-de-Gaspé	On outer end of breakwater. 48 24 50.5 064 23 32.4	Fl G 5s	6.1	5	Mast.	Seasonal. Flash 1 s; eclipse 4 s.
1403 H1718	Cap d'Espoir	48 25 09.3 064 19 01.7	Fl(4) W 30s	25.5	21	White octagonal tower. 11.3	Year round. Operates 24 h. Flash 2 s; eclipse 3 s; flash 2 s; eclipse 3 s; flash 2 s; eclipse 3 s; flash 2 s; eclipse 13 s.
1404	Anse à Beaufile light buoy AF-1	48 28 14.2 064 18 04.5	Fl G 4s	Green, pillar, marked "AF1".	Seasonal.
1408	Récif de Percé light buoy AA1	48 30 56.6 064 12 09.8	Fl G 4s	Green, pillar, marked "AA1".	Seasonal.
1409 H1727	Percé	On end of wharf. 48 31 15.1 064 12 37.7	Fl R 6s	9.8	6	Skeleton tower. 6.5	Seasonal. Flash 1 s; eclipse 5 s.
1410	Mal-Bay	On the wharf. 48 37 12.3 064 11 57.3	Fl G 6s	9.2	5	Pipe swing pole. 7.8	Seasonal. Flash 1 s; eclipse 5 s.
1412 H1738	Île Plate	On small islet off Pointe St-Pierre. 48 37 37.2 064 09 22.7	Fl W 6s	20.6	9	Square skeleton tower, orange rectangular daymark. 12.8	Year round. Flash 1 s; eclipse 5 s.
1413.1	L'Anse-à-Brillant light buoy BR2	48 43 42.8 064 17 06.6	Q R 1s	Red, pillar, marked "BR2".	Seasonal.
1414 H1740	L'Anse-à-Brillant front range light	On wharf. 48 43 13.7 064 17 24.4	F G	7.9	16	Square skeleton tower, orange daymark with black vertical stripe. 5.1	Seasonal.
1415 H1740.1	L'Anse-à-Brillant rear range light	48 43 12.8 064 17 25.0 205°10' 31.0 m from front.	F G	9.7	16	Square skeleton tower, orange daymark with black vertical stripe. 8.2	Seasonal.
Baie de Gaspé							
1417.4 H1752.2	Gaspé marina North Breakwater	At marina entrance, on N. breakwater. 48 49 40.5 064 28 26.5	Fl R 2s	7.0	3	Square skeleton tower. 5.0	Private aid. Seasonal. Flash 0.5 s; eclipse 1.5 s.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GASPÉ - CHALEUR BAY							
1417.5 H1752.4	Gaspé marina South pier	At marina entrance, on S. pier. 48 49 39.3 064 28 28.7	Fl G 2s	7.0	Square skeleton tower. 5.0	Private aid. Seasonal. Flash 0.5 s; eclipse 1.5 s.
1417.8 H1752.3	Gaspé Bridge	48 49 43.7 064 28 48.8	F W	6.7	On bridge.	Year round.
1418.1	Havre de Gaspé Northwest Basin light buoy PRIV	48 50 45.0 064 28 11.5	Fl R 4s	Red, spar, marked "PRIV".	Private aid. Seasonal.
1418.2	Havre de Gaspé Northwest Basin light buoy PRIV	48 50 29.4 064 27 34.1	Fl R 4s	Red, spar, marked "PRIV".	Private aid. Seasonal.
1418.3	Havre de Gaspé Northwest Basin light buoy PRIV	48 50 38.6 064 27 07.6	Fl R 4s	Red, spar, marked "PRIV".	Private aid. Seasonal.
1418.6	Havre de Gaspé Northwest Basin light buoy PRIV	48 50 47.2 064 27 02.6	Fl R 4s	Red, spar, marked "PRIV".	Private aid. Seasonal.
1418.7	Havre de Gaspé Northwest Basin light buoy PRIV	48 50 47.2 064 26 45.6	Fl R 4s	Red, spar, marked "PRIV".	Private aid. Seasonal.
1418.8	Havre de Gaspé Northwest Basin light buoy PRIV	48 50 51.2 064 26 34.6	Fl R 4s	Red, spar, marked "PRIV".	Private aid. Seasonal.
1419.6 H1754	Presqu'île de Penouille front range light	Near shore. 48 51 07.3 064 25 27.4	F W	7.1	13	Square skeleton tower, orange daymark with black vertical stripe. 5.3	Year round. Operates 24 h. Emergency mode.
1419.7 H1754.1	Presqu'île de Penouille rear range light Racon G (- - .) X & S Bands	48 51 11.8 064 25 36.3 307°25' 229.3 m from front.	F W	17.9	13	Square skeleton tower, orange daymark with black vertical stripe. 16.0	Year round. Operates 24 h. Emergency mode.
1419.8	Bassin de Gaspé light buoy HD9	48 50 37.6 064 24 45.1	Fl G 4s	Green, pillar, marked "HD9".	Year round. (Winter spar.)
1420	Penouille light buoy HD8	48 50 46.2 064 24 26.1	Fl R 4s	Red, pillar, marked "HD8".	Seasonal.
1420.5 H1756	Gros Cap aux Os	On cape. 48 49 29.9 064 18 58.9	Fl R 5s	27.2	18	Square skeleton tower. 15.7	Year round. Operates 24 h. Flash 1 s; eclipse 4 s.
1421 H1757	Grande-Grève	On the wharf. 48 47 33.3 064 13 36.4	Iso R 2s	8.0	4	Pipe swing pole.	Seasonal.
1426 H1762	Cap Gaspé	Near S. coast. 48 45 04.0 064 09 45.5	Fl W 5s	106.9	14	White octagonal tower. 12.8	Year round. Flash 1 s; eclipse 4 s.