

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GULF OF ST. LAWRENCE							
Les Îles-de-la-Madeleine							
1477.5	Old Harry scientific light buoy IML-10	48 00 00.0 060 30 00.0	Fl(5) Y 20s	Yellow, ODAS, marked "IML-10".	Seasonal.
1478 H0882	Rocher aux Oiseaux	On summit of Rocher aux Oiseaux. 47 50 18.8 061 08 40.7	LFI W 8s	49.0	9	Square skeleton tower.	Year round. Flash 2 s; eclipse 6 s.
1479 H0886	Île Brion	47 46 54.3 061 30 30.7	Fl W 3s	40.0	White octagonal tower.	Year round. Flash 1 s; eclipse 2 s.
1480	Pointe de l'Est East Cardinal light buoy YY	47 36 45.2 061 19 39.4	Q(3) W 10s	Black-yellow-black, pillar, marked "YY".	Seasonal.
Racon G (- - .) X & S Bands							
1481	Old Harry Head light buoy Y8	S. of Old Harry Head. 47 31 06.2 061 26 45.4	Fl R 4s	Red, pillar, marked "Y8".	Seasonal.
1481.1	Grosse-Île-Nord light buoy YG2	47 37 46.8 061 30 37.1	Fl R 4s	Red, conical, marked "YG2".	Seasonal.
1481.2	Grosse-Île-Nord light buoy YGR	47 37 49.3 061 30 42.8	Fl Y 4s	Yellow, can, marked "YGR".	Seasonal.
1481.3	Grosse-Île-Nord North Breakwater	47 37 41.5 061 30 47.7	Iso R 2s	3.6	2	Cylindrical mast. 4.0	Seasonal.
1481.6 H0887.3	Grosse Île South Breakwater	47 37 39.9 061 30 47.8	Fl G 4s	7.0	4	Cylindrical mast. 3.2	Seasonal.
1482.1	Havre de la Grande Entrée light buoy YC4	47 32 11.9 061 34 33.8	Q R 1s	Red, pillar, marked "YC4".	Year round. (Winter spar.)
1482.2	Havre de la Grande Entrée light buoy YC5	47 32 13.3 061 34 38.1	Fl G 4s	Green, pillar, marked "YC5".	Year round. (Winter spar.)
1482.3	Havre de la Grande Entrée light buoy YC9	47 32 31.6 061 34 23.2	Fl G 4s	Green, pillar, marked "YC9".	Year round. (Winter spar.)
1482.4	Havre de la Grande Entrée light buoy YC10	47 32 40.2 061 34 11.3	Fl R 4s	Red, pillar, marked "YC10".	Year round. (Winter spar.)
1482.5	Havre de la Grande Entrée light buoy YC11	47 32 41.5 061 34 16.5	Fl G 4s	Green, pillar, marked "YC11".	Year round. (Winter spar.)
1482.55	Havre de la Grande Entrée light buoy YC12	47 33 04.5 061 34 02.3	Fl R 4s	Red, pillar, marked "YC12".	Year round. (Winter spar.)
1482.6	Havre de la Grande Entrée light buoy YC14	47 33 14.8 061 33 57.5	Fl R 4s	Red, pillar, marked "YC14".	Year round. (Winter spar.)

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GULF OF ST. LAWRENCE							
1482.7	Havre de la Grande Entrée light buoy YC15	47 33 26.7 061 33 40.0	Q G 1s	Green, can, marked "YC15".	Seasonal.
1483.5	Grande-Entrée	47 33 20.9 061 33 41.7	F R W G	8.0	12	Skeleton tower, red and white rectangular daymark. 6.3	Year round. Operates 24 h. R 026.7°-027.7°; W 027.7°-028.7°; G 028.7°-029.7°.
1485.45	Havre de la Grande Entrée light buoy CB3	47 32 51.9 061 34 11.6	Fl G 4s	Green, pillar, marked "CB3".	Private aid. Year round. (Winter spar.)
1485.49	Havre de la Grande Entrée light buoy CB5	47 33 16.5 061 34 02.9	Fl G 4s	Green, spar, marked "CB5".	Private aid. Year round. (Winter spar.) Flash 1 s; eclipse 3 s.
1485.495	Havre de la Grande Entrée light buoy CB6	47 33 24.9 061 33 50.9	Fl R 4s	Red, pillar, marked "CB6".	Private aid. Year round. (Winter spar.)
1485.5 H0889	Grosse Île Sector	47 36 53.6 061 30 29.7	F R W G	46.0	Cylindrical skeleton tower, orange rectangular daymark with black vertical stripe.	Private aid. Year round. Operates 24 h. R 030°14'-033°44'; AI RW 033°44'-033°59'; W 033°59'-034°09'; AI GW 034°09'-034° 24'; G 034°24'-035°14'.
1485.51	Havre de la Grande Entrée light buoy CB7	47 33 36.5 061 33 47.0	Fl G 4s	Green, pillar, marked "CB7".	Private aid. Year round. (Winter spar.)
1485.52	Havre de la Grande Entrée light buoy CB8	47 33 45.3 061 33 34.8	Fl R 4s	Red, pillar, marked "CB8".	Private aid. Year round. (Winter spar.)
1485.53	Havre de la Grande Entrée light buoy CB9	47 33 47.1 061 33 38.8	Fl G 4s	Green, pillar, marked "CB9".	Private aid. Year round. (Winter spar.)
1485.56	Havre de la Grande Entrée light buoy CB12	47 34 37.4 061 32 42.9	Fl R 4s	Red, pillar, marked "CB12".	Private aid. Year round. (Winter spar.)
1485.57	Havre de la Grande Entrée light buoy CB13	47 34 39.2 061 32 46.9	Fl G 4s	Green, pillar, marked "CB13".	Private aid. Year round. (Winter spar.)
1485.6	Havre de la Grande Entrée light buoy CB16	47 35 25.4 061 31 55.0	Q R 1s	Red, pillar, marked "CB16".	Private aid. Year round. (Winter spar.)
1485.61	Havre de la Grande Entrée light buoy CB17	47 35 26.3 061 31 59.7	Q G 1s	Green, pillar, marked "CB17".	Private aid. Year round. (Winter spar.)
1485.62	Havre de la Grande Entrée light buoy CB18	47 35 38.5 061 31 48.1	Q R 1s	Red, pillar, marked "CB18".	Private aid. Year round. (Winter spar.)

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GULF OF ST. LAWRENCE							
1485.63	Havre de la Grande Entrée light buoy CB19	47 35 37.1 061 31 56.2	Q G 1s	Green, pillar, marked "CB19".	Private aid. Year round. (Winter spar.)
1485.64	Havre de la Grande Entrée light buoy CB20	47 35 51.1 061 31 51.0	Q R 1s	Red, pillar, marked "CB20".	Private aid. Year round. (Winter spar.)
1485.65	Havre de la Grande Entrée light buoy CB21	47 35 47.9 061 31 58.6	Q G 1s	Green, pillar, marked "CB21".	Private aid. Year round. (Winter spar.)
1485.66	Havre de la Grande Entrée light buoy CB22	47 36 01.4 061 32 01.8	Q R 1s	Red, pillar, marked "CB22".	Private aid. Year round. (Winter spar.)
1485.67	Havre de la Grande Entrée light buoy CB23	47 35 57.4 061 32 06.8	Q G 1s	Green, pillar, marked "CB23".	Private aid. Year round. (Winter spar.)
1486 H0890	Mine Seleine front range light	47 36 29.5 061 34 12.0	F G	12.2	White mast.	Private aid. Year round. Operates 24 h.
1486.1 H0890.1	Mine Seleine rear range light	47 36 31.4 061 34 21.2	F G	16.0	White mast.	Private aid. Year round. Operates 24 h.
		287°13' 201.1 m from front.					
1486.51	Havre de la Grande Entrée light buoy CB24	47 36 07.1 061 32 16.7	Q R 1s	Red, pillar, marked "CB24".	Private aid. Year round. (Winter spar.)
1486.52	Havre de la Grande Entrée light buoy CB25	47 36 04.3 061 32 19.4	Q G 1s	Green, pillar, marked "CB25".	Private aid. Year round. (Winter spar.)
1486.53	Havre de la Grande Entrée light buoy CB26	47 36 12.4 061 32 42.2	Fl R 4s	Red, pillar, marked "CB26".	Private aid. Year round. (Winter spar.)
1486.54	Havre de la Grande Entrée light buoy CB27	47 36 12.8 061 33 00.1	Fl G 4s	Green, pillar, marked "CB27".	Private aid. Year round. (Winter spar.)
1486.55	Havre de la Grande Entrée light buoy CB28	47 36 20.1 061 33 03.5	Fl R 4s	Red, pillar, marked "CB28".	Private aid. Year round. (Winter spar.)
1486.56	Havre de la Grande Entrée light buoy CB29	47 36 24.2 061 33 17.5	Fl G 4s	Green, pillar, marked "CB29".	Private aid. Year round. (Winter spar.)
1486.57	Havre de la Grande Entrée light buoy CB30	47 36 25.8 061 33 12.1	Fl R 4s	Red, pillar, marked "CB30".	Private aid. Year round. (Winter spar.)
1486.58	Havre de la Grande Entrée light buoy CB31	47 36 27.5 061 33 27.4	Fl G 4s	Green, pillar, marked "CB31".	Private aid. Year round. (Winter spar.)

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GULF OF ST. LAWRENCE							
1486.59	Havre de la Grande Entrée light buoy CB32	47 36 32.5 061 33 14.9	Fl R 4s	Red, pillar, marked "CB32".	Private aid. Year round. (Winter spar.)
1487	Récif Alright light buoy Y12	47 23 32.0 061 40 00.0	Fl R 4s	Red, pillar, marked "Y12".	Seasonal.
1489.1	Étang du Nord light buoy YS3	47 22 06.7 061 58 10.0	Fl G 4s	Green, can, marked "YS3".	Seasonal.
1489.2	Étang du Nord light buoy YS4	47 22 05.6 061 58 02.8	Fl R 4s	Red, conical, marked "YS4".	Seasonal.
1489.3	Étang du Nord light buoy YS5	47 22 09.7 061 57 58.3	Fl G 4s	Green, can, marked "YS5".	Seasonal.
1489.5	Étang du Nord light buoy YS9	47 22 10.8 061 57 52.8	Fl G 4s	Green, can, marked "YS9".	Seasonal.
1489.6	Étang du Nord light buoy YS10	47 22 09.1 061 57 50.5	Fl R 4s	Red, conical, marked "YS10".	Seasonal.
1491.1 H0913.4	Étang du Nord North Breakwater	47 22 12.3 061 57 42.1	Fl G 3s	4.6	4	Mast. 2.1	Seasonal. Flash 1 s; eclipse 2 s.
1491.2 H0913.5	Étang du Nord South Breakwater	47 22 10.1 061 57 41.5	Fl R 3s	4.2	4	Mast. 2.1	Seasonal. Flash 1 s; eclipse 2 s.
1491.3 H0913.6	Étang du Nord Centre Breakwater	On outer end of breakwater. 47 22 11.5 061 57 36.1	Q(3) Y 5s	5.0	4	Square mast. 1.6	Seasonal.
1491.5	Pointe-aux-Loups North Breakwater	47 31 50.0 061 42 51.6	Iso G 2s	5.5	4	Cylindrical mast. 6.0	Seasonal.
1494	Havre-aux-Maisons Entrance light buoy YE2	47 23 04.3 061 50 36.2	Fl R 4s	Red, pillar, marked "YE2".	Seasonal.
1494.2	Havre aux Maisons light buoy YE4	47 23 25.7 061 50 29.2	Fl R 4s	Red, conical, marked "YE4".	Seasonal.
1494.4	Chenal du Havre aux Maisons light buoy YE6	47 23 33.6 061 50 24.9	Fl R 4s	Red, conical, marked "YE6".	Seasonal.
1494.45	Havre-aux-Maisons light buoy YE7	47 23 40.0 061 50 22.9	Fl G 4s	Green, can, marked "YE7".	Seasonal.
1494.6	Havre-aux-Maisons light buoy YE9	47 23 50.3 061 50 20.4	Fl G 4s	Green, can, marked "YE9".	Seasonal.
1494.7	Havre aux Maisons light buoy YE8	47 23 50.5 061 50 16.7	Fl R 4s	Red, conical, marked "YE8".	Seasonal.
1494.81	Havre-aux-Maisons light buoy YE10	47 23 59.7 061 50 20.7	Fl R 4s	Red, conical, marked "YE10".	Seasonal.
1494.91	Havre-aux-Maisons light buoy YE12	47 24 04.3 061 50 22.3	Fl R 4s	Red, conical, marked "YE12".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GULF OF ST. LAWRENCE							
1494.915	Pont Havre-aux-Maisons, port	47 24 07.7 061 50 25.1	Iso G 2s	5	On bridge, square green, white and black daymark.	Seasonal.
1494.918	Pont Havre-aux-Maisons, starboard	47 24 08.1 061 50 23.6	Iso R 2s	5	On bridge, triangular red, white and red daymark.	Seasonal.
1494.92	Havre aux Maisons light buoy YE14	47 24 14.0 061 50 23.9	Fl R 4s	Red, conical, marked "YE14".	Seasonal.
1494.94	Havre-aux-Maisons – Marina entrance	On outer end of W. breakwater. 47 24 21.1 061 50 09.0	F R	Post.	Private aid. Seasonal.
1494.96	Chenal du Havre aux Maisons Cautionary light buoy H3	47 24 17.1 061 50 26.9	Fl Y 4s	Yellow, pillar, marked "H3".	Seasonal.
1494.97	Havre aux Maisons light buoy H2	47 24 26.4 061 50 26.0	Fl Y 4s	Yellow, pillar, marked "H2".	Seasonal.
1494.98	Havre aux Maisons light buoy H1	47 24 23.2 061 50 36.2	Fl Y 4s	Yellow, pillar, marked "H1".	Seasonal.
1495.5	Pointe-Basse	On outer end of W. breakwater. 47 23 20.5 061 47 29.8	Iso G 2s	9.1	4	Square skeleton tower. 8.2	Seasonal.
1496.4	Cap-aux-Meules light buoy YD4	47 22 35.8 061 51 06.4	Fl R 4s	Red, conical, marked "YD4".	Seasonal.
1496.5 H0915	Cap-aux-Meules East Breakwater	47 22 32.7 061 51 06.3	Fl R 6s	7.6	4	Cylindrical mast. 2.1	Year round. Flash 1 s; eclipse 5 s.
1497 H0914	Cap-aux-Meules Wharf front range light	47 22 36.8 061 51 13.3	Iso G 1s	7.1	13	Square skeleton tower, fluorescent red daymark with black vertical stripe. 4.9	Year round. Operates 24 h.
1498 H0914.1	Cap-aux-Meules Wharf rear range light	47 22 40.5 061 51 16.4 330°13' 133.2 m from front.	Iso G 1s	11.6	13	Square skeleton tower, fluorescent red daymark with black vertical stripe. 9.5	Year round. Operates 24 h.
1498.5 H0915.4	Cap-aux-Meules West Breakwater	47 22 35.1 061 51 25.3	Iso R 2s	5.6	4	Cylindrical mast. 3.1	Seasonal.
1499.3 H0907.5	Quai de L'Anse-à-la-Cabane East Breakwater	Les Îles-de-la-Madeleine. 47 12 56.4 061 59 02.8	Iso R 2s	6.8	4	Mast. 2.7	Seasonal.
1499.35 H0907.6	Millerand West Breakwater	On outer end of W. breakwater. 47 12 59.3 061 59 04.3	Fl G 4s	5.0	4	Mast. 1.6	Seasonal.
1500.1	Cape Breton scientific light buoy IML-17	Off Mackenzie Point. 46 57 00.0 061 01 00.0	Fl(5) Y 20s	Yellow, ODAS, marked "IML-17".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GULF OF ST. LAWRENCE							
1500.3	Banc Bradelle Scientific light buoy IML-16	47 25 55.2 062 33 18.6	Fl(5) Y 20s	Yellow, ODAS, marked "IML-16".	Seasonal.
1500.5	Scientific light buoy IML-12	SE. of Gulf of St. Lawrence. 46 48 00.0 062 00 00.0	Fl(5) Y 20s	Yellow, ODAS, marked "IML-12".	Seasonal.
1501	Havre-Aubert light buoy YK1	47 16 50.4 061 46 40.2	Fl G 4s	Green, pillar, marked "YK1".	Seasonal.
1502.2	Havre Aubert light buoy YK5	Cap Gridley. 47 14 15.3 061 49 27.1	Q G 1s	Green, can, marked "YK5".	Year round. (Winter spar.)
1502.7	Havre Aubert light buoy YK11	Cap Gridley. 47 14 09.6 061 49 32.4	Fl G 4s	Green, can, marked "YK11".	Seasonal.
1503	Havre Aubert light buoy YK12	Cap Gridley. 47 14 11.2 061 49 33.4	Fl R 4s	Red, conical, marked "YK12".	Year round. (Winter spar.)
1504	Havre Aubert light buoy YK22	47 13 57.5 061 49 50.1	Fl R 4s	Red, conical, marked "YK22".	Private aid. Seasonal.
1505.5	Havre-Aubert	47 13 43.0 061 49 59.7	Iso R W G 4s	5.2	12	Square skeleton tower, red and white rectangular daymark.	Year round. Operates 24 h. R 211.8°-212.8°; W 212.8°-213.8°; G 213.8°-214.8°.
1507	Sandy Hook Channel South light buoy YM1	47 15 16.6 061 42 55.4	Fl G 4s	Green, pillar, marked "YM1".	Seasonal.
1507.5	Sandy Hook Channel light buoy YM7	47 16 07.0 061 43 28.6	Fl G 4s	Green, pillar, marked "YM7".	Seasonal.
1507.6	Sandy Hook Channel light buoy YM4	47 15 43.2 061 43 00.0	Fl R 4s	Red, pillar, marked "YM4".	Seasonal.
1507.7	Sandy Hook Channel light buoy YM9	47 16 33.1 061 43 54.3	Fl G 4s	Green, pillar, marked "YM9".	Seasonal.
1508	Sandy Hook Channel light buoy YM12	47 16 43.9 061 43 49.7	Fl R 4s	Red, pillar, marked "YM12".	Seasonal. (Winter spar.)
1508.5	La Passe light buoy YM11	47 16 55.1 061 44 08.5	Q G 1s	Green, pillar, marked "YM11".	Seasonal.
1510.3 H0893	Île d'Entrée North Breakwater	On outer end of N. breakwater. 47 16 40.0 061 43 09.7	Iso G 2s	4.4	3	Mast.	Seasonal.
1510.5	Île d'Entrée Sector Light	47 16 41.9 061 43 01.6	F R W G	9.0	11 Skeleton tower, red and white rectangular daymark. 5.1	Year round. Operates 24 h. R 059°-061°; W 061°-064°; G 064°-066°.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GULF OF ST. LAWRENCE							
1510.6 <i>H0893.1</i>	L'Île-d'Entrée	On outer end of wharf. 47 16 39.2 061 43 07.6	Iso R 2s	4.4	3	Mast.	Seasonal.
1511 <i>H0896</i>	Île d'Entrée North side	On top of cliff, NE. end of island. 47 17 17.0 061 41 22.1	Fl W 3s	71.5	8	Square skeleton tower.	Year round. Flash 1 s; eclipse 2 s.
1512	<i>La Perle light buoy Y16</i>	47 19 28.2 061 34 18.4	Fl R 4s	Red, pillar, marked "Y16".	Seasonal.
1512.4	<i>Scientific light buoy IML-15</i>	48 05 00.0 061 55 54.0	Fl(5) Y 20s	Yellow, ODAS, marked "IML-15".	Seasonal.
1512.6	<i>Scientific light buoy IML-14</i>	Banc de l'Orphelin. 48 12 30.0 062 48 33.0	Fl(5) Y 20s	Yellow, ODAS, marked "IML-14".	Seasonal.
1512.9	<i>Scientific light buoy IML-11</i>	Off American Bank. 48 35 00.0 063 53 00.0	Fl(5) Y 20s	Yellow, ODAS, marked "IML-11".	Seasonal.
Anticosti Island							
1514 <i>H1864</i>	Escarpement Bagot	NW. of island. 49 03 57.5 062 15 35.2	Fl W 6s	17.2	7	Square skeleton tower. 15.7	Year round. Flash 1 s; eclipse 5 s.
1514.2 <i>H1884</i>	Phare de Pointe-Carleton	N. shore of the Island. 49 43 53.6 062 56 33.4	Fl G 6s	38.4	5	White octagonal tower with red top.	Year round. Flash 1 s; eclipse 5 s.
1515 <i>H1866</i>	Pointe du Sud-Ouest	On extremity of SW. point. 49 23 29.1 063 35 40.9	Fl W 6s	20.7	8	Square skeleton tower. 15.6	Year round. Flash 1 s; eclipse 5 s.
1515.2 <i>H1882</i>	Cap-de-Rabast	N. shore of the Island, on N. point. 49 57 05.8 064 08 57.4	Fl(3) W 30s	23.8	17	White octagonal tower with red top.	Seasonal. Flash 0.078 s; eclipse 4.922 s; flash 0.078 s; eclipse 4.922 s; flash 0.078 s; eclipse 19.922 s.
1516	<i>Port-Menier fairway light and bell buoy MENIER</i>	Anticosti Island, S. of Baie Gamache. 49 46 13.5 064 20 37.3	Mo(A) W 6s	Red-white, pillar, marked "MENIER".	Seasonal. Audible signal: Bell
1517	<i>Port Menier light buoy PM9</i>	W. side of channel. 49 47 16.7 064 21 21.8	Fl G 4s	Green, pillar, marked "PM9".	Seasonal.
1518	<i>Port Menier light buoy PM11</i>	W. side of dredged channel. 49 48 30.2 064 22 03.6	Fl G 4s	Green, pillar, marked "PM11".	Seasonal.
1519 <i>H1870</i>	Baie Ellis Main front range light	NW. corner of bay. 49 49 30.5 064 22 31.3	F G	12.1	20	Square skeleton tower, orange daymark with black vertical stripe. 9.4	Seasonal. Operates 24 h.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GULF OF ST. LAWRENCE							
1520 H1870.1	Baie Ellis Main rear range light	49 50 02.0 064 22 49.5 339°26' 1041.5 m from front.	F G	26.7	20	Square skeleton tower, orange daymark with black vertical stripe. 15.5	Seasonal. Operates 24 h.
1523 H1878	Pointe Ouest	On W. extremity of Anticosti Island. 49 51 50.6 064 31 23.7	FI W 5s	27.6	11	Skeleton tower. 29.4	Year round. Flash 1 s; eclipse 4 s.
1523.5	Scientific light buoy IML-13	49 49 00.0 064 45 00.0	Fl(5) Y 20s	Yellow, ODAS, marked "IML-13".	Seasonal.
1524 H0122	Baie de Blanc- Sablon front range light	Blanc-Sablon. 51 25 12.8 057 07 06.2	F W	35.5	19	Square skeleton tower, orange daymark with black vertical stripe. 15.5	Year round.
1525 H0122.1	Baie de Blanc- Sablon rear range light	51 25 16.1 057 06 55.5 063°16' 230.6 m from front.	F W	56.8	19	Square skeleton tower, orange daymark with black vertical stripe. 6.3	Year round.
1525.5	Baie de Blanc-Sablon	End of breakwater wharf. 51 25 02.6 057 08 56.4	FI Y 4s	2	Square mast.	Year round. Operates 24 h.
1526 H0123	Baie de Blanc-Sablon	Blanc-Sablon wharf. 51 24 54.1 057 08 58.7	FI R 6s	10.4	6	Mast. 8.2	Year round. Flash 1 s; eclipse 5 s.
1528.5	Lourdes-de-Blanc- Sablon light and bell buoy SABLO	Blanc-Sablon. 51 23 58.5 057 11 35.5	Mo(A) W 6s	Red-white, pillar, marked "SABLO".	Seasonal. Audible signal: Bell
1528.6	Lourdes-de-Blanc- Sablon light buoy CY9	Blanc-Sablon. 51 24 25.7 057 11 39.3	FI G 4s	Green, pillar, marked "CY9".	Seasonal.
1528.7	Lourdes-de-Blanc- Sablon light buoy CY10	Blanc-Sablon. 51 24 23.4 057 11 37.4	FI R 4s	Red, pillar, marked "CY10".	Seasonal.
1528.8	Brador light and bell buoy BRA	Blanc-Sablon. 51 25 32.6 057 15 30.9	Mo(A) W 6s	Red-white, pillar, marked "BRA".	Seasonal. Audible signal: Bell
1528.9 H0123.5	Île Greenly	On SW. part of island. 51 22 29.4 057 11 26.7	FI W 15s	34.7	15	Skeleton tower. 22.3	Seasonal. Flash 1 s; eclipse 14 s. Obscured 064°-079° by Île au Bois.
1529	Brador light buoy CB2	Blanc-Sablon. 51 27 04.0 057 15 16.0	FI R 4s	Red, pillar, marked "CB2".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GULF OF ST. LAWRENCE							
1530 H0124	Baie de Brador front range light	On the escarpment. 51 29 28.4 057 14 58.5	Iso R 2s	20.0	12	Square skeleton tower, orange daymark with black vertical stripe. 15.5	Seasonal.
1531 H0124.1	Baie de Brador rear range light	51 29 31.5 057 14 58.1 005°06' 95.9 m from front.	Iso R 2s	31.0	12	Square skeleton tower, orange daymark with black vertical stripe. 4.8	Seasonal.
1531.2 H0130	Middle Bay Sector	51 28 01.9 057 29 26.2	Iso R W G 4s	38.7	16	Square skeleton tower, red trapezoid daymark with black vertical stripe. 6.4	Seasonal. Operates 24 h. G 002°12'-000°12'; W 000°12'-357°12'; R 357°12'-355°12'.
1531.5	<i>La Bosse à Charlie light buoy C10</i>	<i>Baie de Bonne- Espérance. 51 22 30.2 057 37 51.7</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "C10".</i>	<i>Seasonal.</i>
1531.7	<i>Baie de Bonne- Espérance light buoy C12</i>	<i>51 25 03.1 057 39 14.4</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, conical, marked "C12".</i>	<i>Seasonal.</i>
1531.8	<i>Baie de Bonne- Espérance light buoy CX2</i>	<i>51 25 12.4 057 39 12.6</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, conical, marked "CX2".</i>	<i>Seasonal.</i>
1531.9	<i>Baie Chevalier light buoy CX4</i>	<i>E. side of the passage approach, Rivière Saint-Paul. 51 25 41.8 057 38 30.8</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, conical, marked "CX4".</i>	<i>Seasonal.</i>
1532 H1887	Baie Salmon front range light	Baie de Bonne- Espérance. 51 25 45.7 057 39 10.4	Iso G 2s	20.3	12	Square skeleton tower, orange daymark with black vertical stripe. 15.5	Seasonal.
1533 H1887.1	Baie Salmon rear range light	51 25 53.6 057 39 12.8 348°52' 249.0 m from front.	Iso G 2s	29.7	12	Square skeleton tower, orange daymark with black vertical stripe. 6.4	Seasonal.
1538 H1889.5	Rivière Saint-Paul	E. side of Passe Champlain approach. 51 25 10.7 057 41 56.3	Fl R 6s	5.5	6	Square skeleton tower. 5.1	Seasonal. Flash 1 s; eclipse 5 s.
1539 H1890	Île à la Baleine	On summit of island. 51 21 21.9 057 41 33.7	Fl W 6s	28.1	7	Square skeleton tower. 10.9	Seasonal. Flash 1 s; eclipse 5 s.
1539.123 H1889.8	Baie du Vieux Fort	Outer end of wharf. 51 25 18.8 057 48 52.0	Fl Y 6s	9.7	7	Pipe swing pole. 6.3	Seasonal. Flash 1 s; eclipse 5 s.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GULF OF ST. LAWRENCE							
1539.125	Chenal du Vieux Fort	E. of entrance to Baie du Vieux Fort. 51 23 51.9 057 48 13.1	Iso R 8s W G	17.3	11	Square skeleton tower, red and white daymark.	Seasonal (in place year round). Operates 24 h. R 009.25°-010°; W 010°-012°; G 012°-012.75°.
1539.13 H1890.1	Île Mermettes Racon M (- -) X & S Bands	Archipel du Vieux Fort. 51 19 20.7 057 50 31.3	Iso W 2s	12.8	7	Square skeleton tower. 6.7	Year round. Emergency mode.
1539.15	Île Dufour fairway light buoy STAUG	Saint-Augustin. 51 10 32.7 058 18 02.7	Mo(A) W 6s	Red-white, pillar, marked "STAUG".	Seasonal.
1539.16 H1890.44	Pointe du Nord-Est front range light	On small island E. of Outer Island. 51 10 31.7 058 25 21.4	F R 9.8	15	Square skeleton tower, orange daymark with black vertical stripe. 4.8	Year round.	
1539.17 H1890.45	Pointe du Nord-Est rear range light	51 10 31.7 058 25 35.5 269°37' 273.9 m from front.	F R 19.3	15	Square skeleton tower, orange daymark with black vertical stripe. 4.8	Year round.	
1539.2 H1890.42	Pointe du Nord-Est Racon N (- .) X & S Bands	On NE. point of Île de la Grande Passe. 51 10 37.6 058 25 39.3	Fl W 6s	13.6	7	Square skeleton tower. 6.6	Year round. Flash 1 s; eclipse 5 s.
1539.4 H1890.5	Île Paul-Nadeau	On SE. extremity of island. 51 10 45.5 058 27 39.9	Fl W 6s	13.2	7	Square skeleton tower. 4.9	Year round. Flash 1 s; eclipse 5 s.
1539.41 H1890.55	Île Paul-Nadeau front range light	51 11 02.5 058 28 50.3	Iso G 2s	18.5	4	Square skeleton tower, orange daymark with black vertical stripe. 8.0	Year round. Increased intensity on line of range.
1539.42 H1890.56	Île Paul-Nadeau rear range light	51 11 14.9 058 28 30.7 044°43' 538.9 m from front.	Iso G 2s	43.6	12	Square skeleton tower, orange daymark with black vertical stripe. 15.5	Year round.
1539.45 H1890.57	Île Bursey front range light	N. end of island. 51 10 37.5 058 28 37.3	Iso Y 2s	13.0	5	Square skeleton tower, orange daymark with black vertical stripe. 4.8	Year round. Increased intensity on line of range.
1539.46 H1890.58	Île Bursey rear range light	51 10 36.6 058 29 02.1 266°31' 483.1 m from front.	Iso Y 2s	18.9	15	Square skeleton tower, orange daymark with black vertical stripe. 6.5	Year round.
1539.48	Rocher Clinch light buoy CU2	51 10 52.2 058 29 00.8	Fl R 4s	Red, pillar, marked "CU2".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GULF OF ST. LAWRENCE							
1539.5 <i>H1890.2</i>	Île Mistanoque	SSE. extremity of island. 51 15 20.2 058 12 36.3	Iso W 2s	41.6	Square skeleton tower. 6.5	Seasonal.
1539.6 <i>H1890.6</i>	Île Tickle front range light	SE. end of island. 51 10 22.1 058 31 24.8	Iso G 2s	10.6	4	Square skeleton tower, orange daymark with black vertical stripe. 3.4	Year round. Increased intensity on line of range.
1539.7 <i>H1890.61</i>	Île Tickle rear range light	51 10 22.6 058 31 56.9 271°32' 624.1 m from front.	F G	37.3	14	Square skeleton tower, orange daymark with black vertical stripe. 6.3	Year round.
1539.9	Île Driscoll light buoy CU27	Saint-Augustin. 51 10 26.2 058 33 49.8	Fl G 4s	Green, pillar, marked "CU27".	Seasonal.
1539.95 <i>H1890.63</i>	Passage Saint-Augustin	On new wharf of Pointe à la Truite. 51 10 53.0 058 34 04.5	Fl Y 6s	9.3	7	Mast. 8.0	Year round. Flash 1 s; eclipse 5 s.
1540	Saint-Augustin light buoy CUS2	At entrance of the river. 51 12 34.4 058 35 39.7	Fl R 4s	Red, pillar, marked "CUS2".	Seasonal.
1541	Saint-Augustin light buoy CUS3	At entrance of the river. 51 12 41.1 058 35 51.6	Fl G 4s	Green, pillar, marked "CUS3".	Seasonal.
1542	Saint-Augustin light buoy CUS4	At entrance of the river. 51 12 48.8 058 36 00.2	Fl R 4s	Red, pillar, marked "CUS4".	Seasonal.
1542.01 <i>H1890.77</i>	Saint-Augustin	At entrance of the river. 51 13 21.2 058 38 39.2	Fl Y 6s	23.5	7	Square skeleton tower. 4.8	Year round. Flash 1 s; eclipse 5 s.
1542.05	Saint-Augustin light buoy CUS5	At entrance of the river. 51 12 54.9 058 36 11.6	Fl G 4s	Green, pillar, marked "CUS5".	Seasonal.
1542.051	Saint-Augustin light buoy CUS7	At entrance of the river. 51 12 48.8 058 36 23.0	Fl G 4s	Green, pillar, marked "CUS7".	Seasonal.
1542.052	Saint-Augustin light buoy CUS9	At entrance of the river. 51 12 46.8 058 36 32.9	Fl G 4s	Green, pillar, marked "CUS9".	Seasonal.
1542.053	Saint-Augustin light buoy CUS10	At entrance of the river. 51 12 47.1 058 36 54.7	Q R 1s	Red, pillar, marked "CUS10".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
GULF OF ST. LAWRENCE								
1542.054	Saint-Augustin light buoy CUS11	At entrance of the river. 51 12 50.7 058 37 15.9	Q G 1s	Green, pillar, marked "CUS11".	Seasonal.	
1542.055	Saint-Augustin light buoy CUS13	At entrance of the river. 51 12 43.9 058 37 30.7	Q G 1s	Green, pillar, marked "CUS13".	Seasonal.	
1542.056	Saint-Augustin light buoy CUS14	At entrance of the river. 51 12 51.4 058 37 49.9	Fl R 4s	Red, pillar, marked "CUS14".	Seasonal.	
1542.057	Saint-Augustin light buoy CUS15	At entrance of the river. 51 12 58.4 058 38 05.5	Fl G 4s	Green, pillar, marked "CUS15".	Seasonal.	
1542.058	Saint-Augustin light buoy CUS17	At entrance of the river. 51 13 06.7 058 38 19.1	Fl G 4s	Green, pillar, marked "CUS17".	Seasonal.	
1542.1 H1890.7	Île Robin front range light	S. side of island. 51 08 59.0 058 33 18.4	Iso R 2s	9.6	12	Square skeleton tower, orange daymark with black vertical stripe. 7.9	Seasonal.	
1542.2 H1890.71	Île Robin rear range light	51 09 01.6 058 33 16.8 021°10' 86.2 m from front.	Iso R 2s	17.5	12	Square skeleton tower, orange daymark with black vertical stripe. 4.8	Seasonal.	
1542.3 H1890.74	Île Inner front range light	SE. side of island. 51 08 46.0 058 33 38.0	F W	7.7	15	Square skeleton tower, orange daymark with black vertical stripe. 4.8	Seasonal.
1542.4 H1890.75	Île Inner rear range light	51 08 43.6 058 33 45.1 242°10' 155.3 m from front.	F W	22.8	15	Square skeleton tower, orange daymark with black vertical stripe. 9.4	Seasonal.
1542.45 H1890.65	Île Robin East front range light	E. extremity of island. 51 09 09.8 058 32 57.3	Iso R 2s	16.8	12	Square skeleton tower, orange daymark with black vertical stripe. 4.8	Seasonal.	
1542.46 H1890.66	Île Robin East rear range light	51 09 09.8 058 33 02.4 269°38' 99.0 m from front.	Iso R 2s	20.4	12	Square skeleton tower, orange daymark with black vertical stripe. 4.8	Seasonal.	
1542.48	Grand Rigolet light buoy CU35	Saint-Augustin. 51 03 43.1 058 40 36.6	Fl G 4s	Green, pillar, marked "CU35".	Seasonal.	

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GULF OF ST. LAWRENCE							
1542.5 <i>H1890.8</i>	Île du Guet	W. extremity of island. 50 55 48.7 058 52 44.7	Iso W 2s	32.0	6	Square skeleton tower. 6.5	Year round.
1543 <i>H1894</i>	Île Plate	On S. summit of island. 50 45 12.4 058 45 20.9	Fl W 15s	22.6	13	Mast. 7.9	Seasonal. Flash 1 s; eclipse 14 s.
1544 <i>H1892</i>	Île de la Boule	On summit of island. 50 50 10.5 058 52 31.2	Fl W 6s	74.3	8	Square skeleton tower. 5.2	Year round. Flash 1 s; eclipse 5 s.
1545 <i>H1891</i>	Île Cormandière	On summit of island. 50 51 31.7 058 55 52.5	Fl R 6s	16.4	6	Square skeleton tower. 4.6	Year round. Flash 1 s; eclipse 5 s.
1545.5	<i>Haut-fond Percey light buoy CT7</i>	<i>Baie de La Tabatière. 50 51 12.2 058 57 00.8</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "CT7".</i>	<i>Seasonal.</i>
1546 <i>H1891.2</i>	Baie de La Tabatière Outer front range light	On shore line. 50 50 36.1 058 58 28.7	F G	43.9	14	Skeleton tower, orange daymark with black vertical stripe. 31.2	Year round.
1547 <i>H1891.3</i>	Baie de La Tabatière Outer rear range light	50 50 33.5 058 58 34.7 234°46' 143.5 m from front.	F G	51.6	14	Square skeleton tower, orange daymark with black vertical stripe. 4.8	Year round.
1547.5	<i>Rocher du Lac Charles light buoy CT11</i>	<i>Baie de La Tabatière. 50 50 41.9 058 58 06.3</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "CT11".</i>	<i>Seasonal.</i>
1548 <i>H1891.5</i>	Baie de La Tabatière Inner front range light	Near shore line. 50 50 10.6 058 58 22.7	F R	17.3	14	Square skeleton tower, orange daymark with black vertical stripe. 15.5	Year round.
1549 <i>H1891.6</i>	Baie de La Tabatière Inner rear range light	50 50 08.2 058 58 23.7 193°31' 75.6 m from front.	F R	24.0	14	Square skeleton tower, orange daymark with black vertical stripe. 4.8	Year round.
1550 <i>H1898</i>	Île Entrance	On summit of island. 50 44 04.0 059 00 24.3	Fl W 6s	18.0	8	Square skeleton tower. 6.5	Year round. Flash 1 s; eclipse 5 s.
1551 <i>H1896</i>	Baie des Moutons front range light	On W. side of entrance. 50 46 10.6 059 01 59.6	F G	13.3	16	Square skeleton tower, orange daymark with black vertical stripe. 12.5	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GULF OF ST. LAWRENCE							
1552 <i>H1896.1</i>	Baie des Moutons rear range light	50 46 19.3 059 02 10.1 322°31' 338.2 m from front.	F G 	22.8	16	Square skeleton tower, orange daymark with black vertical stripe. 6.4	Seasonal.
1552.5	<i>Baie des Moutons light buoy MB1</i>	<i>Near the rocky point located on the N. side of the entrance to the bay's wharf. 50 46 20.2 059 01 52.5</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, can, marked "MB1".</i>	<i>Seasonal.</i>
1553 <i>H1899.4</i>	Tête-à-la-Baleine Inner front range light	On S. end of Île du Grand Rigolet. 50 40 46.1 059 14 32.4	F G 	8.4	13	Square skeleton tower, orange daymark with black vertical stripe. 6.4	Year round.
1554 <i>H1899.5</i>	Tête-à-la-Baleine Inner rear range light	50 40 48.8 059 14 34.9 330°04' 96.4 m from front.	F G 	20.1	13	Square skeleton tower, orange daymark with black vertical stripe. 3.3	Year round.
1554.3 <i>H1899.9</i>	Tête-à-la-Baleine	On wharf. 50 40 47.2 059 14 20.9	Fl Y 3s 8.2	6	6	Square skeleton tower. 6.4	Year round. Flash 1 s; eclipse 2 s.
1555 <i>H1899.7</i>	Tête-à-la-Baleine Centre front range light	On small island, W. of île Beaulieu. 50 39 43.7 059 14 06.0	F R 	4.5	13	Square skeleton tower, orange daymark with black vertical stripe. 3.3	Year round.
1556 <i>H1899.8</i>	Tête-à-la-Baleine Centre rear range light	50 39 49.2 059 14 25.7 293°34' 422.0 m from front.	F R 	11.8	13	Square skeleton tower, orange daymark with black vertical stripe. 6.4	Year round.
1557 <i>H1899</i>	Tête-à-la-Baleine front range light	NW. end of Île Vatcher. 50 39 38.8 059 11 58.7	F W 	8.7	15	Square skeleton tower, orange daymark with black vertical stripe. 6.4	Year round.
1558 <i>H1899.1</i>	Tête-à-la-Baleine rear range light	50 39 42.4 059 11 58.6 001°09' 110.4 m from front.	F W 	14.3	15	Square skeleton tower, orange daymark with black vertical stripe. 4.9	Year round.
1558.7 <i>H1901</i>	Cap Airey	S. end of Île du Cap. 50 28 13.7 059 27 26.2	Fl G 6s 17.6	6	6	Square skeleton tower. 6.6	Year round. Flash 1 s; eclipse 5 s.
1559 <i>H1900</i>	Falaise de l'Entrée	S. side of Île de l'Entrée, N. side of channel, Havre de Harrington entrance. 50 29 19.5 059 27 40.7	Fl W 6s 41.7	8	8	Square skeleton tower. 9.6	Year round. Flash 1 s; eclipse 5 s.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GULF OF ST. LAWRENCE							
1559.2 <i>H1900.4</i>	Île de l'Entrée	NW. point of island. 50 29 33.5 059 28 08.5	Fl G 6s	10.6	6	Square skeleton tower. 6.6	Year round. Flash 1 s; eclipse 5 s.
1559.5 <i>H1901.5</i>	Harrington Harbour	At the end of the wharf. 50 29 46.9 059 28 31.9	Fl Y 6s	8.7	7	Pipe swing pole. 8.0	Year round. Flash 1 s; eclipse 5 s.
1560 <i>H1902</i>	Harrington Harbour front range light	On N. side of small island. 50 29 34.1 059 29 03.8	F R	10.2	13	Square skeleton tower, orange daymark with black vertical stripe. 6.4	Year round.
1561 <i>H1902.1</i>	Harrington Harbour rear range light	50 29 36.1 059 29 12.9 288°44' 188.9 m from front.	F R	15.4	13	Square skeleton tower, orange daymark with black vertical stripe. 4.8	Year round.
1561.5 <i>H1903</i>	Rivière Nétagamiou	50 28 21.0 059 36 23.1	Fl R 6s	8.8	5	Pipe swing pole. 6.5	Seasonal. Flash 1 s; eclipse 5 s.
1561.6	Rivière Nétagamiou Upstream light	50 28 49.1 059 35 56.6	Fl Y 4s	4	Cylindrical mast. 1.2	Private aid. Seasonal.
1561.67	<i>Chevery cautionary light buoy CA</i>	<i>Rivière Nétagamiou entrance.</i> 50 27 25.0 059 36 28.3	<i>Fl Y 4s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, can, marked "CA".</i>	<i>Seasonal.</i>
1561.68	<i>Chevery cautionary light buoy CB</i>	<i>Rivière Nétagamiou entrance.</i> 50 27 30.1 059 36 40.2	<i>Fl Y 4s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, can, marked "CB".</i>	<i>Seasonal.</i>
1561.69	<i>Chevery cautionary light buoy CC</i>	<i>Rivière Nétagamiou entrance.</i> 50 27 35.8 059 36 53.1	<i>Fl Y 4s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, can, marked "CC".</i>	<i>Seasonal.</i>
1561.7	<i>Chevery light buoy CS2</i>	<i>Rivière Nétagamiou entrance.</i> 50 27 08.3 059 36 39.9	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, conical, marked "CS2".</i>	<i>Seasonal.</i>
1561.74	<i>Chevery light buoy CS4</i>	<i>Rivière Nétagamiou entrance.</i> 50 27 20.2 059 37 45.5	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, conical, marked "CS4".</i>	<i>Seasonal.</i>
1561.76	<i>Chevery light buoy CS6</i>	<i>Rivière Nétagamiou entrance.</i> 50 27 30.8 059 37 35.9	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, conical, marked "CS6".</i>	<i>Seasonal.</i>
1562 <i>H1904</i>	Île Sainte-Marie	On the summit of the W. 50 18 15.2 059 39 20.4	Fl W 2.5s	44.4	12	Square skeleton tower. 16.4	Seasonal. Flash 0.1 s; eclipse 2.4 s.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GULF OF ST. LAWRENCE							
1563 <i>H1906</i>	Rochers au Cormoran	On Rochers au Cormoran. 50 09 45.2 060 03 38.7	Fl W 15s	24.1	15	Square skeleton tower. 15.4	Seasonal. Flash 1 s; eclipse 14 s.
1563.5	<i>Rocher Cairntorr light buoy C64</i>	50 07 18.3 060 18 34.9	Fl R 4s	<i>Red, pillar, marked "C64".</i>	<i>Seasonal.</i>
1563.7 <i>H1907</i>	Pointe Milne front range light	Baie Coacoachou. 50 13 21.6 060 18 53.1	F R	16.9	13	Square skeleton tower, orange daymark with black vertical stripe. 10.9	Seasonal.
1563.8 <i>H1907.1</i>	Pointe Milne rear range light	50 13 31.1 060 18 51.9 004°40' 295.0 m from front.	F R	30.8	13	Square skeleton tower, orange daymark with black vertical stripe. 9.6	Seasonal.
1564 <i>H1908</i>	Îles Triples	On S. side of island. 50 10 06.1 060 41 49.3	Fl W 6s	18.9	7	Square skeleton tower. 6.4	Year round. Flash 1 s; eclipse 5 s.
1565 <i>H1909.7</i>	Pointe Mackenzie front range light	On point. 50 12 49.7 060 41 49.6	F Y	9.5	15	Square skeleton tower, orange daymark with black vertical stripe. 3.3	Year round.
1566 <i>H1909.71</i>	Pointe Mackenzie rear range light	50 12 52.5 060 41 52.6 325°44' 105.7 m from front.	F Y	12.6	15	Square skeleton tower, orange daymark with black vertical stripe. 6.3	Year round.
1567 <i>H1909.8</i>	Pointe du Petit Lac front range light	Near wharf. 50 12 49.5 060 41 21.6	F G	12.1	13	Square skeleton tower, orange daymark with black vertical stripe. 6.4	Year round.
1568 <i>H1909.81</i>	Pointe du Petit Lac rear range light	50 12 51.9 060 41 20.8 013°11' 75.1 m from front.	F G	13.8	13	Square skeleton tower, orange daymark with black vertical stripe. 3.3	Year round.
1568.5	<i>Havre Gethsémani light buoy CJ5</i>	<i>Harbour entrance.</i> 50 12 20.7 060 41 22.8	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "CJ5".</i>	<i>Seasonal.</i>
1569 <i>H1909</i>	Havre Gethsémani front range light	W. side of Île en Dos de Cheval. 50 12 26.0 060 41 12.4	F R	10.0	13	Square skeleton tower, orange daymark with black vertical stripe. 6.1	Year round.
1570 <i>H1909.1</i>	Havre Gethsémani rear range light	50 12 28.6 060 41 12.6 357°22' 80.4 m from front.	F R	12.9	13	Square skeleton tower, orange daymark with black vertical stripe. 4.8	Year round.
1572 <i>H1910</i>	Kégaska front range light	N. side of bay. 50 11 46.4 061 15 33.7	F W	13.6	16	Square skeleton tower, orange daymark with black vertical stripe. 6.4	Year round.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GULF OF ST. LAWRENCE							
1573 <i>H1910.1</i>	Kégaska rear range light	50 11 49.3 061 15 33.7 359°17' 90.3 m from front.	F W	18.2	16	Square skeleton tower, orange daymark with black vertical stripe. 6.4	Year round.
1573.1	Kegaska, John Guy barge	SE. extremity of barge. 50 11 03.2 061 16 00.5	Fl Y 4s	Private aid. Year round.
1573.3 <i>H1910.4</i>	Kegaska	On inner SE. corner of wharf. 50 11 04.1 061 15 48.2	Fl R 6s	7.8	4	Pipe swing pole. 6.4	Year round. Flash 1 s; eclipse 5 s.
1574 <i>H1911</i>	Pointe de Kégaska	On point. 50 10 32.2 061 15 57.3	Fl W 6s	13.7	8	Square skeleton tower. 6.6	Year round. Flash 1 s; eclipse 5 s.
1574.3	<i>Pointe de Kégaska light and bell buoy CK1</i>	<i>Off point.</i> 50 10 09.3 061 15 37.2	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "CK1".</i>	<i>Seasonal.</i> Audible signal: Bell
1575.8	<i>Rocher South Sphinx light buoy CN2</i>	<i>Natashquan.</i> 50 10 40.4 061 50 48.2	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "CN2".</i>	<i>Seasonal.</i>
1576 <i>H1914</i>	Île Joncas	On W. extremity of island. 50 10 56.9 061 50 38.9	Iso G 2s	13.5	6	Square skeleton tower. 9.5	Year round. Radar reflector.
1576.2	<i>Havre de Natashquan light buoy CN8</i>	50 11 12.3 061 50 40.3	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "CN8".</i>	<i>Seasonal.</i>
1578 <i>H1918</i>	Petite Natashquan front range light	N. of wharf. 50 11 35.9 061 50 35.4	F W	10.1	13	Square skeleton tower, orange daymark with black vertical stripe. 6.7	Year round.
1579 <i>H1918.1</i>	Petite Natashquan rear range light	50 11 38.8 061 50 34.6 009°56' 92.7 m from front.	F W	17.1	13	Square skeleton tower, orange daymark with black vertical stripe. 9.4	Year round.
1582	<i>Baies Piashti light buoy C80</i>	50 15 42.3 062 49 33.4	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "C80".</i>	<i>Seasonal.</i>
1583 <i>H1928</i>	Baie Johan-Beetz front range light	N. shore of bay. 50 17 00.9 062 47 51.2	F Y	12.2	15	Square skeleton tower, orange daymark with black vertical stripe. 9.4	Seasonal.
1584 <i>H1928.1</i>	Baie Johan-Beetz rear range light	50 17 04.8 062 47 45.6 043°04' 162.3 m from front.	F Y	21.1	15	Square skeleton tower, orange daymark with black vertical stripe. 6.4	Seasonal.
1584.5	<i>Haut-fond Collins light buoy C84</i>	50 10 00.3 063 04 05.3	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "C84".</i>	<i>Seasonal.</i>

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GULF OF ST. LAWRENCE							
1584.8 H1933	La Grande Pointe	50 12 14.0 063 26 52.5	Fl Y 6s	11.1	7	Square skeleton tower. 8.0	Year round. Flash 1 s; eclipse 5 s.
1585 H1934	Petite Île au Marteau	On S. end of island. 50 12 14.6 063 33 30.5	Fl W 2.5s	28.9	12	Skeleton tower. 25.3	Seasonal. Flash 0.1 s; eclipse 2.4 s.
1586	Havre St-Pierre light buoy CM5	50 13 44.8 063 35 35.5	Fl G 4s	Green, pillar, marked "CM5".	Seasonal.
1587 H1936	Havre-Saint-Pierre front range light	Minganie N. coast, SE. entrance, Chenal de la Petite Île au Marteau. 50 14 25.0 063 35 42.0	Iso G 2s	13.6	14	Square skeleton tower, orange daymark with black vertical stripe. 11.0	Year round. Operates 24 h.
1588 H1936.1	Havre-Saint-Pierre rear range light	50 14 30.2 063 35 45.3 338°29' 174.7 m from front.	Iso G 2s	24.4	14	Square skeleton tower, orange daymark with black vertical stripe. 18.6	Year round. Operates 24 h.
1588.7 H1941.5	Havre St-Pierre East Breakwater	On outer end of breakwater. 50 14 09.9 063 36 12.8	Fl R 4s	2	Cylindrical mast.	Seasonal. Flash 1 s; eclipse 3 s.
1588.8 H1940.8	Havre St-Pierre West Breakwater	On outer end of breakwater. 50 14 09.8 063 36 15.8	Fl G 4s	2	Cylindrical mast.	Seasonal. Flash 1 s; eclipse 3 s.
1590 H1940	Pointe aux Esquimaux front range light	50 14 17.7 063 36 45.6	F R	14.1	16	Square skeleton tower, orange daymark with black vertical stripe. 12.5	Year round.
1591 H1940.1	Pointe aux Esquimaux rear range light	50 14 16.9 063 36 33.7 096°19' 238.2 m from front.	F R	23.2	16	Square skeleton tower, orange daymark with black vertical stripe. 18.5	Year round.
1592 H1943	Île du Fantôme Entrance front range light	50 15 26.8 063 39 18.1	F G	9.7	13	Square skeleton tower, orange daymark with black vertical stripe. 7.9	Year round.
1593 H1943.1	Île du Fantôme Entrance rear range light	50 15 36.2 063 39 15.4 010°02' 295.7 m from front.	F G	19.3	13	Square skeleton tower, orange daymark with black vertical stripe. 18.5	Year round.
1594	Île du Fantôme Entrance Channel Outer light buoy CM10	S. of the island. 50 11 58.3 063 39 53.5	Fl R 4s	Red, pillar, marked "CM10".	Seasonal.
1595	Île du Havre Shoal light buoy CM12	50 12 40.3 063 39 52.5	Fl R 4s	Red, pillar, marked "CM12".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GULF OF ST. LAWRENCE							
1596 H1944	Île à Firmin	Minganie, at S. end of island. 50 12 14.5 063 41 13.3	Fl W 6s	10.6	7	Square skeleton tower, orange rectangular daymark. 8.0	Year round. Flash 1 s; eclipse 5 s.
1598	Pointe aux Morts light buoy CM17	50 14 33.8 063 41 18.5	Fl G 4s	Green, pillar, marked "CM17".	Seasonal.
1598.5	Pointe aux Morts light and bell buoy CM16	50 14 46.3 063 41 18.5	Fl R 4s	Red, pillar, marked "CM16".	Seasonal. Audible signal: Bell
1603	Mingan East Entrance light buoy CM28	Harbour entrance. 50 17 03.3 063 59 28.6	Fl R 4s	Red, pillar, marked "CM28".	Seasonal.
1604 H1946	Havre de Mingan Eastern Entrance front range light	W. of wharf, near water's edge. 50 17 22.3 064 01 18.1	F G	14.1	16	Square skeleton tower, orange daymark with black vertical stripe. 12.5	Year round. Operates 24 h.
1605 H1946.1	Havre de Mingan Eastern Entrance rear range light	50 17 24.1 064 01 27.2 287°50' 189.0 m from front.	F G	22.1	16	Square skeleton tower, orange daymark with black vertical stripe. 20.1	Year round. Operates 24 h.
1606 H1950	Havre de Mingan Western Entrance front range light	E. of wharf, near water's edge. 50 17 25.2 064 00 39.7	F G	7.0	16	Square skeleton tower, orange daymark with black vertical stripe. 6.3	Year round. Operates 24 h.
1607 H1950.1	Havre de Mingan Western Entrance rear range light	50 17 30.8 064 00 20.4 065°47' 420.7 m from front.	F G	21.2	16	Square skeleton tower, orange daymark with black vertical stripe. 15.5	Year round. Operates 24 h.
1607.3	Baie Mingan West Cardinal light and bell buoy	50 16 39.2 064 02 39.6	Q(9) W 15s	Yellow-black-yellow, pillar, marked "BMING".	Seasonal. Audible signal: Bell
1608 H1958	Îles aux Perroquets	Minganie on NW. island. 50 13 14.1 064 12 24.1	Fl W 5s	24.0	12	White octagonal tower with red top. 12.3	Seasonal. Flash 1 s; eclipse 4 s. Obscured 269°-292° by île Mingan.
1614.5 H1975	Rivière-au-Tonnerre	50 16 25.3 064 46 50.7	F R	10.0	6	Square skeleton tower, orange rectangular daymark. 6.5	Seasonal.
1614.7	Rivière-au-Tonnerre light and bell fairway buoy RAT	50 15 49.6 064 46 47.5	Mo(A) W 6s	Red-white, pillar, marked "RAT".	Seasonal. Audible signal: Bell
1615 H1974	Rivière-au-Tonnerre front range light	50 16 38.2 064 46 47.6	F G	19.0	16	Square skeleton tower, orange daymark with black vertical stripe. 9.4	Seasonal. Operates 24 h.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

GULF OF ST. LAWRENCE

1616 <i>H1974.1</i>	Rivière-au-Tonnerre rear range light	50 16 42.0 064 46 47.6 359°50' 119.1 m from front.	F G 	25.7	16	Square skeleton tower, orange daymark with black vertical stripe. 10.9	Seasonal. Operates 24 h.
1617 <i>H1978</i>	Sheldrake	E. of Rivière Sheldrake. 50 15 49.1 064 54 29.1	Fl R 6s 	16.5	4	Square skeleton tower, orange rectangular daymark. 5.0	Seasonal. Flash 1 s; eclipse 5 s.