

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE - RIVIÈRE DU LOUP							
1620 H1770	Cap-des-Rosiers-Est Wharf	On outer end of jetty. 48 50 18.8 064 12 46.4	Iso R 2s	7.6	4	Pipe swing pole. 6.3	Seasonal.
1621 H1768	Cap-des-Rosiers	On cape. 48 51 22.5 064 12 03.8	Oc W 20s	41.5	24	White cylindrical tower. 34.1	Year round. Operates 24 h. Flash 15 s; eclipse 5 s.
1629 H1782	Rivière au Renard	On outer end of wharf. 48 59 52.4 064 22 59.9	Fl G 5s	8.4	19	Square skeleton tower. 6.4	Seasonal. Flash 1 s; eclipse 4 s.
1639 H1798	Anse-à-Valleau East	Close to cliff edge, near wharf. 49 04 49.9 064 32 42.2	Iso R 2s	16.9	6	Square skeleton tower. 6.6	Seasonal.
1640 H1800	Anse-À-Valleau	49 05 15.5 064 33 34.3	Fl W 10s	95.5	21	Skeleton tower. 33.5	Year round. Operates 24 h. Flash 1 s; eclipse 9 s.
1641	<i>Baie-de-Cloridorme fairway light buoy CLORI</i>	49 11 15.2 064 50 40.0	Mo(A) W 6s	Red-white, pillar, marked "CLORI".	Seasonal.
1641.3	<i>Baie-de-Cloridorme light buoy CL1</i>	49 11 09.1 064 50 40.1	Fl G 4s	Green, can, marked "CL1".	Seasonal.
1641.7	<i>Baie-de-Cloridorme light buoy CL3</i>	49 11 05.5 064 50 52.3	Fl G 4s	Green, can, marked "CL3".	Seasonal.
1642 H1808	Cloridorme front range light	Close to cliff edge. 49 10 50.5 064 50 51.1	F R	10.9	16	Square skeleton tower, orange rectangular daymark with black vertical stripe. 4.8	Seasonal.
1643 H1808.1	Cloridorme rear range light	49 10 48.2 064 50 52.1 196°25' 73.8 m from front.	F R	22.1	16	Square skeleton tower, orange rectangular daymark with black vertical stripe. 7.9	Seasonal.
1644 H1811	Cloridorme	On outer end of wharf. 49 11 09.1 064 50 51.5	Fl G 6s	8.8	5	Square skeleton tower. 8.0	Seasonal. Flash 1 s; eclipse 5 s.
1649 H1826	Grande-Vallée	On outer end of wharf. 49 13 47.2 065 08 00.0	Fl G 6s	10.0	7	Square skeleton tower. 8.0	Year round. Flash 1 s; eclipse 5 s.
1650	<i>Rivière Madeleine light buoy RM1</i>	<i>Havre de Rivière Madeleine. 49 14 38.1 065 17 20.9</i>	Q G 1s	Green, can, marked "RM1".	Seasonal.
1651 H1828	Cap de la Madeleine	On cape. 49 15 03.5 065 19 32.3	Fl(3) W 27s	44.5	20	White cylindrical tower. 16.8	Private aid. Year round. Operates 24 h.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE - RIVIÈRE DU LOUP

1651.5	Mont-Louis Cautionary light buoy WML	At the end of SaintMaxime-du-ontLouis E. wharf. 49 14 15.3 065 43 40.7	Fl Y 4s	Yellow, pillar, marked "WML".	Seasonal.	
1652.5	Mont-Louis Sector Light	49 13 44.9 065 43 56.7	Iso R W G	4s	6.7	12 Skeleton tower, red and white rectangular daymark. 3.2	Seasonal. Operates 24 h. R 168.5°-174°; W 174°-178°; G 178°-183.5°.	
1654	Mont Louis ODAS light buoy MLS 45138	Off Mont-Louis. 49 32 20.8 065 42 38.5	Fl(5) Y	20s	Yellow, ODAS, marked "MLS 45138".	Seasonal.
1656	ODAS light buoy IML-7	Off La Martre. 49 14 30.0 066 12 00.0	Fl(5) Y	20s	Yellow, ODAS, marked "IML-7".	Seasonal.
1657 H1842	La Martre	On S. shore. 49 12 22.1 066 10 17.1	Fl(4) W	30s	39.6	17 Red octagonal tower with white vertical stripe. 19.2	Private aid. Year round. Operates 24 h. Flash 2 s; eclipse 3 s; flash 2 s; eclipse 3 s; flash 2 s; eclipse 3 s; flash 2 s; eclipse 13 s. Emergency light: Fl(6) W 15s.	

Baie des Sept Îles and Archipel des Sept Îles

1658 H1990	Île du Corossol	SE. of Île du Corossol. 50 05 20.2 066 22 36.9	Fl W	2.5s	12	Skeleton tower.	Year round. Flash 0.1 s; eclipse 2.4 s.
1659 H1993	Île Grande-Basque	SW. side of the island. 50 09 10.4 066 22 38.6	Fl W	6s	12.1	7	Square skeleton tower. 6.5	Year round. Flash 1 s; eclipse 5 s.
1660 H1992.5	Pointe au Corbeau	On point. 50 09 03.0 066 25 29.3	Fl G	6s	17.2	6	Square skeleton tower, orange rectangular daymark. 6.5	Year round. Flash 1 s; eclipse 5 s.
1661	Pointe à la Marmite light buoy D11	Sept-Îles harbour. 50 10 17.2 066 25 45.9	Fl G	4s	Green, pillar, marked "D11".	Seasonal.
1662	Basques Est light buoy BASQE	Sept-Îles harbour. 50 10 55.3 066 21 43.7	Fl(2+1) G	6s	Green-red-green, pillar, marked "BASQE".	Year round. (Winter spar.)
1662.3	Pointe aux Basques light buoy D4	Sept-Îles harbour. 50 11 02.4 066 21 50.3	Fl R	4s	Red, pillar, marked "D4".	Seasonal.
1662.5	Récif du Basque North light buoy D7	Sept-Îles harbour. 50 11 00.7 066 22 15.2	Fl G	4s	Green, pillar, marked "D7".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE - RIVIÈRE DU LOUP								
1663	Récif du Basque light and bell buoy D6	Sept-Îles harbour. 50 10 52.2 066 21 57.9	Fl R 4s	Red, pillar, marked "D6".	Seasonal. Audible signal: Bell	
1663.5	Basque Ouest light buoy BASQO	Sept-Îles harbour. 50 10 47.9 066 22 36.3	Fl(2+1) R 6s	Red-green-red, pillar, marked "BASQO".	Year round. (Winter spar.)	
1663.7 H1994.6	Sept-Îles, Iron Ore front range light No. 2	Dock no. 2. 50 11 20.3 066 22 14.8	Iso Y 4s	13.6	Mast, orange daymark with black vertical stripe. 12.1	Private aid. Year round. Operates 24 h.	
1663.71 H1994.61	Sept-Îles, Iron Ore rear range light No. 2	50 11 11.7 066 21 53.7 121°48' 495.8 m from front.	Iso Y 4s	25.3	Mast, orange daymark with black vertical stripe. 23.8	Private aid. Year round. Operates 24 h.	
1664 H1994	Sept-Îles, Iron Ore front range light	Dock no. 5. 50 11 41.8 066 22 35.3	Iso G 4s	19.1	Cylindrical mast, orange daymark with black vertical stripe. 17.7	Private aid. Year round. Operates 24 h.	
1665 H1994.1	Sept-Îles, Iron Ore rear range light	50 11 40.4 066 22 21.4 097°41' 280.2 m from front.	Iso G 4s	34.6	Cylindrical mast, orange daymark with black vertical stripe. 33.2	Private aid. Year round. Operates 24 h.	
1666 H1994.4	Sept-Îles Oil Tanker Wharf	On dolphin. 50 11 47.4 066 22 55.4	Iso W 6s	10.9	9	Mast, orange rectangular daymark. 8.1	Year round. Secondary light: Iso R 2s. Secondary light: Iso R 2s.	
1666.05 H1994.38	Terminal des croisières	W. end of dolphin. 50 11 50.6 066 23 03.9	Iso R 2s	2	Mast.	Year round.	
1666.07	Sept-Îles, Terminal des croisières	E. end of Duc d'Albe, section 12. 50 11 50.6 066 22 48.7	Iso W 2s	Mast.	Year round.	
1666.1 H1994.37	Sept-Îles, Havre de pêche	On end of breakwater. 50 11 56.1 066 23 00.4	Iso G 2s	3.7	3	Mast.	Seasonal.	
1666.3 H1994.3	Sept-Îles Marina Entrance West Breakwater	On end of breakwater. 50 12 04.6 066 23 10.1	Iso W 2s	4.5	5	Pyramid tower.	Private aid. Year round.	
1666.5 H1994.34	Sept-Îles Marina West Breakwater	50 12 11.7 066 23 17.4	F W	4.8	Pyramid tower. 1.8	Private aid. Year round.
1667 H1994.2	Sept-Îles East	On wharf extension. 50 12 21.6 066 23 32.7	Iso G 2s	13.2	6	Square skeleton tower. 12.5	Year round.	
1670.4	Pointe Noire light buoy D15	Sept-Îles harbour. 50 09 47.2 066 27 23.0	Q G 1s	Green, pillar, marked "D15".	Year round. (Winter spar.)	

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE - RIVIÈRE DU LOUP							
1671.2 H1997.4	Pointe-Noire Wharf front range light	Pointe-Noire wharf, on a building. 50 09 55.3 066 28 55.5	Iso Y 2s	18.6	On building.	Year round. Operates 24 h.
1671.3 H1997.41	Pointe-Noire Wharf rear range light	50 09 49.7 066 28 55.5 179°59' 173.3 m from front.	Iso Y 2s	26.6	On building.	Year round. Operates 24 h.
1672 H1997.6	Pointe Noire Ore Terminal West	W. end of Minière Wabush wharf. 50 09 55.4 066 29 10.1	Fl R 4s	5.2	6	Black cylindrical mast. 2.7	Private aid. Year round. Operates 24 h.
1672.1 H1997.5	Pointe-Noire, Anse- du-Portage Ste- Marguerite Sector	Baie de Sept-Iles – Anse du portage Ste-Marguerite. 50 09 47.1 066 29 12.3	F R W G	Square skeleton tower.	Year round. Operates 24 h. R 202°41'47"-206°56'47"; AI RW 206°56'47"-210°56'47"; W 210°56'47"-216°56'47"; AI GW 216°56'47"-220°56'47"; G 220°56'47"-225°11'47".
1672.3 H1997.7	Pointe Noire Railway Ferry Wharf	NE. end of dolphin. 50 09 39.1 066 27 24.2	Iso Bu 2s	5.0	On structure.	Year round.
1672.4 H1997.8	Quai de Pointe Noire (La Relance) front range light	50 09 33.9 066 27 37.4	Iso R 2s	Cylindrical mast, red daymark with white vertical stripe.	Year round. Operates 24 h.
1672.5 H1997.81	Quai de Pointe Noire (La Relance) rear range light	50 09 25.3 066 27 40.5 192°42' 272.0 m from front.	Iso R 2s	On silo, red daymark with white vertical stripe.	Year round. Operates 24 h.
1672.7	Sept-Îles, Pointe Noire	Section 35, West end. 50 10 05.9 066 28 15.7	Iso R 1s	6	Cylindrical mast.	Year round.
1672.9	Sept-Îles, Pointe Noire	Section 35, East end. 50 10 01.5 066 27 56.4	Iso G 1s	6	Cylindrical mast.	Year round.
1673	Pointe Noire light buoy D20	50 10 06.2 066 29 27.9	Fl R 4s	Red, pillar, marked "D20".	Year round. (Winter spar.)
1674 H1991	West Rocks Dequen	At West Rocks. 50 07 16.3 066 25 58.1	Fl R 6s	12.4	6	Square skeleton tower. 6.5	Year round. Flash 1 s; eclipse 5 s.
1675 H1992	Pointe à la Chasse	On point. 50 07 38.9 066 27 07.9	Fl W 6s	12.2	8	Square skeleton tower. 6.5	Year round. Flash 1 s; eclipse 5 s.
1676 H1999	Québec Rayonier front range light	50 01 05.4 066 48 56.9	F W	9.6	19	Triangular skeleton tower, orange slatwork daymark with black vertical stripe. 7.3	Private aid. Year round. Operates 24 h.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE - RIVIÈRE DU LOUP							
1676.1 H1999.1	Québec Rayonier rear range light	50 01 17.3 066 48 55.1 005°25' 368.3 m from front.	F W	19.2	19	Triangular skeleton tower, orange slatwork daymark, black vertical stripe. 10.3	Private aid. Year round. Operates 24 h.
1677	Town of Port-Cartier West Light	Town wharf. 50 00 53.7 066 48 50.4	F W	Private aid. Year round.
1677.2	Town of Port-Cartier East Light	Town wharf. 50 00 53.5 066 48 50.0	F W	Private aid. Year round.
1677.4	Québec Rayonier light buoy KA13	Port-Cartier. 50 00 48.7 066 49 02.5	Fl G 4s	Green, pillar, marked "KA13".	Year round. (Winter spar.)
1677.6	Québec Rayonier light buoy KA12	Port-Cartier. 50 00 48.8 066 48 56.1	Fl R 4s	Red, pillar, marked "KA12".	Year round. (Winter spar.)
1678 H2002	Port-Cartier front range light	50 02 09.2 066 46 49.9	F G	50.7	Skeleton tower, yellow diamond daymark with black cross.	Private aid. Year round. Operates 24 h.
1679 H2002.1	Port-Cartier rear range light	50 02 25.1 066 46 42.6 016°34' 513.2 m from front.	F G	88.4	Skeleton tower, orange rectangular daymark with black vertical stripe. 23.2	Private aid. Year round. Operates 24 h.
1680	Port-Cartier fairway light and bell buoy PTCAR	50 00 12.3 066 47 44.1	Mo(A) W 6s	Red-white, pillar, marked "PTCAR".	Private aid. Year round. (Winter spar.) Audible signal: Bell
1681 H2000	Port-Cartier Entrance East	50 01 43.4 066 46 56.0	Fl R 3s	12.5	6	Mast. 4.9	Private aid. Year round. Flash 0.5 s; eclipse 2.5 s. Secondary light: Fl R 2s. Radar reflector. Fog Horn Blast 3 s; sil. 27 s.
1682 H2001	Port-Cartier Entrance West	50 01 42.5 066 47 07.2	Fl G 3s	12.2	6	Mast.	Private aid. Year round. Flash 0.5 s; eclipse 2.5 s. Radar reflector.
1682.4	Petite-Tourelle	At the end of breakwater. 49 10 11.7 066 22 19.6	Iso R 2s	3	Cylindrical mast. 7.6	Private aid. Seasonal.
1682.6 H1846	Petite-Tourelle front range light	At entrance of wharf. 49 10 02.3 066 22 24.6	F G	15.5	16	Square skeleton tower, orange daymark with black vertical stripe. 11.0	Seasonal. Operates 24 h.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE - RIVIÈRE DU LOUP							
1682.7 H1846.1	Petite-Tourelle rear range light	49 09 59.6 066 22 26.5 204°55' 90.6 m from front.	F G	25.8	16	Square skeleton tower, orange daymark with black vertical stripe. 9.5	Seasonal. Operates 24 h.
1683 H1852	Sainte-Anne-des- Monts	On outer end of wharf. 49 08 06.1 066 29 05.0	Iso R 2s	9.9	7	Square skeleton tower. 8.1	Seasonal. Emergency mode.
1683.1 H1854	Sainte-Anne-des- Monts harbour, North Breakwater	49 08 05.2 066 29 17.0	Fl R 6s	3.8	3	Mast. 0.2	Seasonal. Flash 1 s; eclipse 5 s.
1683.2 H1853	Sainte-Anne-des- Monts Harbour, South Breakwater	49 08 01.6 066 29 17.2	Fl G 6s	3.4	3	Mast. 0.3	Seasonal. Flash 1 s; eclipse 5 s.
1685 H1860	Cap-Chat	49 05 20.4 066 44 28.0	Fl W 6s	41.4	15	White square tower with red top. 9.5	Private aid. Year round. Operates 24 h. Flash 1 s; eclipse 5 s. Emergency light: Fl(6) W 15s.
1685.1	<i>Cap-Chat light buoy HA1</i>	49 05 58.1 066 41 28.4	Fl G 4s	<i>Green, can, marked "HA1".</i>	<i>Seasonal.</i>
1685.2	<i>Cap-Chat light buoy HA2</i>	49 05 56.5 066 41 28.4	Fl R 4s	<i>Red, conical, marked "HA2".</i>	<i>Seasonal.</i>
1685.3 H1861	Cap-Chat Breakwater	Gaspésie. 49 06 01.7 066 41 15.7	Fl R 6s	18.0	8	Square skeleton tower. 15.7	Seasonal. Flash 1 s; eclipse 5 s.
1686 H2010	Île du Grand Caoui	Near point of island. 49 49 35.3 067 00 21.4	Fl W 6s	45.1	8	White octagonal tower with red top. 14.3	Year round. Flash 1 s; eclipse 5 s.
1692	<i>Godbout light buoy K14</i>	49 17 45.2 067 36 08.0	Fl R 4s	<i>Red, pillar, marked "K14".</i>	<i>Seasonal.</i>
1692.5 H2027	Godbout Ferry Wharf	On ferry wharf. 49 19 21.2 067 35 28.0	Iso R 2s	11.3	4	Square skeleton tower.	Year round.
1697 H2031	Les Méchins East Light	On outer end of wharf. 49 00 16.4 066 58 24.4	Fl R 6s	7.9	5	Square skeleton tower. 6.5	Seasonal. Flash 1 s; eclipse 5 s.
1698 H2032	Le Gros Méchins	On NE. dolphin. 49 00 26.8 066 58 27.4	Fl Y 4s	6.1	5	Square skeleton tower. 6.6	Private aid. Seasonal.
1702	<i>Matane fairway light buoy MATAN</i>	48 51 38.0 067 32 22.0	Mo(A) W 6s	<i>Red-white, pillar, marked "MATAN".</i>	<i>Private aid. Seasonal.</i>
1703 H2041.3	Rivière Matane - West Breakwater	48 51 21.4 067 32 07.9	Fl R 5s	5.7	Mast.	Private aid. Seasonal. Flash 1 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
1703.5 H2041	Matane Sector	48 51 07.0 067 31 52.8	Oc R 4s W G	6.2	On bridge.	Private aid. Seasonal. Flash 3 s; eclipse 1 s. R 128°12'-148°12'; W 148° 12'-152°12'; G 152°12'-172°12'.
1704 H2041.2	Rivière Matane - East Breakwater	48 51 22.8 067 32 04.1	FI G 5s	5.7	Mast.	Private aid. Seasonal. Flash 1 s; eclipse 4 s.
1705.4 H2043	Port de Matane East Breakwater	On outer end of E. breakwater. 48 50 49.6 067 34 33.1	FI G 6s	10.2	16	Square skeleton tower.	Year round. Operates 24 h. Flash 1 s; eclipse 5 s.
1705.5 H2044	Matane Railway Ferry Wharf	On wharf. 48 50 37.9 067 34 25.2	F R	7.2	7	Square skeleton tower.	Year round. Operates 24 h.
1705.55	Port de Matane Pile 1	48 50 33.3 067 34 24.1	FI Y 4s	4.7	Post.	Private aid. Seasonal (in place year round). Operates 24 h.
1705.6 H2042	Port de Matane West Breakwater	On outer end of W. breakwater. 48 50 56.5 067 34 39.6	FI R 4s	10.9	9	Square skeleton tower.	Private aid. Year round. Flash 1 s; eclipse 3 s.
1707 H2048	Pointe Mitis (Petit Mitis)	On point. 48 40 49.2 068 02 02.5	FI(3) W 7.5s	21.0	White hexagonal tower with red top. 24.9	Private aid. Year round. Operates 24 h. Emergency light: FI(6) W 15s.
1707.9	ODAS light buoy IML- 4	Off Rimouski. 48 40 00.0 068 35 00.0	FI(5) Y 20s	Yellow, ODAS, marked "IML-4".	Seasonal.
1709 H2050	Pointe Saint-Pancrace	On extremity of point. 49 15 14.2 068 04 41.0	FI W 6s	25.3	8	Square skeleton tower, orange rectangular daymark. 11.0	Year round. Flash 1 s; eclipse 5 s.
1710 H2050.5	Baie des Anglais front range light	On N. extremity Baie des Anglais. 49 16 08.0 068 07 44.6	F G	27.1	Square skeleton tower, orange daymark with black vertical stripe.	Private aid. Year round. Operates 24 h.
1711 H2050.6	Baie des Anglais rear range light	49 16 12.8 068 07 52.7 312°19' 220.1 m from front.	F G	38.3	Square skeleton tower, orange daymark with black vertical stripe.	Private aid. Year round. Operates 24 h.
1712 H2051	Anse du Moulin front range light	E. of silos. 49 15 16.3 068 08 03.7	F R	36.3	Mast, white daymark with red vertical stripe.	Private aid. Year round.
1713 H2051.1	Anse du Moulin rear range light	49 15 12.3 068 08 13.3 237°18' 229.4 m from front.	F R	67.4	Square skeleton tower, white daymark with red vertical stripe. 4.4	Private aid. Year round.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE - RIVIÈRE DU LOUP								
1713.5	Anse du Moulin light buoy KD6	Baie Comeau. 49 15 06.2 068 07 51.3	Fl R 4s	Red, pillar, marked "KD6".	Year round. (Winter spar.)	
1714 H2052	Anse du Moulin, Alcoa front range light	Fixed on top of a tank. 49 14 51.3 068 08 17.2	Fl R 3.5s	34.1	Orange square daymark with white vertical stripe.	Private aid. Year round. Flash 0.6 s; eclipse 2.9 s.	
1715 H2052.1	Anse du Moulin, Alcoa rear range light	49 14 48.3 068 08 25.0 239°17' 182.2 m from front.	Iso R 10s	59.6	Orange square daymark with white vertical stripe.	Private aid. Year round.	
1715.5	Anse du Moulin light buoy KD7	Baie Comeau. 49 14 54.7 068 07 49.1	Fl G 4s	Green, pillar, marked "KD7".	Seasonal.	
1715.7 H2055	Baie-Comeau Ferry	In harbour. 49 14 03.3 068 07 56.5	F R	5.2	7	Square tower.	Year round.
1716 H2054	Baie-Comeau	On outer end of wharf. 49 14 09.1 068 07 43.3	Fl R 6s	12.4	17	Square skeleton tower. 9.6	Year round. Operates 24 h. Flash 1 s; eclipse 5 s.	
1716.2 H2055.4	Marina Baie-Comeau Entrance, West breakwater	On outer end of W. breakwater. 49 13 42.3 068 08 03.8	F Bu	6.7	On support. 1.2	Private aid. Seasonal.
1716.4 H2055.5	Marina Baie-Comeau Entrance, East breakwater	On outer end of E. breakwater. 49 13 42.4 068 08 00.2	F Bu	7.7	On support. 1.2	Private aid. Seasonal.
1716.5	Club nautique de Baie-Comeau light buoy KC1	49 13 42.3 068 07 54.2	Fl G 3s	Green, can, marked "KC1".	Private aid. Seasonal. Flash 0.5 s; eclipse 2.5 s.	
1716.6 H2055.6	Marina Baie-Comeau, East breakwater center	On centre of E. breakwater. 49 13 44.1 068 07 54.9	F W	6.8	On support. 1.2	Private aid. Seasonal.
1716.8	Club nautique de Baie-Comeau light buoy KC3	49 13 40.9 068 08 01.1	Fl G 3s	Green, can, marked "KC3".	Private aid. Seasonal. Flash 0.5 s; eclipse 2.5 s.	
1717	Rivière Manicouagan light and bell buoy KD14	Port-Cartier. 49 12 04.2 068 03 21.1	Fl R 4s	Red, pillar, marked "KD14".	Year round. (Winter spar.) Audible signal: Bell	
1718	Battures de Manicouagan light buoy K30	Port-Cartier. 49 03 45.2 068 08 18.1	Fl R 4s	Red, pillar, marked "K30".	Seasonal.	
1719 H2056	Pointe de Manicouagan Racon X (- . . -) X & S Bands	On point. 49 06 04.4 068 11 37.8	Fl W 6s	36.1	20	Skeleton tower. 30.5	Year round. Operates 24 h. Flash 1 s; eclipse 5 s. Radar reflector.	

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE - RIVIÈRE DU LOUP							
1726	Pointe à Michel light buoy K32	Port-Cartier. 48 53 30.1 068 37 58.2	Fl R 4s	Red, pillar, marked "K32".	Seasonal.
1729 H2063	Cap Colombier	On cape. 48 49 14.3 068 52 33.3	Fl W 6s	24.1	10	Square skeleton tower. 9.8	Seasonal. Flash 1 s; eclipse 5 s.
1731	Port de Rimouski light and bell buoy H41	Channel entrance. 48 30 28.1 068 31 04.1	Fl G 4s	Green, pillar, marked "H41".	Seasonal. Audible signal: Bell
1732	Port de Rimouski light buoy HT2	Quai de Rimouski approach. 48 29 32.5 068 31 11.8	Fl R 4s	Red, pillar, marked "HT2".	Seasonal.
1732.2	Port de Rimouski light buoy HT3	Quai de Rimouski approach. 48 29 25.3 068 31 07.0	Fl G 4s	Green, pillar, marked "HT3".	Seasonal.
1732.3	Port de Rimouski light buoy HT11	48 28 56.7 068 31 06.7	Q G 1s	Green, pillar, marked "HT11".	Seasonal.
1732.4	Port de Rimouski light buoy HT10	Quai de Rimouski approach. 48 28 49.6 068 31 10.5	Q R 1s	Red, pillar, marked "HT10".	Seasonal.
1733 H2072	Rimouski	On outer end of wharf. 48 28 52.0 068 31 02.1	Iso G 2s	14.4	6	Square skeleton tower. 12.6	Year round.
1734 H2074	Rimouski Harbour front range light Racon N (-) X & S Bands	S. of wharf. 48 28 06.0 068 31 06.1	Iso R 2s	11.2	15	Square skeleton tower, orange daymark with black vertical stripe. 11.2	Year round. Operates 24 h. Emergency mode.
1735 H2074.1	Rimouski Harbour rear range light	48 27 43.3 068 31 05.1 178°23' 701.7 m from front.	Iso R 2s	20.6	15	Square skeleton tower, orange daymark with black vertical stripe. 18.9	Year round. Operates 24 h. Emergency mode.
1736	Forestville light and bell buoy K38	Port-Cartier. 48 44 30.1 068 58 28.2	Fl R 4s	Red, pillar, marked "K38".	Seasonal. Audible signal: Bell
1736.5	Baie Verte light buoy KE3	Forestville. 48 44 15.1 069 02 33.9	Fl G 4s	Green, pillar, marked "KE3".	Seasonal.
1736.6	Baie Verte light buoy KE4	Forestville. 48 44 18.3 069 02 34.6	Fl R 4s	Red, pillar, marked "KE4".	Seasonal.
1736.8	Baie Verte light buoy KE2	Forestville. 48 44 21.8 069 01 58.2	Fl R 4s	Red, pillar, marked "KE2".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE - RIVIÈRE DU LOUP							
1738 H2064	Pointe Rocheuse (Forestville)	On hill, E. of harbour. 48 44 21.5 069 02 53.3	LFI W 6s	20.0	8	Square skeleton tower. 15.7	Year round. Operates 24 h. Flash 2 s; eclipse 4 s.
1739 H2066	Forestville front range light	On shore. 48 44 09.7 069 03 45.0	F G	17.9	16	Square skeleton tower, orange rectangular daymark with black vertical stripe. 6.3	Seasonal. Operates 24 h.
1740 H2066.1	Forestville rear range light	48 44 08.6 069 03 56.7 261°34' 241.4 m from front.	F G	31.9	16	Square skeleton tower, orange rectangular daymark with black vertical stripe. 4.7	Seasonal. Operates 24 h.
1747	<i>Pointe à Boisvert light buoy K48</i>	<i>SE. of the point. 48 33 00.1 069 07 18.2</i>	<i>Fl R 4s</i>	<i>Red, pillar, marked "K48".</i>	<i>Seasonal.</i>
1749	<i>Récif du Nord-Ouest, Île du Bic light and bell buoy H47</i>	<i>48 24 27.1 068 56 05.1</i>	<i>Fl G 4s</i>	<i>Green, pillar, marked "H47".</i>	<i>Seasonal. Audible signal: Bell</i>
1750 H2086	Île du Bic (West end)	On SW. point of island. 48 23 11.4 068 53 20.5	Fl W 6s	11.1	8	Square skeleton tower, orange rectangular daymark. 9.2	Seasonal. Flash 1 s; eclipse 5 s.
1751	<i>Rocher Alcide North Cardinal light buoy ROALC</i>	<i>48 20 15.5 068 55 58.4</i>	<i>Q W 1s</i>	<i>Black-yellow, pillar, marked "ROALC".</i>	<i>Seasonal.</i>
1752	<i>Cap à la Carre North Cardinal light buoy CALR</i>	<i>N. of shoal. 48 19 57.1 069 00 55.1</i>	<i>Q W 1s</i>	<i>Black-yellow, pillar, marked "CALR".</i>	<i>Seasonal.</i>
1753 H2088	Les Escoumins Wharf	On the portal landing, S. side. 48 20 45.2 069 23 22.6	Fl G 6s	12.2	6	On superstructure.	Private aid. Seasonal. Flash 1 s; eclipse 5 s.
1754 H2089	Anse aux Basques Racon K (- . -) X & S Bands	On shore, E. side. 48 19 07.5 069 24 46.5	Fl Y 6s	17.8	19	Square skeleton tower. 9.6	Year round. Operates 24 h. Flash 1 s; eclipse 5 s.
1754.4	Anse aux Basques	Wharf. 48 19 04.9 069 24 56.2	F R W G	7.4	10 Square skeleton tower, red and white rectangular daymark.	Year round. Operates 24 h. R 274.04°-281.04°; W 281.04°-302.04°; G 302.04°-309.04°.
1755 H2093	Bon-Désir	48 16 19.5 069 28 07.2	Fl W 6s	46.4	18	White octagonal tower with red top. 14.3	Year round. Operates 24 h. Flash 1 s; eclipse 5 s.
1756 H2098	Trois-Pistoles front range light	On outer end of wharf. 48 08 05.1 069 11 12.5	F R	8.5	6	Square skeleton tower, orange daymark with black vertical stripe. 6.9	Private aid. Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
1756.1 H2098.1	Trois-Pistoles rear range light	48 07 59.4 069 11 04.5 136°55' 242.0 m from front.	F R	17.2	16	Square skeleton tower, orange daymark with black vertical stripe. 15.5	Private aid. Seasonal.
1756.14	Trois-Pistoles light buoy HR3	48 08 26.4 069 11 40.5	Q G 1s	Green, pillar, marked "HR3".	Seasonal.
1756.2	Trois-Pistoles light buoy HR2	48 08 18.3 069 11 32.5	Q R 1s	Red, pillar, marked "HR2".	Seasonal.
1756.4 H2096	Île aux Basques	48 08 57.1 069 14 18.4	Fl Y 6s	12.9	7	Square skeleton tower. 9.4	Seasonal. Flash 1 s; eclipse 5 s. Radar reflector.
1757	Grandes-Bergeronnes light buoy KJ2	48 13 18.1 069 33 11.2	Fl R 4s	Red, conical, marked "KJ2".	Private aid. Seasonal.
1757.1	Grandes-Bergeronnes light buoy KJ4	48 13 37.7 069 33 20.3	Fl R 4s	Red, conical, marked "KJ4".	Private aid. Seasonal.
1757.2	Grandes-Bergeronnes Yacht Club light buoy PRIV	48 13 34.2 069 33 20.0	Fl R 4s	Red, pillar, marked "PRIV".	Private aid. Seasonal.
1757.3	Grandes-Bergeronnes Yacht Club light buoy PRIV	48 13 20.4 069 33 13.7	Fl G 4s	Green, pillar, marked "PRIV".	Private aid. Seasonal.
1761 H2146	Île Verte	On NW. point of island. 48 03 03.9 069 25 27.3	Fl W 5s	16.5	19	White cylindrical tower.	Year round. Operates 24 h. Flash 1 s; eclipse 4 s.
1762 H2148	Île Verte East Wharf	On S. corner of E. wharf. 48 02 22.4 069 24 22.7	F G	5.4	7	Square skeleton tower. 5.0	Seasonal. Operates 24 h.
1763	Batture de l'Île Ronde light buoy HV1	L'Isle-Verte. 48 02 06.2 069 21 27.2	Fl G 4s	Green, pillar, marked "HV1".	Seasonal.
1763.1	Batture de l'Île Ronde light buoy HV2	L'Isle-Verte. 48 02 00.2 069 21 33.5	Fl R 4s	Red, pillar, marked "HV2".	Seasonal.
1763.15	Batture de l'Île Ronde light buoy HV3	L'Isle-Verte. 48 02 00.0 069 21 19.1	Fl G 4s	Green, pillar, marked "HV3".	Seasonal.
1763.2	Batture de l'Île Ronde light buoy HV4	L'Isle-Verte. 48 01 56.1 069 21 26.6	Fl R 4s	Red, pillar, marked "HV4".	Seasonal.
1763.25	Batture de l'Île Ronde light buoy HV5	L'Isle-Verte. 48 01 52.2 069 21 10.0	Fl G 4s	Green, pillar, marked "HV5".	Seasonal.
1763.3	Batture de l'Île Ronde light buoy HV6	L'Isle-Verte. 48 01 49.4 069 21 16.2	Fl R 4s	Red, pillar, marked "HV6".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE - RIVIÈRE DU LOUP							
1763.35	Anse Verte light buoy HV7	L'Isle-Verte. 48 01 45.3 069 21 03.0	Fl G 4s	Green, pillar, marked "HV7".	Seasonal.
1763.4	Anse Verte light buoy HV8	L'Isle-Verte. 48 01 42.5 069 21 09.0	Fl R 4s	Red, pillar, marked "HV8".	Seasonal.
1763.45	Anse Verte light buoy HV9	L'Isle-Verte. 48 01 35.8 069 20 57.7	Fl G 4s	Green, pillar, marked "HV9".	Seasonal.
1763.5	Anse Verte light buoy HV10	L'Isle-Verte. 48 01 34.9 069 21 02.8	Fl R 4s	Red, pillar, marked "HV10".	Seasonal.
1763.6	Anse Verte light buoy HV12	L'Isle-Verte. 48 01 28.4 069 20 59.5	Fl R 4s	Red, pillar, marked "HV12".	Seasonal.
1766.8	Bancs de l'Île Rouge light buoy K51	NE. extremity of bank. 48 06 53.1 069 31 03.2	Q G 1s	Green, pillar, marked "K51".	Seasonal. Audible signal: Bell
1768	Bancs de l'île Rouge light buoy K55	NW. extremity of bank. 48 05 37.8 069 33 58.9	Fl G 4s	Green, pillar, marked "K55".	Seasonal.
1769	Bancs de l'Île Rouge light buoy H52	48 04 31.1 069 31 39.2	Fl R 4s	Red, pillar, marked "H52".	Seasonal.
1770 H2104	Île Rouge	On centre of island. 48 04 10.0 069 33 16.9	Fl W 10s	20.1	20	Cylindrical tower. 20.1	Year round. Flash 1 s; eclipse 9 s.
1771	Batture aux Alouettes light buoy K58	Saguenay River Entrance. 48 03 30.1 069 38 36.2	Q R 1s	Red, pillar, marked "K58".	Year round. (Winter spar.)
1772	Batture aux Alouettes light buoy K56	At river entrance. 48 04 54.1 069 37 22.2	Fl R 4s	Red, pillar, marked "K56".	Seasonal. Audible signal: Bell