

## List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
<b>SAGUENAY RIVER</b>								
1773 H2106	<b>Haut-fond Prince</b>	48 06 29.6 069 36 51.7	Fl W 2.5s	24.6	18	White cylindrical tower with red bands.	Year round. Flash 0.1 s; eclipse 2.4 s.  Synthetic AIS AtoN MMSI: 993161059	
1774.3	<i>Rochers du Saguenay light buoy K54</i>	<i>At river entrance.</i> 48 07 48.6 069 35 56.9	<i>Fl R 4s</i>	.....	.....	<i>Red, pillar, marked "K54".</i>	<i>Seasonal.</i>	
1774.5	<i>Saguenay River Entrance light buoy S3</i>	<i>At river entrance.</i> 48 06 47.1 069 37 50.2	<i>Fl G 4s</i>	.....	.....	<i>Green, pillar, marked "S3".</i>	<i>Seasonal.</i>	
1775	<i>Batture aux Vaches light and bell buoy S4</i>	<i>At river entrance.</i> 48 07 24.1 069 37 58.2	<i>Fl R 4s</i>	.....	.....	<i>Red, pillar, marked "S4".</i>	<i>Year round.</i> <i>(Winter spar.)</i>  <b>Audible signal: Bell</b>	
1776	<i>Récif Bar light and bell buoy S5</i>	<i>At river entrance.</i> 48 06 59.9 069 39 15.8	<i>Fl G 4s</i>	.....	.....	<i>Green, pillar, marked "S5".</i>	<i>Seasonal.</i>  <b>Audible signal: Bell</b>	
1777	<i>Batture de la Pointe aux Vaches light buoy S8</i>	<i>At river entrance.</i> 48 07 30.1 069 40 17.2	<i>Fl R 4s</i>	.....	.....	<i>Red, pillar, marked "S8".</i>	<i>Seasonal.</i>	
1778	<i>Îlet aux Alouettes light buoy S7</i>	<i>At river entrance.</i> 48 07 11.1 069 40 30.2	<i>Fl G 4s</i>	.....	.....	<i>Green, pillar, marked "S7".</i>	<i>Seasonal.</i>	
1778.3	Îlet aux Alouettes North (V-AIS)	48 06 28.4 069 41 02.2	.....	.....	.....	.....	Year round.  Virtual AIS AtoN MMSI: 993166031 Reference point	
1779 H2112	<b>Pointe Noire, Saguenay front range light</b>	E. of point. 48 07 23.9 069 43 00.4	F W	.....	29.1	20	Square skeleton tower, orange daymark with black vertical stripe. 11.4	Year round. Operates 24 h. Emergency light: Iso W 1s.
1779.1 H2112	Pointe Noire, Saguenay	E. of point. 48 07 23.9 069 43 00.4	F G	.....	28.8	6	Square skeleton tower. 11.1	Year round. Operates 24 h. Visible 077°-257°.
1780 H2112.1	<b>Pointe Noire, Saguenay rear range light</b>	48 07 24.7 069 43 21.0  273°05' 427.4 m from front.	F W	.....	43.5	20	Square skeleton tower, orange daymark with black vertical stripe. 9.1	Year round. Operates 24 h. Emergency light: Iso W 1s.
1781 H2108	Baie Sainte-Catherine	On wharf extremity. 48 06 56.8 069 43 14.0	Fl G 6s	9.1	6	Red square skeleton tower. 1.3	Year round. Flash 1 s; eclipse 5 s.	
1782.5	<i>Marina de Tadoussac Hazard light buoy PRIV</i>	48 08 19.3 069 42 53.0	<i>Fl Y 4s</i>	.....	.....	<i>White-orange, pillar, marked "PRIV".</i>	<i>Private aid.</i> <i>Seasonal.</i> <i>Operates 24 h.</i> <i>Flash 1 s; eclipse 3 s.</i>	
1783 H2115	Pointe de l'Islet	At point. 48 08 07.3 069 42 59.4	Fl W 6s	12.0	5	Square skeleton tower. 9.5	Year round. Flash 1 s; eclipse 5 s.	

## List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>SAGUENAY RIVER</b>							
1784 H2118	Anse à l'Eau	On outer end of wharf. 48 08 19.1 069 43 38.9	F G .....	10.6	.....	Square skeleton tower. 6.5	Year round. Radar reflector.
1784.5 H2113	Anse du Portage	On outer end of wharf. 48 07 36.6 069 43 49.6	F Y .....	9.7	8	Square skeleton tower. 6.9	Year round.
1785 H2122	Cap de la Boule	On S. side of point. 48 08 52.7 069 48 13.1	Fl W 6s	18.0	5	Square skeleton tower. 6.6	Year round. Flash 1 s; eclipse 5 s.
1786 H2124	Anse de Sable	W. of cove. 48 09 05.6 069 51 18.8	Fl W 6s	6.8	5	Square skeleton tower. 6.5	Year round. Flash 1 s; eclipse 5 s.
1787 H2130	Anse à Pierrot	NW. of cove. 48 14 01.7 069 53 41.8	Fl W 6s	13.1	5	Square skeleton tower. 9.5	Year round. Flash 1 s; eclipse 5 s.
1788 H2126	Pointe aux Crêpes	On point. 48 13 01.2 069 53 41.4	Fl G 6s	12.9	5	Square skeleton tower. 8.0	Year round. Flash 1 s; eclipse 5 s.
1789 H2128	Anse-de-Roche	On wharf on N. shore. 48 13 06.2 069 52 30.6	Iso R 2s	6.6	7	Skeleton tower. 6.4	Private aid. Seasonal.
1790 H2131	Île Saint-Louis	On N. side of island. 48 15 03.3 070 01 08.6	Fl W 6s	39.6	5	Square skeleton tower. 9.5	Year round. Flash 1 s; eclipse 5 s.
1791 H2133	Pointe Claveau	On point. 48 15 37.7 070 06 52.4	Fl W 6s	15.3	5	Square skeleton tower. 9.5	Year round. Flash 1 s; eclipse 5 s.
1793 H2136	Anse de Tabatière	NW. of Pointe au Boeuf. 48 16 19.5 070 12 08.1	Fl W 6s	15.0	5	Square skeleton tower. 5.0	Year round. Flash 1 s; eclipse 5 s.
1794 H2138	Baie Trinité	On point opposite La Niche. 48 21 13.5 070 20 40.5	Fl W 6s	16.3	8	Square skeleton tower, orange rectangular daymark. 9.5	Year round. Flash 1 s; eclipse 5 s.
1795 H2140	Pointe Rouge	48 22 28.2 070 32 06.7	Fl W 6s	14.8	5	Square skeleton tower. 8.0	Year round. Flash 1 s; eclipse 5 s.
1798 H2142	Cap à l'Est	On S. extremity of cape. 48 22 33.2 070 42 20.4	Fl W 6s	17.0	5	White octagonal tower with red top. 8.1	Year round. Flash 1 s; eclipse 5 s.
<b>Baie des Ha! Ha! Harbour</b>							
1799	<i>Baie des Ha! Ha! light buoy SH9</i>	48 21 24.1 070 45 42.3	Fl G 4s	.....	.....	<i>Green, spar, marked "SH9".</i>	<i>Seasonal.</i>

## List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
<b>SAGUENAY RIVER</b>								
1799.11	Powell Docking Basin #2 front range light	48 19 57.8 070 52 25.7	Iso Y 1s	.....	.....	Mast, yellow daymark with black vertical stripe.	Private aid. Year round. Operates 24 h.	
1799.12	Powell Docking Basin #2 rear range light	48 19 57.6 070 52 28.6  083°47' 59.0 m from front.	Iso Y 1s	.....	.....	Mast, yellow daymark with black vertical stripe.	Private aid. Year round. Operates 24 h.	
1799.13	Powell Docking Basin #2 front range light	48 19 59.3 070 52 25.3	F Bu	.....	.....	Mast, yellow daymark with black vertical stripe.	Private aid. Year round. Operates 24 h.	
1799.14	Powell Docking Basin #2 rear range light	48 19 59.0 070 52 29.7  084°39' 89.0 m from front.	F Bu	.....	.....	Mast, yellow daymark with black vertical stripe.	Private aid. Year round. Operates 24 h.	
1799.2 H2142.3	Port-Alfred front range light	48 20 04.2 070 52 27.0	F R	.....	15.0	.....	On building, orange daymark with black vertical stripe.	Private aid. Year round. Operates 24 h.
1799.3 H2142.31	Port-Alfred rear range light	48 20 03.6 070 52 32.8  261°46' 122.4 m from front.	F R	.....	26.1	.....	On building, orange daymark with black vertical stripe.	Private aid. Year round. Operates 24 h.
1799.4 H2142.2	Bagotville Wharf	48 20 35.7 070 52 33.9	Iso R 2s	10.7	6	Pipe swing pole. 8.1	Year round.	
<b>Chicoutimi Harbour</b>								
1799.5 H2142.8	Pointe aux Pins, Saguenay	W. side of the point. 48 25 08.2 070 49 52.8	Fl Y 6s	10.9	5	Square skeleton tower, orange rectangular daymark. 6.4	Year round. Flash 1 s; eclipse 5 s.	
1800.5	Poste-Saint-Martin light buoy S30	48 25 20.7 070 52 49.0	Fl R 4s	.....	.....	Red, pillar, marked "S30".	Seasonal.	
1801 H2143	Poste-Saint-Martin front range light	S. of wharf. 48 26 36.7 070 59 00.6	F W	.....	24.0	15	Square tower, orange daymark with black vertical stripe.	Seasonal. Operates 24 h.
1802 H2143.1	Poste-Saint-Martin rear range light	48 27 08.7 071 01 35.0  287°18' 3322.3 m from front.	F W	.....	54.1	15	Square skeleton tower, orange daymark with black vertical stripe. 18.9	Seasonal. Operates 24 h.
1802.4	Poste-Saint-Martin light buoy S32	Chicoutimi Harbour. 48 25 29.8 070 53 32.2	Fl R 4s	.....	.....	Red, pillar, marked "S32".	Seasonal.	
1802.6	Poste-Saint-Martin light buoy S34	48 25 38.8 070 54 15.7	Fl R 4s	.....	.....	Red, pillar, marked "S34".	Seasonal.	
1803	Poste-Saint-Martin light buoy S36	48 25 47.9 070 54 59.2	Fl R 4s	.....	.....	Red, pillar, marked "S36".	Seasonal.	

## List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>SAGUENAY RIVER</b>							
1803.5	Poste-Saint-Martin light buoy S37	48 25 55.0 070 55 45.6	Fl G 4s	.....	.....	Green, pillar, marked "S37".	Seasonal.
1804	Poste-Saint-Martin light buoy S38	48 26 04.2 070 56 17.8	Q R 1s	.....	.....	Red, pillar, marked "S38".	Seasonal.
1804.3	Poste-Saint-Martin light buoy S39	48 26 05.0 070 56 34.0	Fl G 4s	.....	.....	Green, pillar, marked "S39".	Seasonal.
1804.5	Poste-Saint-Martin light buoy S40	48 26 14.1 070 56 42.8	Q R 1s	.....	.....	Red, pillar, marked "S40".	Seasonal.
1804.7	Rivière Valin light buoy S42	48 26 30.7 070 57 08.6	Fl R 4s	.....	.....	Red, pillar, marked "S42".	Seasonal.
1805 H2143.3	Rivière Valin front range light	E. of river mouth. 48 27 36.7 070 58 53.7	Iso W 2s	27.4	11	Square skeleton tower, fluorescent red slatwork daymark with black vertical stripe. 26.2	Seasonal. Operates 24 h.
1806 H2143.31	Rivière Valin rear range light	48 27 59.7 070 59 29.5  314°02' 1020.8 m from front.	Iso W 2s	47.9	11	Square skeleton tower, fluorescent red daymark with black vertical stripe. 9.5	Seasonal. Operates 24 h.
1806.5	Rivière à la loutre light buoy S44	48 26 45.2 070 57 31.0	Fl R 4s	.....	.....	Red, pillar, marked "S44".	Seasonal.
1808 H2143.4	<b>Rivière du Caribou front range light</b>	On N. side of river. 48 27 23.2 071 00 35.6	F W .....	13.2	15	Square skeleton tower, orange daymark with black vertical stripe. 12.6	Seasonal. Operates 24 h.
1809 H2143.5	<b>Rivière du Caribou rear range light</b>	48 27 24.9 071 00 46.4  283°34' 229.0 m from front.	F W .....	19.2	15	Square skeleton tower, orange daymark with black vertical stripe. 9.6	Seasonal. Operates 24 h.
1810	Rivière Valin light buoy S46	48 26 57.9 070 57 50.8	Fl R 4s	.....	.....	Red, pillar, marked "S46".	Seasonal.
1811 H2143.6	Simard front range light	On N. side of the river. 48 26 59.1 071 01 16.7	F G .....	8.8	6	Square skeleton tower, orange daymark with black vertical stripe. 8.1	Seasonal. Operates 24 h.
1812 H2143.7	<b>Simard rear range light</b>	48 26 57.4 071 01 26.8  256°15' 212.9 m from front.	F G .....	13.9	16	Square skeleton tower, orange daymark with black vertical stripe. 12.4	Seasonal. Operates 24 h.
1813	Caribou Curve light buoy S47	48 26 57.9 070 58 06.0	Q G 1s	.....	.....	Green, pillar, marked "S47".	Seasonal.
1813.8	Rivière Caribou light buoy S50	48 27 07.1 070 58 47.3	Fl R 4s	.....	.....	Red, pillar, marked "S50".	Seasonal.

## List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>SAGUENAY RIVER</b>							
1814 H2143.9	<b>Rivière-du-Moulin Lower front range light</b>	N. of river. 48 26 07.4 071 01 31.1	F G ..... .....	10.6	16	Square skeleton tower, orange daymark with black vertical stripe. 9.4	Seasonal. Operates 24 h.
1815 H2143.91	<b>Rivière-du-Moulin Lower rear range light</b>	48 26 02.2 071 01 36.6  214°46' 197.1 m from front.	F G ..... .....	17.6	16	Square skeleton tower, orange daymark with black vertical stripe. 7.9	Seasonal. Operates 24 h.
1817 H2144	<b>Rivière-du-Moulin Upper front range light</b>	E. of river mouth. 48 26 01.6 071 01 42.9	F G ..... .....	9.6	16	Square skeleton tower, orange daymark with black vertical stripe. 6.4	Seasonal. Operates 24 h.
1818 H2144.1	<b>Rivière-du-Moulin Upper rear range light</b>	48 26 02.2 071 01 36.5  081°38' 132.1 m from front.	F G ..... .....	17.6	16	Square skeleton tower, orange daymark with black vertical stripe. 7.9	Seasonal. Operates 24 h.
1820	<i>Quai Maltais light buoy S53</i>	48 27 08.5 070 59 11.8	Q G 1s ..... .....	.....	.....	<i>Green, pillar, marked "S53".</i>	<i>Seasonal.</i>
1820.2	<i>Caribou Curve light buoy S56</i>	48 27 16.1 070 59 43.2	Fl R 4s ..... .....	.....	.....	<i>Red, pillar, marked "S56".</i>	<i>Seasonal.</i>
1820.5	<i>Alignement Simard light buoy S59</i>	48 27 07.7 071 00 12.9	Q G 1s ..... .....	.....	.....	<i>Green, pillar, marked "S59".</i>	<i>Seasonal.</i>
1820.6	<i>Simard Curve light buoy S60</i>	48 27 06.9 071 00 28.6	Fl R 4s ..... .....	.....	.....	<i>Red, pillar, marked "S60".</i>	<i>Seasonal.</i>
1820.7	<i>Rivière du Moulin curve light buoy S61</i>	48 26 55.0 071 00 39.3	Q G 1s ..... .....	.....	.....	<i>Green, pillar, marked "S61".</i>	<i>Seasonal.</i>
1820.9	<i>Chicoutimi Harbour light buoy S63</i>	48 26 29.2 071 01 06.2	Fl G 4s ..... .....	.....	.....	<i>Green, pillar, marked "S63".</i>	<i>Seasonal.</i>
1821.1	<i>Chicoutimi Harbour light buoy S65</i>	48 26 13.2 071 01 37.2	Fl G 4s ..... .....	.....	.....	<i>Green, pillar, marked "S65".</i>	<i>Seasonal.</i>
1821.3	<i>Chicoutimi Harbour light buoy S67</i>	48 25 57.2 071 02 08.3	Fl G 4s ..... .....	.....	.....	<i>Green, pillar, marked "S67".</i>	<i>Seasonal.</i>
1822 H2145	Price Monument Sector	48 25 45.8 071 02 34.9	F R ..... W G	13.0	13	Square skeleton tower.	Seasonal. Operates 24 h. <b>R</b> 229°30'-231°30'; <b>AI RW</b> 231°30'-231°50'; <b>W</b> 231°50'-232°10'; <b>AI GW</b> 232°10'-232°30'; <b>G</b> 232°30'-234°30'.
1823.3	<i>Rivière du Moulin light buoy S71</i>	48 25 52.9 071 02 56.8	Fl G 4s ..... .....	.....	.....	<i>Green, pillar, marked "S71".</i>	<i>Seasonal.</i>
1823.4	Chicoutimi Yacht Club	Outer end of wharf. 48 25 51.4 071 03 00.1	Fl Y 4s ..... .....	1.5	2	.....	Private aid. Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.