

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
1823.8	<i>Le Pilier de l'île Blanche light buoy K59</i>	<i>Chenal du Nord. 47 59 06.1 069 37 52.2</i>	<i>Fl G 4s</i>	<i>Green, pillar, marked "K59".</i>	<i>Seasonal.</i>
1824.1 H2160	Cacouna Harbour front range light	E. of harbour. 47 55 55.4 069 29 35.7	F R	29.6	16 Square skeleton tower, orange daymark with black vertical stripe. 15.5	Year round. Operates 24 h.
1824.2 H2160.1	Cacouna Harbour rear range light	47 55 56.9 069 29 19.0 082°10' 349.2 m from front.	F R	40.0	16 Square skeleton tower, orange daymark with black vertical stripe. 15.6	Year round. Operates 24 h.
1824.23	<i>Le Gros Cacouna light buoy HC1</i>	<i>47 55 56.5 069 30 51.6</i>	<i>Fl G 4s</i>	<i>Green, pillar, marked "HC1".</i>	<i>Seasonal.</i>
1824.24	<i>Le Gros Cacouna light buoy HC3</i>	<i>47 55 49.3 069 30 44.7</i>	<i>Fl G 4s</i>	<i>Green, pillar, marked "HC3".</i>	<i>Seasonal.</i>
1824.3 H2160.5	Port de Gros-Cacouna North	End of breakwater. 47 55 50.4 069 31 13.4	Fl Y 6s	8.0	8	Square skeleton tower. 5.0	Year round. Flash 1 s; eclipse 5 s.
1824.33	<i>Le Gros Cacouna light buoy HC2</i>	<i>47 55 39.6 069 30 57.9</i>	<i>Fl R 4s</i>	<i>Red, pillar, marked "HC2".</i>	<i>Year round. (Winter spar.)</i>
1824.4 H2160.6	Port de Gros-Cacouna	End of S. breakwater. 47 55 41.6 069 31 13.0	Iso W 2s	8.0	8	Square skeleton tower. 4.9	Year round.
1825	<i>Brisants Barrett light and bell buoy H56</i>	<i>47 52 54.1 069 37 11.2</i>	<i>Fl R 4s</i>	<i>Red, pillar, marked "H56".</i>	<i>Seasonal. Audible signal: Bell</i>
1825.5	<i>Rocher Demers light buoy H58</i>	<i>47 51 22.1 069 38 55.2</i>	<i>Fl R 4s</i>	<i>Red, pillar, marked "H58".</i>	<i>Seasonal.</i>
1826 H2162	Pointe de la Rivière du Loup	On end of wharf. 47 50 52.4 069 34 14.0	Iso G 2s	10.2	10	Pipe swing pole. 8.1	Year round.
1826.5	Pointe de Rivière du Loup west light	On W. outer end of S. breakwater. 47 50 48.6 069 34 19.8	Fl R 4s	Cylindrical mast.	Private aid. Year round.
1829 H2167	Île aux Lièvres	On small island, SW. end. 47 47 55.3 069 46 29.2	Fl G 6s	9.4	10	Square skeleton tower, orange and white rectangular daymark. 7.9	Seasonal. Flash 1 s; eclipse 5 s. Radar reflector.
1830	<i>Passe de l'Île aux Lièvres Fairway light buoy ILIEV</i>	<i>Chenal du Sud. 47 47 14.2 069 47 10.3</i>	<i>Mo(A) W 6s</i>	<i>Red-white, pillar, marked "ILIEV".</i>	<i>Year round. (Winter spar.)</i>
1831	<i>Battures des Pèlerins light and bell buoy H63</i>	<i>Chenal du Sud. 47 45 46.1 069 43 48.2</i>	<i>Fl G 4s</i>	<i>Green, pillar, marked "H63".</i>	<i>Seasonal. Audible signal: Bell</i>

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
1832 H2172	Le Long Pèlerin	Centre of island. 47 42 58.8 069 44 51.8	Fl W 6s	44.0	9	Square skeleton tower. 13.9	Seasonal. Flash 1 s; eclipse 5 s.
1834 H2166	Cap de la Tête au Chien	On the cape. 47 54 41.5 069 48 23.7	Fl W 6s	63.1	15	White octagonal tower with red top.	Year round. Operates 24 h. Flash 1 s; eclipse 5 s.
1834.5	<i>Saint-Siméon light buoy K60</i>	47 50 40.0 069 52 11.6	Fl R 4s	Red, pillar, marked "K60".	Seasonal.
1835 H2168	Saint-Siméon	On outer end of wharf. 47 50 23.7 069 52 23.0	Iso R 2s	8.5	5	Square skeleton tower. 6.2	Year round.
1836 H2182	Cap au Saumon	47 46 13.8 069 54 21.4	Fl(3) W 15s	25.0	20	White octagonal tower with red top.	Year round. Operates 24 h.
1838 H2174	Grande Île Kamouraska	Near NE. end of island. 47 37 20.4 069 51 44.3	Fl W 6s	35.0	8	Square skeleton tower. 12.6	Seasonal. Flash 1 s; eclipse 5 s.
1839 H2187	Cap à l'Aigle Breakwater	Marina, on breakwater. 47 39 45.9 070 05 46.0	Fl Y 6s	6.4	7	Square skeleton tower. 5.0	Private aid. Seasonal. Flash 1 s; eclipse 5 s.
1839.5 H2187.2	Cap à l'Aigle Marina	47 39 44.6 070 05 48.7	Iso R 6s	4.8	Square skeleton tower. 3.4	Private aid. Seasonal.
1840 H2186	Cap à l'Aigle	East end of pier. 47 39 43.0 070 05 46.7	Iso R 2s	6.1	6	Mast.	Private aid. Year round.
1841	<i>Haut-fond Morin bifurcation light buoy HFMOR</i>	47 36 08.1 070 02 16.2	Fl(2+1) G 6s	Green-red-green, pillar, marked "HFMOR".	Year round. (Winter spar.)
1843	<i>Pointe-au-Pic light and bell buoy K64</i>	Chenal du Nord. 47 37 22.0 070 08 03.3	Fl R 4s	Red, pillar, marked "K64".	Seasonal. Audible signal: Bell
1843.5	<i>Pointe-au-Pic South Cardinal light buoy KPP</i>	47 37 22.9 070 08 18.8	Q(6)+ LFl W 15s	Yellow-black, pillar, marked "KPP".	Seasonal.
1843.7 H2195	Pointe-au-Pic Breakwater	47 37 24.9 070 08 19.6	F Y	7.2	Mast.	Private aid. Seasonal.
1844 H2194	Pointe-au-Pic	On inner side of wharf. 47 37 21.1 070 08 24.2	Fl R 6s	19.5	17	Square skeleton tower. 18.5	Year round. Operates 24 h. Flash 1 s; eclipse 5 s.
1849 H2202	Cap-aux-Oies	On cape. 47 29 17.6 070 13 53.2	Fl W 6s	15.9	20	Square skeleton tower. 9.5	Year round. Operates 24 h. Flash 1 s; eclipse 5 s.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
1849.5 H2204	Cap Saint-Joseph	On the portal landing. 47 26 54.1 070 21 52.7	Iso G 2s	13.4	7	Structure. 11.2	Year round. Radar reflector. Synthetic AIS AtoN MMSI: 993161078
1850 H2206	Île aux Coudres	On outer end of wharf. 47 25 14.9 070 23 33.4	F G	13.7	On landing stage of superstructure.	Year round. Operates 24 h.
1851 H2208	Pointe de la Prairie	On La Grande Batture, W. of Pointe de la Prairie. 47 24 33.8 070 25 51.2	Fl W 2.5s	15.6	16	Red and white cylindrical tower.	Year round. Operates 24 h. Flash 0.5 s; eclipse 2 s. Synthetic AIS AtoN MMSI: 993161077
1852 H2218	Cap-aux-Corbeaux front range light	E. of wharf. 47 26 06.7 070 25 40.6	F W	32.9	20	Skeleton tower, orange daymark with black vertical stripe. 32.2	Year round. Operates 24 h. Emergency light: Iso W 1s.
1852.1 H2218	Cap-aux-Corbeaux	47 26 06.7 070 25 40.6	F W	32.0	8	Skeleton tower. 31.4	Year round. Operates 24 h. Visible 252°30'-004°30'. Emergency mode.
1853 H2218.1	Cap-aux-Corbeaux rear range light	47 26 17.8 070 25 33.3 024°13' 374.6 m from front.	F W	52.4	20	Square skeleton tower, orange daymark with black vertical stripe. 13.0	Year round. Operates 24 h. Emergency light: Iso W 1s.
1853.1 H2218.1	Cap-aux-Corbeaux	47 26 17.8 070 25 33.3	F W	52.1	8	Square skeleton tower. 12.8	Year round. Operates 24 h. Visible 256°-004°30'. Emergency mode.
1857	<i>Pointe de la Prairie light buoy K65</i>	<i>Chenal du Nord. 47 24 40.1 070 26 04.3</i>	Q G 1s	<i>Green, pillar, marked "K65".</i>	<i>Seasonal.</i>
1857.2 H2212	Marina Baie St-Paul front range light	Near the wharf. 47 25 53.9 070 29 31.0	F R	5.9	Orange, black and white tripod skeleton tower, orange daymark with black vertical stripe. 2.9	Private aid. Seasonal.
1857.21 H2212.1	Marina Baie St-Paul rear range light	47 25 54.5 070 29 32.1 308°59' 27.9 m from front.	F R	12.3	Orange, black and white tripod skeleton tower, orange daymark with black vertical stripe. 5.4	Private aid. Seasonal.
1867	<i>Traverse de Saint- Roch light buoy H68</i>	<i>Chenal du Sud. 47 25 02.1 070 13 00.2</i>	Fl R 4s	<i>Red, pillar, marked "H68".</i>	<i>Seasonal.</i>
1869	<i>Traverse de Saint- Roch light buoy H72</i>	<i>Chenal du Sud. 47 22 45.8 070 14 31.5</i>	Fl R 4s	<i>Red, pillar, marked "H72".</i>	<i>Seasonal.</i>

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL								
1870	Traverse de Saint-Roch light buoy H79	Chenal du Sud. 47 21 18.1 070 15 19.3	Fl G 4s	Green, pillar, marked "H79".	Seasonal.	
1871	Traverse de Saint-Roch light buoy H83	Chenal du Sud. 47 19 05.1 070 16 51.3	Fl G 4s	Green, pillar, marked "H83".	Seasonal.	
1873	St-Roch Shoals light buoy H89	Chenal du Sud. 47 16 47.1 070 18 03.3	Fl G 4s	Green, pillar, marked "H89".	Seasonal.	
1874	Port-Joli Shoals light buoy H93	Chenal du Sud. 47 14 19.1 070 19 09.8	Fl G 4s	Green, pillar, marked "H93".	Seasonal.	
1875 H2226	Saint-Jean-Port-Joli	On outer end of wharf. 47 12 58.0 070 16 28.6	Fl G 6s	6.2	5	Square skeleton tower. 5.0	Seasonal. Flash 1 s; eclipse 5 s.	
1875.5 H2226.1	Parc nautique de St-Jean-Port-Joli front range light	47 12 58.1 070 16 28.6	F R	5	Structure, white daymark with red vertical stripe.	Private aid. Seasonal (in place year round).
1875.7	Parc nautique de St-Jean-Port-Joli rear range light	47 12 56.9 070 16 27.4 144°25' 45.6 m from front.	F R	5	Post, white daymark with red vertical stripe.	Private aid. Seasonal (in place year round).
1875.8	Saint-Jean-Port-Joli	On the end of N. breakwater. 47 13 00.9 070 16 29.6	Fl G 4s	Square skeleton tower, green, white and black square daymark.	Private aid. Year round.	
1875.9	Saint-Jean-Port-Joli	On the end of S. breakwater. 47 12 59.0 070 16 31.1	Fl R 4s	Red and white triangular daymark with red triangle in centre.	Private aid. Year round.	
1876 H2228	Pilier de Pierre	S. side of islet. 47 12 20.7 070 21 34.4	Fl W 6s	25.3	10	Cylindrical tower. 12.7	Seasonal. Flash 1 s; eclipse 5 s.	
1878.3	Roche à Veillon light buoy H98	Chenal du Sud. 47 12 02.4 070 21 07.0	Fl R 4s	Red, pillar, marked "H98".	Seasonal.	
1879.5	Beaujeu North Cardinal light buoy BEAUJ	Chenal du Sud. 47 05 03.3 070 29 22.3	Q W 1s	Black-yellow, pillar, marked "BEAUJ".	Seasonal.	
1886.5	Chenal de Beaujeu South Cardinal light buoy CBJ	SE. of pile. 47 04 08.2 070 30 52.9	Q(6) + LFI W	15s	Yellow-black, pillar, marked "CBJ".	Seasonal.
1887 H2238.2	Île aux Grues	On wharf. 47 03 18.3 070 31 53.6	Fl G 6s	11.6	10	Red square skeleton tower. 9.1	Year round. Flash 1 s; eclipse 5 s.	

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics			Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL									
1890	Montmagny	End of S. Warf. 46 59 11.1 070 33 06.5	F	R W G	7.9	12	Square skeleton tower, white rectangular daymark with red bands. 6.3	Year round. Operates 24 h. R 167.25°-167.75°; AI RW 167.75°-168.25°; W 168.25°-168.75°; AI GW 168.75°-169.25°; G 169.25°-169.75°.
1890.42	Battures de Montmagny light buoy HM13	46 59 43.3 070 33 14.8	FI	G	4s	Green, spar, marked "HM13".	Seasonal.
1890.43	Battures de Montmagny light buoy HM11	46 59 53.4 070 33 16.9	FI	G	4s	Green, spar, marked "HM11".	Seasonal.
1890.44	Battures de Montmagny light buoy HM10	Montmagny channel. 46 59 33.3 070 33 14.7	FI	R	4s	Red, spar, marked "HM10".	Seasonal.
1890.45	Battures de Montmagny light buoy HM8	46 59 40.9 070 33 17.8	FI	R	4s	Red, spar, marked "HM8".	Seasonal.
1890.46	Battures de Montmagny light buoy HM6	Montmagny channel. 46 59 53.0 070 33 21.6	FI	R	4s	Red, spar, marked "HM6".	Seasonal.
1890.47	Battures de Montmagny light buoy HM5	47 00 00.9 070 33 18.7	FI	G	4s	Green, spar, marked "HM5".	Seasonal.
1890.48	Battures de Montmagny light buoy HM4	47 00 03.8 070 33 23.2	FI	R	4s	Red, spar, marked "HM4".	Seasonal.
1890.5	Battures de Montmagny light buoy HM2	Montmagny channel. 47 00 09.1 070 33 25.0	FI	R	4s	Red, pillar, marked "HM2".	Seasonal.
1890.6	Montmagny information light buoy MTGNY	Chenal du Sud. 47 01 34.3 070 33 43.2	FI	Y	4s	White-orange, pillar, marked "MTGNY".	Seasonal.
1891.2 H2246	Pointe aux Pins	W. end of île aux Grues. 47 02 24.7 070 34 30.6	FI	G	6s	10.7	6	Square skeleton tower. 9.6	Seasonal. Flash 1 s; eclipse 5 s.
1891.25	Rocher de la Baleine North Cardinal light buoy BAL	Chenal du Sud. 47 08 39.7 070 30 46.6	Q	W	1s	Black-yellow, pillar, marked "BAL".	Seasonal.
1891.4	Barre de la Grosse Île light buoy HP8	Chenal du Sud. 47 00 09.1 070 41 40.3	FI	R	4s	Red, pillar, marked "HP8".	Seasonal.
1891.6	Rocher Wye light buoy H121	Chenal du Sud. 46 59 33.1 070 37 57.3	FI	G	4s	Green, pillar, marked "H121".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
1892.1	Cap Maillard light buoy K82	Chenal du Nord. 47 15 15.1 070 34 16.3	Fl R 4s	Red, pillar, marked "K82".	Seasonal.
1892.2	Cap Maillard light buoy K83	Chenal du Nord. 47 14 33.1 070 32 34.3	Q G 1s	Green, pillar, marked "K83".	Seasonal. Audible signal: Bell
1892.6	Sault-au-Cochon light buoy K87	Chenal du Nord. 47 11 00.1 070 36 36.3	Fl G 4s	Green, pillar, marked "K87".	Seasonal.
1893 H2254	Sault-au-Cochon	47 11 49.5 070 38 15.6	Fl W 6s	16.2	4	Square skeleton tower, orange rectangular daymark.	Year round. Flash 1 s; eclipse 5 s. Radar reflector.
1893.5	Pointe du Débarquement light buoy K91	Chenal du Nord. 47 09 16.2 070 39 36.5	Q G 1s	Green, pillar, marked "K91".	Seasonal.
1893.6	Anse aux Bardeaux light buoy K92	Chenal du Nord. 47 09 35.4 070 39 40.5	Q R 1s	Red, spar, marked "K92".	Year round (YRLS).
1894	Récifs de Longue Pointe light buoy K96	Chenal du Nord. 47 08 39.8 070 40 31.1	Fl R 4s	Red, spar, marked "K96".	Year round (YRLS).
1895	Cap Gribane light buoy K95	Chenal du Nord. 47 08 04.8 070 40 46.1	Fl G 4s	Green, spar, marked "K95".	Year round (YRLS).
1895.2 H2255	Cap Gribane front range light	Near shore. 47 08 27.2 070 41 08.8	F W	13.2	18	Square skeleton tower, orange daymark with black vertical stripe. 8.0	Year round. Operates 24 h.
1895.3 H2255.1	Cap Gribane rear range light	47 08 40.4 070 41 00.2 023°52' 445.4 m from front.	F W	27.2	18	Square skeleton tower, orange daymark with black vertical stripe. 11.0	Year round. Operates 24 h.
1895.6 H2256	Cap Rouge front range light	47 07 30.0 070 42 06.0	F Y	28.7	17	Square skeleton tower, orange daymark with black vertical stripe. 11.0	Year round. Operates 24 h.
1895.7 H2256.1	Cap Rouge rear range light	47 07 05.1 070 42 38.1 221°12' 1025.3 m from front.	F Y	55.7	17	Square skeleton tower, orange daymark with black vertical stripe. 8.3	Year round. Operates 24 h.
1895.8	Banc du Cap Brûlé light buoy K99	Chenal du Nord. 47 06 53.4 070 41 55.7	Fl G 4s	Green, pillar, marked "K99".	Seasonal.
1895.9	Anse aux Cenelliers light buoy K100	Traverse du Nord. 47 06 44.2 070 42 23.8	Q R 1s	Red, spar, marked "K100".	Year round (YRLS).

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL								
1895.91	Banc du Cap Brûlé light buoy K101	Traverse du Nord. 47 06 15.9 070 42 26.3	Fl G 4s	Green, pillar, marked "K101".	Seasonal.	
1896	Cap Tourmente light buoy K103	Traverse du Nord. 47 05 10.9 070 43 08.3	Fl G 4s	Green, pillar, marked "K103".	Seasonal.	
1897	Cap Tourmente light buoy K104	Traverse du Nord. 47 05 14.9 070 43 21.5	Fl R 4s	Red, pillar, marked "K104".	Seasonal.	
1898 H2261	Banc du Cap Brûlé Downstream front range light	47 05 50.1 070 42 12.5	F W	8.8	18	On downstream pile, orange slatwork daymark with black vertical stripe.	Year round. Operates 24 h.
1899 H2261.1	Banc du Cap Brûlé Downstream rear range light Racon K (- . -) X & S Bands	47 05 22.7 070 42 38.9 213°23' 1012.3 m from front.	F W	23.1	18	On upstream pile, white cylindrical tower with red top. 18.4	Year round. Operates 24 h.
1900 H2262	Banc du Cap Brûlé Upstream front range light	On upstream pile. 47 05 22.5 070 42 38.9	F W	8.7	18	Square skeleton tower, red daymark with black vertical stripe.	Year round. Operates 24 h. Synthetic AIS AtoN MMSI: 993161075
1901 H2262.1	Banc du Cap Brûlé Upstream rear range light	47 05 50.0 070 42 12.4 033°23' 1014.4 m from front.	F W	29.4	18	White cylindrical tower with red bands. 21.2	Year round. Operates 24 h. Synthetic AIS AtoN MMSI: 993161076
1902 H2259	Cap Brûlé	On S. extremity of cape. 47 06 30.5 070 42 59.6	Iso W 2s	41.1	6	Square skeleton tower, orange rectangular daymark. 5.0	Year round.	
1904	Le Banc de Sable light buoy K107	Traverse du Nord. 47 03 46.2 070 44 03.1	Q G 1s	Green, spar, marked "K107".	Year round (YRLS).	
1905	Le Banc de Sable light buoy K108	Traverse du Nord. 47 03 50.9 070 44 15.8	Q R 1s	Red, spar, marked "K108".	Year round (YRLS).	
1906	Traverse Nord light buoy K111	Traverse du Nord. 47 02 31.8 070 45 14.7	Fl G 4s	Green, pillar, marked "K111".	Seasonal.	
1908	Battures de la Traverse light buoy K112	Traverse du Nord. 47 02 37.3 070 45 26.8	Fl R 4s	Red, spar, marked "K112".	Year round (YRLS).	
1909	Traverse Nord light buoy K115	47 01 18.2 070 46 25.6	Fl G 4s	Green, pillar, marked "K115".	Seasonal.	
1910	Pointe Argentenay light buoy K116	Traverse du Nord. 47 01 23.6 070 46 37.7	Fl R 4s	Red, spar, marked "K116".	Year round (YRLS).	

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
1910.5 H2267	Pointe Argentenay front range light	On île d'Orléans, SW. of point. 47 00 27.9 070 48 18.5	F W	25.2	20	Square skeleton tower. 4.8	Year round. Operates 24 h. Emergency light: Iso W 1s.
1910.6 H2267.1	Pointe Argentenay rear range light	46 59 13.1 070 49 30.8 213°30' 2768.3 m from front.	F W	64.3	20	Skeleton tower. 35.5	Year round. Operates 24 h. Emergency light: Iso W 1s.
1911	<i>Traverse du Nord (Downstream Quai Saint-François) light buoy K119</i>	<i>Sault-au-Cochon. 47 00 04.6 070 47 36.5</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "K119".</i>	<i>Seasonal.</i>
1912	<i>Traverse du Nord (Downstream Quai Saint-François) light buoy K120</i>	<i>Sault-au-Cochon. 47 00 10.0 070 47 48.5</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "K120".</i>	<i>Year round. (Winter spar.)</i>
1912.5	<i>Traverse du Nord (Upstream Quai Saint- François) light buoy K124</i>	<i>Sault-au-Cochon. 46 58 56.3 070 48 59.3</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "K124".</i>	<i>Seasonal.</i>
1913 H2278	Saint-François	At outer end of wharf, E. side. 46 59 47.6 070 48 29.5	Fl W 5s	10.6	20	Square skeleton tower. 9.7	Year round. Operates 24 h. Flash 1 s; eclipse 4 s.
1913.4	<i>Traverse du Nord (Upstream Quai Saint- François) light buoy K123</i>	<i>Sault-au-Cochon. 46 58 50.9 070 48 47.2</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "K123".</i>	<i>Seasonal.</i>
1914	<i>Traverse du Nord (Pointe Dauphine) light buoy K127</i>	<i>Sault-au-Cochon. 46 57 37.2 070 49 58.0</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "K127".</i>	<i>Seasonal.</i>
1915	<i>Traverse du Nord (Pointe Dauphine) light buoy K128</i>	<i>Sault-au-Cochon. 46 57 42.7 070 50 10.0</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "K128".</i>	<i>Year round. (Winter spar.)</i>
1916	<i>Traverse du Nord (Pointe à Blaye) light buoy K131</i>	<i>Sault-au-Cochon. 46 56 41.7 070 50 51.2</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "K131".</i>	<i>Seasonal.</i>
1917	<i>Pointe à Blaye light buoy K132</i>	<i>Traverse du Nord. 46 56 45.5 070 51 04.9</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "K132".</i>	<i>Year round (YRLS).</i>
1917.2	<i>Pointe Saint-Jean light buoy K136</i>	<i>Traverse du Nord. 46 55 31.8 070 52 15.5</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "K136".</i>	<i>Year round (YRLS).</i>
1917.3	<i>Pointe à Blaye light buoy K135</i>	<i>Traverse du Nord. 46 55 53.6 070 51 37.3</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "K135".</i>	<i>Year round (YRLS).</i>

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
1918 H2274	Saint-Michel front range light	W. of Pointe Saint- Michel. 46 52 31.0 070 54 59.8	F W F W	29.7	20 23	Skeleton tower, orange daymark with black vertical stripe. 24.4	Year round. Operates 24 h. Emergency light: Iso W 1s. An increase power of the range lights is available from a distance on channel 69 (156,475 MHz). All mariners wanting to operate at the increase power will have to push the transmitter of his VHF radio five (5) times with an interval of 1 second. The additional power of the lights will be in function for 45 minutes. After this delay, the mariner will have to repeat the same operation. This additional power of lights can be turned off by pushing seven (7) times the transmitter of his VHF radio.
1919 H2274.1	Saint-Michel rear range light	46 51 43.9 070 55 44.8 213°14' 1737.9 m from front.	F W F W	56.6	20 23	Tripod skeleton tower, orange daymark with black vertical stripe. 25.2	Year round. Operates 24 h. Emergency light: Iso W 1s. An increase power of the range lights is available from a distance on channel 69 (156,475 MHz). All mariners wanting to operate at the increase power will have to push the transmitter of his VHF radio five (5) times with an interval of 1 second. The additional power of the lights will be in function for 45 minutes. After this delay, the mariner will have to repeat the same operation. This additional power of lights can be turned off by pushing seven (7) times the transmitter of his VHF radio.
1920 H2272	Île de Bellechasse	On summit of island. 46 55 53.5 070 46 02.6	Fl Y 6s	13.1	5	Square skeleton tower. 7.9	Seasonal. Flash 1 s; eclipse 5 s.
1922	<i>Récif de l'île Madame South Cardinal light buoy DAME</i>	<i>Chenal du Sud. 46 55 53.1 070 50 30.3</i>	<i>Q(6) + W LFI</i>	15s	<i>Yellow-black, pillar, marked "DAME".</i>	<i>Seasonal.</i>
1922.5	<i>Pointe Samson light buoy H131</i>	<i>Chenal du Sud. 46 54 22.1 070 51 58.3</i>	<i>Fl G 4s</i>	<i>Green, pillar, marked "H131".</i>	<i>Seasonal.</i>
1923 H2282	Saint-Jean-d'Orléans Racon G (- - .) X & S Bands	Near outer end of wharf. 46 54 56.5 070 53 47.0	Fl R 5s	10.9	12	Square skeleton tower, orange rectangular daymark. 9.4	Year round. Flash 1 s; eclipse 4 s.
1923.2	<i>Rivière Lafleur light buoy K140</i>	<i>Chenal des Grands Voiliers. 46 53 16.5 070 55 39.5</i>	<i>Fl R 4s</i>	<i>Red, spar, marked "K140".</i>	<i>Year round (YRLS).</i>

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
1923.21	Saint-Michel-de-Bellechasse dumping ground light buoy PRIV	46 53 03.1 070 54 27.7	Fl Y 4s	Yellow, spar, marked "PRIV".	Private aid. Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
1923.22	Saint-Michel-de-Bellechasse dumping ground light buoy PRIV	46 53 05.0 070 54 30.0	Fl Y 5s	Yellow, spar, marked "PRIV".	Private aid. Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
1923.23	Saint-Michel-de-Bellechasse dumping ground light buoy PRIV	46 53 00.5 070 54 38.3	Fl Y 4s	Yellow, spar, marked "PRIV".	Private aid. Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
1923.24	Saint-Michel-de-Bellechasse dumping ground light buoy PRIV	46 53 02.0 070 54 40.0	Fl Y 4s	Yellow, spar, marked "PRIV".	Private aid. Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
1923.3	Saint-Michel-de-la-Durantaye light buoy K141	Sault-au-Cochon. 46 53 14.5 070 54 51.8	Fl G 4s	Green, pillar, marked "K141".	Seasonal.
1923.4	Pointe de La Durantaye West light buoy K143	Sault-au-Cochon. 46 52 14.2 070 56 57.4	Fl G 4s	Green, pillar, marked "K143".	Seasonal.
1923.7	St-Laurent light buoy K145	46 51 26.0 070 58 40.1	Q G 1s	Green, pillar, marked "K145".	Seasonal.
1924 H2284	Saint-Laurent-de-l'Île-d'Orléans	On the portal landing. 46 51 28.9 071 00 10.5	Fl G 5s	13.6	12	Pipe swing pole. 12.9	Year round. Flash 1 s; eclipse 4 s.
1925	Battures de Beaumont light buoy K147	Québec, downstream. 46 50 55.1 070 59 58.3	Fl G 4s	Green, pillar, marked "K147".	Seasonal.
1925.2 H2285	Cap au Diable front range light	At Beaumont. 46 49 57.5 071 01 54.5	F W	53.9	20	Skeleton tower, orange daymark with black vertical stripe. 19.9	Year round. Operates 24 h. Emergency light: Iso W 1s.
1925.3 H2285.1	Cap au Diable rear range light	46 49 26.3 071 02 56.1 233°38' 1622.6 m from front.	F W	89.0	20	Skeleton tower, orange daymark with black vertical stripe. 22.9	Year round. Operates 24 h. Emergency light: Iso W 1s.
1925.4	Battures de Beaumont light buoy K149	Québec, downstream. 46 50 30.7 071 02 10.3	Fl G 4s	Green, pillar, marked "K149".	Seasonal.
1925.52	Tours Hydro Upstream light buoy K154	Québec, downstream. 46 50 32.1 071 05 08.3	Q R 1s	Red, pillar, marked "K154".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL

1925.6 H2286	Pointe de la Martinière front range light	46 49 43.7 071 06 59.0	F W	45.9	20	Skeleton tower. 20.0	Year round. Operates 24 h. Emergency light: Iso W 1s.
1925.7 H2286.1	Pointe de la Martinière rear range light	46 49 37.2 071 07 28.4 252°02' 655.3 m from front.	F W	66.0	20	Skeleton tower. 34.0	Year round. Operates 24 h. Emergency light: Iso W 1s.
1925.8	<i>Pointe De La Martinière light buoy K155</i>	Québec, downstream. 46 50 05.6 071 06 20.0	Fl G 4s	Green, pillar, marked "K155".	Seasonal.
1926	<i>Rochers Maranda light buoy K156</i>	Québec, downstream. 46 50 34.1 071 06 51.3	Fl R 4s	Red, pillar, marked "K156".	Seasonal.
1927 H2288	Sainte-Pétronille (Beaulieu)	On wharf. 46 50 41.9 071 07 54.6	Fl Y 5s	15.3	19	Square skeleton tower. 14.5	Year round. Operates 24 h. Flash 1 s; eclipse 4 s.

Québec Harbour

1928	<i>Anse aux Sauvages light buoy K159</i>	Off dry dock. 46 50 19.2 071 08 53.2	Fl G 4s	Green, spar, marked "K159".	Year round (YRLS).
1929	<i>Sainte-Pétronille light buoy K160</i>	46 50 39.2 071 08 51.5	Q R 1s	Red, pillar, marked "K160".	Seasonal.
1929.1	<i>Anchorage light buoy LIMITE F</i>	46 50 54.5 071 09 01.4	Fl Y 4s	Yellow, pillar, marked "LIMF".	Seasonal.
1929.2	<i>Anchorage light buoy LIMITE D</i>	46 51 02.6 071 09 23.3	Fl Y 4s	Yellow, pillar, marked "LIMD".	Seasonal.
1929.3	<i>Light buoy K164</i>	46 50 39.1 071 10 16.3	Fl R 4s	Red, pillar, marked "K164".	Seasonal.
1930	<i>Cale Sèche Lorne light buoy K163</i>	46 49 55.6 071 10 18.2	Fl G 4s	Green, pillar, marked "K163".	Seasonal.
1931.5	<i>Pointe de Lévy light buoy K165</i>	46 49 18.1 071 11 05.3	Fl G 4s	Green, pillar, marked "K165".	Seasonal.

Chenal de l'Île d'Orléans

1932 H2290	Île d'Orléans front range light	E. of Ruisseau du Moulin. 47 01 06.2 070 49 40.3	F W	11.3	19	Square skeleton tower, orange daymark with black vertical stripe. 9.6	Seasonal. Operates 24 h.
1933 H2290.1	Île d'Orléans rear range light	47 00 48.5 070 50 07.2 226°14' 787.8 m from front.	F W	37.3	19	Square skeleton tower, orange daymark with black vertical stripe. 9.6	Seasonal. Operates 24 h.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
1934	Pointe aux Prêtres light buoy V6	47 02 59.1 070 46 59.3	Fl R 4s	Red, pillar, marked "V6".	Seasonal.
1935	Beaupré Southeast light buoy V8	47 02 06.8 070 51 52.2	Fl R 4s	Red, pillar, marked "V8".	Seasonal.
1936	Beaupré Southwest light buoy V13	47 01 39.1 070 53 21.3	Fl G 4s	Green, pillar, marked "V13".	Seasonal.
1936.1 H2293	Sainte-Anne de Beaupré Sector	On pier, E. side of wharf. 47 01 15.0 070 55 40.0	Iso R W G 3s	11.4	19	Skeleton tower, orange daymark with black vertical stripe.	Seasonal. Operates 24 h. R 251°30'-253°30', AI RW 253°30'-253°50'; W 253°50'-254°10', AI GW 254°10'-254°30'; G 254°30'-256°30'.
1941 H2294	Ste-Famille front range light	Near stone mill, S. side of channel. 46 57 51.7 070 58 34.3	F G	18.6	18 Square skeleton tower, orange daymark with black vertical stripe. 18.6	Seasonal. Operates 24 h.
1942 H2294.1	Ste-Famille rear range light	46 58 03.7 070 58 11.4 052°36' 608.8 m from front.	F G	76.0	18 Square skeleton tower, orange daymark with black vertical stripe. 15.5	Seasonal. Operates 24 h.
1944	Alignement Pointe Saint-Pierre Light buoy V19	46 57 12.1 071 00 27.3	Fl G 4s	Green, pillar, marked "V19".	Seasonal.
1945	Alignement Pointe Saint-Pierre Light buoy V22	46 56 35.1 071 01 24.3	Fl R 4s	Red, pillar, marked "V22".	Seasonal.
1946 H2300	Pointe Saint-Pierre front range light	On beach on S. side of channel. 46 55 35.3 071 02 26.8	F G	6.5	16 Square skeleton tower, orange daymark with black vertical stripe. 6.3	Seasonal. Operates 24 h.
1947 H2300.1	Pointe Saint-Pierre rear range light	46 55 31.0 071 02 31.7 218°36' 166.7 m from front.	F G	13.0	16 Square skeleton tower, orange daymark with black vertical stripe. 12.4	Seasonal. Operates 24 h.
1948	Pont de l'Île-d'Orléans light buoy V31	Downstream of bridge, NE side. 46 53 12.1 071 07 35.3	Fl G 4s	Green, pillar, marked "V31".	Seasonal.
1949 H2310	Ange-Gardien front range light	On point between Montmorency and l'Ange-Gardien Village. 46 53 55.9 071 07 14.1	F G	14.3	16 Square skeleton tower, orange daymark with black vertical stripe. 12.4	Seasonal. Operates 24 h.
1950 H2310.1	Ange-Gardien rear range light	46 54 08.3 071 07 06.2 023°45' 415.7 m from front.	F G	24.4	16 Square skeleton tower, orange daymark with black vertical stripe. 14.0	Seasonal. Operates 24 h.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
1950.4	Pont de l'Île-d'Orléans light buoy V34	Upstream of bridge, NE side. 46 52 32.5 071 08 27.3	Fl R 4s	Red, pillar, marked "V34".	Seasonal.
1950.5	Pont de l'Île-d'Orléans light buoy V35	Upstream of bridge, SE side. 46 52 24.7 071 08 03.4	Fl G 4s	Green, pillar, marked "V35".	Seasonal.
1951	Pont de l'Île-d'Orléans light buoy V36	Upstream of bridge, N side. 46 52 00.1 071 08 32.3	Fl R 4s	Red, pillar, marked "V36".	Seasonal.
Québec Harbour							
1953	Rivière Saint-Charles light buoy K168	46 50 02.1 071 11 13.8	Fl R 4s	Red, pillar, marked "K168".	Seasonal.
1953.5	Rivière Saint-Charles light buoy KP2	46 49 31.1 071 12 17.3	Fl R 4s	Red, pillar, marked "KP2".	Seasonal.
1954	Québec bifurcation light buoy QUEB	Rivière Saint- Charles estuary. 46 49 24.3 071 12 21.9	Fl(2+1) R 6s	Red-green-red, pillar, marked "QUEB".	Seasonal.
1958 H2321	Québec North Limit Anchorage	46 48 34.2 071 12 10.5	Iso R 2s	20.1	6	On building.	Year round. Operates 24 h. Increased intensity on a bearing of 280°.
1959	Anse au Foulon light buoy Q4	46 47 50.1 071 12 44.3	Fl R 4s	Red, pillar, marked "Q4".	Seasonal.
1959.5 H2322.6	Parc nautique Lévy Floating Breakwater	On floating breakwater. 46 47 25.8 071 11 55.3	Fl G 4s	Mast.	Private aid. Seasonal.
1959.6 H2322.7	Parc nautique Lévy North Breakwater	46 47 27.3 071 11 54.7	Fl Y 4s	Mast.	Private aid. Seasonal.
1959.7 H2322.8	Parc nautique Lévy South Breakwater	46 47 24.8 071 11 56.0	F R	Mast.	Private aid. Seasonal.
1959.8	Parc nautique Lévy Information light buoy	46 47 30.0 071 12 00.0	Fl Y 4s	White-orange, pillar, marked "PRIV".	Private aid. Seasonal.
1960	Anse au Foulon light buoy Q6	46 47 12.1 071 13 27.3	Fl R 4s	Red, pillar, marked "Q6".	Seasonal.
1960.3 H2323.3	Quebec Yacht Club East	On outer end of E. breakwater. 46 46 58.5 071 14 01.8	F Y	5.0	8 3.4	Square skeleton tower. Private aid. Seasonal.
1960.4 H2323	Québec Yacht Club front range light	46 47 02.1 071 14 14.0	F R	4.9	16 3.3	Square skeleton tower, orange daymark with black vertical stripe. Private aid. Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
1960.5 H2323.1	Québec Yacht Club rear range light	46 47 02.4 071 14 14.8 298°57' 19.6 m from front.	F R	8.3	16	Square skeleton tower, orange daymark with black vertical stripe. 6.4	Private aid. Seasonal.
1960.6 H2323.4	Québec Yacht Club West	On outer end of W. breakwater. 46 46 57.1 071 14 04.0	Iso W 2s	4.4	8	Square skeleton tower. 3.4	Private aid. Seasonal.
1960.8	Québec Yacht Club light buoy	Marina entrance. 46 46 56.1 071 13 52.3	Fl Y 4s	White-orange, pillar, marked "PRIV".	Private aid. Seasonal.
1961	Anse Fréchette light buoy Q7	46 46 40.1 071 12 58.3	Fl G 4s	Green, pillar, marked "Q7".	Seasonal.
1961.2	Saint-Romuald d'Etchemin light buoy Q11	46 45 52.1 071 14 26.3	Fl G 4s	Green, pillar, marked "Q11".	Seasonal.
1962 H2324	Pointe à Puiseaux	Sillery, W. of wharf. 46 46 19.4 071 14 35.9	Fl R 5s	10.6	10	Pipe swing pole. 7.8	Year round. Operates 24 h. Flash 1 s; eclipse 4 s.
1962.1	Marina de la Chaudière Wharf B Light	N. end of wharf B. 46 44 33.2 071 16 42.3	Mast.	Private aid. Seasonal (in place year round). Secondary light: F W.
1962.2	Marina de la Chaudière Wharf B Light	46 44 31.7 071 16 40.5	Mast.	Private aid. Seasonal (in place year round). Secondary light: F W.
1962.3	Marina de la Chaudière light buoy QC2	46 44 43.7 071 16 42.6	Q R 1s	Red, conical, marked "QC2".	Private aid. Seasonal.
1962.4	Marina de la Chaudière Wharf A Light	N. end of wharf A. 46 44 35.0 071 16 41.1	Mast.	Private aid. Seasonal (in place year round). Secondary light: F Bu.
1962.5	Marina de la Chaudière light buoy QC3	46 44 43.7 071 16 40.8	Q G 1s	Green, can, marked "QC3".	Private aid. Seasonal.
1962.6	Marina de la Chaudière Wharf A Light	S. end of wharf A. 46 44 32.1 071 16 37.1	Mast.	Private aid. Seasonal (in place year round). Secondary light: F Bu.
1962.7	Marina Chaudière Entrance light buoy QC4	46 44 35.8 071 16 42.6	Fl R 4s	Red, conical, marked "QC4".	Private aid. Seasonal.
1962.8	Marina de la Chaudière Wharf D Light	N. end of wharf D. 46 44 29.0 071 16 36.1	Mast.	Private aid. Seasonal (in place year round). Secondary light: F W.
1962.9	Marina de la Chaudière Wharf D Light	S. end of wharf D. 46 44 27.7 071 16 34.8	Mast.	Private aid. Seasonal (in place year round). Secondary light: F W.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
1963 H2326	Pont de Québec	In the centre of the bridge, E. side. 46 44 44.2 071 17 16.2	Iso G 2s	54.1	15	On bridge.	Year round. Operates 24 h. Visible eastward.
1963.1 H2327	Pont Pierre-Laporte	On bridge, W. side. 46 44 42.1 071 17 26.2	Iso G 2s	50.5	11	On bridge.	Year round. Operates 24 h. Visible westward; obscured 180° towards the bridge.
1963.4 H2325	Pont de Québec North	46 44 50.1 071 17 19.6	F R	27.6	On bridge.	Private aid. Year round.
1963.41 H2325.5	Pont de Québec North	46 44 47.6 071 17 18.2	F W	47.0	On bridge.	Private aid. Year round.
1963.42 H2326.5	Pont de Québec South	46 44 40.6 071 17 14.0	F W	46.9	On bridge.	Private aid. Year round.
1963.43 H2326.8	Pont de Québec South	46 44 38.2 071 17 12.5	F R	28.3	On bridge.	Private aid. Year round.
1963.5 H2328	Pierre Laporte Bridge Centre-West	W. of Québec bridge. 46 44 43.3 071 17 27.0	F G	49.8	On bridge.	Year round.
1964 H2330	Pointe à Basile front range light	E. from extremity of point. 46 43 48.1 071 19 45.1	F W	59.8	21	Skeleton tower, orange daymark with black vertical stripe. 38.3	Year round. Operates 24 h. Emergency mode.
1964.1	Pointe à Basile	46 43 48.1 071 19 45.1	Iso R 2s	59.2	16	Skeleton tower. 37.8	Year round. Visible downstream from Pont de Québec on a bearing of 241°17'.
1965 H2330.1	Pointe à Basile rear range light	46 43 56.7 071 18 48.0 077°39' 1240.9 m from front.	F W	88.5	21	Skeleton tower, orange daymark with black vertical stripe. 35.1	Year round. Operates 24 h. Emergency mode.
1966 H2332	Pointe Saint-Nicolas	46 42 07.1 071 26 45.4	F G	81.2	6	Square skeleton tower, orange rectangular daymark. 14.0	Year round.
1966.5	<i>Haut-fond Saint- Augustin light buoy Q16</i>	46 43 08.8 071 24 33.0	Fl R 4s	Red, pillar, marked "Q16".	Year round. (Winter spar.)
1966.8	<i>Haut-fond Saint- Augustin light buoy Q18</i>	46 42 55.9 071 25 58.2	Fl R 4s	Red, pillar, marked "Q18".	Seasonal.
1967	<i>Pointe Saint-Nicolas light buoy Q19</i>	Route Saint- Augustin. 46 42 41.2 071 26 41.8	Fl G 4s	Green, spar, marked "Q19".	Year round (YRLS).

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
1968	Haut-fond Saint-Augustin light buoy Q20	Route Saint-Augustin. 46 42 43.0 071 27 23.4	Fl R 4s	Red, spar, marked "Q20".	Year round (YRLS).
1969	Haut-fond Saint-Augustin light buoy Q22	Route Saint-Augustin. 46 42 30.0 071 28 48.6	Fl R 4s	Red, spar, marked "Q22".	Year round (YRLS).
1970	Anse du Vieux Moulin light buoy Q23	Route Saint-Augustin. 46 42 22.3 071 28 46.3	Fl G 4s	Green, spar, marked "Q23".	Year round (YRLS).
1970.5	Pointe Aubin light buoy Q27	46 42 00.1 071 30 15.8	Fl G 4s	Green, pillar, marked "Q27".	Year round. (Winter spar.)
1972	Banc de St-Antoine light buoy Q31	46 41 10.7 071 32 45.8	Fl G 4s	Green, pillar, marked "Q31".	Year round. (Winter spar.)
1973	Pointe aux Trembles light buoy Q32	Traverse Saint-Antoine. 46 41 11.6 071 33 10.0	Fl R 4s	Red, spar, marked "Q32".	Year round (YRLS).
1973.5	Marina Vauquelin light buoy VAUQU	46 41 15.0 071 33 49.7	Fl Y 4s	White-orange, can, marked "VAUQU".	Private aid. Seasonal.
1973.6 H2333.2	Club Nautique Vauquelin front range light	Pointe aux Trembles. 46 41 50.0 071 34 29.6	F G	4.0	Black cylindrical mast.	Private aid. Seasonal. Operates 24 h.
1973.7 H2333.21	Club Nautique Vauquelin rear range light	46 41 51.1 071 34 30.9 321°22' 45.5 m from front.	F G	6.4	Side of boat house.	Private aid. Seasonal. Operates 24 h.
1973.8 H2333.22	Club Nautique Vauquelin	On outer end of breakwater. 46 41 46.2 071 34 24.4	Fl R 4s	Mast.	Private aid. Seasonal.
1974 H2334	Pointe aux Trembles (Neuville) Racon G (- -) X & S Bands	On breakwater, E. side. 46 41 47.4 071 34 22.5	Fl W 5s	9.9	20	Square skeleton tower. 8.1	Year round. Operates 24 h. Flash 1 s; eclipse 4 s.
1974.5	Pointe aux Trembles light buoy Q34	Traverse Saint-Antoine. 46 40 42.6 071 34 32.4	Fl R 4s	Red, spar, marked "Q34".	Year round (YRLS).
1975 H2336.1	Route Saint-Antoine front range light	On W. side of Pointe du Chalet des Phares. 46 39 57.9 071 35 02.3	F G	10.1	17 White pyramid tower with red upper portion, orange daymark with black vertical stripe. 7.7	Year round. Operates 24 h. Emergency light: Iso W 1s.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
1976 H2335.9	Route Saint-Antoine rear range light	46 40 00.4 071 34 51.1 071°56' 250.1 m from front.	F G	16.8	17	Square skeleton tower, orange daymark with black vertical stripe. 15.9	Year round. Operates 24 h. Emergency light: Iso W 1s.
1976.1 H2335.9	Traverse de Saint- Antoine front range light	On W. side of Pointe du Chalet des Phares. 46 40 00.4 071 34 51.1	F G	16.8	15	White square skeleton tower, orange slatwork daymark with black vertical stripe. 15.9	Year round. Operates 24 h. Emergency light: Iso W 1s.
1977 H2336	Traverse de Saint- Antoine rear range light	46 39 53.4 071 35 02.2 227°37' 321.0 m from front.	F G	58.0	15	Square skeleton tower, orange daymark with black vertical stripe. 17.2	Year round. Operates 24 h. Emergency light: Iso W 1s.
1978	<i>Pointe du Chalet des Phares light buoy Q37</i>	46 39 53.1 071 36 28.3	Fl G 4s	<i>Green, pillar, marked "Q37".</i>	<i>Seasonal.</i>
1979	<i>Pointe du Chalet des Phares light buoy Q38</i>	<i>Ruisseau Méthot.</i> 46 40 03.9 071 36 51.1	Fl R 4s	<i>Red, spar, marked "Q38".</i>	<i>Year round (YRLS).</i>
1980	<i>Sainte-Croix-Est light buoy Q40</i>	<i>Route Saint- Antoine.</i> 46 39 19.4 071 38 39.6	Fl R 4s	<i>Red, spar, marked "Q40".</i>	<i>Year round (YRLS).</i>
1981 H2338	Sainte-Croix-Est	On S. shore of river. 46 38 25.5 071 38 10.0	F G	11.2	6	Skeleton tower, orange rectangular slatwork daymark. 9.5	Year round.
1982	<i>Sainte-Croix-Est light buoy Q41</i>	46 38 47.1 071 39 43.3	Fl G 4s	<i>Green, pillar, marked "Q41".</i>	<i>Seasonal.</i>
1982.5	<i>Sainte-Croix-Est light buoy Q42</i>	46 38 58.8 071 39 50.7	Fl R 4s	<i>Red, pillar, marked "Q42".</i>	<i>Seasonal.</i>
1983	<i>Banc des Écureuils light buoy Q46</i>	<i>Route Saint- Antoine.</i> 46 38 39.1 071 41 12.3	Fl R 4s	<i>Red, spar, marked "Q46".</i>	<i>Year round (YRLS).</i>
1984	<i>Banc des Écureuils light buoy Q48</i>	<i>Sainte-Croix.</i> 46 38 26.5 071 42 48.4	Fl R 4s	<i>Red, spar, marked "Q48".</i>	<i>Year round (YRLS).</i>
1985 H2340	Sainte-Croix front range light	E. of wharf. 46 37 40.6 071 41 58.5	F W	60.1	20	Square skeleton tower, orange daymark with black vertical stripe. 7.6	Year round. Operates 24 h. Emergency light: Iso W 1s.
1986 H2340.1	Sainte-Croix rear range light	46 37 33.4 071 41 38.2 117°02' 483.9 m from front.	F W	75.1	20	Square skeleton tower, orange rectangular daymark. 15.9	Year round. Operates 24 h. Emergency light: Iso W 1s.
1986.1	Sainte-Croix	E. of Sainte-Croix. 46 37 33.4 071 41 38.2	F G	74.7	6	Square skeleton tower. 15.6	Year round. Visible eastward of 137°. Emergency mode.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
1987	Banc des Écureuils light buoy Q50	Traverse de Cap- Santé. 46 38 28.5 071 43 56.8	Q R 1s	Red, spar, marked "Q50".	Year round (YRLS).
1988 H2342	Sainte-Croix	On shore. 46 37 40.9 071 43 53.8	Iso Y 2s	15.0	7	Square skeleton tower, red and white rectangular daymark. 12.7	Year round. Visible 172°-255°. Emergency mode.
1989	Brisants Sainte-Croix light buoy Q51	Traverse de Cap- Santé. 46 38 41.2 071 45 03.8	Fl G 4s	Green, spar, marked "Q51".	Year round (YRLS).
1989.3	Sainte-Croix Tower (V-AIS)	46 37 15.3 071 43 36.2	Year round. Virtual AIS AtoN MMSI: 993166022 Reference point
1989.6	Traverse Cap-Santé light buoy Q53	46 39 08.8 071 46 22.3	Fl G 4s	Green, pillar, marked "Q53".	Seasonal.
1990	Pointe aux Sables light buoy Q54	Traverse de Cap- Santé. 46 39 15.9 071 46 17.1	Fl R 4s	Red, spar, marked "Q54".	Year round (YRLS).
1990.6	Traverse Cap-Santé light buoy Q55	46 39 36.3 071 47 40.9	Fl G 4s	Green, pillar, marked "Q55".	Year round. (Winter spar.)
1992	Poulier Paget light buoy Q57	Traverse de Cap- Santé. 46 40 03.9 071 48 59.4	Fl G 4s	Green, spar, marked "Q57".	Year round (YRLS).
1993	Pointe Platon light buoy Q61	N. of point. 46 40 37.5 071 50 58.2	Q G 1s	Green, spar, marked "Q61".	Year round (YRLS).
1993.7 H2343	Pointe-Platon	On point. 46 40 12.4 071 50 48.4	F G	9.6	7 Square skeleton tower, orange rectangular daymark. 8.0	Year round. Operates 24 h. Emergency mode. Radar reflector.
1994	Pointe Platon light buoy Q63	46 40 40.6 071 51 40.2	Fl G 4s	Green, spar, marked "Q63".	Year round (YRLS).
1995 H2344	Traverse Cap-Santé front range light	E. of Rivière Portneuf mouth. 46 41 23.8 071 52 35.2	F G	11.4	17 White cylindrical mast, orange slatwork daymark with black vertical stripe. 10.9	Year round. Operates 24 h. Emergency light: Iso W 1s.
1996 H2344.1	Traverse Cap-Santé rear range light	46 41 32.6 071 53 00.4 296°56' 599.6 m from front.	F G	22.6	17 Square skeleton tower, orange daymark with black vertical stripe.	Year round. Operates 24 h. Emergency light: Iso W 1s.
1997 H2346	Portneuf front range light	On N. shore, E. of Rivière Portneuf. 46 41 22.7 071 52 12.9	F G	20.0	17 Square skeleton tower, orange daymark with black vertical stripe. 18.6	Year round. Operates 24 h. Emergency light: Iso W 1s.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
1998 H2346.1	Portneuf rear range light	46 41 39.8 071 51 59.4 028°29' 600.4 m from front.	F G	40.7	17	Square skeleton tower, orange daymark with black vertical stripe. 14.4	Year round. Operates 24 h. Emergency light: Iso W 1s.
1998.51 H2347.5	Portneuf marina, Breakwater	On outer end of breakwater. 46 40 54.5 071 52 36.0	Fl W 4s	On a monument.	Private aid. Seasonal.
1999 H2347	Portneuf	On outer end of wharf, E. side. 46 40 56.2 071 52 38.3	Iso R 2s	13.3	10	Cylindrical mast. 8.0	Year round.
1999.5	Portneuf light buoy Q65	46 40 23.7 071 52 44.3	Q G 1s	Green, pillar, marked "Q65".	Year round. (Winter spar.)
2000	Portneuf light buoy Q66	NE. of Deschambault. 46 39 46.8 071 53 43.2	Fl R 4s	Red, pillar, marked "Q66".	Year round. (Winter spar.)
2001	Rapides Richelieu light buoy Q67	NE. of Île Richelieu. 46 39 30.5 071 53 34.0	Fl G 4s	Green, spar, marked "Q67".	Year round (YRLS).
2001.1	Rapides Richelieu light buoy Q68	46 39 10.1 071 54 13.1	Fl R 4s	Red, spar, marked "Q68".	Year round (YRLS).
2001.8 H2349	Île Richelieu Racon M (- -) X & S Bands	N. side of island. 46 38 33.5 071 54 35.2	F G F Y	5.8 5.8	7 16	Orange pile. 12.0	Year round. Operates 24 h. Visible on a bearing of 054°. Not to be used as a direction light. Visible on a bearing of 160° through S. to 250°. Increased intensity on a bearing of 211°.
2002 H2350	Barre à Boulard front range light	On edge of cliff. 46 39 33.8 071 52 34.6	F W	51.7	20	Square skeleton tower, orange daymark with black vertical stripe. 18.6	Year round. Operates 24 h. Emergency light: Iso W 1s.
2003 H2350.1	Barre à Boulard rear range light	46 39 53.6 071 51 54.9 054°03' 1042.8 m from front.	F W	71.3	Square skeleton tower, orange daymark with black vertical stripe. 19.9	Year round. Operates 24 h. Emergency light: Iso W 1s.
2004	Deschambault light buoy Q70	46 38 28.5 071 55 08.1	Fl R 4s	Red, pillar, marked "Q70".	Seasonal.
2004.5	Barre à Boulard light buoy Q73	Route de Lotbinière. 46 38 03.8 071 55 24.7	Q G 1s	Green, spar, marked "Q73".	Year round (YRLS).
2005	Barre à Boulard light buoy Q74	Deschambault. 46 38 03.3 071 55 45.4	Q R 1s	Red, spar, marked "Q74".	Year round (YRLS).

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
2006 H2348	Lotbinière front range light	On S. shore. 46 36 40.1 071 57 21.5	F W	15.5	20	Square skeleton tower, orange daymark with black vertical stripe.	Year round. Operates 24 h. Emergency light: Iso W 1s.
2007 H2348.1	Lotbinière rear range light	46 36 19.3 071 57 48.7 221°56' 867.8 m from front.	F W	41.3	20	Square skeleton tower, orange daymark with black vertical stripe. 17.4	Year round. Operates 24 h. Emergency light: Iso W 1s.
2008	<i>Barre à Boulard light buoy Q77</i>	Lotbinière. 46 37 25.0 071 56 42.4	Fl G 4s	Green, spar, marked "Q77".	Year round (YRLS).
2008.1	<i>Barre à Boulard light buoy Q76</i>	Lotbinière. 46 37 35.2 071 56 41.5	Fl R 4s	Red, spar, marked "Q76".	Year round (YRLS).
2012	<i>Îlet Mayrand light buoy Q83</i>	Grondines. 46 36 28.3 071 58 30.6	Fl G 4s	Green, spar, marked "Q83".	Year round (YRLS).
2012.1	<i>Grondines-Est light buoy Q84</i>	46 36 20.1 071 59 19.2	Fl R 4s	Red, pillar, marked "Q84".	Year round. (Winter spar.)
2013 H2354	Pointe Langlois	On S. shore E. of point. 46 35 02.0 071 59 25.0	Iso G 2s	21.8	6	Skeleton tower, orange rectangular daymark. 11.1	Year round. Radar reflector.
2014	<i>Batture Simon light buoy D4</i>	Mouillage des Grondines. 46 35 30.2 072 00 25.7	Fl R 4s	Red, spar, marked "D4".	Year round (YRLS).
2015 H2358	Leclercville (Sainte- Emmèlie) front range light	On S. shore. 46 33 44.6 072 00 49.0	F G	37.0	17	Square skeleton tower, orange daymark with black vertical stripe. 9.9	Year round. Operates 24 h. Emergency light: Iso G 1s.
2016 H2358.1	Leclercville (Sainte- Emmèlie) rear range light	46 33 43.0 072 00 00.2 092°42' 1041.8 m from front.	F G	57.2	17	Square skeleton tower, orange daymark with black vertical stripe. 12.4	Year round. Operates 24 h. Emergency light: Iso G 1s.
2016.1 H2358.1	Leclercville (Sainte- Emmèlie)	46 33 43.0 072 00 00.2	F G	57.2	6	Square skeleton tower. 12.5	Year round. Operates 24 h.
2017	<i>Battures du Chêne light buoy D9</i>	46 34 47.8 072 01 37.2	Fl G 4s	Green, pillar, marked "D9".	Year round. (Winter spar.)
2017.5	<i>Barre du Dos de Cheval light buoy D12</i>	46 34 39.6 072 02 18.6	Fl R 4s	Red, pillar, marked "D12".	Year round. (Winter spar.)
2018	<i>Battures à Cadieux light buoy D15</i>	46 34 06.0 072 03 16.0	Fl G 4s	Green, pillar, marked "D15".	Year round. (Winter spar.)
2018.5	<i>Batture de la Grande Pointe light buoy D18</i>	Grondines-Ouest. 46 34 09.7 072 03 29.3	Q R 1s	Red, spar, marked "D18".	Year round (YRLS).

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
2019 H2356	Route du Cap Charles front range light	W. of Cap Charles. 46 33 22.0 072 05 10.9	F G	39.8	14	Square skeleton tower, fluorescent orange daymark with black vertical stripe. 9.1	Year round. Operates 24 h. Emergency mode.
2020 H2356.1	Route du Cap Charles rear range light	46 33 11.6 072 05 35.5 238°29' 615.8 m from front.	F G	54.3	14	Square skeleton tower, fluorescent orange daymark with black vertical stripe. 20.5	Year round. Operates 24 h. Emergency mode.
2020.5	Cap Charles light buoy D23	46 33 50.5 072 04 02.8	Q G 1s	Green, pillar, marked "D23".	Year round. (Winter spar.)
2021	Cap Charles light buoy D22	46 34 01.3 072 04 06.9	Q R 1s	Red, pillar, marked "D22".	Year round. (Winter spar.)
2022	Poulier du Calvaire light buoy D24	Pointe des Grondines. 46 33 56.1 072 04 45.6	Q R 1s	Red, spar, marked "D24".	Year round (YRLS).
2022.5	Poulier du Calvaire light buoy D25	46 33 48.2 072 04 46.1	Fl G 4s	Green, pillar, marked "D25".	Year round. (Winter spar.)
2023 H2362	Pointe des Grondines front range light	On point. 46 34 43.5 072 04 11.8	F G	14.6	15	Square skeleton tower, fluorescent red daymark with black vertical stripe. 8.9	Year round. Operates 24 h. Emergency mode.
2024 H2362.1	Pointe des Grondines rear range light	46 35 14.8 072 02 26.6 066°37' 2439.8 m from front.	F G	42.1	15	Square skeleton tower, fluorescent red slatwork daymark with black vertical stripe. 37.8	Year round. Operates 24 h. Emergency mode.
2025 H2364	Route de l'Anse-des- Grondines front range light	Upstream of Pointe des Grondines. 46 35 06.4 072 05 52.0	Iso W 2s	9.0	16	Square skeleton tower, orange daymark with black vertical stripe. 8.0	Year round. Operates 24 h. Emergency mode.
2026 H2364.1	Route de l'Anse-des- Grondines rear range light	46 35 50.3 072 04 43.1 047°15' 1996.8 m from front.	Iso W 2s	38.4	16	Square skeleton tower, fluorescent red slatwork daymark with black vertical stripe. 23.2	Year round. Operates 24 h. Emergency mode.
2027 H2360	La Pérade front range light	Sainte-Anne-de-la- Pérade. 46 34 02.9 072 10 23.8	F G	14.8	17	Yellow skeleton tower, orange daymark with black vertical stripe. 13.7	Year round. Operates 24 h. Emergency light: Iso G 1s.
2028 H2360.1	La Pérade rear range light	46 34 04.6 072 11 20.6 272°35' 1210.6 m from front.	F G	26.7	17	Square skeleton tower, orange daymark with black vertical stripe. 22.9	Year round. Operates 24 h. Emergency light: Iso G 1s.
2028.5 H2361	Deschailions-sur- Saint-Laurent	NW. corner of Deschailions wharf. 46 33 39.8 072 06 22.2	Fl G 4s	11.5	6	White mast. 9.7	Year round. Flash 1 s; eclipse 3 s. Radar reflector. Physical AIS AtoN MMSI: 993161061

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
2029	Pointe Deschaillons light buoy D29	Pouler Rayer. 46 33 50.9 072 06 11.2	Fl G 4s	Green, spar, marked "D29".	Year round (YRLS).
2029.5	Deschaillons-sur- Saint-Laurent light buoy D30	Route de Sainte- Emmélie. 46 33 58.9 072 06 10.7	Fl R 4s	Red, spar, marked "D30".	Year round (YRLS).
2030	Deschaillons-sur- Saint-Laurent light buoy D31	Route de la Pointe- des-Grondines. 46 33 48.4 072 06 47.6	Q G 1s	Green, spar, marked "D31".	Year round (YRLS).
2031	Deschaillons-sur- Saint-Laurent light buoy D32	Route de la Pointe- des-Grondines. 46 33 57.8 072 06 50.0	Q R 1s	Red, spar, marked "D32".	Year round (YRLS).
2032	Cap à la Roche light buoy D35	Route de la Pointe- des-Grondines. 46 33 42.0 072 07 22.9	Fl G 4s	Green, spar, marked "D35".	Year round (YRLS).
2033	Poulier Villeneuve light buoy D36	Route de la Pointe- des-Grondines. 46 33 49.3 072 07 27.4	Fl R 4s	Red, spar, marked "D36".	Year round (YRLS).
2034	Cap à la Roche light buoy D37	Route de la Pointe- des-Grondines. 46 33 33.5 072 07 51.8	Q G 1s	Green, spar, marked "D37".	Year round (YRLS).
2035	Cap à la Roche light buoy D38	46 33 40.8 072 07 56.3	Q R 1s	Red, pillar, marked "D38".	Year round. (Winter spar.)
2036	Cap à la Roche Course light buoy D40	46 33 29.2 072 08 28.5	Q R 1s	Red, pillar, marked "D40".	Year round. (Winter spar.)
2037	Battures des Belles Filles light buoy D41	Route de l'Anse- des-Grondines. 46 33 07.9 072 08 49.3	Q G 1s	Green, spar, marked "D41".	Year round (YRLS).
2037.5	Battures des Belles Filles light buoy D42	Route de l'Anse- des-Grondines. 46 33 13.7 072 08 57.1	Fl R 4s	Red, spar, marked "D42".	Year round (YRLS).
2038	Cap Lévrard light buoy D49	46 32 25.0 072 09 56.4	Fl G 4s	Green, pillar, marked "D49".	Year round. (Winter spar.)
2038.4	Cap Lévrard light buoy D52	46 32 19.8 072 10 21.5	Q R 1s	Red, pillar, marked "D52".	Year round. (Winter spar.)
2038.6	Traverse de Batiscan Curve light buoy D53	46 31 56.9 072 10 40.4	Q G 1s	Green, pillar, marked "D53".	Year round. (Winter spar.)
2039	Traverse de Batiscan Curve light buoy D54	Cap Lévrard. 46 32 04.9 072 10 48.9	Q R 1s	Red, spar, marked "D54".	Year round (YRLS).

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
2039.5	Traverse de Batiscan Curve light buoy D56	46 31 51.3 072 11 17.7	Q R 1s	Red, pillar, marked "D56".	Year round. (Winter spar.)
2040	Butte à Moineau light buoy D59	Traverse de Batiscan. 46 31 22.5 072 12 07.7	FI G 4s	Green, spar, marked "D59".	Year round (YRLS).
2040.5	Light buoy D60	46 31 28.9 072 12 14.6	FI R 4s	Red, pillar, marked "D60".	Year round. (Winter spar.)
2041 H2368	Les Becquets	On wharf. 46 30 26.9 072 12 21.5	F G	7.9	7 White mast. 6.7	Year round.
2042 H2366	Traverse de Batiscan front range light	46 30 33.6 072 14 22.9	F G	13.7	12 Square skeleton tower, orange daymark with black vertical stripe. 8.1	Year round. Operates 24 h. Emergency mode.
2042.1 H2366	Batiscan	Near shore edge. 46 30 33.6 072 14 22.9	F G	13.7	6 Square skeleton tower. 8.1	Year round. Operates 24 h.
2043 H2366.1	Traverse de Batiscan rear range light	46 30 26.5 072 14 40.8 240°13' 440.2 m from front.	F G	24.6	12 Square skeleton tower, orange daymark with black vertical stripe. 21.7	Year round. Operates 24 h. Emergency mode.
2043.1 H2366.1	Batiscan	46 30 26.5 072 14 40.8	F G	24.7	6 Square skeleton tower. 21.8	Year round. Operates 24 h.
2043.6	Rivière Batiscan light buoy D62	Traverse de Batiscan. 46 31 09.7 072 12 56.4	Q R 1s	Red, spar, marked "D62".	Year round (YRLS).
2044	Battures Saint-Pierre light buoy D63	46 31 01.0 072 12 47.6	Q G 1s	Green, pillar, marked "D63".	Year round. (Winter spar.)
2045	Battures Saint-Pierre light buoy D67	46 30 31.7 072 13 22.0	Q G 1s	Green, pillar, marked "D67".	Year round. (Winter spar.)
2046	Mouillage Batiscan light buoy D68	46 30 43.3 072 13 28.7	FI R 4s	Red, pillar, marked "D68".	Year round. (Winter spar.)
2047	Battures Saint-Pierre light buoy D71	Route de Gentilly. 46 30 00.3 072 13 44.0	FI G 4s	Green, spar, marked "D71".	Year round (YRLS).
2047.2 H2366.4	Batiscan	46 30 01.0 072 14 45.9	Q R 1s	12.8	5	Mast. 9.7	Year round. Radar reflector.
2047.5	Batiscan Anchorage light buoy D74	46 29 21.2 072 14 14.2	Q R 1s	Red, pillar, marked "D74".	Year round. (Winter spar.)
2048	Battures Perron light buoy D82	Route de Gentilly. 46 28 21.3 072 14 42.0	FI R 4s	Red, spar, marked "D82".	Year round (YRLS).
2049.4	Gentilly light buoy D83	46 28 07.2 072 14 36.4	FI G 4s	Green, pillar, marked "D83".	Year round. (Winter spar.)

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
2050 H2370	Gentilly front range light Racon K (-.-) X & S Bands	On pile, Battures de Gentilly. 46 25 48.0 072 15 46.9	F G	11.9	14	White tower, orange daymark with black vertical stripe. 3.8	Year round. Emergency mode.
2051 H2370.1	Gentilly rear range light	46 24 27.9 072 16 23.9 197°44' 2596.1 m from front.	F G	31.1	14	Square skeleton tower, orange daymark with black vertical stripe. 24.4	Year round. Emergency mode.
2052	<i>Pointe à la Citrouille light buoy D87</i>	46 26 59.9 072 15 27.4	Fl G 4s	<i>Green, pillar, marked "D87".</i>	<i>Year round. (Winter spar.)</i>
2052.5	<i>Pointe à la Citrouille light buoy D88</i>	46 27 17.3 072 15 31.1	Fl R 4s	<i>Red, spar, marked "D88".</i>	<i>Year round (YRLS).</i>
2053 H2372	Pointe à la Citrouille	46 27 06.5 072 16 02.6	F G	17.5	7	Square skeleton tower, orange rectangular daymark. 15.7	Year round.
2053.5	<i>Pointe à la Citrouille light buoy D90</i>	46 26 47.4 072 16 04.6	Q R 1s	<i>Red, pillar, marked "D90".</i>	<i>Year round. (Winter spar.)</i>
2054	<i>Pointe à la Citrouille light buoy C2</i>	46 26 36.5 072 16 29.0	Q R 1s	<i>Red, pillar, marked "C2".</i>	<i>Year round. (Winter spar.)</i>
2054.1	<i>Poulier Grandmont light buoy C3</i>	46 26 24.2 072 16 19.9	Q G 1s	<i>Green, pillar, marked "C3".</i>	<i>Seasonal.</i>
2055	<i>Petite batture Champlain light buoy C4</i>	<i>Route de Champlain, N. side of channel. 46 26 29.1 072 17 02.3</i>	Fl R 4s	<i>Red, spar, marked "C4".</i>	<i>Year round (YRLS).</i>
2056	<i>Poulier Turcotte light buoy C7</i>	<i>S. side of channel. 46 26 16.3 072 18 10.3</i>	Fl G 4s	<i>Green, pillar, marked "C7".</i>	<i>Year round. (Winter spar.)</i>
2057	<i>Poulier Dubord light buoy C13</i>	<i>Route de Champlain, S. side of channel. 46 26 08.4 072 20 00.7</i>	Fl G 4s	<i>Green, spar, marked "C13".</i>	<i>Year round (YRLS).</i>
2057.5	<i>Champlain light buoy C14</i>	<i>Route de Champlain. 46 26 13.5 072 20 37.1</i>	Fl R 4s	<i>Red, spar, marked "C14".</i>	<i>Year round (YRLS).</i>
2058	<i>Poulier Dubord light buoy C15</i>	46 26 02.6 072 20 32.9	Q G 1s	<i>Green, pillar, marked "C15".</i>	<i>Year round. (Winter spar.)</i>
2059	<i>Poulier Dubord light buoy C17</i>	46 25 52.5 072 21 02.0	Q G 1s	<i>Green, spar, marked "C17".</i>	<i>Year round (YRLS).</i>
2060	<i>Champlain Curve light buoy C18</i>	46 26 01.7 072 21 10.7	Q R 1s	<i>Red, pillar, marked "C18".</i>	<i>Year round. (Winter spar.)</i>

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL								
2061	Champlain Upstream Light buoy C19	46 25 38.2 072 21 28.0	Fl G 4s	Green, pillar, marked "C19".	Year round. (Winter spar.)	
2062 H2382	Champlain	W. of village. 46 26 22.6 072 20 41.5	F G	18.1	16	White skeleton tower, orange daymark. 14.6	Year round. Visible on a bearing of 038°.
2062.1 H2382	Champlain	W. of village. 46 26 22.6 072 20 41.5	Fl R 5s	18.8	6	Skeleton tower. 15.3	Year round. Flash 1 s; eclipse 4 s.	
2063 H2380	Route de Champlain front range light	W. of Champlain village. 46 26 06.2 072 21 26.0	F G	19.7	13	Mast, fluorescent red daymark with black vertical stripe. 13.4	Year round. Operates 24 h. Emergency mode.
2063.1 H2380	Route de Champlain	W. of Champlain village. 46 26 06.2 072 21 26.0	F G	19.8	7	Cylindrical mast. 13.4	Year round. Operates 24 h.
2064 H2380.1	Route de Champlain rear range light	46 26 04.7 072 21 47.2 264°03' 454.6 m from front.	F G	33.4	13	Square skeleton tower, fluorescent red daymark with black vertical stripe. 27.5	Year round. Operates 24 h. Emergency mode.
2064.1 H2380.1	Route de Champlain	W. of Champlain village. 46 26 04.7 072 21 47.2	F G	33.4	7	Square skeleton tower. 27.5	Year round. Operates 24 h.
2065	Pointe à Bigot light buoy C20	46 25 04.2 072 22 29.4	Fl R 4s	Red, pillar, marked "C20".	Year round. (Winter spar.)	
2066	Pointe à Bigot light buoy C21	Port de Bécancour. 46 24 56.8 072 22 24.4	Fl G 4s	Green, spar, marked "C21".	Year round (YRLS).	
2066.3 H2387	Pointe à Bigot	46 24 55.2 072 23 00.6	Fl R 6s	14.9	4	White skeleton tower, orange rectangular slatwork daymark. 13.1	Year round. Flash 1 s; eclipse 5 s. Radar reflector.	
2067 H2390	Route de Lottinville front range light	Pointe Lottinville. 46 23 36.1 072 27 44.5	F G	18.6	13	Square skeleton tower, orange daymark with black vertical stripe.	Year round. Operates 24 h. Emergency mode.
2068 H2390.1	Route de Lottinville rear range light	46 24 01.1 072 27 16.7 037°31' 975.2 m from front.	F G	33.1	13	Skeleton tower, orange daymark with black vertical stripe. 23.1	Year round. Operates 24 h. Emergency mode.
2068.1	Port de Bécancour, East Limit front range light	46 23 58.6 072 22 19.7	F Y	Private aid. Year round.	
2068.2	Port de Bécancour, East Limit rear range light	46 23 54.8 072 22 18.0 162°33' 125.0 m from front.	F Y	Private aid. Year round.	

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
2068.3 H2385	Port de Bécancour	46 23 57.3 072 22 28.0	F Y	7.2	Black and yellow structure, black vertical stripes.	Private aid. Year round. Operates 24 h. Visible 167°44'-347°44'.
2069	Bécancour Alignement light buoy C23	46 24 16.6 072 23 34.2	Fl G 4s	Green, pillar, marked "C23".	Year round. (Winter spar.)
2069.7	Bécancour Alignement light buoy C27	46 23 09.1 072 25 31.3	Fl G 4s	Green, pillar, marked "C27".	Year round. (Winter spar.)
2069.8	Batture Francoeur light buoy C28	Route de Bécancour. 46 23 15.2 072 25 38.6	Q R 1s	Red, spar, marked "C28".	Year round (YRLS).
2070	Bécancour Bend light buoy C30	46 23 02.9 072 26 07.2	Q R 1s	Red, pillar, marked "C30".	Year round. (Winter spar.)
Trois-Rivières Harbour							
2071	Île Lamy light buoy C33	Traverse de Bécancour. 46 22 44.0 072 26 49.1	Fl G 4s	Green, spar, marked "C33".	Year round (YRLS).
2072	Pointe de Bécancour light buoy C34	Battures Provencher, Traverse de Bécancour. 46 22 54.1 072 26 38.4	Q R 1s	Red, spar, marked "C34".	Year round (YRLS).
2073 H2384	Bécancour front range light	W. bank of Rivière Bécancour. 46 22 24.1 072 26 58.4	F G	4.2	17	Square block, orange daymark with black vertical stripe. 1.7	Year round. Operates 24 h. Emergency mode.
2073.1 H2384	Bécancour	W. bank of Rivière Bécancour. 46 22 24.1 072 26 58.4	F G	5.4	6	Year round. Operates 24 h. Emergency mode.
2074 H2384.1	Bécancour rear range light	46 21 46.8 072 28 03.0 230°10' 1798.5 m from front.	F G	22.5	17	Square skeleton tower, orange daymark with black vertical stripe.	Year round. Operates 24 h. Emergency mode.
2075 H2386	Traverse de Bécancour Upstream front range light	On S. shore. 46 23 21.2 072 23 40.8	F G	10.3	17	Square skeleton tower, orange daymark with black vertical stripe. 6.5	Year round. Operates 24 h. Emergency mode.
2076 H2386.1	Traverse de Bécancour Upstream rear range light	46 23 26.1 072 23 12.5 075°47' 624.8 m from front.	F G	21.2	17	Square skeleton tower, orange daymark with black vertical stripe. 17.1	Year round. Operates 24 h. Emergency mode.
2076.8	Traverse de Bécancour Upstream light buoy C36	46 22 43.2 072 27 40.4	Fl R 4s	Red, pillar, marked "C36".	Year round. (Winter spar.)

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
2077	Cap à l'Anse light buoy C39	46 22 35.5 072 27 37.6	Fl G 4s	Green, spar, marked "C39".	Year round (YRLS).
2078	Traverse de Bécancour Upstream light buoy C41	46 22 24.0 072 28 21.4	Fl G 4s	Green, pillar, marked "C41".	Year round. (Winter spar.)
2079	Sainte-Marthe-du-Cap light buoy C43	Batture aux Veaux. 46 22 13.5 072 28 50.7	Fl G 4s	Green, spar, marked "C43".	Year round (YRLS).
2080 H2388	Cap-de-la-Madeleine Wharf front range light	On SW. corner of wharf. 46 21 56.4 072 29 50.9	F G	10.3	11 Green square tower, orange slatwork daymark with black vertical stripe.	Year round. Operates 24 h. Emergency mode.
2081 H2388.1	Cap-de-la-Madeleine Wharf rear range light	46 21 54.2 072 29 57.0 242°37' 147.0 m from front.	F G	19.9	11 Square skeleton tower, orange daymark with black vertical stripe. 12.8	Year round. Operates 24 h. Emergency mode.
2081.5	Cap-de-la-Madeleine light buoy C46	46 22 11.7 072 29 20.5	Q R 1s	Red, pillar, marked "C46".	Seasonal.
2082	Cap-de-la-Madeleine light buoy C45	46 22 00.0 072 29 18.1	Q G 1s	Green, pillar, marked "C45".	Year round. (Winter spar.)
2083	Cap de la Madeleine light buoy C47	Route de Lottinville. 46 21 43.7 072 29 42.1	Fl G 4s	Green, spar, marked "C47".	Year round (YRLS).
2083.8 H2389	Île La Poterie	On outer end of wharf. 46 21 23.5 072 30 24.5	Fl R 6s	12.8	6	Mast.	Year round. Flash 1 s; eclipse 5 s.
2084.7	Île La Poterie light buoy C48	46 21 06.2 072 30 46.3	Fl R 4s	Red, pillar, marked "C48".	Seasonal.
2085	Pointe des Chenaux light buoy C49	46 21 06.5 072 30 23.3	Fl G 4s	Green, spar, marked "C49".	Year round (YRLS).
2092 H2392	Route de la Pointe- aux-Ormes front range light	E. of Pont Lavolette, N. shore. 46 18 48.3 072 33 59.9	F G	7.7	12 Cylindrical tower, orange rectangular slatwork daymark with black vertical stripe. 8.1	Year round. Operates 24 h.
2093 H2392.1	Route de la Pointe- aux-Ormes rear range light	46 18 43.5 072 34 07.7 228°47' 222.0 m from front.	F G	15.3	12 Square skeleton tower, fluorescent red daymark with black vertical stripe. 12.9	Year round. Operates 24 h. Emergency mode.
2093.3	Trois-Rivières Harbour light buoy C52	46 20 42.7 072 31 36.6	Fl R 4s	Red, pillar, marked "C52".	Seasonal.
2094	Sainte-Angèle-de- Laval light buoy C53	46 20 29.4 072 31 04.5	Fl G 4s	Green, spar, marked "C53".	Year round (YRLS).
2099	Trois-Rivières Harbour light buoy C61	46 19 45.2 072 32 17.4	Fl G 4s	Green, pillar, marked "C61".	Year round. (Winter spar.)

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
2104.2	Trois-Rivières Harbour light buoy C63	46 19 22.1 072 32 44.6	Fl G 4s	Green, spar, marked "C63".	Year round (YRLS).
2104.6	Pont Laviolette light buoy C65	Downstream of the bridge. 46 18 48.7 072 33 08.3	Q G 1s	Green, spar, marked "C65".	Year round (YRLS).
2105.2	Pont Laviolette North	46 18 29.1 072 33 45.8	F R	47.7	On bridge.	Year round.
2105.4	Pont Laviolette Centre	46 18 26.8 072 33 41.7	F G	49.0	On bridge.	Year round.
2105.6	Pont Laviolette South	46 18 24.4 072 33 37.6	F R	48.0	On bridge.	Year round.
2105.72	Pont Laviolette, North Racon	46 18 29.1 072 33 45.9	On bridge.	Year round.
Racon T (-) X & S Bands							
2105.73	Pont Laviolette, South Racon	46 18 24.4 072 33 37.7	On bridge.	Year round.
Racon H (. . .) X & S Bands							
2106	Pont Laviolette light buoy C67	Upstream of bridge. 46 18 15.8 072 33 48.3	Q G 1s	Green, spar, marked "C67".	Year round (YRLS).
2108	Pointe aux Ormes light buoy C70	46 18 05.4 072 34 36.1	Fl R 4s	Red, pillar, marked "C70".	Year round. (Winter spar.)
2109	Pointe des Ormes light buoy C71	S. side of channel. 46 17 14.2 072 35 22.0	Fl G 4s	Green, pillar, marked "C71".	Seasonal.
2109.1	Pointe des Ormes light buoy C72	46 17 38.6 072 35 25.5	Fl R 4s	Red, pillar, marked "C72".	Year round. (Winter spar.)
2109.6	Port-Saint-François light buoy C77	46 16 42.7 072 36 35.6	Fl G 4s	Green, pillar, marked "C77".	Year round. (Winter spar.)
2110	Pointe aux Sables light buoy S2	Port-Saint-François. 46 16 30.0 072 37 22.4	Q R 1s	Red, spar, marked "S2".	Year round (YRLS).
2111 H2398.4	Port-Saint-François	Downstream of the lake. 46 16 21.2 072 37 10.4	Fl Y 5s	10.0	10	Pipe swing pole. 6.3	Year round. Flash 1 s; eclipse 4 s.
2112 H2398	Route de Port-Saint- François front range light	Pointe aux Sables. 46 16 16.5 072 37 11.0	F G	10.8	11 Red octagonal shelter on white concrete block, fluorescent red daymark with black vertical stripe. 11.1	Year round. Operates 24 h. Emergency mode. Radar reflector.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
2113 H2398.1	Route de Port-Saint-François rear range light	46 16 33.0 072 36 11.4 068°12' 1372.1 m from front.	F G	18.8	11	Square skeleton tower, fluorescent red slatwork daymark with black vertical stripe. 14.3	Year round. Operates 24 h. Emergency mode.
2113.1	Port Saint-François	46 16 33.1 072 36 11.3	Iso R 2s	18.9	15	Skeleton tower. 14.4	Year round. Visible on a bearing of 220°. Emergency mode.
2114	<i>Battures Laforce light buoy S4</i>	<i>Lac Saint-Pierre.</i> 46 16 06.7 072 38 05.3	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "S4".</i>	<i>Year round (YRLS).</i>
2114.5	<i>Batture aux Outardes light buoy S3</i>	<i>Route de Port Saint-François.</i> 46 15 58.1 072 37 58.2	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "S3".</i>	<i>Year round (YRLS).</i>
Lac Saint-Pierre							
2117 H2401	Traverse de Nicolet front range light	Batture aux Outardes. 46 15 34.9 072 37 48.4	F G	9.5	12	White square skeleton tower, fluorescent red daymark with black vertical stripe. 4.9	Year round. Operates 24 h. Emergency mode.
2118 H2401.1	Traverse de Nicolet rear range light	46 15 32.7 072 37 21.4 096°44' 582.8 m from front.	F G	29.0	12	Square skeleton tower, fluorescent red daymark with black vertical stripe. 23.2	Year round. Operates 24 h. Emergency mode.
2118.5	<i>Battures au Fer light buoy S6</i>	<i>46 15 56.5</i> <i>072 38 42.0</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "S6".</i>	<i>Year round (YRLS).</i>
2119	<i>Courbe de Nicolet light buoy S8</i>	<i>46 15 50.8</i> <i>072 39 16.7</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "S8".</i>	<i>Year round (YRLS).</i>
2119.5 H2400	Nicolet Sector Racon G (- -) X & S Bands	46 15 27.1 072 39 03.5	Iso G 2s W	8.5	Square tower.	Year round. G 173°-353°; W 353°-173°. Radar reflector. Synthetic AIS AtoN MMSI: 993161034
2120.5	<i>Battures à Biron light buoy S10</i>	<i>Traverse de Nicolet.</i> 46 15 50.0 072 39 52.4	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "S10".</i>	<i>Year round (YRLS).</i>
2121	<i>Traverse Nicolet light buoy S12</i>	46 15 53.9 072 40 40.1	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "S12".</i>	<i>Year round.</i> <i>(Winter spar.)</i>
2122	<i>Banc des Anglais light buoy S13</i>	<i>Traverse de Nicolet.</i> 46 15 43.5 072 40 34.4	<i>Q G 1s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "S13".</i>	<i>Year round (YRLS).</i>
2122.8	<i>Pointe-du-Lac curve light buoy S16</i>	46 15 57.8 072 41 27.9	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "S16".</i>	<i>Year round.</i> <i>(Winter spar.)</i>

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
2123	Banc des Anglais light buoy S17	Courbe de la Pointe du Lac. 46 15 44.9 072 41 10.0	Q G 1s	Green, spar, marked "S17".	Year round (YRLS).
2123.5	Cautionary light buoy LAC	Pointe-du-Lac. 46 16 03.1 072 41 43.4	Fl Y 4s	Yellow, pillar, marked "LAC".	Seasonal.
2124	Pointe-du-Lac light buoy S21	Courbe de la Pointe-du-Lac. 46 15 42.6 072 41 49.1	Q G 1s	Green, spar, marked "S21".	Year round (YRLS).
2125 H2402	Pointe-du-Lac front range light	46 16 05.5 072 41 43.2	F G	12.2	12 Square skeleton tower, fluorescent red daymark with black vertical stripe. 4.9	Year round. Emergency mode. Radar reflector.
2125.1 H2402	Pointe-du-Lac	46 16 05.5 072 41 43.2	Iso Y 2s	12.1	5	Square skeleton tower. 4.8	Year round.
2126 H2402.1	Pointe-du-Lac rear range light	46 16 46.3 072 40 15.6 056°07' 2260.7 m from front.	F G	50.4	12 Square skeleton tower, fluorescent red daymark with black vertical stripe. 35.4	Year round. Emergency mode.
2127	Pointe-du-Lac curve light buoy S22	46 15 54.6 072 42 02.8	Q R 1s	Red, pillar, marked "S22".	Year round. (Winter spar.)
2128	Pointe-du-Lac light buoy S25	Route de la Pointe du Lac. 46 15 35.5 072 42 27.2	Q G 1s	Green, spar, marked "S25".	Year round (YRLS).
2129	Pointe-du-Lac Alignment light buoy S26	46 15 40.6 072 42 46.9	Q R 1s	Red, pillar, marked "S26".	Year round. (Winter spar.)
2129.3	Pointe-du-Lac light buoy S27	Route de la Pointe du Lac. 46 15 25.0 072 42 59.9	Q G 1s	Green, spar, marked "S27".	Year round (YRLS).
2129.6	Pointe-du-Lac Range light buoy S31	46 14 36.9 072 44 43.1	Fl G 4s	Green, pillar, marked "S31".	Year round. (Winter spar.)
2130	Pointe-du-Lac Alignment light buoy S32	46 14 43.5 072 44 49.5	Fl R 4s	Red, pillar, marked "S32".	Year round. (Winter spar.)
2131.7	Pointe-du-Lac range light buoy S43	46 13 48.7 072 46 26.2	Fl G 4s	Green, pillar, marked "S43".	Year round. (Winter spar.)
2132	Pointe-du-Lac Alignment light buoy S44	46 13 55.3 072 46 32.6	Fl R 4s	Red, pillar, marked "S44".	Year round. (Winter spar.)
2133	Lac Saint-Pierre light buoy S51	Courbe Yamachiche. 46 12 55.6 072 48 19.9	Q G 1s	Green, spar, marked "S51".	Year round (YRLS).

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
2134	Yamachiche light buoy S54	46 13 07.2 072 48 15.7	Q R 1s	Red, pillar, marked "S54".	Year round. (Winter spar.)
2134.8 H2404	Yamachiche Bend	On experimental island. 46 12 53.0 072 49 10.0	Iso R 2s	10.2	5	Mast.	Year round.
2135	Yamachiche light buoy S58	Courbe Yamachiche. 46 12 48.7 072 49 07.9	Fl R 4s	Red, spar, marked "S58".	Year round (YRLS).
2136	Yamachiche light buoy S62	46 12 30.3 072 50 00.1	Q R 1s	Red, pillar, marked "S62".	Year round. (Winter spar.)
2137	Lac Saint-Pierre light buoy S63	Courbe Yamachiche. 46 12 25.8 072 49 44.2	Q G 1s	Green, spar, marked "S63".	Year round (YRLS).
2137.2 H2405	Yamachiche front range light	46 12 18.7 072 49 49.1	F G	12.4	14 Square skeleton tower, orange daymark with black vertical stripe. 4.9	Year round. Emergency mode.
	Racon M (- -) X & S Bands						
2137.21	Yamachiche	46 12 18.7 072 49 49.1	Fl G 6s	12.4	5	Square skeleton tower. 4.9	Year round. Flash 1 s; eclipse 5 s.
2137.3 H2405.1	Yamachiche rear range light	46 12 04.9 072 50 18.6 236°01' 761.8 m from front.	F G	25.5	14 White skeleton tower, orange daymark with black vertical stripe. 17.3	Year round. Emergency mode.
2138	Upstream Curve light buoy S67	46 12 01.4 072 51 20.7	Fl G 4s	Green, pillar, marked "S67".	Year round. (Winter spar.)
2138.2	Upstream Curve light buoy S68	46 12 08.9 072 51 24.5	Fl R 4s	Red, pillar, marked "S68".	Year round. (Winter spar.)
2138.3	Island B (V-AIS)	46 11 51.6 072 50 55.7	Year round. Virtual AIS AtoN MMSI: 993166026 Reference point
2138.4	Island C (V-AIS)	46 11 43.8 072 51 26.3	Year round. Virtual AIS AtoN MMSI: 993166027 Reference point
2138.5	Island D (V-AIS)	46 11 33.3 072 52 07.7	Year round. Virtual AIS AtoN MMSI: 993166028 Reference point
2138.6	Island E (V-AIS)	46 11 24.4 072 52 42.3	Year round. Virtual AIS AtoN MMSI: 993166029 Reference point

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
2138.7	Island F (V-AIS)	46 11 14.3 072 53 22.4	Year round. Virtual AIS AtoN MMSI: 993166030 Reference point
2139.5	Louiseville light buoy S77	Route Louiseville Aval. 46 11 35.8 072 53 01.8	Q G 1s	Green, spar, marked "S77".	Year round (YRLS).
2141	Louiseville light buoy S80	46 11 36.8 072 53 31.1	Q R 1s	Red, pillar, marked "S80".	Year round. (Winter spar.)
2142	Louiseville light buoy S81	Courbe Louiseville. 46 11 13.2 072 54 01.7	Fl G 4s	Green, spar, marked "S81".	Year round (YRLS).
2142.2	Light buoy S82	46 11 22.0 072 54 09.9	Fl R 4s	Red, pillar, marked "S82".	Year round. (Winter spar.)
2143 H2408	Route Louiseville Downstream front range light	On pile in water. 46 11 10.6 072 54 58.2	F G	10.5	14 Red and white cylindrical tower, red rectangular daymark with black vertical stripe. 3.9	Year round. Radar reflector. Synthetic AIS AtoN MMSI: 993161073
2143.1	Route Louiseville Downstream	46 11 10.6 072 54 58.2	Iso G 2s	11.0	5	White cylindrical tower with red vertical stripe. 4.5	Year round.
2143.5 H2408.1	Route Louiseville Downstream rear range light	46 11 00.4 072 55 38.2	F G	22.7	14 Skeleton tower, orange daymark with black vertical stripe. 16.7	Year round. Radar reflector. Synthetic AIS AtoN MMSI: 993161074
	Racon N (- .) X & S Bands	249°57' 913.9 m from front.					
2143.51	Route Louiseville Downstream	46 11 00.4 072 55 38.2	Iso R 2s	23.8	5	Skeleton tower. 17.9	Year round.
2144 H2409	Route Louiseville Upstream front range light	On pier in water. 46 11 41.5 072 53 43.9	F G	11.6	12 Orange cylindrical tower, orange rectangular daymark with black vertical stripe. 5.1	Year round. Emergency mode. Radar reflector.
2144.1 H2409	Route Louiseville Upstream	46 11 41.5 072 53 43.9	Iso W 2s	11.9	6	Orange rectangular tower. 5.4	Year round.
2145 H2409.1	Route Louiseville Upstream rear range light	46 11 55.7 072 53 24.2	F G	21.0	12 White skeleton tower, orange daymark with black vertical stripe. 14.9	Year round. Emergency mode.
		044°04' 609.8 m from front.					
2145.1 H2409.1	Route Louiseville Upstream	46 11 55.7 072 53 24.2	Iso G 2s	21.6	6	Skeleton tower. 15.5	Year round.
2146	Battures Saint- François light buoy S87	Route Louiseville upstream. 46 10 44.4 072 54 55.8	Q G 1s	Green, spar, marked "S87".	Year round (YRLS).

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
2147	Lac St-Pierre light buoy S86	46 11 03.4 072 54 45.2	Q R 1s	Red, pillar, marked "S86".	Year round. (Winter spar.)
2148 H2410	Louiseville	On W. shore of Petite Rivière du Loup. 46 13 17.5 072 55 29.5	F G	8.0	Mast. 5.6	Private aid. Year round. Operates 24 h. Visible on a bearing of 334°30'.
2150.2	Battures Saint- François light buoy S92	Lac Saint-Pierre, main channel. 46 10 28.1 072 55 34.3	Fl R 4s	Red, pillar, marked "S92".	Year round. (Winter spar.)
2151	Battures Saint- François light buoy S97	Courbe Maskinongé. 46 10 00.7 072 55 56.4	Q G 1s	Green, spar, marked "S97".	Year round (YRLS).
2151.5	Light buoy S98	46 09 48.5 072 56 29.3	Q R 1s	Red, pillar, marked "S98".	Year round. (Winter spar.)
2152	Light buoy S100	46 09 31.2 072 56 46.8	Q R 1s	Red, pillar, marked "S100".	Year round. (Winter spar.)
2153.3 H2411	Maskinongé Curve	Courbe Masquinongé. 46 09 24.4 072 56 28.6	Iso Y 2s	13.9	5	Orange cylindrical tower, red and white horizontal stripes daymark. 5.5	Year round. Radar reflector.
2153.5	Light buoy S102	46 09 05.5 072 57 01.6	Q R 1s	Red, pillar, marked "S102".	Year round. (Winter spar.)
2154	Battures Saint- François light buoy S103	Route Île aux Raisins. 46 08 51.2 072 56 51.8	Q G 1s	Green, spar, marked "S103".	Year round (YRLS).
2154.2	Île aux Raisins Alignment light buoy S107	46 07 59.4 072 57 09.0	Fl G 4s	Green, pillar, marked "S107".	Year round. (Winter spar.)
2163	Le Banc de Sable light buoy S110	Route Île aux Raisins. 46 07 36.7 072 57 31.1	Q R 1s	Red, spar, marked "S110".	Year round (YRLS).
2164	Îlets Percés light buoy S111	Route Île des Barques. 46 07 07.6 072 57 26.2	Q G 1s	Green, spar, marked "S111".	Year round (YRLS).
2164.1	Île des Barques Alignment light buoy S113	46 06 43.3 072 57 54.0	Fl G 4s	Green, pillar, marked "S113".	Year round. (Winter spar.)
2165	Îlets Percés light buoy S114	Route Île des Barques. 46 06 48.2 072 58 02.9	Q R 1s	Red, spar, marked "S114".	Year round (YRLS).

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
2166 H2414	Île aux Raisins front range light	46 06 10.7 072 57 52.4	F G	9.7	11	Cylindrical tower, orange slatwork daymark with black vertical stripe. 7.0	Year round. Emergency mode.
2167 H2414.1	Île aux Raisins rear range light Racon K (- . -) X Band	46 05 52.6 072 57 58.4 193°01' 573.9 m from front.	F G	27.0	11	Square skeleton tower, orange daymark with black vertical stripe. 23.2	Year round. Emergency mode.
2167.05	Île aux Raisins	46 05 52.6 072 57 58.4	Iso W 2s	27.2	6	Square skeleton tower. 23.5	Year round.
2167.1	<i>Battures de l'Île à la Pierre light buoy S116</i>	<i>Route Île des Barques. 46 06 18.7 072 58 36.7</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "S116".</i>	<i>Year round (YRLS).</i>
2168 H2416	Route de l'Île des Barques front range light	On NE. end of island. 46 05 15.3 072 59 41.8	F G	11.4	12	Square block, orange daymark with black vertical stripe. 4.0	Year round. Operates 24 h. Emergency mode.
2169 H2416.1	Route de l'Île des Barques rear range light	46 05 03.1 072 59 55.7 218°25' 479.6 m from front.	F G	28.5	12	Square skeleton tower, orange daymark with black vertical stripe. 20.0	Year round. Operates 24 h. Emergency mode.
2170	Île aux Raisins light buoy S117	46 05 57.9 072 58 45.8	Q G 1s	<i>Green, pillar, marked "S117".</i>	<i>Year round. (Winter spar.)</i>
2171	Chenal du Moine North light buoy SN2	Sorel. 46 06 09.1 072 58 21.4	Fl R 4s	<i>Red, pillar, marked "SN2".</i>	<i>Seasonal.</i>
2172	Baie de l'Île à la Pierre light buoy S120	Route Sainte-Anne- de-Sorel. 46 05 51.7 072 59 15.7	Fl R 4s	<i>Red, spar, marked "S120".</i>	<i>Year round (YRLS).</i>
2173	Île des Barques light buoy S123	Route Sainte-Anne- de-Sorel. 46 04 48.5 073 00 53.5	Fl G 4s	<i>Green, spar, marked "S123".</i>	<i>Year round (YRLS).</i>
2174	Île à la Pierre light buoy S126	Route Sainte-Anne- de-Sorel. 46 04 54.7 073 01 00.2	Fl R 4s	<i>Red, spar, marked "S126".</i>	<i>Year round (YRLS).</i>
2174.3	Chenal du Moine light buoy SN12	Sorel. 46 03 54.7 073 01 37.4	Fl R 4s	<i>Red, pillar, marked "SN12".</i>	<i>Seasonal.</i>
2174.4	Chenal du Moine South light buoy SN11	Sorel. 46 03 53.9 073 01 37.9	Fl G 4s	<i>Green, pillar, marked "SN11".</i>	<i>Seasonal.</i>
2174.7	Île de Grâce light buoy S129	46 04 08.2 073 02 06.8	Fl G 4s	<i>Green, pillar, marked "S129".</i>	<i>Year round. (Winter spar.)</i>

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
2174.8	Île de Grâce light buoy S130	Route Sainte-Anne- de-Sorel. 46 04 14.4 073 02 13.8	Fl R 4s	Red, spar, marked "S130".	Year round (YRLS).
2175 H2426	Île de Grâce front range light	On concrete pillar on the S. side of the island. 46 04 08.4 073 02 59.8	F G	12.8	15 White pyramid tower with red upper portion, orange daymark with black vertical stripe. 8.2	Year round. Emergency mode.
2175.1	Île de Grâce	46 04 08.4 073 02 59.8	Iso G	2s	12.6	5 White square tower. 8.2	Year round. Visible 311°-346°.
2176 H2426.1	Île de Grâce rear range light	46 04 14.0 073 02 33.2 073°16' 598.4 m from front.	F G	22.1	15 Skeleton tower, orange daymark with black vertical stripe. 17.8	Year round. Emergency mode.
2176.1	Île de Grâce	46 04 14.0 073 02 33.2	Iso G	2s	21.9	5 Skeleton tower. 17.7	Year round. Visible 275°-018°.
2177 H2422	Route Sainte-Anne- de-Sorel front range light	46 03 32.4 073 03 21.6	F G	13.1	16 Pyramid tower, fluorescent red daymark with black vertical stripe. 8.1	Year round. Operates 24 h. Emergency mode.
2177.1 H2422	Sainte-Anne-de-Sorel	46 03 32.4 073 03 21.6	F G	12.9	5 White square tower. 7.3	Year round. Operates 24 h. Emergency mode.
2178 H2422.1	Route Sainte-Anne- de-Sorel rear range light	46 03 16.9 073 03 49.8 231°51' 771.0 m from front.	F G	30.7	16 Tripod skeleton tower, fluorescent red daymark with black vertical stripe. 25.2	Year round. Operates 24 h. Emergency mode.
2179	Île de Grâce light buoy S136	Battures de l'Île de Grâce. 46 03 59.8 073 02 52.3	Q R	1s	Red, spar, marked "S136". Year round (YRLS).
2180 H2424	Route de l'Île du Moine front range light	W. of island. 46 03 58.3 073 01 29.6	F G	12.9	12 Wooden shelter mounted on a concrete pier, fluorescent red daymark with black vertical stripe. 10.1	Year round. Operates 24 h. Emergency mode.
2181 H2424.1	Route de l'Île du Moine rear range light	46 04 00.4 073 01 07.1 082°31' 487.9 m from front.	F G	27.5	12 Square skeleton tower, fluorescent red slatwork daymark with black vertical stripe. 18.6	Year round. Operates 24 h. Emergency mode. Synthetic AIS AtoN MMSI: 993161068
2181.1	Ste-Anne-de-Sorel light buoy S139	46 03 45.9 073 03 01.6	Q G	1s	Green, pillar, marked "S139". Year round. (Winter spar.)
2181.15	Île de Grâce light buoy S140	Route de l'Île du Moine. 46 03 50.9 073 03 34.3	Fl R	4s	Red, spar, marked "S140". Year round (YRLS).

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP - SOREL							
2181.2	Sainte-Anne-de-Sorel light buoy S141	Route de l'Île du Moine. 46 03 35.1 073 04 59.5	Fl G 4s	Green, spar, marked "S141".	Year round (YRLS).
2182	Haut-fond Nepigon light buoy S146	Courbe Nepigon. 46 03 39.7 073 05 36.6	Fl R 4s	Red, spar, marked "S146".	Year round (YRLS).
2182.2 H2426.9	Sorel Marina Downstream front range light	On islet at marina entrance. 46 03 03.5 073 05 31.8	F G	6.7	Mast.	Private aid. Seasonal.
2182.3	Sorel Marina Downstream rear range light	46 03 03.0 073 05 24.3 095°03' 160.9 m from front.	F G	8.1	Yellow cylindrical mast.	Private aid. Seasonal.
2182.4	Port de Sorel East light buoy SN22	46 03 14.1 073 05 24.0	Fl R 4s	Red, pillar, marked "SN22".	Seasonal.
2182.5	Port de Sorel light buoy SN26	46 03 06.0 073 05 55.3	Fl R 4s	Red, pillar, marked "SN26".	Seasonal.
2182.52	Bifurcation lighted buoy PNF	Sorel marina channel. 46 03 01.9 073 05 59.5	F(2+1) G 6s	Green-red-green, pillar, marked "PNF".	Seasonal.
2182.6	Port de Sorel Middle light buoy SN24	46 03 09.0 073 05 36.2	Fl R 4s	Red, pillar, marked "SN24".	Seasonal.
2182.8	Port de Sorel light buoy SN28	46 03 06.9 073 06 13.6	Q R 1s	Red, pillar, marked "SN28".	Seasonal.
2183.3 H2427	Sorel Marina Upstream front range light	On islet at marina entrance. 46 03 03.5 073 05 31.8	F G	6.7	Mast.	Private aid. Seasonal.
2183.4 H2427.1	Sorel Marina Upstream rear range light	46 03 00.5 073 05 36.7 229°10' 138.3 m from front.	F G	8.1	Yellow cylindrical mast.	Private aid. Seasonal.
2185.1	Sorel Basin Cautionary light buoy SOREL	46 03 30.1 073 07 02.0	Fl Y 4s	Yellow, pillar, marked "SOREL".	Seasonal.