

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL							
2272.2	Cautionary light buoy TRACY	Saint-Joseph-de-Sorel. 46 03 20.0 073 07 39.0	Fl Y 4s	Yellow, pillar, marked "TRACY".	Seasonal.
2272.3 H2450	Route de l'Île Dupas front range light	On shore, E. side of Île aux Cochons. 46 03 27.9 073 09 23.0	F G	13.9	12 White Square tower, orange daymark with black vertical stripe. 3.9	Year round. Emergency mode.
2272.4 H2450.1	Route de l'Île Dupas rear range light	46 03 47.4 073 09 15.4 015°07' 623.3 m from front.	F G	25.4	12 Square skeleton tower, orange daymark with black vertical stripe. 20.4	Year round. Emergency mode.
2272.5	Courbe de Sorel light buoy S150	46 02 56.9 073 09 06.1	Q R 1s	Red, pillar, marked "S150".	Seasonal.
2272.6	Light buoy MP1	Downstream entrance to Île aux Foins. 46 02 54.6 073 09 50.8	Fl G 4s	Green, pillar, marked "MP1".	Seasonal.
2272.8	Île aux Foins light buoy S154	Lac Saint-Pierre. 46 02 28.5 073 09 53.8	Q R 1s	Red, pillar, marked "S154".	Seasonal.
2273	Tracy light buoy M1	Courbe de Sorel. 46 02 08.7 073 09 50.4	Q G 1s	Green, spar, marked "M1".	Year round (YRLS).
2273.1	Île aux Foins light buoy S158	Sorel-Tracy. 46 01 58.0 073 10 17.0	Fl R 4s	Red, pillar, marked "S158".	Seasonal.
2273.5	Tracy light buoy M2	Route de l'Île Dupas. 46 01 17.0 073 10 20.5	Fl R 4s	Red, spar, marked "M2".	Year round (YRLS).
2273.6	Lanoraie light buoy M3	46 01 36.9 073 10 02.7	Fl G 4s	Green, pillar, marked "M3".	Seasonal.
2273.7	Lanoraie light buoy M4	46 00 32.0 073 10 37.0	Fl R 4s	Red, pillar, marked "M4".	Year round. (Winter spar.)
Port de Montréal							
2277	Lano B Anchorage light buoy	45 59 09.0 073 11 21.3	Fl Y 4s	Yellow, pillar, marked "LANOB".	Seasonal.
2278.5 H2451	Route de l'Île Saint- Ours downstream front range light	Lanoraie. 45 57 51.4 073 12 40.9	F G	10.8	17 Cylindrical tower, orange daymark with black vertical stripe. 5.9	Year round. Operates 24 h. Emergency light: Iso G 1s.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL							
2278.6 H2451.1	Route de l'Île Saint-Ours downstream rear range light	45 58 14.5 073 12 39.5 002°24' 713.8 m from front.	F G	33.7	17	Skeleton tower, orange daymark with black vertical stripe. 22.3	Year round. Operates 24 h. Emergency light: Iso G 1s. Synthetic AIS AtoN MMSI: 993161067
2278.7	Lanoraie light buoy M8	45 57 33.3 073 12 23.3	Fl R 4s	Red, pillar, marked "M8".	Seasonal.
2279	Route de l'Île Saint-Ours light buoy M9	45 56 54.6 073 12 33.5	Q G 1s	Green, pillar, marked "M9".	Year round. (Winter spar.)
2280	Île Saint-Ours bifurcation light buoy ISO	Route de l'Île Saint-Ours. 45 56 45.5 073 12 50.7	Fl(2+1) R 6s	Red-green-red, spar, marked "ISO".	Year round (YRLS).
2280.5	Course Île Saint-Ours light buoy M11	45 56 32.9 073 12 40.1	Fl G 4s	Green, pillar, marked "M11".	Year round. (Winter spar.)
2280.6	Île Saint-Ours light buoy M10	Montreal main channel. 45 55 46.2 073 12 54.2	Fl R 4s	Red, pillar, marked "M10".	Year round. (Winter spar.)
2280.7	Île Saint-Ours light buoy M13	45 55 45.8 073 12 42.8	Fl G 4s	Green, spar, marked "M13".	Year round (YRLS).
2281	Île Saint-Ours light buoy M16	Route de l'Île Saint-Ours. 45 54 59.4 073 12 56.9	Fl R 4s	Red, spar, marked "M16".	Year round (YRLS).
2281.5	Île Saint-Ours light buoy M17	Courbe de Bellmouth. 45 54 40.7 073 12 46.6	Fl G 4s	Green, spar, marked "M17".	Year round (YRLS).
2282 H2452	Route de l'Île Saint-Ours upstream front range light	Off shore. 45 53 05.4 073 12 57.9	F G	17.1	13	Skeleton tower, orange daymark with black vertical stripe. 13.2	Year round. Operates 24 h. Emergency mode.
2283 H2452.1	Route de l'Île Saint-Ours upstream rear range light	45 52 43.7 073 12 59.2 182°22' 670.3 m from front.	F G	33.0	13	Square skeleton tower, orange daymark with black vertical stripe. 18.6	Year round. Operates 24 h. Emergency mode.
2283.1 H2452.1	Route Île Saint-Ours	45 52 43.7 073 12 59.2	F G	32.7	5	Square skeleton tower. 18.3	Year round. Operates 24 h. Visible 066°20'-112°23'. Emergency mode.
2284	Courbe de Bellmouth light buoy M19	Contrecoeur. 45 54 23.3 073 12 51.7	Fl G 4s	Green, spar, marked "M19".	Year round (YRLS).
2285	Île Saint-Ours light buoy M20	Courbe de Bellmouth. 45 54 29.5 073 13 05.0	Q R 1s	Red, spar, marked "M20".	Year round (YRLS).

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL							
2286 H2456	Courbe de Bellmouth	Courbe de Bellmouth. 45 55 12.9 073 12 31.1	F R	22.1	15	Skeleton tower, orange and white rectangular daymark. 12.2	Year round. Operates 24 h. Reference light is visible on a bearing of 024°46' with Course Contrecoeur rear range light. Emergency mode.
2286.5	<i>Courbe de Bellmouth light buoy M23</i>	<i>Contrecoeur.</i> 45 54 09.0 073 13 06.9	<i>Fl G 4s</i>	<i>Green, spar, marked "M23".</i>	<i>Year round (YRLS).</i>
2286.7 H2453	Île Saint-Ours South Light	S. end of island. 45 54 20.5 073 13 31.5	Iso Y 2s	15.1	5	Square skeleton tower. 6.5	Year round.
Racon M (- -) X & S Bands							
2287	<i>Chenal de l'Île Saint-Ours light buoy M26</i>	<i>Petite Traverse de Contrecoeur.</i> 45 54 01.8 073 13 33.7	<i>Fl R 4s</i>	<i>Red, spar, marked "M26".</i>	<i>Year round (YRLS).</i>
2288 H2454	Petite Traverse front range light	On E. bank. 45 54 40.1 073 12 29.1	F G	16.8	14	Cylindrical tower, orange slatwork daymark with black vertical stripe. 7.7	Year round. Operates 24 h. Emergency mode.
2288.1 H2454	Petite Traverse	On E. bank. 45 54 40.1 073 12 29.1	F G	16.4	6	Cylindrical tower. 7.4	Year round. Operates 24 h. Visible 045°30'-164°30'.
2289 H2454.1	Petite Traverse rear range light	45 54 51.8 073 12 12.0 045°43' 517.2 m from front.	F G	31.9	14	Square skeleton tower, orange daymark with black vertical stripe. 20.5	Year round. Operates 24 h. Emergency mode. Synthetic AIS AtoN MMSI: 993161069
2289.1 H2454.1	Petite Traverse	45 54 51.8 073 12 12.0	F G	31.6	6	Square skeleton tower. 20.2	Year round. Operates 24 h.
2289.3	Saint-Ours Tower (V-AIS)	45 54 51.4 073 11 24.3	Year round. Virtual AIS AtoN MMSI: 993166023 Reference point
2290 H2458	Route de Contrecoeur front range light	Route de Contrecoeur. 45 55 19.5 073 12 32.4	F Y	26.2	20	Square skeleton tower, orange daymark with black vertical stripe. 17.4	Year round. Operates 24 h. Emergency light: Iso Y 1s.
2291 H2458.1	Route de Contrecoeur rear range light	45 55 40.4 073 12 12.8 033°10' 772.5 m from front.	F Y	42.3	20	Tripod skeleton tower, orange daymark with black vertical stripe. 25.2	Year round. Operates 24 h. Emergency light: Iso Y 1s.
2292 H2460	Lavaltrie front range light	On shore, E. side of Lavaltrie Island. 45 52 59.1 073 15 50.1	F G	7.9	16	White square tower, orange daymark, black vertical stripe. 3.8	Year round. Operates 24 h. Emergency mode.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL							
2293 H2460.1	Lavaltrie rear range light	45 52 43.1 073 16 02.6	F G	19.9	16	Skeleton tower, orange daymark with black vertical stripe. 16.4	Year round. Operates 24 h. Emergency mode.
	Racon N (- .) X & S Bands	208°34' 560.9 m from front.					
2293.5	<i>Contrecoeur light buoy M29</i>	45 53 34.4 073 13 57.7	Fl G 4s	<i>Green, pillar, marked "M29".</i>	<i>Year round. (Winter spar.)</i>
2294.2	<i>Route de Contrecoeur light buoy M32</i>	Îles de Contrecoeur. 45 53 27.4 073 14 24.3	Fl R 4s	<i>Red, spar, marked "M32".</i>	<i>Year round (YRLS).</i>
2294.4	<i>Contrecoeur light buoy M33</i>	45 53 07.8 073 14 29.1	Fl G 4s	<i>Green, pillar, marked "M33".</i>	<i>Year round. (Winter spar.)</i>
2294.5	<i>Contrecoeur light buoy M37</i>	Montreal main channel. 45 52 31.5 073 15 02.9	Q G 1s	<i>Green, pillar, marked "M37".</i>	<i>Year round. (Winter spar.)</i>
2294.6	<i>Contrecoeur light buoy M38</i>	Route de Contrecoeur. 45 52 35.9 073 15 12.5	Fl R 4s	<i>Red, spar, marked "M38".</i>	<i>Year round (YRLS).</i>
2294.8	<i>Contrecoeur light buoy M41</i>	45 51 55.3 073 15 36.8	Fl G 4s	<i>Green, pillar, marked "M41".</i>	<i>Seasonal.</i>
2295	<i>Contrecoeur light buoy M45</i>	45 51 34.1 073 15 53.3	Fl G 4s	<i>Green, pillar, marked "M45".</i>	<i>Year round. (Winter spar.)</i>
2295.2	<i>Contrecoeur light buoy M46</i>	Route de Contrecoeur. 45 51 38.6 073 16 06.0	Fl R 4s	<i>Red, spar, marked "M46".</i>	<i>Year round (YRLS).</i>
Small Craft Channel - Lavaltrie Channel							
2296.2	<i>Light buoy MS9</i>	Chenal du Nord. 45 53 37.3 073 15 17.9	Q G 1s	<i>Green, pillar, marked "MS9".</i>	<i>Seasonal.</i>
Contrecoeur Traverse							
2297	<i>Light buoy MS20</i>	Chenal du Nord. 45 52 17.1 073 15 51.8	Fl R 4s	<i>Red, pillar, marked "MS20".</i>	<i>Seasonal.</i>
Île Mousseau Course							
2298	<i>Light buoy MS29</i>	Chenal de Lavaltrie. 45 51 02.2 073 17 15.6	Q G 1s	<i>Green, pillar, marked "MS29".</i>	<i>Seasonal.</i>

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL

Île Bouchard Peninsula Course

2299.6	Light buoy MS39	Chenal du Nord. 45 49 25.7 073 20 01.4	Q G 1s	Green, pillar, marked "MS39".	Seasonal.
--------	-----------------	--	--------	-------	-------	-------------------------------	-----------

Saint-Sulpice Traverse

2301.6	Light buoy MS43	Chenal du Nord. 45 48 49.0 073 21 37.3	Q G 1s	Green, pillar, marked "MS43".	Seasonal.
--------	-----------------	--	--------	-------	-------	-------------------------------	-----------

Repentigny Curve

2308.4	Lebel bifurcation light buoy	Chenal du Nord. 45 44 08.7 073 26 14.6	F(2+1) R 6s	Red-green-red, pillar, marked "LEBEL".	Seasonal.
--------	------------------------------	--	-------------	-------	-------	--	-----------

2309	Île à la Pierre light buoy MV6	Chenal de Repentigny. 45 43 49.1 073 26 42.1	Fl R 4s	Red, pillar, marked "MV6".	Seasonal.
------	--------------------------------	--	---------	-------	-------	----------------------------	-----------

2311	Aiglou light buoy	Chenal de Repentigny. 45 42 26.4 073 28 25.2	F(2+1) R 6s	Red-green-red, pillar, marked "AIGLO".	Seasonal.
------	-------------------	--	-------------	-------	-------	--	-----------

2311.2	Bout-de-l'Île light buoy MV28	Chenal de Repentigny. 45 42 05.4 073 28 33.6	Fl R 4s	Red, conical, marked "MV28".	Seasonal.
--------	-------------------------------	--	---------	-------	-------	------------------------------	-----------

Port de Montréal and Secondary Channels

2312 H2470	Traverse de Contrecoeur front range light	45 49 55.5 073 16 54.2	Iso G 2s	17.7	20	Square skeleton tower, orange daymark with black vertical stripe. 12.9	Year round. Operates 24 h. Emergency mode.
---------------	---	---------------------------	----------	------	----	---	--

2313 H2470.1	Traverse de Contrecoeur rear range light	45 49 43.3 073 17 00.6 200°00' 400.4 m from front.	Iso G 2s	28.3	20	Square skeleton tower, orange daymark with black vertical stripe. 23.4	Year round. Operates 24 h. Emergency mode.
-----------------	--	--	----------	------	----	---	--

2313.05	Traverse de Contrecoeur light buoy M49	45 51 12.2 073 16 07.8	Fl G 4s	Green, pillar, marked "M49".	Seasonal.
---------	--	---------------------------	---------	-------	-------	------------------------------	-----------

2313.1	Traverse de Contrecoeur light buoy M51	Îles de Contrecoeur. 45 50 48.3 073 16 20.4	Q G 1s	Green, spar, marked "M51".	Year round (YRLS).
--------	--	---	--------	-------	-------	----------------------------	--------------------

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL							
2313.4	Light buoy MQ32	Îles de Contrecoeur. 45 50 55.6 073 16 00.9	Fl R 4s	Red, pillar, marked "MQ32".	Seasonal.
2313.5	Light buoy MQ27	Îles de Contrecoeur. 45 51 10.4 073 14 56.9	Fl G 4s	Green, spar, marked "MQ27".	Seasonal (in place year round).
2314	Contrecoeur light buoy M52	Traverse de Contrecoeur. 45 50 53.3 073 16 32.7	Q R 1s	Red, spar, marked "M52".	Year round (YRLS).
2315 H2472	Contrecoeur- Verchères front range light	On pier, Contrecoeur Islands. 45 51 54.9 073 15 06.7	F G	9.4	14	Square skeleton tower, orange daymark with black vertical stripe. 4.1	Year round. Emergency mode.
2316 H2472.1	Contrecoeur- Verchères rear range light	45 52 37.4 073 14 14.9 040°24' 1723.6 m from front.	F G	20.3	14	Square skeleton tower, orange daymark with black vertical stripe. 15.7	Year round. Emergency mode.
2316.1 H2472.1	Contrecoeur- Verchères	Îles de Contrecoeur. 45 52 37.4 073 14 14.9	Iso G 2s	20.4	6	Square skeleton tower. 15.8	Year round. Emergency mode.
2317 H2478	Traverse Verchères front range light	On S. shore. 45 47 46.2 073 19 38.6	F G	15.8	16	White cylindrical tower, orange rectangular daymark with black vertical stripe. 1.5	Year round. Operates 24 h. Emergency mode.
2318 H2478.1	Traverse Verchères rear range light	45 47 55.1 073 19 19.6 056°03' 494.5 m from front.	F G	25.8	16	Square skeleton tower, orange rectangular daymark with black vertical stripe. 1.1	Year round. Operates 24 h. Emergency mode.
2319 H2476	Verchères Village front range light	45 46 46.0 073 21 22.4	F G	10.0	16	Square skeleton tower, fluorescent red slatwork daymark with black vertical stripe. 6.0	Year round. Operates 24 h. Emergency mode.
2320 H2476.1	Verchères Village rear range light	45 46 30.3 073 21 41.4 220°21' 633.2 m from front.	F G	30.8	16	Square skeleton tower, fluorescent red daymark with black vertical stripe. 24.5	Year round. Operates 24 h. Emergency mode.
2320.5	Contrecoeur light buoy M54	Chenal de Verchères – Contrecoeur. 45 50 33.9 073 16 52.8	Fl R 4s	Red, spar, marked "M54".	Year round (YRLS).

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL							
2321	Contrecoeur light buoy M57	Chenal de Verchères – Contrecoeur. 45 50 29.3 073 16 43.4	Fl G 4s	Green, spar, marked "M57".	Year round (YRLS).
2322	Course Contrecoeur - Verchères light buoy M76	45 49 48.2 073 17 48.4	Fl R 4s	Red, pillar, marked "M76".	Year round. (Winter spar.)
2323	Île Bouchard light buoy M77	Chenal de Verchères – Contrecoeur. 45 49 48.9 073 17 32.6	Fl G 4s	Green, spar, marked "M77".	Year round (YRLS).
2323.5	Course Contrecoeur - Verchères light buoy M78	45 48 49.6 073 18 59.7	Fl R 4s	Red, pillar, marked "M78".	Seasonal.
2324	Course Contrecoeur - Verchères light buoy M79	S. of island. 45 48 12.2 073 19 30.1	Fl G 4s	Green, pillar, marked "M79".	Year round. (Winter spar.)
2325	Île aux Prunes light buoy M82	Chenal de Verchères – Contrecoeur. 45 47 26.3 073 20 40.8	Q R 1s	Red, spar, marked "M82".	Year round (YRLS).
2325.2	Île Marie light buoy M84	Traverse de Verchères. 45 47 07.5 073 21 10.9	Fl R 4s	Red, spar, marked "M84".	Year round (YRLS).
2326 H2480	Chenal du Cap-Saint- Michel – Verchères downstream front range light	On island. 45 47 56.4 073 20 40.5	F G	14.1	14 Square skeleton tower, fluorescent red daymark with black vertical stripe. 9.9	Year round. Operates 24 h. Emergency mode.
2327 H2480.1	Chenal du Cap-Saint- Michel – Verchères downstream rear range light	45 48 20.3 073 20 14.1 037°35' 934.2 m from front.	F G	29.2	14 Square skeleton tower, fluorescent red daymark with black vertical stripe. 24.7	Year round. Operates 24 h. Emergency mode.
2327.4	Verchères light buoy M87	Traverse de Verchères. 45 46 40.0 073 21 49.0	Q G 1s	Green, spar, marked "M87".	Year round (YRLS).
2327.5	Île Marie light buoy M88	Traverse de Verchères. 45 46 37.6 073 22 14.4	Q R 1s	Red, spar, marked "M88".	Year round (YRLS).
2328	Chenal du Cap Saint- Michel - Verchères light buoy M89	45 46 20.0 073 22 19.4	Q G 1s	Green, pillar, marked "M89".	Year round. (Winter spar.)
2329	Chenal du Cap Saint- Michel - Verchères light buoy M103	45 44 56.1 073 23 51.7	Fl G 4s	Green, pillar, marked "M103".	Year round. (Winter spar.)

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL							
2329.2	<i>Chenal du Cap-Saint-Michel - Verchères light buoy M104</i>	45 45 00.9 073 24 00.7	Fl R 4s	Red, spar, marked "M104".	Year round (YRLS).
2330 H2482	Chenal du Cap-Saint-Michel – Verchères upstream front range light	NE. side of Île Sainte-Thérèse. 45 41 36.7 073 27 37.6	Iso G 2s	18.5	19	Square skeleton tower, orange daymark with black vertical stripe. 6.6	Year round. Operates 24 h. Emergency mode.
2330.1 H2482.1	Île Ste-Thérèse	NE. side of Île Sainte-Thérèse. 45 41 36.6 073 27 37.5	Iso G 2s	18.2	7	Skeleton tower. 27.4	Year round.
2331 H2482.1	Chenal du Cap-Saint-Michel – Verchères upstream rear range light	45 41 15.8 073 28 00.4 217°32' 819.0 m from front.	Iso G 2s	31.1	19	Skeleton tower, orange daymark with black vertical stripe. 26.8	Year round. Operates 24 h. Emergency mode.
2331.5	<i>Île Bellegarde light buoy M116</i>	45 44 05.2 073 25 01.8	Fl R 4s	Red, pillar, marked "M116".	Seasonal.
2332	<i>Cap Saint-Michel light buoy M117</i>	Chenal du Cap-Saint-Michel, Verchères. 45 43 13.8 073 25 43.9	Fl G 4s	Green, spar, marked "M117".	Year round (YRLS).
2333	<i>Île Saint-Laurent light buoy M118</i>	Chenal du Cap-Saint-Michel - Verchères. 45 43 09.6 073 26 02.9	Fl R 4s	Red, spar, marked "M118".	Year round (YRLS).
2333.3	<i>Cap Saint-Michel light buoy M119</i>	45 42 55.9 073 25 58.4	Q G 1s	Green, pillar, marked "M119".	Seasonal.
2333.4	<i>Île Deslauriers light buoy M122</i>	45 42 32.1 073 26 24.2	Fl R 4s	Red, pillar, marked "M122".	Year round. (Winter spar.)
2333.5	<i>Varenes light buoy M123</i>	Chenal de Varenes. 45 42 18.7 073 26 19.6	Fl G 4s	Green, spar, marked "M123".	Year round (YRLS).
2334	<i>Îlet Vert light buoy M124</i>	Chenal de Varenes. 45 42 13.6 073 26 37.9	Fl R 4s	Red, spar, marked "M124".	Year round (YRLS).
2335 H2484	Île Sainte-Thérèse Downstream front range light	E. side of island. 45 41 06.8 073 27 32.7	F G	11.9	11 Skeleton tower, fluorescent red slatwork daymark with black vertical stripe. 6.2	Year round. Operates 24 h. Emergency mode.
2335.1	Île Sainte-Thérèse Downstream	E. side of island. 45 41 06.8 073 27 32.7	F G	11.9	4 Skeleton tower. 6.2	Year round. Emergency mode.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL							
2336 H2484.1	Île Sainte-Thérèse Downstream rear range light	45 41 02.7 073 27 36.5 212°53' 152.7 m from front.	F G	18.1	11	Skeleton tower, fluorescent red slatwork daymark with black vertical stripe. 13.1	Year round. Operates 24 h.
2337	<i>Poulier du Calvaire</i> light buoy M129	<i>Chenal de</i> <i>Varenes.</i> 45 41 45.6 073 26 50.2	Fl G 4s	<i>Green, spar, marked</i> <i>"M129".</i>	<i>Year round (YRLS).</i>
2337.3	Île Sainte-Thérèse light buoy M130	<i>Chenal de</i> <i>Varenes.</i> 45 41 43.2 073 27 05.9	Q R 1s	<i>Red, spar, marked "M130".</i>	<i>Year round (YRLS).</i>
2337.7	Île Sainte-Thérèse light buoy M132	<i>Chenal de</i> <i>Varenes.</i> 45 41 22.7 073 27 17.0	Fl R 4s	<i>Red, spar, marked "M132".</i>	<i>Year round (YRLS).</i>
2338	Varenes light buoy M133	<i>Traverse de</i> <i>Varenes.</i> 45 41 15.0 073 27 06.8	Q G 1s	<i>Green, spar, marked</i> <i>"M133".</i>	<i>Year round (YRLS).</i>
2338.5	Île Sainte-Thérèse light buoy M138	<i>Traverse de</i> <i>Varenes.</i> 45 40 51.6 073 27 21.8	Fl R 4s	<i>Red, spar, marked "M138".</i>	<i>Year round (YRLS).</i>
2339.2	Varenes light buoy M139	45 40 39.5 073 27 12.3	Fl G 4s	<i>Green, pillar, marked</i> <i>"M139".</i>	<i>Year round.</i> <i>(Winter spar.)</i>
2339.4	Île Sainte-Thérèse light buoy M140	<i>Chenal de l'Île</i> <i>Sainte-Thérèse.</i> 45 40 34.5 073 27 27.3	Q R 1s	<i>Red, spar, marked "M140".</i>	<i>Year round (YRLS).</i>
2340 H2486	Traverse de Varenes front range light	N. end of La Grande Île. 45 40 03.2 073 27 23.5	F G	9.4	11	Cylindrical tower, orange slatwork daymark with black vertical stripe. 5.5	Year round. Operates 24 h.
2341 H2486.1	Traverse de Varenes rear range light	45 39 59.3 073 27 24.1 186°05' 122.4 m from front.	F G	15.7	11	Cylindrical tower, orange slatwork daymark with black vertical stripe. 11.9	Year round. Operates 24 h.
2343	<i>La Grande Île light</i> buoy M143	45 39 53.1 073 27 38.7	Fl G 4s	<i>Green, pillar, marked</i> <i>"M143".</i>	<i>Year round.</i> <i>(Winter spar.)</i>
2343.2	Île aux Vaches light buoy M144	45 39 56.7 073 27 48.8	Fl R 4s	<i>Red, spar, marked "M144".</i>	<i>Year round (YRLS).</i>
2344 H2487	Traverse de l'Île aux Vaches front range light	Varenes. 45 41 12.8 073 26 32.9	F G	12.2	15	White cylindrical tower, orange daymark with black vertical stripe. 9.5	Year round. Operates 24 h. Emergency light: Iso G 1s.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL							
2345 H2487.1	Traverse de l'île aux Vaches rear range light	45 41 21.7 073 26 24.8 032°35' 325.8 m from front.	F G	22.7	15	Square skeleton tower, orange daymark with black vertical stripe. 18.8	Year round. Operates 24 h. Emergency light: Iso G 1s.
2345.1 H2487.1	Traverse de l'île aux Vaches	Vareennes. 45 41 21.7 073 26 24.8	F G	22.3	5	Square skeleton tower. 18.4	Year round. Operates 24 h.
2346 H2490	Île Ste-Thérèse Upper front range light	On E. shore of Île aux Vaches. 45 39 52.8 073 27 58.3	F G	11.4	10	White cylindrical tower, orange rectangular daymark with black stripe. 4.0	Year round. Emergency mode.
2346.1 H2490	Île Ste-Thérèse Upper	On E. shore of Île aux Vaches. 45 39 52.8 073 27 58.3	F G	12.2	5	White cylindrical tower. 4.9	Year round.
2347 H2490.1	Île Ste-Thérèse Upper rear range light	45 40 29.9 073 27 33.8 024°50' 1262.1 m from front.	F G	30.2	10	Square skeleton tower, orange daymark with black vertical stripe. 21.7	Year round. Emergency mode.
2347.1 H2490.1	Île Ste-Thérèse Upper	Islet E. of Île Sainte Thérèse. 45 40 29.9 073 27 33.8	F G	30.2	5	Square skeleton tower. 21.6	Year round.
2348.1	Pointe aux Trembles South Cardinal light buoy PAT	Chenal de la Pointe-aux- Trembles. 45 39 03.7 073 28 36.9	Q(6) + W LFI	15s	Yellow-black, spar, marked "PAT".	Year round (YRLS).
2349	Île Saint-Patrice light buoy M151	Chenal de la Pointe-aux- Trembles. 45 38 48.0 073 28 34.8	Fl G	4s	Green, spar, marked "M151".	Year round (YRLS).
2349.1	Pointe-aux-Trembles Anchorage light buoy PATB	45 38 38.4 073 28 29.6	Fl Y	4s	Yellow, spar, marked "PATB".	Year round (YRLS).
2349.2	Pointe-aux-Trembles Anchorage light buoy PATC	45 38 26.6 073 28 37.3	Fl Y	4s	Yellow, spar, marked "PATC".	Year round (YRLS).
2349.3	Pointe-aux-Trembles Anchorage light buoy PATD	45 38 14.9 073 28 45.0	Fl Y	4s	Yellow, pillar, marked "PATD".	Year round. (Winter spar.)
2349.4	Pointe aux Trembles Anchorage light buoy PATE	45 38 03.1 073 28 52.8	Fl Y	4s	Yellow, spar, marked "PATE".	Year round (YRLS).
2349.5	Pointe-aux-Trembles light buoy M156	45 38 00.3 073 29 18.7	Fl R	4s	Red, pillar, marked "M156".	Year round. (Winter spar.)

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL							
2350.5	Pointe-aux-Trembles Anchorage light buoy PATG	45 37 51.4 073 29 00.5	Fl Y 4s	Yellow, spar, marked "PATG".	Year round (YRLS).
2352	Île Dufault light buoy M157	Chenal de la Pointe-aux- Trembles. 45 37 46.9 073 29 15.1	Fl G 4s	Green, spar, marked "M157".	Year round (YRLS).
2354	Montréal East light buoy M161	45 37 01.4 073 29 45.0	Fl G 4s	Green, pillar, marked "M161".	Year round. (Winter spar.)
2354.5	Montréal East Anchorage light buoy MEB	45 36 38.8 073 29 50.7	Fl Y 4s	Yellow, pillar, marked "MEB".	Seasonal.
2355	Tétreaultville light buoy M163	Chenal de la Pointe-aux- Trembles. 45 36 35.9 073 30 01.8	Q G 1s	Green, spar, marked "M163".	Year round (YRLS).
2355.5	Tétreaultville light buoy M165	45 36 18.1 073 30 07.2	Fl G 4s	Green, spar, marked "M165".	Year round (YRLS).
2356	Montréal light buoy M166	45 36 24.7 073 30 24.0	Fl R 4s	Red, pillar, marked "M166".	Seasonal.
2358	Tétreaultville light buoy M167	Traverse de Longue-Pointe. 45 35 53.9 073 30 09.2	Q G 1s	Green, spar, marked "M167".	Year round (YRLS).
2359 H2496	Chenal de la Pointe- aux-Trembles front range light	Tétreaultville. 45 35 50.6 073 30 37.9	F G	14.6	13 White cylindrical tower, orange daymark with black vertical stripe. 7.4	Year round. Operates 24 h. Emergency light: Iso G 1s.
2360 H2496.1	Chenal de la Pointe- aux-Trembles rear range light	45 35 32.1 073 30 50.1 204°50' 629.8 m from front.	F G	30.2	13 Cylindrical tower, orange daymark with black vertical stripe. 21.9	Year round. Operates 24 h. Emergency light: Iso G 1s.
2363 H2499	Route Maisonneuve- Longue-Pointe front range light	S. end of Grandes battures Tailhandier. 45 35 42.3 073 29 34.2	F W	10.1	11 Square skeleton tower, orange daymark with black vertical stripe. 7.2	Year round. Operates 24 h. Emergency mode.
2364 H2499.1	Route Maisonneuve- Longue-Pointe rear range light	45 35 56.5 073 29 25.8 022°38' 477.1 m from front.	F W	23.7	11 White square skeleton tower, orange rectangular daymark with black vertical stripe. 18.6	Year round. Operates 24 h. Emergency mode.
2365	Pont-tunnel Louis- Hippolyte-La Fontaine light buoy M171	Traverse de Longue-Pointe. 45 35 09.3 073 29 57.8	Q G 1s	Green, spar, marked "M171".	Year round (YRLS).

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL							
2365.1	Îlot de la Baronnie light buoy MT66	Boucherville channel. 45 34 32.1 073 29 22.5	Fl R 4s	Red, pillar, marked "MT66".	Seasonal.
2365.3	Îlot de la Baronnie light buoy MT68	Boucherville channel. 45 34 29.8 073 29 36.5	Fl R 4s	Red, pillar, marked "MT68".	Seasonal.
2365.4	Longue-Pointe light buoy M175	Montréal, main channel. 45 34 35.7 073 30 07.7	Fl G 4s	Green, pillar, marked "M175".	Seasonal.
2365.51	Light buoy MT1	Boucherville channel. 45 41 22.1 073 26 52.5	Fl G 4s	Green, pillar, marked "MT1".	Seasonal.
2365.53	Quai Bellevue light buoy MT3	Boucherville channel. 45 41 03.1 073 26 55.5	Fl G 4s	Green, can, marked "MT3".	Seasonal.
2365.65	Light buoy MT31	Boucherville channel. 45 38 25.8 073 27 01.5	Q G 1s	Green, pillar, marked "MT31".	Seasonal.
2365.69	Light buoy MT40	Boucherville channel. 45 37 09.1 073 27 36.5	Q R 1s	Red, pillar, marked "MT40".	Seasonal.
2365.73	Île Charron light buoy MT59	Îles de Boucherville, Chenal du Sud. 45 34 57.6 073 28 30.5	Fl G 4s	Green, can, marked "MT59".	Seasonal.
2365.75	Île Charron light buoy MT60	Îles de Boucherville, Chenal du Sud. 45 34 59.1 073 28 33.6	Fl R 4s	Red, conical, marked "MT60".	Seasonal.
2365.83	Light buoy MT69	Boucherville channel. 45 34 13.9 073 30 04.3	Fl G 4s	Green, pillar, marked "MT69".	Seasonal.
2365.9	Poulier à Gagnon light buoy M177	Montréal, main channel. 45 33 56.9 073 30 33.0	Fl G 4s	Green, pillar, marked "M177".	Year round. (Winter spar.)
2366 H2497	Traverse de Longue- Pointe front range light	Pointe-du-Marigot. 45 33 42.6 073 29 41.3	Iso G 2s	15.6	17	White cylindrical tower, orange daymark with black vertical stripe. 8.9	Year round. Operates 24 h. Emergency mode.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL							
2367 H2497.1	Traverse de Longue- Pointe rear range light	45 33 36.5 073 29 39.7 169°48' 190.0 m from front.	Iso G 2s	20.6	17	Cylindrical tower, orange slatwork daymark with black vertical stripe. 13.4	Year round. Operates 24 h. Emergency mode.
2368	Longueuil B Anchorage light buoy LGLB	Montréal, main channel. 45 33 07.2 073 30 53.3	Fl Y 4s	Yellow, pillar, marked "LGLB".	Year round. (Winter spar.)
2369.5	Longueuil light buoy M187	Haut-fond Longueuil. 45 32 52.1 073 31 15.6	Q G 1s	Green, spar, marked "M187".	Year round (YRLS).
2370	Longueuil light buoy MT79	Boucherville channel. 45 32 38.1 073 31 21.7	Fl G 4s	Green, can, marked "MT79".	Seasonal.
2371	Longueuil light buoy MT81	Boucherville channel. 45 32 26.8 073 31 26.6	Fl G 4s	Green, pillar, marked "MT81".	Seasonal.
2374	Longueuil light buoy MT85	Boucherville channel. 45 32 18.1 073 31 21.8	Fl G 4s	Green, pillar, marked "MT85".	Seasonal.
2377	Longueuil light buoy M189	Haut-fond Longueuil. 45 32 16.2 073 31 36.5	Fl G 4s	Green, spar, marked "M189".	Year round (YRLS).
2377.8	Île Sainte-Hélène North Cardinal light buoy ISH	NE. point of island. 45 32 08.5 073 31 53.7	VQ W 0.5s	Black-yellow, spar, marked "ISH".	Year round (YRLS).
2378	Cap sur Mer light buoy M191	Canal de la Rive Sud entrance. 45 32 05.4 073 31 39.8	Fl G 4s	Green, spar, marked "M191".	Year round (YRLS).
2378.5	Port Sainte-Hélène bifurcation light buoy PSH	Marina. 45 31 53.2 073 31 46.9	Fl(2+1) R 6s	Red-green-red, spar, marked "PSH".	Year round (YRLS).
2379	Port Sainte-Hélène light buoy M192	Canal de la Rive Sud entrance. 45 31 43.8 073 31 42.7	Fl R 4s	Red, spar, marked "M192".	Year round (YRLS).
2379.3 H2506	Pont Jacques-Cartier Bridge South Light	S. side of bridge. 45 31 18.9 073 32 35.1	F G	54.4	On bridge. Year round.
2379.4 H2506.2	Pont Jacques-Cartier Bridge North Light	N. side of bridge. 45 31 19.6 073 32 34.8	F G	54.4	On bridge. Year round.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

ST. LAWRENCE RIVER, SOREL - PORT DE MONTRÉAL

2379.6 H2506.5	Pont Jacques-Cartier Bridge East Light	N. side of bridge. 45 31 17.4 073 31 32.9	F G	43.4	2	On bridge.	Seasonal. Operates 24 h.
2381	Île Sainte-Hélène light buoy M195	Montréal, main channel. 45 31 31.4 073 32 26.2	Fl G 4s	Green, pillar, marked "M195".	Seasonal.
2383	Île Sainte-Hélène light buoy M199	Montréal, main channel. 45 30 58.5 073 32 32.3	Fl G 4s	Green, pillar, marked "M199".	Seasonal.
2384	Quai Jacques-Cartier light buoy M201	45 30 43.3 073 32 34.9	Fl G 4s	Green, pillar, marked "M201".	Seasonal.