

## List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>NOVA SCOTIA SOUTHWEST COAST</b>							
271	<i>Chebogue Point South Cardinal light buoy E</i>	<i>W. of extremity of point. 43 43 46.6 066 07 06.8</i>	<i>Q(6) + LFI</i>	<i>W 15s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow-black, pillar, marked "E". Year round.</i>
271.3	<i>Chebogue River Inner light buoy E3</i>	<i>43 44 54.3 066 06 04.0</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "E3". Year round.</i>
271.8	<i>Chebogue River light buoy E8</i>	<i>43 45 05.3 066 05 17.0</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "E8". Year round.</i>
271.9	<i>Chebogue River Inner light buoy E9</i>	<i>43 45 11.3 066 05 08.0</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "E9". Year round.</i>
272 H3818	<b>Green Island</b>	<i>Centre of island. 43 41 23.1 066 08 38.3</i>	<i>Oc W</i>	<i>3s</i>	<i>25.0</i>	<b>18</b>	<i>Square skeleton tower, red and white rectangular daymark. Year round. Flash 2 s; eclipse 1 s.</i>
272.11	<i>Chebogue River light buoy E11</i>	<i>43 45 18.3 066 05 08.5</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "E11". Year round.</i>
272.135	<i>Chebogue River Inner light buoy E13/5</i>	<i>43 45 41.5 066 05 25.5</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "E13/5". Year round.</i>
272.18	<i>Chebogue River Inner light buoy E18</i>	<i>43 46 09.3 066 05 40.0</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "E18". Year round.</i>
272.23	<i>Chebogue Ledge light buoy EA1</i>	<i>Southern approach. 43 43 09.3 066 07 34.5</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, can, marked "EA1". Year round.</i>
274.14	<i>Little River Harbour light buoy NS17/1</i>	<i>Chebogue. 43 42 10.3 066 02 21.5</i>	<i>Q G</i>	<i>1s</i>	<i>.....</i>	<i>.....</i>	<i>Green, can, marked "NS17/1". Year round.</i>
274.2	<i>Soldiers Ledge South Cardinal light buoy NSA</i>	<i>43 30 45.3 066 02 31.0</i>	<i>Q(6) + LFI</i>	<i>W 15s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow-black, pillar, marked "NSA". Year round.</i>
274.22	<i>Schooner Passage Rock light buoy NSE</i>	<i>Tusket Islands. 43 39 24.0 066 02 28.5</i>	<i>F(2) W</i>	<i>10s</i>	<i>.....</i>	<i>.....</i>	<i>Black-red-black, pillar, marked "NSE". Year round.</i>
274.4	<i>Soldiers Ledge North Cardinal light buoy NSB</i>	<i>43 33 23.5 066 03 00.0</i>	<i>Q W</i>	<i>1s</i>	<i>.....</i>	<i>.....</i>	<i>Black-yellow, pillar, marked "NSB". Year round.</i>
274.8	<i>Haymaker Ledge light buoy NS8</i>	<i>Schooner Passage. 43 38 21.3 066 01 36.8</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "NS8". Year round.</i>
274.9	<i>Allen Rock light buoy NS9</i>	<i>Schooner Passage, Tusket Islands. 43 38 22.1 066 02 05.3</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "NS9". Year round.</i>
275	<i>Murder Island light buoy NSH</i>	<i>W. of island. 43 40 04.2 066 03 39.0</i>	<i>Mo(A) W</i>	<i>6s</i>	<i>.....</i>	<i>.....</i>	<i>Red-white, pillar, marked "NSH". Year round.</i>
276	<i>Schooner Passage light buoy NS11</i>	<i>N. of Owls Head. 43 39 39.6 066 02 58.0</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "NS11". Year round.</i>

## List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

## NOVA SCOTIA SOUTHWEST COAST

277	Pinkneys Point light buoy NS17	S. of point. 43 41 52.3 066 03 16.0	Fl G 4s	.....	.....	Green, spar, marked "NS17".	Year round.
278 H3819	Pinkneys Point	On outer end of rubble breakwater extension. 43 42 12.7 066 03 10.5	Fl G 4s	.....	4	Pipe Swing Pole, green, white and black square daymark.	Year round. Flash 1 s; eclipse 3 s.
278.2 H3819.1	Pinkneys Point Fog Signal	43 42 11.6 066 03 12.1	.....	.....	.....	Square skeleton tower. 4.1	Year round. <b>Fog Horn</b> Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s.
279 H3817.4	Little River Harbour	S. extremity of Big Cook Island. 43 42 36.4 066 02 02.2	Fl W 4s	6.9	5	Square skeleton tower, white rectangular daymark with red horizontal band. 3.1	Year round.
279.5 H3817.5	Little River Harbour East	On outer end of breakwater. 43 42 41.7 066 01 53.7	Fl R 4s	3.0	4	Pipe swing pole. 3.0	Year round. Flash 1 s; eclipse 3 s.
280 H3814	Candlebox Island	N. entrance, Schooner Passage. 43 39 44.6 066 02 43.3	LFl R 6s	14.1	13	White rectangular tower with red top. 11.6	Year round. Flash 2 s; eclipse 4 s. <b>Fog Horn</b> Blast 3 s; sil. 27 s.
281	The Sluice West	W. side of rock. 43 40 13.1 066 00 53.1	Fl W 5s	4.5	4	Square skeleton tower, red and white rectangular daymark.	Year round. Flash 1 s; eclipse 4 s.
282 H3816	The Sluice East	E. side of rock. 43 40 12.1 066 00 48.1	Fl W 5s	4.5	4	Square skeleton tower, red and white rectangular daymark. 3.6	Year round. Flash 1 s; eclipse 4 s.
282.5 H3805.8	Pearl Rock	43 38 13.6 066 01 22.9	Fl R 4s	5.0	.....	Red cylindrical mast. 8.2	Year round.
283 H3806	Peases Island	On S. point of one of the Tusket Islands. 43 37 42.6 066 01 34.9	LFl W 6s	16.0	9	White cylindrical tower with red top. 11.5	Year round. Flash 2 s; eclipse 4 s. Visible from all points of approach from southward; also through Schooner Passage and Ellenwoods Channel. <b>Fog Horn</b> Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s.
283.2	Peases Island Ledge light buoy NS4	S. of ledge. 43 37 29.8 066 01 15.8	Fl R 4s	.....	.....	Red, pillar, marked "NS4".	Year round.
284 H3817	Frenchman Point	On rock, SW. of point. 43 38 07.2 066 00 59.4	Iso R 2s	.....	5	Square skeleton tower, red and white rectangular daymark. 6.1	Year round.

## List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
<b>NOVA SCOTIA SOUTHWEST COAST</b>								
285	Frenchman Point light buoy T3	S. of the point. 43 38 05.8 065 59 59.3	Fl G 4s	.....	.....	Green, pillar, marked "T3".	Year round.	
285.2	Gull Ledge light buoy NE2	Tusket Islands. 43 37 08.6 065 54 51.4	Fl R 4s	.....	.....	Red, conical, marked "NE2".	Year round.	
285.5	Old Woman South Cardinal light buoy TT	43 37 46.3 065 58 47.9	Q(6) + W LFI	15s	.....	.....	Yellow-black, pillar, marked "TT".	Year round.
286	Lobster Rock light buoy T9	E. of Lobster Island. 43 39 29.3 065 59 11.9	Fl G 4s	.....	.....	Green, spar, marked "T9".	Year round.	
286.5	Sylvin Ledge light buoy T7	Off S. end of ledge. 43 38 49.3 065 59 13.9	Fl G 4s	.....	.....	Green, spar, marked "T7".	Year round.	
287.5	Old Man light buoy T1	43 36 35.3 065 59 57.9	Fl G 4s	.....	.....	Green, pillar, marked "T1".	Year round.	
288	Spectacle Shoal light buoy NSC	SW. of Spectacle Ledge. 43 35 59.6 066 03 47.6	Mo(A) W 6s	.....	.....	Red-white, pillar, marked "NSC".	Year round.	
289 H3812	<b>Seal Island</b>	S. point of island. 43 23 40.0 066 00 51.0	Fl W 10s	33.4	<b>19</b>	White octagonal tower with red top. 21.3	Year round. Flash 1 s; eclipse 9 s. <b>Fog Horn</b> Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s.	
290.2	Blond Rock East Cardinal light buoy NK	43 20 26.9 065 58 43.4	Q(3) W 10s	.....	.....	Black-yellow-black, pillar, marked "NK".	Year round.	
291	Lower Wedgeport light buoy TC3	E. of Black Ledges. 43 41 33.1 065 59 27.7	Fl G 4s	.....	.....	Green, spar, marked "TC3".	Year round.	
292 H3805.5	Lower Wedgeport	43 42 38.6 065 59 22.4	Fl R 4s	4.0	4	Skeleton tower on 5-pile dolphin. 2.0	Year round. Radar reflector.	
293 H3805.4	Goose Bay	43 42 13.6 065 59 20.0	Fl R 4s	3.4	4	Skeleton tower on 5-pile dolphin. 2.1	Year round. Radar reflector.	
293.2 H3805.7	Snipe Reef	43 40 27.5 065 59 08.3	Fl R 4s	4.1	4	Red cylindrical mast. 7.0	Year round.	
293.55	Snipe Reef bifurcation light buoy TA	43 39 27.3 065 58 20.9	F(2+1) G 6s	.....	.....	Green-red-green, pillar, marked "TA".	Year round.	
293.6	Western Bar Island South light buoy TA3	43 40 12.4 065 57 38.1	Fl G 4s	.....	.....	Green, spar, marked "TA3".	Year round.	
293.7	Fish Ledge West light buoy TA5	43 41 25.3 065 57 51.9	Fl G 4s	.....	.....	Green, spar, marked "TA5".	Year round.	

## List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
<b>NOVA SCOTIA SOUTHWEST COAST</b>								
294 H3804	<b>Tusket River</b>	Big Fish Island, SW. point. 43 42 12.6 065 57 05.9	FI W 10s	18.6	<b>16</b>	White square tower with red upper portion. 11.2	Year round. Flash 1 s; eclipse 9 s.	
294.3 H3805	Tusket Wedge	43 42 47.6 065 58 00.3	FI G 4s	8.3	4	Pipe Swing Pole, green, white and black square daymark. 6.8	Year round.	
294.55 H3819.5	Sluice Point Wharf Light	At the end of wharf. 43 46 21.2 065 57 02.4	FI R 4s	.....	4	Pipe swing pole.	Year round.	
294.551	<i>Wilson Island North light buoy TE2</i>	<i>Indian Sluice Bay. 43 44 04.6 065 56 41.6</i>	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "TE2".</i>	<i>Year round.</i>	
294.56	<i>Mikes Island Ledge light buoy TE10</i>	<i>Indian Sluice Bay. 43 45 07.8 065 56 39.3</i>	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "TE10".</i>	<i>Year round.</i>	
294.6 H3803	Surette's Island Breakwater	43 43 12.3 065 54 19.5	FI G 4s	.....	.....	Cylindrical mast.	Year round.	
294.7	<i>East Money Outer South cardinal light buoy ND</i>	<i>Lobster Bay. 43 40 48.3 065 53 58.0</i>	<i>Q(6) + W LFI</i>	<i>15s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow-black, spar, marked "ND".</i>	<i>Year round.</i>
294.8 H3803.4	Bar Island	S. of island. 43 42 01.7 065 54 12.1	FI G 4s	4.0	4	Green cylindrical mast. 8.6	Year round.	
295 H3800	Whitehead Island	On S. point of island. 43 39 45.8 065 52 02.6	FI G 15s	30.0	10	Red and white rectangular tower with red top. 11.9	Year round. Flash 1 s; eclipse 14 s.  <b>Fog Horn</b> Blast 3 s; sil. 27 s.	
295.5 H3801	Lower Argyle Breakwater	43 43 24.0 065 50 31.8	FI R 4s	9.6	3	Pipe swing pole, red triangular daymark.	Year round.	
295.9 H3803.6	Gull Island	43 39 37.6 065 54 55.3	FI W 4s	8.6	6	Square skeleton tower, red and white rectangular daymark. 6.1	Year round.	
296.2	<i>Abbotts Harbour light buoy AC1</i>	<i>S. of Abbotts Harbour Island. 43 39 25.1 065 49 29.0</i>	<i>Q G 1s</i>	<i>.....</i>	<i>.....</i>	<i>Green, can, marked "AC1".</i>	<i>Year round.</i>	
296.3	<i>Ledge Harbour light buoy AA3</i>	<i>Off S. end of island. 43 38 47.8 065 49 12.4</i>	<i>FI G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "AA3".</i>	<i>Year round.</i>	
297.12	Black Ledge Light	Argyle, N.S. 43 42 11.0 065 51 00.5	FI G 4s	.....	.....	Green cylindrical mast, green, white and green square daymark.	Year round. Radar reflector.	

## List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

## NOVA SCOTIA SOUTHWEST COAST

297.6	<i>Pumpkin Ledge light buoy A6</i>	<i>Lobster bay, S. approach lower Argyle. 43 40 33.3 065 51 25.3</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "A6".</i>	<i>Year round.</i>
299 <i>H3798</i>	Pubnico Harbour	43 35 53.4 065 46 55.6	Fl R 3s	.....	7	Red and white cylindrical tower. 11.5	Year round. Flash 1 s; eclipse 2 s.
300	<i>Pubnico Ledges light buoy P5</i>	<i>E. side of ledges. 43 36 16.3 065 46 53.9</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "P5".</i>	<i>Year round.</i>
300.5 <i>H3798.4</i>	Lower East Pubnico	On wharf. 43 36 21.3 065 46 41.9	Fl R 6s	7.5	4	Pipe swing pole. 6.6	Year round. Flash 1 s; eclipse 5 s.